Priaxor®

Xemium® Brand Fungicide

Priaxor® Fungicide for Peanuts

Benefits of Priaxor Fungicide

- Best in class leaf spot control
- Maximize peanut production by reducing disease
- Provides increased soilborne disease control compared to Headline[®] Fungicide
- Two effective modes of action for resistance management
- Only one spray needed between 30-45 DAE with Priaxor fungicide

For 150 years, BASF has provided growers with high quality yield-enhancing products

Priaxor Fungicide Disease Control Late Leaf Spot – Peanut





Untroated

Priaxor fungicide

Clemson University Research Trial 2013. Priaxor fungicide applied preventatively at 6 fl oz/A.



150 years



We create chemistry

Technical Information Bulletin

Two of your First Three Fungicide Sprays Should be Priaxor® Fungicide! Option 1

Application Recommendation Using Priaxor Fungicide for Control of Leaf Spot and Soilborne Diseases

1st Spray	2nd Spray	3rd Spray	4th Spray	5th Spray	6th Spray	7th Spray
Priax Xemium® Bra	Or° nd Fungicide	Tebuconazole or Convoy® or Artisan® or Fontelis®	Priaxor® Xemium® Brand Fungicide 8 oz	Tebuconazole or Convoy or Artisan or Fontelis	Tebuconazole or Convoy or Artisan or Fontelis	Chlorothalonil
30 DAE 45 DAE		60 DAE	75 DAE	90 DAE	105 DAE	120 DAE

DAE = Days After Emergence

Better Post Infection Activity than Headline® Fungicide



2014 – GA: Two sequential applications of either Headline fungicide and Priaxor fungicide at first sign of leaf spot. Remainder of program was Bravo Weather Stik®.

Option 2

Application Recommendation Using Priaxor Fungicide for Control of Leaf Spot

1st Spray	2nd Spray	3rd Spray	4th Spray	5th Spray	6th Spray	7th Spray
Save a Spray		Tebuconazole* or Convoy or Artisan or Fontelis	Tebuconazole* or Convoy or Artisan or Fontelis	Tebuconazole or Convoy or Artisan or Fontelis	Tebuconazole or Convoy or Artisan or Fontelis	Chlorothalonil
Priaxor® Xemium® Brand Fungicide 6 oz						
30 DAE	45 DAE	60 DAE	75 DAE	90 DAE	105 DAE	120 DAE

DAE = Days After Emergence

For best resistance management, practice two sprays per season – one solo spray and one tank mixed with Bravo Weather Stik.*

*Tank mix 4 fl oz/A of Priaxor fungicide into at least one of these mid-season fungicide applications



