

Safety data sheet

Page: 1/10

BASF Safety data sheet

Date / Revised: 19.04.2023

Product: **Vitamin E-Acetate (DL-alpha-tocopheryl acetate)**

Version: 6.1

(30041054/SDS_GEN_TH/EN)

Date of print: 21.10.2025

1. Substance/preparation and manufacturer/supplier identification

Product name:

Vitamin E-Acetate (DL-alpha-tocopheryl acetate)

Use: feed additive(s), food additive(s)

Manufacturer/supplier:

BASF (Thai) Limited

23rd Floor, Emporium Tower, 622, Sukhumvit 24 Rd.,

Klongton, Klongtoey, Bangkok 10110, THAILAND

Telephone: +66 2624-1999

Telefax number: +66 2664-9254

E-mail address: Thailand-SDS-info@basf.com

Emergency information:

International emergency number:

Telephone: +49 180 2273-112

2. Hazard identification

Classification according to UN GHS 2009

Classification of the substance and mixture:

No need for classification according to GHS criteria for this product.

Label elements and precautionary statement:

The product does not require a hazard warning label in accordance with GHS criteria.

Other hazards which do not result in classification:

High risk of slipping due to leakage/spillage of product.

BASF Safety data sheet
Date / Revised: 19.04.2023
Product: **Vitamin E-Acetate (DL-alpha-tocopheryl acetate)**

Version: 6.1

(30041054/SDS_GEN_TH/EN)

Date of print: 21.10.2025

3. Composition/information on ingredients

Chemical nature

Substance nature: Substance

Vitamin E Acetate (Content (W/W): $\geq 96\%$ - $\leq 100\%$)
CAS Number: 7695-91-2

No particular hazards known.

4. First-Aid Measures

General advice:
Remove contaminated clothing.

If inhaled:
Keep patient calm, remove to fresh air.

On skin contact:
Wash thoroughly with soap and water

On contact with eyes:
Wash affected eyes for at least 15 minutes under running water with eyelids held open.

On ingestion:
Rinse mouth and then drink 200-300 ml of water.

Note to physician:
Symptoms: (Further) symptoms and / or effects are not known so far
Treatment: Symptomatic treatment (decontamination, vital functions).

5. Fire-Fighting Measures

Suitable extinguishing media:
water spray, carbon dioxide, dry powder, alcohol-resistant foam

Unsuitable extinguishing media for safety reasons:
water jet

Specific hazards:
harmful vapours, carbon oxides
Evolution of fumes/fog. The substances/groups of substances mentioned can be released in case of fire.

Special protective equipment:
Wear a self-contained breathing apparatus.

BASF Safety data sheet
Date / Revised: 19.04.2023
Product: **Vitamin E-Acetate (DL-alpha-tocopheryl acetate)**

Version: 6.1

(30041054/SDS_GEN_TH/EN)

Date of print: 21.10.2025

Further information:

Do not spray water directly on fire, product will float and could be reignited on surface of water.

Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

Cool endangered containers with water-spray.

6. Accidental Release Measures

Personal precautions:

Use personal protective clothing. Information regarding personal protective measures, see section 8.

Environmental precautions:

Do not discharge into drains/surface waters/groundwater.

Methods for cleaning up or taking up:

For small amounts: Contain with absorbent material (e.g. sand, silica gel, acid binder, general purpose binder, sawdust).

For large amounts: Dike spillage. Pump off product.

Dispose of absorbed material in accordance with regulations.

Additional information: High risk of slipping due to leakage/spillage of product.

7. Handling and Storage

Handling

No special measures necessary provided product is used correctly.

Protection against fire and explosion:

Take precautionary measures against static discharges. Avoid all sources of ignition: heat, sparks, open flame.

Storage

Further information on storage conditions: Containers should be stored tightly sealed in a dry place.

Protect against heat.

8. Exposure controls and personal protection

Components with occupational exposure limits

No substance specific occupational exposure limits known.

Personal protective equipment

Respiratory protection:

Respiratory protection in case of vapour/aerosol release. Particle filter with medium efficiency for solid and liquid particles (e.g. EN 143 or 149, Type P2 or FFP2)

Hand protection:

Chemical resistant protective gloves (EN ISO 374-1)

BASF Safety data sheet
Date / Revised: 19.04.2023
Product: **Vitamin E-Acetate (DL-alpha-tocopheryl acetate)**

Version: 6.1

(30041054/SDS_GEN_TH/EN)

Date of print: 21.10.2025

Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:

Body protection must be chosen based on level of activity and exposure.

General safety and hygiene measures:

Handle in accordance with good industrial hygiene and safety practice. Wearing of closed work clothing is recommended. No eating, drinking, smoking or tobacco use at the place of work. Hands and/or face should be washed before breaks and at the end of the shift. Store work clothing separately.

9. Physical and Chemical Properties

Form:	oily	
Colour:	colourless to amber	
Odour:	almost odourless	
pH value:	not soluble	
Melting point:	< -20 °C Study scientifically not justified.	
Boiling point:	(1,013 hPa) The substance / product decomposes therefore not determined., Study scientifically not justified.	
Flash point:	257 °C	(ISO 2719, closed cup)
Flammability (solid/gas):	hardly combustible	(derived from flash point)
Lower explosion limit:	For liquids not relevant for classification and labelling., The lower explosion point may be 5 - 15 °C below the flash point.	
Upper explosion limit:	For liquids not relevant for classification and labelling.	
Ignition temperature:	382 °C	(DIN EN 14522)
Thermal decomposition:	> 430 °C	(DSC (DIN 51007))
Self ignition:	Based on its structural properties the product is not classified as self- igniting.	Test type: Spontaneous self- ignition at room-temperature.
Self heating ability:	It is not a substance capable of spontaneous heating. Not tested on account of the low melting-point.	

BASF Safety data sheet

Date / Revised: 19.04.2023

Version: 6.1

Product: **Vitamin E-Acetate (DL-alpha-tocopheryl acetate)**

(30041054/SDS_GEN_TH/EN)

Date of print: 21.10.2025

Explosion hazard:	Based on the chemical structure there is no indication of explosive properties.	
Fire promoting properties:	Based on its structural properties the product is not classified as oxidizing.	
Vapour pressure:	< 0.000001 hPa (25 °C)	(calculated)
Density:	0.98 g/cm ³ (20 °C) Literature data.	
Relative vapour density (air):	approx. 16 (20 °C) Heavier than air.	(calculated)
Solubility in water:	sparingly soluble < 0.8 mg/l (20 °C)	
Partitioning coefficient n-octanol/water (log Pow):	12.25 (25 °C)	(calculated)
Surface tension:	Based on chemical structure, surface activity is not to be expected.	
Viscosity, kinematic:	5,706 mm ² /s (20 °C) 701 mm ² /s (40 °C)	(OECD 114) (OECD 114)
Molar mass:	472.75 g/mol	

10. Stability and Reactivity

Conditions to avoid:

Avoid direct sunlight. Avoid heat. See SDS section 7 - Handling and storage.

Thermal decomposition: > 430 °C (DSC (DIN 51007))

Substances to avoid:

strong alkalis, strong oxidizing agents

Corrosion to metals: No corrosive effect on metal.

Hazardous reactions:

No hazardous reactions if stored and handled as prescribed/indicated.

Hazardous decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated.

Chemical stability:

The product is stable if stored and handled as prescribed/indicated.

Reactivity:

No hazardous reactions if stored and handled as prescribed/indicated.

11. Toxicological Information

Routes of exposure

Acute oral toxicity

Experimental/calculated data:

LD50rat (oral): > 10,000 mg/kg (BASF-Test)

Acute inhalation toxicity

(by inhalation): Study not necessary due to exposure considerations.

Acute dermal toxicity

LD50 rat (dermal): > 3,000 mg/kg (similar to OECD guideline 402)

Assessment of acute toxicity

Virtually nontoxic after a single ingestion. Virtually nontoxic after a single skin contact.

Symptoms

(Further) symptoms and / or effects are not known so far

Irritation

Assessment of irritating effects:

Not irritating to the skin. Not irritating to the eyes.

Experimental/calculated data:

Skin corrosion/irritation rabbit: non-irritant (OECD Guideline 404)

Serious eye damage/irritation rabbit: non-irritant (OECD Guideline 405)

Respiratory/Skin sensitization

Assessment of sensitization:

Skin sensitizing effects were not observed in animal studies.

Experimental/calculated data:

photo-allergy test guinea pig: Non-sensitizing.

Germ cell mutagenicity

Assessment of mutagenicity:

No mutagenic effect was found in various tests with bacteria and mammals.

Carcinogenicity

Assessment of carcinogenicity:

In long-term animal studies in which the substance was given in high doses by feed, a carcinogenic effect was not observed.

Reproductive toxicity

Assessment of reproduction toxicity:

The results of animal studies gave no indication of a fertility impairing effect.

Developmental toxicity

Assessment of teratogenicity:

No indications of a developmental toxic / teratogenic effect were seen in animal studies.

Specific target organ toxicity (single exposure)

Based on available data, the classification criteria are not met.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

Repeated oral uptake of the substance did not cause substance-related effects.

Aspiration hazard

No aspiration hazard expected.

12. Ecological Information

Ecotoxicity

Assessment of aquatic toxicity:

There is a high probability that the product is not acutely harmful to aquatic organisms. No toxic effects occur within the range of solubility. The inhibition of the degradation activity of activated sludge is not anticipated when introduced to biological treatment plants in appropriate low concentrations.

Toxicity to fish:

LC50 (96 h) > 11 mg/l, *Oncorhynchus mykiss* (OECD Guideline 203, static)

The statement of the toxic effect relates to the analytically determined concentration. No toxic effects occur within the range of solubility.

Aquatic invertebrates:

EC50 (48 h) > 20.6 mg/l, *Daphnia magna* (OECD Guideline 202, part 1, static)

The statement of the toxic effect relates to the analytically determined concentration. No toxic effects occur within the range of solubility.

Aquatic plants:

EC50 (72 h) > 27.8 mg/l (growth rate), *Pseudokirchneriella subcapitata* (OECD Guideline 201, static)

The statement of the toxic effect relates to the analytically determined concentration. No toxic effects occur within the range of solubility.

Microorganisms/Effect on activated sludge:

EC20 (30 min) > 927 mg/l, activated sludge, domestic (DIN EN ISO 8192, aquatic)

BASF Safety data sheet
Date / Revised: 19.04.2023
Product: **Vitamin E-Acetate (DL-alpha-tocopheryl acetate)**

Version: 6.1

(30041054/SDS_GEN_TH/EN)

Date of print: 21.10.2025

The details of the toxic effect relate to the nominal concentration.

Chronic toxicity to fish:

No observed effect concentration (28 d) > 100 mg/l, *Oncorhynchus mykiss* (OECD Guideline 215, semistatic)

Chronic toxicity to aquatic invertebrates:

Study scientifically not justified.

Assessment of terrestrial toxicity:

No data available.

Mobility

Assessment transport between environmental compartments:

The substance will slowly evaporate into the atmosphere from the water surface.

Adsorption to solid soil phase is expected.

Persistence and degradability

Elimination information:

30 - 40 % BOD of the ThOD (28 d) (OECD 301F; ISO 9408; 92/69/EEC, C.4-D) (aerobic, activated sludge, domestic)

Assessment of stability in water:

In contact with water the substance will hydrolyse slowly.

Information on Stability in Water (Hydrolysis):

$t_{1/2}$ 326 d (25 °C, pH value 7), (calculated, pH 7)

Bioaccumulation potential

Assessment bioaccumulation potential:

Accumulation in organisms is not to be expected.

13. Disposal Considerations

Observe national and local legal requirements.

Contaminated packaging:

Uncontaminated packaging can be re-used.

Packs that cannot be cleaned should be disposed of in the same manner as the contents.

Use packages for recycling only when totally empty.

14. Transport Information

Domestic transport:

	Not classified as a dangerous good under transport regulations
UN number or ID number	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable

BASF Safety data sheet
Date / Revised: 19.04.2023
Product: **Vitamin E-Acetate (DL-alpha-tocopheryl acetate)**

Version: 6.1

(30041054/SDS_GEN_TH/EN)

Date of print: 21.10.2025

Special precautions for user None known

Sea transport

IMDG

	Not classified as a dangerous good under transport regulations
UN number or ID number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
	Marine pollutant: no
Special precautions for user	None known

Air transport

IATA/ICAO

	Not classified as a dangerous good under transport regulations
UN number or ID number	Not applicable
Proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user	None known

15. Regulatory Information

Other regulations

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

16. Other Information

Any other intended applications should be discussed with the manufacturer. Corresponding occupational protection measurements must be followed.

Vertical lines in the left hand margin indicate an amendment from the previous version.

BASF Safety data sheet

Date / Revised: 19.04.2023

Version: 6.1

Product: **Vitamin E-Acetate (DL-alpha-tocopheryl acetate)**

(30041054/SDS_GEN_TH/EN)

Date of print: 21.10.2025

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.