

# Safety data sheet

Page: 1/11

BASF Safety data sheet

Date / Revised: 02.01.2024 Version: 3.1

Product: Dry Vitamin E-Acetate 50% DC

(30041051/SDS\_GEN\_VN/EN)

Date of print: 11.10.2025

# 1. Substance/preparation and manufacturer/supplier identification

# **Product name:**

Dry Vitamin E-Acetate 50% DC

Use: Vitamin

## Manufacturer/supplier:

BASF Vietnam Co. Ltd. Level 23, Deutsches Haus, 33 Le Duan, Sai Gon Ward, Ho Chi Minh City, Vietnam

Telephone: +84 28 3824 3833 Telefax number: +84 28 3824 3832

E-mail address: minh-triet.thieu@basf.com

# **Emergency information:**

18001703 (Vietnam)

Telefax number: +84 28 3824 3832 International emergency number: Telephone: +49 180 2273-112

## 2. Hazard identification

Classification of the substance and mixture:

No need for classification according to GHS criteria for this product.

Label elements and precautionary statement:

The product does not require a hazard warning label in accordance with GHS criteria.

Other hazards which do not result in classification:

The product is under certain conditions capable of dust explosion.

BASF Safety data sheet Date / Revised: 02.01.2024

Product: Dry Vitamin E-Acetate 50% DC

(30041051/SDS\_GEN\_VN/EN)

Date of print: 11.10.2025

# 3. Composition/information on ingredients

Chemical nature

Substance nature: mixture

Preparation based on: Vitamin E Acetate

in a matrix of: Gelatins, starch

No particular hazards known.

## 4. First-Aid Measures

General advice:

Remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air.

On skin contact:

Wash thoroughly with soap and water

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open.

On ingestion:

Rinse mouth and then drink 200-300 ml of water.

Note to physician:

Symptoms: (Further) symptoms and / or effects are not known so far Treatment: Symptomatic treatment (decontamination, vital functions).

# 5. Fire-Fighting Measures

Suitable extinguishing media:

water spray, carbon dioxide, dry powder, foam

Unsuitable extinguishing media for safety reasons:

water jet

Additional information:

Avoid whirling up the material/product because of the danger of dust explosion.

Specific hazards:

carbon oxides, harmful vapours

The substances/groups of substances mentioned can be released in case of fire. Evolution of fumes/fog. Dust explosion hazard.

BASF Safety data sheet Date / Revised: 02.01.2024

Product: Dry Vitamin E-Acetate 50% DC

(30041051/SDS\_GEN\_VN/EN)

Date of print: 11.10.2025

Special protective equipment:

Wear a self-contained breathing apparatus.

Further information:

Dispose of fire debris and contaminated extinguishing water in accordance with official regulations. Cool endangered containers with water-spray.

#### 6. Accidental Release Measures

#### Personal precautions:

Use personal protective clothing. Information regarding personal protective measures, see section 8. Avoid dust formation.

#### Environmental precautions:

Do not discharge into drains/surface waters/groundwater.

#### Methods for cleaning up or taking up:

For small amounts: Contain with dust binding material and dispose of.

For large amounts: Sweep/shovel up.

Dispose of absorbed material in accordance with regulations. Avoid raising dust.

Additional information: Dust can form an explosive mixture with air.

## 7. Handling and Storage

#### Handling

Avoid dust formation. Provide exhaust ventilation if dust is formed. Handle in accordance with good industrial hygiene and safety practice.

Protection against fire and explosion:

The product is capable of dust explosion. Avoid dust formation. Prevent electrostatic charge - sources of ignition should be kept well clear - fire extinguishers should be kept handy. Use explosion-proof apparatus and fittings.

## <u>Storage</u>

Further information on storage conditions: Keep container tightly closed and dry; store in a cool place.

## 8. Exposure controls and personal protection

Components with occupational exposure limits

sucrose, 57-50-1;

TWA value 10 mg/m3 (ACGIHTLV)

Silicic acid, aluminum sodium salt, 1344-00-9;

BASF Safety data sheet Date / Revised: 02.01.2024

Date / Revised: 02.01.2024 Version: 3.1 Product: **Dry Vitamin E-Acetate 50% DC** 

(30041051/SDS\_GEN\_VN/EN)

Date of print: 11.10.2025

TWA value 1 mg/m3 (ACGIHTLV), Respirable fraction TWA value 2 mg/m3 (OEL (VN))

starch, 9005-25-8;

TWA value 10 mg/m3 (ACGIHTLV)

#### Personal protective equipment

Respiratory protection:

Breathing protection if dusts are formed. Particle filter with low efficiency for solid particles (e.g. EN 143 or 149, Type P1or FFP1)

Hand protection:

Chemical resistant protective gloves (EN ISO 374-1)

Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:

chemical protection overall (f.e. according to EN 13982) if dust is formed.

General safety and hygiene measures:

Handle in accordance with good industrial hygiene and safety practice. Wearing of closed work clothing is recommended. No eating, drinking, smoking or tobacco use at the place of work. Hands and/or face should be washed before breaks and at the end of the shift.

# 9. Physical and Chemical Properties

Form: powder
Colour: almost white
Odour: odourless

Odour threshold: not applicable, odour not perceivable

pH value:

not applicable, substance/mixture is

non-soluble (in water)

melting range:

The substance / product decomposes therefore not

determined.

Boiling point:

not applicable

Flash point:

not applicable, the product is a solid

Evaporation rate:

not applicable

Flammability (solid/gas): not highly flammable (Directive 92/69/EEC, A.10)

BASF Safety data sheet
Date / Revised: 02.01.2024
Version: 3.1

Product: Dry Vitamin E-Acetate 50% DC

(30041051/SDS\_GEN\_VN/EN)

Date of print: 11.10.2025

Lower explosion limit:

For solids not relevant for classification and labelling.

Upper explosion limit:

For solids not relevant for classification and labelling.

Thermal decomposition: >= 145 °C (DSC (DIN 51007))

self-accelerating reaction

Self heating ability: It is not a substance capable of (UN Test N.4 (self heating

spontaneous heating. substances))

SADT: > 75 °C

Heat accumulation / Dewar 500 ml (SADT, UN-Test H.4, 28.4.4)

Minimum ignition energy: (VDI 2263, sheet 1, 2.5 (May

The product is capable of dust 1990))

explosion.

Explosion hazard: Product is not explosive, however a

dust explosion could result from an

air / dust mixture.

Fire promoting properties: Based on its structural properties

the product is not classified as

oxidizing.

Vapour pressure:

not applicable

Density:

No information is available for the absolute density. Instead the bulk density was determined as a more

relevant value.

Bulk density: approx. 500 kg/m3

Relative vapour density (air):

not applicable, The product is a non-

volatile solid.

Solubility in water: dispersible

(approx. 35 - 40 °C)

Partitioning coefficient n-octanol/water (log Pow):

not applicable for mixtures

Viscosity, dynamic:

not applicable, the product is a solid

Viscosity, kinematic:

not applicable, the product is a solid

# 10. Stability and Reactivity

Conditions to avoid:

Avoid dust formation. Avoid electro-static charge. See SDS section 7 - Handling and storage.

BASF Safety data sheet Date / Revised: 02.01.2024

Product: Dry Vitamin E-Acetate 50% DC

(30041051/SDS\_GEN\_VN/EN)

Date of print: 11.10.2025

Thermal decomposition: >= 145 °C (DSC (DIN 51007)) self-accelerating reaction

Substances to avoid:

None known during use and storage if used according to instructions.

Corrosion to metals: Corrosive effects to metal are not anticipated.

Hazardous reactions: Dust explosion hazard.

Hazardous decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated.

Chemical stability:

The product is stable if stored and handled as prescribed/indicated.

Reactivity:

No hazardous reactions if stored and handled as prescribed/indicated.

## 11. Toxicological Information

#### Routes of exposure

## Assessment of acute toxicity

Virtually nontoxic after a single ingestion. Virtually nontoxic after a single skin contact.

Information on: Vitamin E Acetate

Acute oral toxicity

Experimental/calculated data:

LD50 rat (oral): > 10,000 mg/kg (BASF-Test)

....

Information on: Vitamin E Acetate

**Acute dermal toxicity** 

Experimental/calculated data:

LD50 rat (dermal): > 3,000 mg/kg (similar to OECD guideline 402)

-----

#### **Symptoms**

(Further) symptoms and / or effects are not known so far

## **Irritation**

Assessment of irritating effects:

Not irritating to the skin. Not irritating to the eyes.

Information on: Vitamin E Acetate Experimental/calculated data:

Skin corrosion/irritation rabbit: non-irritant (OECD Guideline 404)

-----

BASF Safety data sheet
Date / Revised: 02.01.2024
Version: 3.1

Product: Dry Vitamin E-Acetate 50% DC

(30041051/SDS\_GEN\_VN/EN)

Date of print: 11.10.2025

Information on: Vitamin E Acetate Experimental/calculated data:

Serious eye damage/irritation rabbit: non-irritant (OECD Guideline 405)

-----

## Respiratory/Skin sensitization

Assessment of sensitization:

Based on the ingredients, there is no suspicion of a skin-sensitizing potential.

Information on: Vitamin E Acetate Experimental/calculated data:

photo-allergy test guinea pig: Non-sensitizing.

.

## Germ cell mutagenicity

Assessment of mutagenicity:

Based on the ingredients, there is no suspicion of a mutagenic effect.

Information on: Vitamin E Acetate Assessment of mutagenicity:

No mutagenic effect was found in various tests with bacteria and mammals.

-----

#### Carcinogenicity

Assessment of carcinogenicity:

The whole of the information assessable provides no indication of a carcinogenic effect.

Information on: Vitamin E Acetate Assessment of carcinogenicity:

In long-term animal studies in which the substance was given in high doses by feed, a carcinogenic

effect was not observed.

#### Reproductive toxicity

Assessment of reproduction toxicity:

Based on the ingredients, there is no suspicion of a toxic effect on reproduction.

Information on: Vitamin E Acetate Assessment of reproduction toxicity:

The results of animal studies gave no indication of a fertility impairing effect.

-----

#### **Developmental toxicity**

Assessment of teratogenicity:

Based on the ingredients, there is no suspicion of a teratogenic effect.

Information on: Vitamin E Acetate Assessment of teratogenicity:

No indications of a developmental toxic / teratogenic effect were seen in animal studies.

BASF Safety data sheet Date / Revised: 02.01.2024

Product: Dry Vitamin E-Acetate 50% DC

(30041051/SDS\_GEN\_VN/EN)

Date of print: 11.10.2025

-----

## Specific target organ toxicity (single exposure)

Based on available data, the classification criteria are not met.

# Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

Based on available data, the classification criteria are not met.

Information on: Vitamin E Acetate Assessment of repeated dose toxicity:

Repeated oral uptake of the substance did not cause substance-related effects.

\_\_\_\_\_

## **Aspiration hazard**

No aspiration hazard expected.

# Other relevant toxicity information

The product has not been tested. The statements on toxicology have been derived from the properties of the individual components.

# 12. Ecological Information

## **Ecotoxicity**

Assessment of aquatic toxicity:

There is a high probability that the product is not acutely harmful to aquatic organisms. The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Vitamin E Acetate

Toxicity to fish:

LC50 (96 h) > 11 mg/l, Oncorhynchus mykiss (OECD Guideline 203, static)

The statement of the toxic effect relates to the analytically determined concentration. No toxic effects occur within the range of solubility.

-----

Information on: Vitamin E Acetate

Aquatic invertebrates:

EC50 (48 h) > 20.6 mg/l, Daphnia magna (OECD Guideline 202, part 1, static)

The statement of the toxic effect relates to the analytically determined concentration. No toxic effects occur within the range of solubility.

-----

Information on: Vitamin E Acetate

Aquatic plants:

EC50 (72 h) > 27.8 mg/l (growth rate), Pseudokirchneriella subcapitata (OECD Guideline 201, static)

BASF Safety data sheet Date / Revised: 02.01.2024

Product: Dry Vitamin E-Acetate 50% DC

(30041051/SDS\_GEN\_VN/EN)

Date of print: 11.10.2025

The statement of the toxic effect relates to the analytically determined concentration. No toxic effects occur within the range of solubility.

\_\_\_\_\_

Information on: Vitamin E Acetate

Microorganisms/Effect on activated sludge:

EC20 (30 min) > 927 mg/l, activated sludge, domestic (DIN EN ISO 8192, aquatic)

The details of the toxic effect relate to the nominal concentration.

\_\_\_\_\_

Information on: Vitamin E Acetate

Chronic toxicity to fish:

No observed effect concentration (28 d) > 100 mg/l, Oncorhynchus mykiss (OECD Guideline 215,

semistatic)

No data available regarding toxicity to fish.

-----

## **Mobility**

Assessment transport between environmental compartments:

The substance will slowly evaporate into the atmosphere from the water surface.

The ecological data given are those of the active ingredient.

Adsorption to solid soil phase is expected.

The ecological data given are those of the active ingredient.

Information on: Vitamin E Acetate

Assessment transport between environmental compartments:

The substance will slowly evaporate into the atmosphere from the water surface.

Adsorption to solid soil phase is expected.

-----

#### Persistence and degradability

Assessment biodegradation and elimination (H2O):

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Vitamin E Acetate

#### **Bioaccumulation potential**

Assessment bioaccumulation potential:

Accumulation in organisms is not to be expected.

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Vitamin E Acetate Assessment bioaccumulation potential:

Accumulation in organisms is not to be expected.

-----

BASF Safety data sheet
Date / Revised: 02.01.2024
Version: 3.1

Product: Dry Vitamin E-Acetate 50% DC

(30041051/SDS\_GEN\_VN/EN)

Date of print: 11.10.2025

## 13. Disposal Considerations

Information on disposal regulations: Must comply with regulations on hazardous waste such as:

- Decree No. 08/2022/ND-CP of the Government: detailing a number of articles of the Law on Environmental Protection.
- Circular No. 02/2022/TT-BTNMT of the Ministry of Natural Resources and Environment: detailing a number of articles of the Law on Environmental Protection.

Observe national and local legal requirements.

Contaminated packaging:

Uncontaminated packaging can be re-used.

Packs that cannot be cleaned should be disposed of in the same manner as the contents.

# 14. Transport Information

#### **Domestic transport:**

Not classified as a dangerous good under transport regulations

UN number or ID number
UN proper shipping name:
Transport hazard class(es):
Packing group:
Environmental hazards:
Special precautions for

Not applicable
Not applicable
Not applicable
Not applicable
Not applicable
Not applicable

user

Sea transport

**IMDG** 

Not classified as a dangerous good under transport regulations

UN number or ID number:
UN proper shipping name:
Transport hazard class(es):
Packing group:
Environmental hazards:
Not applicable
Not applicable
Not applicable

Marine pollutant: no

Special precautions for

user

None known

## Air transport

IATA/ICAO

Not classified as a dangerous good under transport regulations

UN number or ID number
Proper shipping name:
Transport hazard class(es):
Packing group:
Environmental hazards:
Not applicable
Not applicable
Not applicable

BASF Safety data sheet Date / Revised: 02.01.2024

Product: Dry Vitamin E-Acetate 50% DC

(30041051/SDS\_GEN\_VN/EN)

Date of print: 11.10.2025

Special precautions for user

None known

# 15. Regulatory Information

## Other regulations

The SDS is composed based on the Global Harmonization Globally Harmonized System of Classification and Labeling of Chemicals and applicable local chemical regulations as following:

- The Chemical Law 06/2007/QH12 issued on 21/11/2007.
- The decree No. 113/2017/ND-CP specifying and providing guidelines for implementation of certain articles of the law on chemicals.
- The decree No. 82/2022/ND-CP Amendments to some articles of government's decree no.113/2017/ND-CP dated October 09, 2017 specifying and providing guidelines for implementation of certain articles of the law on chemicals.
- Circular 17/2022/TT-BCT Amendments to some articles of circular no. 32/2017/TT-BCT dated December 28, 2017 of the Minister Of Industry And Trade on elaboration and provision of guidelines for implementation of certain articles of the law on chemicals and the government's decree no. 113/2017/ ND-CP dated October 09, 2017 on elaboration and provision of guidelines for implementation of certain articles of the law on chemicals.
- The decree No. 17/2020/ND-CP Amendments to some articles of decrees related to necessary business conditions in fields under the management of the Ministry Of Industry and Trade.
- The decree No. 42/2020/ND-CP on list of dangerous goods, transport of dangerous goods by land motor vehicles and transport of dangerous goods by inland waterways.
- The Circular 32/2017/TT-BCT specifying and providing guidelines for implementation of certain articles of the law on chemicals and the government's decree no. 113/2017/ND-CP dated October 09, 2017 specifying and providing guidelines for implementation of certain articles of the law on chemicals.

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

## 16. Other Information

Any other intended applications should be discussed with the manufacturer. Corresponding occupational protection measurements must be followed.

Vertical lines in the left hand margin indicate an amendment from the previous version.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.