

Divergan® HM

Revision date : 2016/10/07 Page: 1/9

Version: 3.0 (30034975/SDS\_GEN\_US/EN)

#### 1. Identification

#### Product identifier used on the label

# Divergan® HM

## Recommended use of the chemical and restriction on use

Recommended use\*: food additive(s)

## Details of the supplier of the safety data sheet

Company:
BASF CORPORATION
100 Park Avenue
Florham Park, NJ 07932, USA

Telephone: +1 973 245-6000

# **Emergency telephone number**

CHEMTREC: 1-800-424-9300

BASF HOTLINE: 1-800-832-HELP (4357)

### Other means of identification

Synonyms: Crosslinked Vinylimidazole/Vinylpyrrolidone copolymer

# 2. Hazards Identification

# According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

# Classification of the product

Combustible Dust (1) Combustible Dust

#### Label elements

Signal Word: Warning

Hazard Statement:

<sup>\*</sup> The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

# Divergan® HM

Revision date: 2016/10/07 Page: 2/9
Version: 3.0 (30034975/SDS GEN US/EN)

May form combustible dust concentration in air.

#### Hazards not otherwise classified

The product is under certain conditions capable of dust explosion. The product does not contain a substance fulfilling the PBT (persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria.

# 3. Composition / Information on Ingredients

## According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

This product does not contain any components classified as hazardous under the referenced regulation.

### 4. First-Aid Measures

# **Description of first aid measures**

#### General advice:

Remove contaminated clothing.

#### If inhaled:

Keep patient calm, remove to fresh air.

#### If on skin:

Wash thoroughly with soap and water.

#### If in eves:

Wash affected eyes for at least 15 minutes under running water with eyelids held open.

### If swallowed:

Rinse mouth and then drink plenty of water.

#### Most important symptoms and effects, both acute and delayed

Symptoms: No significant symptoms are expected due to the non-classification of the product.

# Indication of any immediate medical attention and special treatment needed

Note to physician

Treatment: Symptomatic treatment (decontamination, vital functions).

# 5. Fire-Fighting Measures

### **Extinguishing media**

Suitable extinguishing media: water spray, foam, dry powder

# Divergan® HM

Revision date: 2016/10/07 Page: 3/9
Version: 3.0 (30034975/SDS GEN US/EN)

Unsuitable extinguishing media for safety reasons: carbon dioxide

## Special hazards arising from the substance or mixture

Hazards during fire-fighting:

carbon dioxide, hydrogen cyanide, nitrous gases

The substances/groups of substances mentioned can be released in case of fire.

## Advice for fire-fighters

Protective equipment for fire-fighting:

Firefighters should be equipped with self-contained breathing apparatus and turn-out gear.

#### **Further information:**

Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

Dusty conditions may ignite explosively in the presence of an ignition source causing flash fire.

### 6. Accidental release measures

#### Further accidental release measures:

Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Avoid the formation and build-up of dust - danger of dust explosion. Dust in sufficient concentration can result in an explosive mixture in air. Handle to minimize dusting and eliminate open flame and other sources of ignition.

# Personal precautions, protective equipment and emergency procedures

Avoid dust formation.

### **Environmental precautions**

Do not discharge into drains/surface waters/groundwater.

# Methods and material for containment and cleaning up

For small amounts: Sweep/shovel up. Dispose of absorbed material in accordance with regulations. For large amounts: Pick up with suitable appliance and dispose of. Avoid dust formation.

Nonsparking tools should be used.

# 7. Handling and Storage

#### Precautions for safe handling

Handle in accordance with good industrial hygiene and safety practice. Avoid dust formation.

#### Protection against fire and explosion:

Dust in sufficient concentration can result in an explosive mixture in air. Handle to minimize dusting and eliminate open flame and other sources of ignition. Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces. Dry powders can build static electricity charges when subjected to the friction of transfer and mixing operations. Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres. Refer to NFPA 654, Standard for the Prevention of Fire and Dust Explosions from the Manufacturing, Processing, and Handling of Combustible Particulate Solids (2013 Edition) for safe handling.

## Conditions for safe storage, including any incompatibilities

# Divergan® HM

Revision date: 2016/10/07 Page: 4/9
Version: 3.0 (30034975/SDS GEN US/EN)

Further information on storage conditions: Keep container tightly closed and dry; store in a cool place.

# 8. Exposure Controls/Personal Protection

### Components with occupational exposure limits

Product contains residual monomer(s). The substances mentioned are contained only in traces in the product.

1-vinyl-2-pyrrolidone

ACGIH TLV TWA value 0.05 ppm;

### Advice on system design:

It is recommended that all dust control equipment such as local exhaust ventilation and material transport systems involved in handling of this product contain explosion relief vents or an explosion suppression system or an oxygen deficient environment. Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment). Use only appropriately classified electrical equipment and powered industrial trucks.

#### Personal protective equipment

#### Respiratory protection:

Wear respiratory protection if ventilation is inadequate.

#### Hand protection:

Chemical resistant protective gloves

# Eye protection:

Wear safety goggles (chemical goggles) if there is potential for airborne dust exposures.

#### **Body protection:**

Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

## General safety and hygiene measures:

Handle in accordance with good industrial hygiene and safety practice. Avoid inhalation of dusts. When using, do not eat, drink or smoke.

# 9. Physical and Chemical Properties

Form: powder

Odour: faint specific odour
Odour threshold: not determined
Colour: cream, almost white
pH value: not applicable

melting point approx. 220 °C The substance /

(decomposition):product decomposes.Boiling point:not applicableFlash point:> 177 °CFlammability:not determined

riammability. Hot determined

Flammability of Aerosol not applicable, the product does not

Products: form flammable aerosoles

Lower explosion limit: not determined Upper explosion limit: not determined

# Divergan® HM

Revision date: 2016/10/07 Page: 5/9 Version: 3.0 (30034975/SDS\_GEN\_US/EN)

Autoignition: approx. 480 °C Vapour pressure: not determined Density: 1.2 g/cm3

(20°C)

Relative density: approx. 1.2

( 20 °C)

Bulk density: approx. 100 - 300 kg/m3 not determined

Partitioning coefficient n-

octanol/water (log Pow):

approx. 255 °C

Self-ignition temperature:

Thermal decomposition: approx. 220 °C Viscosity, dynamic: not determined Solubility in water:

< 0.5 g/linsoluble

not determined Evaporation rate:

# 10. Stability and Reactivity

### Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Corrosion to metals:

Corrosive effects to metal are not anticipated.

Oxidizing properties: not fire-propagating

## Chemical stability

The product is stable if stored and handled as prescribed/indicated.

### Possibility of hazardous reactions

Dust explosion hazard.

### **Conditions to avoid**

See MSDS section 7 - Handling and storage. Avoid dust formation.

#### Incompatible materials

No substances known that should be avoided.

### **Hazardous decomposition products**

Decomposition products:

Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

Thermal decomposition:

approx. 220 °C

# 11. Toxicological information

### Primary routes of exposure

Divergan® HM

Revision date : 2016/10/07 Page: 6/9
Version: 3.0 (30034975/SDS\_GEN\_US/EN)

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

# **Acute Toxicity/Effects**

#### Acute toxicity

Assessment of acute toxicity: Virtually nontoxic after a single ingestion.

#### <u>Oral</u>

Type of value: LD50 Species: rat (male/female)

Value: > 2,000 mg/kg (OECD Guideline 423)

#### Assessment other acute effects

No data available.

#### Irritation / corrosion

Assessment of irritating effects: Not irritating to the skin. Not irritating to the eyes.

### Skin

Species: rabbit Result: non-irritant

Method: OECD Guideline 404

#### <u>Eye</u>

Species: rabbit Result: non-irritant

Method: OECD Guideline 405

# Sensitization

Assessment of sensitization: Skin sensitizing effects were not observed in animal studies.

#### Mouse Local Lymph Node Assay (LLNA)

Species: mouse Result: Non-sensitizing. Method: OECD Guideline 429

#### Aspiration Hazard

No data available.

## **Chronic Toxicity/Effects**

#### Repeated dose toxicity

Assessment of repeated dose toxicity: No data available.

#### Genetic toxicity

Assessment of mutagenicity: The substance was not mutagenic in bacteria.

#### Carcinogenicity

Assessment of carcinogenicity: No data available concerning carcinogenic effects.

### Reproductive toxicity

Assessment of reproduction toxicity: No data available.

#### Teratogenicity

Assessment of teratogenicity: No data available.

# **Divergan® HM**

Revision date: 2016/10/07 Page: 7/9
Version: 3.0 (30034975/SDS GEN US/EN)

## **Symptoms of Exposure**

No significant symptoms are expected due to the non-classification of the product.

# 12. Ecological Information

## **Toxicity**

Aquatic toxicity

Assessment of aquatic toxicity:

There is a high probability that the product is not acutely harmful to aquatic organisms. The inhibition of the degradation activity of activated sludge is not anticipated when introduced to biological treatment plants in appropriate low concentrations.

#### Toxicity to fish

LC50 (96 h) > 10,000 mg/l, Brachydanio rerio (OECD Guideline 203, static)

The details of the toxic effect relate to the nominal concentration.

# Microorganisms/Effect on activated sludge

#### Toxicity to microorganisms

DIN EN ISO 10712 aquatic

bacterium/EC10 (16 h): 786 mg/l

The details of the toxic effect relate to the nominal concentration. The product has low solubility in the test medium. An eluate has been tested.

OECD Guideline 209 aerobic

activated sludge, domestic/EC20 (30 min): > 1,000 mg/l

#### Persistence and degradability

#### Assessment biodegradation and elimination (H2O)

Not readily biodegradable (by OECD criteria). Poorly biodegradable.

#### Elimination information

0 % BOD of the ThOD (28 d) (OECD Guideline 301 F) (aerobic, activated sludge, domestic)

#### **Bioaccumulative potential**

#### Bioaccumulation potential

Based on its structural properties, the polymer is not biologically available. Accumulation in organisms is not to be expected. The product has not been tested. The statement has been derived from the structure of the product.

### Mobility in soil

Assessment transport between environmental compartments

No data available.

### 13. Disposal considerations

## Waste disposal of substance:

Do not discharge into waterways or sewer systems without proper authorization. Dispose of in accordance with national, state and local regulations.

# Divergan® HM

Revision date: 2016/10/07 Page: 8/9
Version: 3.0 (30034975/SDS GEN US/EN)

## Container disposal:

Dispose of in accordance with national, state and local regulations.

Uncontaminated packaging can be re-used. Packs that cannot be cleaned should be disposed of in the same manner as the contents.

# 14. Transport Information

### Land transport

**USDOT** 

Not classified as a dangerous good under transport regulations

#### Sea transport

**IMDG** 

Not classified as a dangerous good under transport regulations

# Air transport

IATA/ICAO

Not classified as a dangerous good under transport regulations

# 15. Regulatory Information

### **Federal Regulations**

Registration status:

Food TSCA, US released / exempt

Chemical TSCA, US released / listed

**EPCRA 311/312 (Hazard categories):** Fire (Combustible Dust);

**NFPA Hazard codes:** 

Health: 0 Fire: 1 Reactivity: 0 Special:

**HMIS III rating** 

Health: 0 Flammability: 1 Physical hazard: 0

### 16. Other Information

#### SDS Prepared by:

BASF NA Product Regulations SDS Prepared on: 2016/10/07

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our

# Divergan® HM

Revision date : 2016/10/07 Page: 9/9
Version: 3.0 (30034975/SDS\_GEN\_US/EN)

operations on society and the environment during production, storage, transport, use and disposal of our products.

Divergan® HM is a registered trademark of BASF Corporation or BASF SE IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE, IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK. **END OF DATA SHEET**