

Safety data sheet

Page: 1/10

BASF Safety data sheet

Date / Revised: 01.07.2024 Version: 1.0

Product: Styronal® 8410 F

(30680391/SDS_GEN_AU/EN)

Date of print: 29.10.2025

1. Substance/preparation and manufacturer/supplier identification

Product name:

Styronal® 8410 F

Use: Raw material, for industrial use only

Manufacturer/supplier:

BASF Australia Limited (ABN 62 008 437 867) Level 23, 40 City Road, Southbank Victoria 3006, AUSTRALIA Telephone: +61 3 8855-6600

Emergency information:

BASF Emergency Advice Number: 1800 803 440 (24h) [within Australia] BASF Emergency Advice Number: + 61 3 8855 6666 [outside Australia]

2. Hazard identification

Classification of the substance and mixture:

Hazardous to the aquatic environment - acute: Cat.3

Label elements and precautionary statement:

Hazard Statement:

H402 Harmful to aquatic life.

Precautionary Statements (Prevention):

P273 Avoid release to the environment.

Precautionary Statements (Disposal):

P501 Dispose of contents and container to hazardous or special waste

collection point.

Other hazards which do not result in classification:

Product: Styronal® 8410 F

(30680391/SDS_GEN_AU/EN)

Date of print: 29.10.2025

No specific dangers known, if the regulations/notes for storage and handling are considered. If the product adheres to skin, irritation may occur when it dries.

3. Composition/information on ingredients

Chemical nature

Substance nature: mixture

Aqueous dispersion of a polymer based on:

styrene, butadiene

Hazardous ingredients

mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one

Content (W/W): > 0 PPM - < 15 Acute Tox.: Cat. 3 (oral)

PPM Acute Tox.: Cat. 2 (Inhalation - mist)

CAS Number: 55965-84-9 Acute Tox.: Cat. 2 (dermal)

Skin Corr./Irrit.: Cat. 1 Skin Sens.: Cat. 1A

Aquatic Acute: Cat. 1 Aquatic Chronic: Cat. 1 M-factor acute: 100 M-factor chronic: 100

bronopol

Content (W/W): < 100 PPM Acute Tox.: Cat. 3 (Inhalation - dust)

CAS Number: 52-51-7 Acute Tox.: Cat. 3 (oral)

Acute Tox.: Cat. 4 (dermal)

Skin Irrit.: Cat. 2 Eye Dam.: Cat. 1

STOT SE: Cat. 3 (irr. to respiratory syst.)

Aquatic Acute: Cat. 1 Aquatic Chronic: Cat. 1 M-factor acute: 100 M-factor chronic: 10

4. First-Aid Measures

General advice:

Remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

On skin contact:

Wash thoroughly with soap and water

Product: Styronal® 8410 F

(30680391/SDS_GEN_AU/EN)

Date of print: 29.10.2025

On contact with eyes:

Immediately wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion:

Rinse mouth and then drink 200-300 ml of water. Do not induce vomiting unless told to by a poison control center or doctor.

Note to physician:

Symptoms: (Further) symptoms and / or effects are not known so far

Hazards: No hazards anticipated.

Treatment: Symptomatic treatment (decontamination, vital functions).

5. Fire-Fighting Measures

Suitable extinguishing media:

water spray, dry powder, foam, carbon dioxide

Specific hazards:

No particular hazards known.

Special protective equipment:

No data available.

Further information:

Dispose of fire debris and contaminated extinguishing water in accordance with official regulations. Product itself is non-combustible; fire extinguishing method of surrounding areas must be considered.

6. Accidental Release Measures

Personal precautions:

Use personal protective clothing. Avoid contact with skin and eyes.

Environmental precautions:

Do not release untreated into natural waters.

Methods for cleaning up or taking up:

For small amounts: Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose

binder, kieselguhr). Dispose of absorbed material in accordance with regulations.

For large amounts: Pump off product.

7. Handling and Storage

Handling

Handle in accordance with good industrial hygiene and safety practice. After long storage, slight quantities of carbon monoxide may be formed. To our best knowledge, the occupational exposure limit (OEL) is not exceeded during use. Entering of tanks must only be performed after intensive cleaning and when it is ensured that residual vapours have been removed. Consideration of national

Product: Styronal® 8410 F

(30680391/SDS_GEN_AU/EN)

Date of print: 29.10.2025

laws and international standards for confined space entry should be taken in to account. In case of doubt, the concentration of Carbon monoxide must be determined.

Storage

Further information on storage conditions: Store protected against freezing.

Protect from temperatures below: 5 °C Protect from temperatures above: 60 °C

8. Exposure controls and personal protection

Components with occupational exposure limits

No substance specific occupational exposure limits known.

Personal protective equipment

Hand protection:

Suitable chemical resistant safety gloves (EN ISO 374-1) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc. Supplementary note: The specifications are based on tests, literature data and information of glove manufacturers or are derived from similar substances by analogy. Due to many conditions (e.g. temperature) it must be considered, that the practical usage of a chemical-protective glove in practice may be much shorter than the permeation time determined through testing.

Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

General safety and hygiene measures:

Hands and/or face should be washed before breaks and at the end of the shift. Avoid contact with skin and eyes.

9. Physical and Chemical Properties

Form: liquid, dispersion

Colour: white

Odour: almost odourless
Odour threshold: not determined

pH value: 6.0 - 7.0 (DIN ISO 976)

Information on: water

Melting point: 0 °C

Information on: water

Boiling point: 100 °C

Flash point:

not applicable

Product: Styronal® 8410 F

(30680391/SDS_GEN_AU/EN)

Date of print: 29.10.2025

Flammability (solid/gas): not flammable

Lower explosion limit:

For liquids not relevant for classification and labelling.

Upper explosion limit:

For liquids not relevant for classification and labelling.

Ignition temperature:

not applicable

Thermal decomposition: No decomposition if used correctly.

Self ignition:

not self-igniting

Self heating ability: It is not a substance capable of

spontaneous heating.

Explosion hazard: not explosive

Fire promoting properties: not fire-propagating

Information on: water

Vapour pressure: 23.4 hPa

(20 °C)

Literature data.

Density: approx. 1.020 g/cm3 (ISO 2811-1)

(20 °C)

Relative density:

No data available.

Relative vapour density (air):

not applicable

Solubility in water: partly soluble

(15 °C)

Miscibility with water:

miscible

Partitioning coefficient n-octanol/water (log Pow):

not applicable

Viscosity, dynamic: 40 - 300 mPa.s (DIN EN ISO 3219)

(23 °C, 100 1/s)

Solids content: 49.0 - 51.0 % (DIN EN ISO 3251)

Other Information:

Range of particle size: $< 0.1 \ \mu m - 10 \ \mu m$

10. Stability and Reactivity

Conditions to avoid:

Avoid extreme temperatures.

Thermal decomposition: No decomposition if used correctly.

Product: Styronal® 8410 F

(30680391/SDS_GEN_AU/EN)

Date of print: 29.10.2025

Substances to avoid:

No substances known that should be avoided.

Hazardous reactions:

No hazardous reactions when stored and handled according to instructions. After long storage, slight quantities of carbon monoxide may be formed.

No hazardous decomposition products if stored and handled as prescribed/indicated.

Chemical stability:

The product is stable if stored and handled as prescribed/indicated.

Reactivity:

No hazardous reactions if stored and handled as prescribed/indicated.

11. Toxicological Information

Routes of exposure

Acute oral toxicity

Experimental/calculated data:

LD50rat (oral): > 2,000 - 10,000 mg/kg

Assessment of acute toxicity

Virtually nontoxic after a single ingestion. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Symptoms

(Further) symptoms and / or effects are not known so far

Irritation

Assessment of irritating effects:

If the product adheres to skin, irritation may occur when it dries.

Not irritating to the eyes. Not irritating to the skin. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Experimental/calculated data:

Skin corrosion/irritation rabbit: non-irritant (OECD Guideline 404)

Serious eye damage/irritation rabbit: non-irritant (OECD Guideline 405)

Respiratory/Skin sensitization

Assessment of sensitization:

Skin sensitizing effects were not observed in animal studies. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Germ cell mutagenicity

Assessment of mutagenicity:

The substance was not mutagenic in bacteria. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Product: Styronal® 8410 F

(30680391/SDS_GEN_AU/EN)

Date of print: 29.10.2025

Carcinogenicity

Assessment of carcinogenicity:

The whole of the information assessable provides no indication of a carcinogenic effect.

Reproductive toxicity

Assessment of reproduction toxicity:

Not expected to cause reproductive toxicity (based on composition).

Developmental toxicity

Assessment of teratogenicity:

The data available for an assessment of the effect of the substance on developmental toxicity are not sufficient for a proper evaluation.

Specific target organ toxicity (single exposure)

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

No adverse effects were observed after repeated inhalative exposure in animal studies. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Aspiration hazard

not applicable

Other relevant toxicity information

Based on our experience and the information available, no adverse health effects are expected if handled as recommended with suitable precautions for designated uses. The statement was derived from products of similar composition.

12. Ecological Information

Ecotoxicity

Assessment of aquatic toxicity:

Acutely harmful for aquatic organisms.

The product has not been tested. The statement has been derived from the properties of the individual components.

Toxicity to fish:

LC50 (96 h) > 10 - 100 mg/l, Fish

Product: Styronal® 8410 F

(30680391/SDS_GEN_AU/EN)

Date of print: 29.10.2025

The product has not been tested. The statement has been derived from the properties of the individual components.

Aquatic invertebrates: LC50 (48 h), daphnia not determined

Aquatic plants: EC50 (72 h), algae not determined

Microorganisms/Effect on activated sludge: EC50 (0.5 h), bacteria not determined

Chronic toxicity to fish: No data available.

Chronic toxicity to aquatic invertebrates: No data available.

Assessment of terrestrial toxicity: No data available concerning terrestrial toxicity.

Mobility

Assessment transport between environmental compartments: No data available.

Persistence and degradability

Elimination information:

> 70 % DOC reduction (OECD 302B; ISO 9888; 88/302/EWG, Teil C) Easily eliminated from water.

Bioaccumulation potential

Bioaccumulation potential:

Based on its structural properties, the polymer is not biologically available. Accumulation in organisms is not to be expected.

Other adverse effects

Adsorbable organically-bound halogen (AOX): No data available.

13. Disposal Considerations

Must be disposed of or incinerated in accordance with local regulations.

A waste code in accordance with the European waste catalog (EWC) cannot be specified, due to dependence on the usage.

Observe national and local legal requirements.

Product: Styronal® 8410 F

(30680391/SDS_GEN_AU/EN)

Date of print: 29.10.2025

14. Transport Information

Domestic transport:

Not classified as a dangerous good under transport regulations

UN number or ID number
UN proper shipping name:
Transport hazard class(es):
Packing group:
Not applicable
Not applicable
Not applicable
Not applicable
Not applicable

Special precautions for

user

Not applicable None known

Sea transport

IMDG

Not classified as a dangerous good under transport regulations

UN number or ID number: Not applicable
UN proper shipping name: Not applicable
Transport hazard class(es): Not applicable
Packing group: Not applicable
Environmental hazards: Not applicable

invironmental hazards: Not applicable
Marine pollutant: no

Special precautions for

user

None known

Air transport

IATA/ICAO

Not classified as a dangerous good under transport regulations

UN number or ID number
Proper shipping name:
Transport hazard class(es):
Packing group:
Environmental hazards:
Special precautions for

Not applicable
Not applicable
Not applicable
Not applicable
Not applicable
Not applicable

user

15. Regulatory Information

Other regulations

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

BASF Safety data sheet Date / Revised: 01.07.2024

Version: 1.0 Product: Styronal® 8410 F

(30680391/SDS_GEN_AU/EN)

Date of print: 29.10.2025

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP): Not Scheduled

Registration status:

AICIS, AU

Listed in AIIC or exempted., Specific information requirements may apply., Please contact your BASF representative.

16. Other Information

Any other intended applications should be discussed with the manufacturer.

Vertical lines in the left hand margin indicate an amendment from the previous version.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.