

# Safety data sheet

Page: 1/16

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 23.05.2024 Version: 3.1

Date / Previous version: 21.03.2023 Previous version: 3.0

Product: Hydropalat® WE 3185 EL

(ID no. 30692213/SDS\_GEN\_IE/EN)

Date of print 21.10.2025

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

# Hydropalat® WE 3185 EL

Chemical name: Hexan-1-ol, ethoxylated

CAS Number: 31726-34-8

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: wetting agent, additives for inks, varnishes or coatings, Levelling Agent

# 1.3. Details of the supplier of the safety data sheet

Company: BASF SE 67056 Ludwigshafen GERMANY Contact address:
BASF Ireland DAC
Asgard House, 19-20 City Quay
Dublin, D02 K744
Ireland

\_\_\_\_\_

Telephone: +353 21 451-7100

E-mail address: product-safety-uk-and-ireland@basf.com

#### 1.4. Emergency telephone number

For products classified as hazardous in accordance with CLP: National Poisons Information Centre, Beaumont Hospital, Dublin 9 Emergency medical information: 8am-10pm (seven days)

Tel.: 01 8092566

International emergency number: Telephone: +49 180 2273-112

Date / Revised: 23.05.2024 Version: 3.1

Date / Previous version: 21.03.2023 Previous version: 3.0

Product: Hydropalat® WE 3185 EL

(ID no. 30692213/SDS\_GEN\_IE/EN)

Date of print 21.10.2025

#### **SECTION 2: Hazards Identification**

# 2.1. Classification of the substance or mixture

According to Regulation (EC) No 1272/2008 [CLP]

Acute Tox. 4 (oral) H302 Harmful if swallowed.

Eye Dam./Irrit. 1 H318 Causes serious eye damage.

For the classifications not written out in full in this section the full text can be found in section 16.

#### 2.2. Label elements

According to Regulation (EC) No 1272/2008 [CLP]

Pictogram:





Signal Word:

Danger

Hazard Statement:

H318 Causes serious eye damage.

H302 Harmful if swallowed.

Precautionary Statements (Prevention):

P280 Wear eye and face protection.

P270 Do not eat, drink or smoke when using this product.
P264 Wash contaminated body parts thoroughly after handling.

Precautionary Statements (Response):

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER or physician.

P330 Rinse mouth. Precautionary Statements (Disposal):

P501 Dispose of contents and container to hazardous or special waste

collection point.

Labeling of special preparations (GHS):

This surfactant complies with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them at their direct request or at the request of a detergent manufacturer.

Hazard determining component(s) for labelling: 2-(2-hexyloxyethoxy)ethanol

#### 2.3. Other hazards

According to Regulation (EC) No 1272/2008 [CLP]

No specific dangers known, if the regulations/notes for storage and handling are considered.

Date / Revised: 23.05.2024 Version: 3.1

Date / Previous version: 21.03.2023 Previous version: 3.0 Product: **Hydropalat® WE 3185 EL** 

(ID no. 30692213/SDS GEN IE/EN)

Date of print 21.10.2025

The product does not contain a substance fulfilling the PBT (persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria. Product does not contain a substance above legal limits included in the list established in accordance with Article 59(1) of Regulation (EC) No 1907/2006 for having endocrine disrupting properties or is identified to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

# **SECTION 3: Composition/Information on Ingredients**

#### 3.1. Substances

Chemical nature

Polymer based on: Hexan-1-ol, ethoxylated

CAS Number: 31726-34-8 Acute Tox. 4 (oral)
Eye Dam./Irrit. 2

H319, H302

#### Regulatory relevant ingredients

2-(2-hexyloxyethoxy)ethanol

Content (W/W): >= 1 % - < 7 % Acute Tox. 4 (dermal) CAS Number: 112-59-4 Eye Dam./Irrit. 1

EC-Number: 203-988-3 STOT SE 3 (drowsiness and dizziness)

INDEX-Number: 603-175-00-7 H318, H312, H336

For the classifications not written out in full in this section, including the hazard classes and the hazard statements, the full text is listed in section 16.

#### 3.2. Mixtures

Not applicable

# **SECTION 4: First-Aid Measures**

# 4.1. Description of first aid measures

Remove contaminated clothing.

#### If inhaled:

Keep patient calm, remove to fresh air, seek medical attention. Immediately administer a corticosteroid from a controlled/metered dose inhaler.

#### On skin contact:

Immediately wash thoroughly with plenty of water, apply sterile dressings, consult a skin specialist.

On contact with eyes:

Date / Revised: 23.05.2024 Version: 3.1

Date / Previous version: 21.03.2023 Previous version: 3.0

Product: Hydropalat® WE 3185 EL

(ID no. 30692213/SDS GEN IE/EN)

Date of print 21.10.2025

Immediately wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

#### On ingestion:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

# 4.2. Most important symptoms and effects, both acute and delayed

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far

# 4.3. Indication of any immediate medical attention and special treatment needed

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

# **SECTION 5: Fire-Fighting Measures**

# 5.1. Extinguishing media

Suitable extinguishing media: water spray, dry powder, foam

#### 5.2. Special hazards arising from the substance or mixture

Endangering substances: harmful vapours, carbon oxides

Advice: Evolution of fumes/fog. The substances/groups of substances mentioned can be released in case of fire.

#### 5.3. Advice for fire-fighters

Special protective equipment:

Wear a self-contained breathing apparatus.

# Further information:

The degree of risk is governed by the burning substance and the fire conditions. Contaminated extinguishing water must be disposed of in accordance with official regulations.

#### **SECTION 6: Accidental Release Measures**

High risk of slipping due to leakage/spillage of product.

# 6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel: Use personal protective clothing. Information regarding personal protective measures, see section 8.

For emergency responders: Take appropriate protective measures.

Date / Revised: 23.05.2024 Version: 3.1

Date / Previous version: 21.03.2023 Previous version: 3.0

Product: Hydropalat® WE 3185 EL

(ID no. 30692213/SDS\_GEN\_IE/EN)

Date of print 21.10.2025

# 6.2. Environmental precautions

Contain contaminated water/firefighting water. Do not discharge into drains/surface waters/groundwater.

## 6.3. Methods and material for containment and cleaning up

For large amounts: Dike spillage. Pump off product. For residues: Pick up with suitable absorbent material. Dispose of absorbed material in accordance with regulations.

#### 6.4. Reference to other sections

Information regarding exposure controls/personal protection and disposal considerations can be found in section 8 and 13.

# **SECTION 7: Handling and Storage**

#### 7.1. Precautions for safe handling

No eating, drinking, smoking or tobacco use at the place of work. Wash hands before breaks and at end of work. Remove contaminated clothing and protective equipment before entering eating areas.

Protection against fire and explosion:

No special precautions necessary.

#### 7.2. Conditions for safe storage, including any incompatibilities

Suitable materials for containers: Stainless steel 1.4301 (V2), Stainless steel 1.4401, Stainless steel 1.4539, Stainless steel 1.4541, Stainless steel 1.4571, glass, High density polyethylene (HDPE), Low density polyethylene (LDPE), Carbon steel (Iron), tinned carbon steel (Tinplate) Further information on storage conditions: Keep container tightly closed and dry; store in a cool place.

The packed product is not damaged by low temperatures or by frost. Bulk must be protected from solidification.

Protect from temperatures above:70 °C

Properties of the product change reversibly on exceeding the limit temperature.

#### 7.3. Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

# **SECTION 8: Exposure Controls/Personal Protection**

#### 8.1. Control parameters

Components with occupational exposure limits

No substance specific occupational exposure limits known.

Date / Revised: 23.05.2024 Version: 3.1

Date / Previous version: 21.03.2023 Previous version: 3.0

Product: Hydropalat® WE 3185 EL

(ID no. 30692213/SDS\_GEN\_IE/EN)

Date of print 21.10.2025

# 8.2. Exposure controls

#### Personal protective equipment

Respiratory protection:

Respiratory protection in case of vapour/aerosol release. Particle filter with medium efficiency for solid and liquid particles (e.g. EN 143 or 149, Type P2 or FFP2)

#### Hand protection:

Chemical resistant protective gloves (EN ISO 374-1)

Suitable materials also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1):

nitrile rubber (NBR) - 0.4 mm coating thickness

Supplementary note: The specifications are based on tests, literature data and information of glove manufacturers or are derived from similar substances by analogy. Due to many conditions (e.g. temperature) it must be considered, that the practical usage of a chemical-protective glove in practice may be much shorter than the permeation time determined through testing. Manufacturer's directions for use should be observed because of great diversity of types.

#### Eye protection:

Tightly fitting safety goggles (cage goggles) (e.g. EN 166) and face shield.

#### Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

#### General safety and hygiene measures

Wearing of closed work clothing is recommended. No eating, drinking, smoking or tobacco use at the place of work. Handle in accordance with good industrial hygiene and safety practice.

#### Environmental exposure controls

Do not discharge product into the environment without control.

# **SECTION 9: Physical and Chemical Properties**

# 9.1. Information on basic physical and chemical properties

State of matter: liquid Form: liquid

Colour: colourless to yellowish Odour: product specific

Melting point:  $< 0 \, ^{\circ}\text{C}$  (other) Boiling point:  $> 200 \, ^{\circ}\text{C}$  (internal test)

(1,013 hPa)

Flammability: not flammable

Lower explosion limit:

For liquids not relevant for classification and labelling., The lower explosion point may be 5 - 15

°C below the flash point.

Date / Revised: 23.05.2024 Version: 3.1

Date / Previous version: 21.03.2023 Previous version: 3.0

Product: Hydropalat® WE 3185 EL

(ID no. 30692213/SDS\_GEN\_IE/EN)

Date of print 21.10.2025

Upper explosion limit:

For liquids not relevant for

classification and labelling.

Flash point: 176 °C (DIN 51758) Auto-ignition temperature: > 250 °C (DIN 51794)

Thermal decomposition: > 150 °C (internal method)

pH value: approx. 7 (DIN EN 1262)

(50 g/l, 23 °C)

Viscosity, kinematic: approx. 20 mm2/s (internal method)

(23 °C)

Viscosity, dynamic:

not determined

Thixotropy: not thixotropic

Solubility in water: soluble

(15 °C)

Solubility (qualitative) solvent(s): alcohols

soluble

Partitioning coefficient n-octanol/water (log Kow):

Study technically not feasible.

Vapour pressure: < 0.1 hPa (internal method)

(20 °C)

Relative density:

No data available.

Density: approx. 1 g/cm3 (DIN 51757)

(20 °C)

Relative vapour density (air):

not determined

Particle characteristics

Particle size distribution: The substance / product is marketed or used in a non solid or granular

form. -

#### 9.2. Other information

#### Information with regard to physical hazard classes

**Explosives** 

Explosion hazard: not explosive

Oxidizing properties

Fire promoting properties: not fire-propagating

Self-heating substances and mixtures

Self heating ability: It is not a substance capable of

spontaneous heating according to UN transport regulations class 4.2.

Substances and mixtures, which emit flammable gases in contact with water

Formation of flammable gases:

Forms no flammable gases in the presence of water.

Corrosion to metals

Corrosive effects to metal are not anticipated.

Date / Revised: 23.05.2024 Version: 3.1

Date / Previous version: 21.03.2023 Previous version: 3.0

Product: Hydropalat® WE 3185 EL

(ID no. 30692213/SDS\_GEN\_IE/EN)

Date of print 21.10.2025

#### Other safety characteristics

Hygroscopy: Non-hygroscopic

Surface tension: 48 mN/m (DIN EN 14370)

(20 °C; 1 g/l)

37.5 mN/m (DIN EN 14370)

(20 °C; 5 g/l)

Other Information: If necessary, information on other physical and chemical parameters is

indicated in this section.

SAPT-Temperature:

Product does not fulfil criteria for polymerizing substances according to

transport regulations. - The product has not been tested. The statement has been derived from substances/products of a similar

structure or composition.

Evaporation rate:

Value can be approximated from Henry's Law Constant or vapor

pressure.

# **SECTION 10: Stability and Reactivity**

# 10.1. Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Corrosion to metals: Corrosive effects to metal are not anticipated.

Formation of Remarks: Forms no flammable gases in the

flammable gases: presence of water.

# 10.2. Chemical stability

The product is stable if stored and handled as prescribed/indicated.

Peroxides: The product does not contain peroxides. The product/the substance has

not a tendency towards the formation of peroxide.

# 10.3. Possibility of hazardous reactions

No hazardous reactions when stored and handled according to instructions.

#### 10.4. Conditions to avoid

See SDS section 7 - Handling and storage.

# 10.5. Incompatible materials

Substances to avoid:

caustics, halogens, Alkalines, acids, reactive chemicals

Date / Revised: 23.05.2024 Version: 3.1

Date / Previous version: 21.03.2023 Previous version: 3.0 Product: **Hydropalat® WE 3185 EL** 

(ID no. 30692213/SDS GEN IE/EN)

Date of print 21.10.2025

#### 10.6. Hazardous decomposition products

Hazardous decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated.

# **SECTION 11: Toxicological Information**

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Experimental/calculated data:

LD50 rat (oral): > 300 - 2,000 mg/kg (OECD Guideline 423)

LC50 rat (by inhalation):

not determined

LD50 rat (dermal): > 2,000 mg/kg (OECD Guideline 402)

Information on: Hexan-1-ol, ethoxylated

Experimental/calculated data:

LD50 rat (oral): > 300 - 2,000 mg/kg (OECD Guideline 423)

-----

Information on: 2-(2-hexyloxyethoxy)ethanol

Experimental/calculated data:

LD50 rabbit (dermal): 2,001 - 2,216 mg/kg (similar to OECD guideline 402)

-----

#### Irritation

Experimental/calculated data:

Skin corrosion/irritation

rabbit: non-irritant (other)

The product has not been tested. The statement has been derived from the properties of the individual components.

Serious eye damage/irritation

rabbit: irreversible damage (other)

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: 2-(2-hexyloxyethoxy)ethanol

Experimental/calculated data:

Skin corrosion/irritation

rabbit: non-irritant (Directive 84/449/EEC, B.4)

Literature data.

Information on: Hexan-1-ol, ethoxylated

Experimental/calculated data:

Skin corrosion/irritation

rabbit: non-irritant (other)

Date / Revised: 23.05.2024 Version: 3.1

Date / Previous version: 21.03.2023 Previous version: 3.0

Product: Hydropalat® WE 3185 EL

(ID no. 30692213/SDS\_GEN\_IE/EN)

Date of print 21.10.2025

Information on: 2-(2-hexyloxyethoxy)ethanol

Experimental/calculated data: Serious eye damage/irritation

rabbit: irreversible damage (OECD Guideline 405)

Information on: Hexan-1-ol, ethoxylated

Experimental/calculated data: Serious eye damage/irritation

rabbit: Irritant. (other)

The statement for irritation of the mucous membrane was derived from products of similar

composition.

-----

#### Respiratory/Skin sensitization

Assessment of sensitization:

No data available.

#### Germ cell mutagenicity

Assessment of mutagenicity:

Not classified, due to lack of data.

# Carcinogenicity

Assessment of carcinogenicity:

Not classified, due to lack of data.

# Reproductive toxicity

Assessment of reproduction toxicity:

Not classified, due to lack of data.

#### **Developmental toxicity**

Assessment of teratogenicity:

Not classified, due to lack of data.

Specific target organ toxicity (single exposure)

Remarks: No data available.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

Not classified, due to lack of data.

# Aspiration hazard

No aspiration hazard expected.

## Interactive effects

No data available.

Date / Revised: 23.05.2024 Version: 3.1

Date / Previous version: 21.03.2023 Previous version: 3.0 Product: **Hydropalat® WE 3185 EL** 

(ID no. 30692213/SDS\_GEN\_IE/EN)

Date of print 21.10.2025

#### 11.2. Information on other hazards

#### **Endocrine disrupting properties**

Product does not contain a substance above legal limits included in the list established in accordance with Article 59(1) of Regulation (EC) No 1907/2006 for having endocrine disrupting properties or is identified to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

#### Other information

Other relevant toxicity information

The product has not been tested. The statements on toxicology have been derived from products of a similar structure and composition.

# **SECTION 12: Ecological Information**

# 12.1. Toxicity

Toxicity to fish:

LC50 (96 h) > 100 mg/l, Brachydanio rerio (OECD 203; ISO 7346; 84/449/EWG, C.1)

Aquatic invertebrates:

EC50 (48 h) > 100 mg/l, Daphnia magna (OECD Guideline 202, part 1)

Aquatic plants:

EC50 (72 h) > 100 mg/l, Scenedesmus subspicatus (Guideline 92/69/EEC, C.3)

EC10 (72 h) > 100 mg/l (growth rate), Scenedesmus subspicatus (Guideline 92/69/EEC, C.3)

Microorganisms/Effect on activated sludge:

EC50 > 1,000 mg/l

Inhibition of degradation activity in activated sludge is not to be anticipated during correct introduction of low concentrations.

Chronic toxicity to fish:

No data available.

Chronic toxicity to aquatic invertebrates:

No data available.

Assessment of terrestrial toxicity:

No data available concerning terrestrial toxicity.

# 12.2. Persistence and degradability

Assessment biodegradation and elimination (H2O): Readily biodegradable.

Date / Revised: 23.05.2024 Version: 3.1

Date / Previous version: 21.03.2023 Previous version: 3.0

Product: Hydropalat® WE 3185 EL

(ID no. 30692213/SDS\_GEN\_IE/EN)

Date of print 21.10.2025

#### Elimination information:

> 60 % CO2 formation relative to the theoretical value (28 d) (OECD 301B; ISO 9439; 92/69/EWG, C.4-C) Readily biodegradable.

# 12.3. Bioaccumulative potential

Assessment bioaccumulation potential:

Accumulation in organisms is not to be expected.

# 12.4. Mobility in soil

Assessment transport between environmental compartments:

Volatility: The substance will not evaporate into the atmosphere from the water surface.

Adsorption in soil: Adsorption to solid soil phase is possible.

#### 12.5. Results of PBT and vPvB assessment

According to Annex XIII of Regulation (EC) No.1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH): The product does not fulfill the criteria for PBT (Persistent/bioaccumulative/toxic) and vPvB (very persistent/very bioaccumulative).

#### 12.6. Endocrine disrupting properties

Product does not contain a substance above legal limits included in the list established in accordance with Article 59(1) of Regulation (EC) No 1907/2006 for having endocrine disrupting properties or is identified to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

#### 12.7. Other adverse effects

The product does not contain substances that are listed in Regulation (EC) 1005/2009 on substances that deplete the ozone layer.

# Additional information

Sum parameter

Chemical oxygen demand (COD): (calculated) approx. 2,140 mg/g

Add. remarks environm. fate & pathway:

Treatment in biological waste water treatment plants has to be performed according to local and administrative regulations.

Other ecotoxicological advice:

Page: 13/16

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 23.05.2024 Version: 3.1

Date / Previous version: 21.03.2023 Previous version: 3.0 Product: Hydropalat® WE 3185 EL

(ID no. 30692213/SDS GEN IE/EN)

Date of print 21.10.2025

The product has not been tested. The statements on ecotoxicology have been derived from products of a similar structure and composition. Do not allow to enter soil, waterways or waste water channels.

# **SECTION 13: Disposal Considerations**

# 13.1. Waste treatment methods

Must be disposed of or incinerated in accordance with local regulations.

No disposal via sewage or waste water systems.

Contaminated packaging:

Uncontaminated packaging can be re-used.

Packs that cannot be cleaned should be disposed of in the same manner as the contents.

# **SECTION 14: Transport Information**

#### **Land transport**

**ADR** 

Not classified as a dangerous good under transport regulations

UN number or ID number: Not applicable Not applicable UN proper shipping name: Transport hazard class(es): Not applicable Packing group: Not applicable Not applicable Environmental hazards: Special precautions for None known

user

**RID** 

Not classified as a dangerous good under transport regulations

UN number or ID number: Not applicable UN proper shipping name: Not applicable Transport hazard class(es): Not applicable Packing group: Not applicable

Environmental hazards: Not applicable Special precautions for None known

user

#### **Inland waterway transport**

ADN

Not classified as a dangerous good under transport regulations

Not applicable UN number or ID number: Not applicable UN proper shipping name: Transport hazard class(es): Not applicable Packing group: Not applicable

Page: 14/16

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 23.05.2024 Version: 3.1

Date / Previous version: 21.03.2023 Previous version: 3.0

Product: Hydropalat® WE 3185 EL

(ID no. 30692213/SDS GEN IE/EN)

Date of print 21.10.2025

Not applicable Environmental hazards: Special precautions for

None known

user:

Transport in inland waterway vessel

Not evaluated

#### Sea transport

**IMDG** 

Not classified as a dangerous good under transport regulations

UN number or ID number: Not applicable Not applicable UN proper shipping name: Transport hazard class(es): Not applicable Packing group: Not applicable Environmental hazards: Not applicable Special precautions for None known

user

# Air transport

IATA/ICAO

Not classified as a dangerous good under transport regulations

UN number or ID number: Not applicable UN proper shipping name: Not applicable Transport hazard class(es): Not applicable Packing group: Not applicable Not applicable Environmental hazards: Special precautions for None known

user

# 14.1. UN number or ID number

See corresponding entries for "UN number or ID number" for the respective regulations in the tables above.

#### 14.2. UN proper shipping name

See corresponding entries for "UN proper shipping name" for the respective regulations in the tables above.

# 14.3. Transport hazard class(es)

See corresponding entries for "Transport hazard class(es)" for the respective regulations in the tables above.

#### 14.4. Packing group

See corresponding entries for "Packing group" for the respective regulations in the tables above.

Date / Revised: 23.05.2024 Version: 3.1

Date / Previous version: 21.03.2023 Previous version: 3.0

Product: Hydropalat® WE 3185 EL

(ID no. 30692213/SDS\_GEN\_IE/EN)

Date of print 21.10.2025

#### 14.5. Environmental hazards

See corresponding entries for "Environmental hazards" for the respective regulations in the tables above.

#### 14.6. Special precautions for user

See corresponding entries for "Special precautions for user" for the respective regulations in the tables above.

#### 14.7. Maritime transport in bulk according to IMO instruments

Maritime transport in bulk is not intended.

# **SECTION 15: Regulatory Information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Prohibitions, Restrictions and Authorizations

Annex XVII of Regulation (EC) No 1907/2006: Number on List: 3, 75

Directive 2012/18/EU - Control of Major Accident Hazards involving dangerous substances (EU): Listed in above regulation: no

Classification applies for standard conditions of temperature and pressure.

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

#### 15.2. Chemical Safety Assessment

Chemical Safety Assessment not required

#### **SECTION 16: Other Information**

Information on intended use: This product is of industrial quality and unless otherwise specified or agreed intended exclusively for industrial use. This includes the mentioned and recommended usage. Any other intended applications should be discussed with the manufacturer. In particular this concerns the application for products that are the object of special standards and regulations.

<u>Full text of the classifications, including the hazard classes and the hazard statements, if mentioned in section 2 or 3:</u>

Acute Tox. Acute toxicity

Eye Dam./Irrit. Serious eye damage/eye irritation

STOT SE Specific target organ toxicity — single exposure

H318 Causes serious eye damage.

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

Page: 16/16

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 23.05.2024 Version: 3.1

Date / Previous version: 21.03.2023 Previous version: 3.0 Product: **Hydropalat® WE 3185 EL** 

(ID no. 30692213/SDS GEN IE/EN)

Date of print 21.10.2025

H336

May cause drowsiness or dizziness.

#### Abbreviations

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road. ADN = The European Agreement concerning the International Carriage of Dangerous Goods by Inland waterways. ATE = Acute Toxicity Estimates. CAO = Cargo Aircraft Only. CAS = Chemical Abstract Service. CLP = Classification, Labelling and Packaging of substances and mixtures. DIN = German national organization for standardization. DNEL = Derived No Effect Level. EC50 = Effective concentration median for 50% of the population. EC = European Community. EN = European Standards. IARC = International Agency for Research on Cancer. IATA = International Air Transport Association. IBC-Code = Intermediate Bulk Container code. IMDG = International Maritime Dangerous Goods Code. ISO = International Organization for Standardization. STEL = Short-Term Exposure Limit. LC50 = Lethal concentration median for 50% of the population. LD50 = Lethal dose median for 50% of the population. TLV = Threshold Limit Value. MARPOL = The International Convention for the Prevention of Pollution from Ships. NEN = Dutch Norm. NOEC = No Observed Effect Concentration. OEL = Occupational Exposure Limit. OECD = Organization for Economic Cooperation and Development. PBT = Persistent, Bioaccumulative and Toxic. PNEC = Predicted No Effect Level. PPM = Parts per million. RID = The European Agreement concerning the International Carriage of Dangerous Goods by Rail. TWA = Time Weight Average. UN-number = UN number at transport. vPvB = very Persistent and very Bioaccumulative.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Vertical lines in the left hand margin indicate an amendment from the previous version.