

Safety data sheet

Page: 1/11

BASF Safety data sheet

Date / Revised: 06.08.2024 Version: 2.0

Product: **Anisaldehyde**

(30035186/SDS_GEN_AU/EN)

Date of print: 08.10.2025

1. Substance/preparation and manufacturer/supplier identification

Product name:

Anisaldehyde

Use: Chemical, Chemical for detergents, Chemical for soaps, detergents and cosmetic

Manufacturer/supplier:

BASF Australia Limited (ABN 62 008 437 867) Level 23, 40 City Road, Southbank Victoria 3006, AUSTRALIA Telephone: +61 3 8855-6600

Emergency information:

BASF Emergency Advice Number: 1800 803 440 (24h) [within Australia] BASF Emergency Advice Number: + 61 3 8855 6666 [outside Australia]

2. Hazard identification

Classification of the substance and mixture:

Acute toxicity: Cat.5 (oral)

Reproductive toxicity: Cat.2 (fertility)
Reproductive toxicity: Cat.2 (unborn child)

Hazardous to the aquatic environment - acute: Cat.3 Hazardous to the aquatic environment - chronic: Cat.3

Label elements and precautionary statement:

Pictogram:



Signal Word:

Product: Anisaldehyde

(30035186/SDS_GEN_AU/EN)

Date of print: 08.10.2025

Warning

Hazard Statement:

H303 May be harmful if swallowed.

H361 Suspected of damaging fertility. Suspected of damaging the unborn

child.

H402 Harmful to aquatic life.

H412 Harmful to aquatic life with long lasting effects.

Precautionary Statements (Prevention):

P280 Wear protective gloves, protective clothing and eye protection or face

protection.

P273 Avoid release to the environment.
P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and

understood.

Precautionary Statements (Response):

P301 + P312 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you

feel unwell.

P308 + P313 IF exposed or concerned: Get medical attention.

Precautionary Statements (Storage): P405 Store locked up.

Precautionary Statements (Disposal):

P501 Dispose of contents and container to hazardous or special waste

collection point.

Other hazards which do not result in classification:

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

3. Composition/information on ingredients

Chemical nature

Substance nature: Substance

anisaldehyde

CAS Number: 123-11-5

Hazardous ingredients

Product: Anisaldehyde

(30035186/SDS_GEN_AU/EN)

Date of print: 08.10.2025

anisaldehyde

CAS Number: 123-11-5 Repr.: Cat. 2 (unborn child)
Aquatic Acute: Cat. 3

Benzene, 1-methoxy-4-(methoxymethyl)-

Content (W/W): > 0 % - < 0.3 %

CAS Number: 1515-81-7

Eye Dam.: Cat. 1

Aquatic Chronic: Cat. 3

4. First-Aid Measures

General advice:

Remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

On skin contact:

Wash thoroughly with soap and water

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open.

On ingestion:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

Note to physician:

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far

Hazards: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11. (Further) symptoms and / or effects are not known so far

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Suitable extinguishing media:

water spray, dry powder, foam, carbon dioxide

Unsuitable extinguishing media for safety reasons:

water jet

Specific hazards:

carbon oxides, harmful vapours

The substances/groups of substances mentioned can be released in case of fire.

Product: Anisaldehyde

(30035186/SDS_GEN_AU/EN)

Date of print: 08.10.2025

Special protective equipment:

Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:

Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations. Cool endangered containers with water-spray.

6. Accidental Release Measures

Personal precautions:

Use personal protective clothing.Information regarding personal protective measures, see section 8.Ensure adequate ventilation.Do not breathe vapour/spray.Avoid contact with the skin, eyes and clothing.

Environmental precautions:

Do not discharge into drains/surface waters/groundwater.Inform authorities in the event of product spillage to water courses or sewage systems.

Methods for cleaning up or taking up:

For small amounts: Contain with absorbent material (e.g. sand, silica gel, acid binder, general purpose binder, sawdust).

For large amounts: Dike spillage. Pump off product.

Dispose of absorbed material in accordance with regulations. Cleaning operations should be carried out only while wearing breathing apparatus.

7. Handling and Storage

Handling

Ensure thorough ventilation of stores and work areas. Wear suitable protective clothing and eye/face protection. Avoid contact with the skin, eyes and clothing. Keep container tightly sealed.

Protection against fire and explosion:

Take precautionary measures against static discharges. Avoid all sources of ignition: heat, sparks, open flame.

Storage

Segregate from acids and acid forming substances.

Further information on storage conditions: Containers should be stored tightly sealed in a dry place. Keep under nitrogen.

8. Exposure controls and personal protection

Components with occupational exposure limits

No substance specific occupational exposure limits known.

Product: Anisaldehyde

(30035186/SDS_GEN_AU/EN)

Date of print: 08.10.2025

Personal protective equipment

Respiratory protection:

Suitable respiratory protection for lower concentrations or short-term effect: Gas filter for gases/vapours of organic compounds (boiling point >65 °C, e. g. EN 14387 Type A)

Hand protection:

Suitable materials also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1):

fluoroelastomer (FKM) - 0.7 mm coating thickness

butyl rubber (butyl) - 0.7 mm coating thickness

Suitable materials for short-term contact (recommended: At least protective index 2, corresponding > 30 minutes of permeation time according to EN ISO 374-1)

nitrile rubber (NBR) - 0.4 mm coating thickness polyvinylchloride (PVC) - 0.7 mm coating thickness chloroprene rubber (CR) - 0.5 mm coating thickness

Supplementary note: The specifications are based on tests, literature data and information of glove manufacturers or are derived from similar substances by analogy. Due to many conditions (e.g. temperature) it must be considered, that the practical usage of a chemical-protective glove in practice may be much shorter than the permeation time determined through testing. Manufacturer's directions for use should be observed because of great diversity of types.

Eve protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures:

Handle in accordance with good industrial hygiene and safety practice. Wearing of closed work clothing is required additionally to the stated personal protection equipment. Avoid contact with the skin, eyes and clothing. Under no circumstances should the product come into contact with the skin of pregnant women or be inhaled by them. Females of childbearing age should not come into contact with the product. No eating, drinking, smoking or tobacco use at the place of work. Hands and/or face should be washed before breaks and at the end of the shift. Store work clothing separately.

9. Physical and Chemical Properties

Form: liquid
Colour: yellowish
Odour: aniseed-like

pH value: 7.0

Melting point: 0 °C

Literature data.

Boiling point: 250 °C (other)

(1,000.1 hPa)

Flash point: 124 °C (DIN 51758)

Flammability (solid/gas): hardly combustible (derived from flash point)

Product: Anisaldehyde

(30035186/SDS_GEN_AU/EN)

Date of print: 08.10.2025

Lower explosion limit:

For liquids not relevant for classification and labelling., The lower explosion point may be 5 - 15

°C below the flash point.

Upper explosion limit:

For liquids not relevant for classification and labelling.

Ignition temperature: 220 °C (DIN 51794)

Thermal decomposition: approx. 280 °C

Self ignition: Temperature: 20 °C Test type: Spontaneous self-

(DTA)

ignition at room-temperature.

Based on its structural properties the

product is not classified as self-

igniting.

Self heating ability: not applicable, the product is a liquid

Explosion hazard: Based on the chemical structure

there is no indication of explosive

properties.

Fire promoting properties: Based on its structural properties

the product is not classified as

oxidizing.

Vapour pressure: 0.0285 hPa (measured)

(20 °C)

Density: 1.123 g/cm3

(20 °C, 1,013 hPa)

Literature data.

Relative density: 1.123

(20 °C, 1,013 hPa)

Literature data.

Relative vapour density (air):4.69 (calculated)

(20 °C)

Heavier than air.

Solubility in water: Literature data.

2 g/l

(20 °C)

Miscibility with water:

immiscible

Solubility (qualitative) solvent(s): organic solvents

soluble

Partitioning coefficient n-octanol/water (log Pow): 1.56 (OECD Guideline 107)

(25 °C; pH value: 7.9 - 8.3)

Adsorption/water - soil: KOC: 10; log KOC: 1 (calculated)

Surface tension:

Based on chemical structure, surface

activity is not to be expected.

Viscosity, dynamic: 4.22 mPa.s

(25 °C) Literature data.

Product: Anisaldehyde

(30035186/SDS_GEN_AU/EN)

Date of print: 08.10.2025

Molar mass: 136.15 g/mol

10. Stability and Reactivity

Conditions to avoid:

Avoid direct sunlight. See SDS section 7 - Handling and storage.

Thermal decomposition: approx. 280 °C (DTA)

Substances to avoid:

acids

Corrosion to metals: No corrosive effect on metal.

Hazardous reactions:

No hazardous reactions if stored and handled as prescribed/indicated.

Hazardous decomposition products:

No hazardous decomposition products known.

Chemical stability:

The product is stable if stored and handled as prescribed/indicated.

Reactivity:

No hazardous reactions if stored and handled as prescribed/indicated.

11. Toxicological Information

Routes of exposure

Acute oral toxicity

Experimental/calculated data:

LD50rat (oral): 3,210 mg/kg (BASF-Test)

Acute dermal toxicity

LD50 rabbit (dermal): > 5,000 mg/kg (other)

Assessment of acute toxicity

Of low toxicity after single ingestion. Virtually nontoxic after a single skin contact.

Symptoms

Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11. (Further) symptoms and / or effects are not known so far

Irritation

Assessment of irritating effects:

Not irritating to the skin. Not irritating to the eyes.

Product: Anisaldehyde

(30035186/SDS_GEN_AU/EN)

Date of print: 08.10.2025

Experimental/calculated data:

Skin corrosion/irritation rabbit: non-irritant (BASF-Test)

Serious eye damage/irritation rabbit: non-irritant (BASF-Test)

Respiratory/Skin sensitization

Assessment of sensitization:

Skin sensitizing effects were not observed in animal studies.

Experimental/calculated data:

Mouse Local Lymph Node Assay (LLNA) mouse: Non-sensitizing. (OECD Guideline 429)

Germ cell mutagenicity

Assessment of mutagenicity:

In the majority of studies performed with microorganisms and in mammalian cell culture, a mutagenic effect was not found. A mutagenic effect was also not observed in in vivo tests.

Carcinogenicity

Assessment of carcinogenicity:

No data available.

Reproductive toxicity

Assessment of reproduction toxicity:

The results of animal studies suggest a fertility impairing effect.

Developmental toxicity

Assessment of teratogenicity:

Indications of possible developmental toxicity/teratogenicity were seen in animal studies.

Specific target organ toxicity (single exposure)

Based on available data, the classification criteria are not met.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

The substance may cause damage to the testes after repeated ingestion of high doses, as shown in animal studies. Based on available data, the classification criteria are not met.

Aspiration hazard

No aspiration hazard expected.

12. Ecological Information

Ecotoxicity

Product: Anisaldehyde

(30035186/SDS_GEN_AU/EN)

Date of print: 08.10.2025

Assessment of aquatic toxicity:

The inhibition of the degradation activity of activated sludge is not anticipated when introduced to biological treatment plants in appropriate low concentrations. Harmful to aquatic life. Harmful to aquatic life with long lasting effects.

Toxicity to fish:

LC50 (96 h) 148,32 mg/l, Leuciscus idus (DIN 38412 Part 15, static)

The details of the toxic effect relate to the nominal concentration.

Aquatic invertebrates:

EC50 (48 h) 82.8 mg/l, Daphnia magna (Directive 79/831/EEC, static)

The details of the toxic effect relate to the nominal concentration.

Aquatic plants:

EC50 (72 h) 81.11 mg/l (growth rate), Scenedesmus subspicatus (DIN 38412 Part 9, static)

The details of the toxic effect relate to the nominal concentration.

Microorganisms/Effect on activated sludge:

EC20 (30 min) 450 mg/l, activated sludge (DIN EN ISO 8192, aerobic)

Chronic toxicity to fish:

Study scientifically not justified.

Chronic toxicity to aquatic invertebrates:

No observed effect concentration (21 d), 0.71 mg/l, Daphnia magna (OECD Guideline 211, semistatic)

Assessment of terrestrial toxicity:

No data available concerning terrestrial toxicity.

Study scientifically not justified.

Mobility

Assessment transport between environmental compartments:

The substance will not evaporate into the atmosphere from the water surface.

Adsorption to solid soil phase is not expected.

Persistence and degradability

Elimination information:

90 - 100 % DOC reduction (28 d) (OECD 301E/92/69/EWG, C.4-B) (aerobic, activated sludge, domestic)

Assessment of stability in water:

Substance is readily biodegradable, therefore hydrolysis is not expected to be relevant.

Sum parameter

Chemical oxygen demand (COD): 2,020 mg/g

Biochemical oxygen demand (BOD): 1,510 mg/g

Bioaccumulation potential

Product: Anisaldehyde

(30035186/SDS_GEN_AU/EN)

Date of print: 08.10.2025

Assessment bioaccumulation potential:

No significant accumulation in organisms is expected as a result of the distribution coefficient of noctanol/water (log Pow).

Other adverse effects

Adsorbable organically-bound halogen (AOX):

This product contains no organically-bound halogen.

13. Disposal Considerations

Observe national and local legal requirements.

14. Transport Information

Domestic transport:

Not classified as a dangerous good under transport regulations

UN number or ID number Not applicable UN proper shipping name: Not applicable Transport hazard class(es): Not applicable Packing group: Not applicable Environmental hazards:

Special precautions for

user

Not applicable None known

Sea transport

IMDG

Not classified as a dangerous good under transport regulations

UN number or ID number: Not applicable UN proper shipping name: Not applicable Not applicable Transport hazard class(es): Packing group: Not applicable Environmental hazards: Not applicable

Marine pollutant: no

Special precautions for

Special precautions for

user

None known

None known

Air transport

IATA/ICAO

Not classified as a dangerous good under transport regulations

UN number or ID number Not applicable Proper shipping name: Not applicable Transport hazard class(es): Not applicable Packing group: Not applicable Environmental hazards: Not applicable

user

Version: 2.0

BASF Safety data sheet Date / Revised: 06.08.2024 Product: Anisaldehyde

(30035186/SDS_GEN_AU/EN)

Date of print: 08.10.2025

15. Regulatory Information

Other regulations

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP): Not Scheduled

Registration status:

AICIS, AU

Listed in AIIC.

16. Other Information

Any other intended applications should be discussed with the manufacturer. Corresponding occupational protection measurements must be followed.

Vertical lines in the left hand margin indicate an amendment from the previous version.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.