

## Safety data sheet

Page: 1/12

BASF Safety data sheet

Date / Revised: 30.04.2025 Version: 8.0

Product: BUTYLDIGLYCOL ACETATE

(30034754/SDS\_GEN\_PH/EN)

Date of print: 19.10.2025

## 1. Substance/preparation and manufacturer/supplier identification

# **Product name:**BUTYLDIGLYCOL ACETATE

Use: solvent(s)

Manufacturer/supplier:

BASF Philippines, Inc.
Upper Penthouse CTP ASEAN Tower
Asean Drive, Spectrum District
Filinvest Corporate City, Alabang,
Muntinlupa City, 1781, Metro Manila
PHILIPPINES

Telephone: +63 2 8811-8001 E-mail address: psr.ph@basf.com

**Emergency information:** 

National emergency number:

+63 2 8831 5576

International emergency number: Telephone: +49 180 2273-112

## 2. Hazard identification

Classification of the substance and mixture:

Eye irritation: Cat.2A

Hazardous to the aquatic environment - acute: Cat.3

Label elements and precautionary statement:

Pictogram:

Product: BUTYLDIGLYCOL ACETATE

(30034754/SDS\_GEN\_PH/EN)

Date of print: 19.10.2025



## Signal Word:

Warning

#### Hazard Statement:

H319 Causes serious eye irritation.
H402 Harmful to aquatic life.

## Precautionary Statements (Prevention):

P280 Wear eye protection.

P273 Avoid release to the environment.

P264 Wash contaminated body parts thoroughly after handling.

#### Precautionary Statements (Response):

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical attention.

## Precautionary Statements (Disposal):

P501 Dispose of contents and container to hazardous or special waste

collection point.

Other hazards which do not result in classification:

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture. See section 12 - Results of PBT and vPvB assessment.

## 3. Composition/information on ingredients

## Chemical nature

Substance nature: Substance

2-(2-butoxyethoxy)ethyl acetate

CAS Number: 124-17-4

#### **Hazardous ingredients**

Version: 8.0

BASF Safety data sheet Date / Revised: 30.04.2025

Product: BUTYLDIGLYCOL ACETATE

(30034754/SDS\_GEN\_PH/EN)

Date of print: 19.10.2025

2-(2-butoxyethoxy)ethyl acetate

Content (W/W): >= 98.5 % - <=

98.5 %

CAS Number: 124-17-4

Eye Irrit.: Cat. 2A Aquatic Acute: Cat. 3

#### 4. First-Aid Measures

General advice:

Remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air.

On skin contact:

Wash thoroughly with soap and water

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open.

On ingestion:

Rinse mouth and then drink 200-300 ml of water.

Note to physician:

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11.

Hazards: (Further) symptoms and / or effects are not known so far Treatment: Symptomatic treatment (decontamination, vital functions).

## 5. Fire-Fighting Measures

Suitable extinguishing media:

dry powder, water spray, carbon dioxide, alcohol-resistant foam

Unsuitable extinguishing media for safety reasons:

water jet

Additional information:

Use extinguishing measures to suit surroundings.

Specific hazards:

The product is combustible. Cool endangered containers with water-spray. See SDS section 7 - Handling and storage.

Special protective equipment:

Wear a self-contained breathing apparatus. Special protective equipment for firefighters

Further information:

Evacuate area of all unnecessary personnel. Fight fire from maximum distance.

BASF Safety data sheet Date / Revised: 30.04.2025

Product: BUTYLDIGLYCOL ACETATE

Version: 8.0

(30034754/SDS\_GEN\_PH/EN)

Date of print: 19.10.2025

#### Further information:

Extend fire extinguishing measures to the surroundings. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

#### 6. Accidental Release Measures

#### Personal precautions:

Handle in accordance with good industrial hygiene and safety practice.

Avoid all sources of ignition: heat, sparks, open flame. Use antistatic tools.

#### Environmental precautions:

Discharge into the environment must be avoided.

#### Methods for cleaning up or taking up:

Pick up with suitable appliance and dispose of. Spills should be contained, solidified, and placed in suitable containers for disposal. Dispose of absorbed material in accordance with regulations.

Additional information: High risk of slipping due to leakage/spillage of product.

Release of substance/product can cause fire or explosion. Shut off or stop source of leak. Shut off or stop released substance/product under safe conditions.

Pack in tightly closed containers for disposal.

## 7. Handling and Storage

#### **Handling**

Handle in accordance with good industrial hygiene and safety practice. Prevent contact with air/oxygen (formation of peroxide).

Protection against fire and explosion:

Substance/product is non-flammable. Prevent electrostatic charge - sources of ignition should be kept well clear - fire extinguishers should be kept handy. Electrical devices must meet the specified temperature class.

#### Storage

Further information on storage conditions: Containers should be stored tightly sealed in a dry place.

## 8. Exposure controls and personal protection

#### Components with occupational exposure limits

No substance specific occupational exposure limits known.

#### **Engineering Controls**

Advice on system design:

Provide local exhaust ventilation to maintain recommended P.E.L.

Product: BUTYLDIGLYCOL ACETATE

(30034754/SDS\_GEN\_PH/EN)

Date of print: 19.10.2025

Provide local exhaust ventilation to control vapours.

#### Personal protective equipment

#### Respiratory protection:

Wear respiratory protection if ventilation is inadequate. Gas filter for gases/vapours of organic compounds (boiling point >65 °C, e. g. EN 14387 Type A)

#### Hand protection:

Chemical resistant protective gloves (EN ISO 374-1)

Suitable materials also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1):

butyl rubber (butyl) - 0.7 mm coating thickness

Manufacturer's directions for use should be observed because of great diversity of types. Supplementary note: The specifications are based on tests, literature data and information of glove manufacturers or are derived from similar substances by analogy. Due to many conditions (e.g. temperature) it must be considered, that the practical usage of a chemical-protective glove in practice may be much shorter than the permeation time determined through testing.

#### Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

#### Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

## General safety and hygiene measures:

Handle in accordance with good industrial hygiene and safety practice. Wearing of closed work clothing is required additionally to the stated personal protection equipment.

## 9. Physical and Chemical Properties

Form: liquid Colour: colourless Odour: fruity

Odour threshold: not determined

pH value:

No data available.

Melting point: -32 °C

Literature data.

Boiling point: 246 °C

(1,013 hPa)

Flash point: 116 °C (ASTM D93, closed cup)

Evaporation rate:

Value can be approximated from Henry's Law Constant or vapor

pressure.

Product: BUTYLDIGLYCOL ACETATE

(30034754/SDS\_GEN\_PH/EN)

Date of print: 19.10.2025

Flammability (solid/gas): hardly combustible

(derived from flash point)

Lower explosion limit:

For liquids not relevant for classification and labelling., The lower explosion point may be 5 - 15

°C below the flash point.

Upper explosion limit:

For liquids not relevant for classification and labelling.

Ignition temperature: 197 °C (Directive 84/449/EEC, A.15)

Thermal decomposition:

No data available.

Self ignition:

Based on its structural properties the

product is not classified as self-

igniting.

Test type: Spontaneous selfignition at room-temperature.

Self heating ability: It is not a substance capable of

spontaneous heating.

Explosion hazard: Based on the chemical structure

there is no indication of explosive

properties.

Based on its structural properties Fire promoting properties:

the product is not classified as

oxidizing.

Vapour pressure: approx. 0.005 hPa (measured)

(20 °C)

0.9765 g/cm3 Density:

(DIN 51757)

(20 °C) Relative density: 0.9765

(20 °C)

Relative vapour density (air):7.04

(calculated)

(20 °C)

Heavier than air.

Solubility in water: Literature data.

65 g/l

(20 °C)

Miscibility with water:

(20 °C)

partly miscible

Solubility (qualitative) solvent(s): organic solvents

soluble

Partitioning coefficient n-octanol/water (log Pow): 1.7

(OECD Guideline 117)

Adsorption/water - soil:

(23 °C; pH value: 6.4) log KOC: 1.0

Surface tension:

57.8 mN/m (20.1 °C; 1 g/l) (calculated)

(OECD Guideline 115, OECD harmonized ring method)

Viscosity, kinematic: 3.5 mm2/s

(20 °C)

Version: 8.0

BASF Safety data sheet Date / Revised: 30.04.2025

Product: BUTYLDIGLYCOL ACETATE

(30034754/SDS\_GEN\_PH/EN)

Date of print: 19.10.2025

Molar mass: 204.27 g/mol

## 10. Stability and Reactivity

Conditions to avoid:

No special precautions other than good housekeeping of chemicals.

Thermal decomposition: No data available.

Substances to avoid: strong oxidizing agents

Corrosion to metals: No corrosive effect on metal.

Hazardous reactions:

Reacts with strong oxidizing agents.

Hazardous decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated.

Chemical stability:

The product is stable if stored and handled as prescribed/indicated.

## 11. Toxicological Information

## Routes of exposure

#### **Acute oral toxicity**

Experimental/calculated data:

LD50rat (oral): 11,920 mg/kg (similar to OECD guideline 401)

#### Acute inhalation toxicity

LC50 rat (by inhalation): > 3 mg/l 2 h (IHT)

No mortality was observed. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition. The vapour was tested.

## **Acute dermal toxicity**

LD50 rabbit (dermal): 5,400 - 5,700 mg/kg (OECD Guideline 402)

## Assessment of acute toxicity

Virtually nontoxic after a single ingestion. Virtually nontoxic after a single skin contact. Virtually nontoxic by inhalation.

#### **Symptoms**

Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11.

#### Irritation

Assessment of irritating effects:

BASF Safety data sheet Date / Revised: 30.04.2025

Date / Revised: 30.04.2025 Version: 8.0

Product: BUTYLDIGLYCOL ACETATE

(30034754/SDS\_GEN\_PH/EN)

Date of print: 19.10.2025

Not irritating to the skin. Eye contact causes irritation.

Experimental/calculated data:

Skin corrosion/irritation rabbit: non-irritant (similar to OECD guideline 404)

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Serious eye damage/irritation In vitro assay: Irritant. (OECD Guideline 492B)

## Respiratory/Skin sensitization

Assessment of sensitization:

Skin sensitizing effects were not observed in animal studies.

Experimental/calculated data:

Buehler test guinea pig: Non-sensitizing. (Guideline 92/69/EEC, B.6)

## Germ cell mutagenicity

Assessment of mutagenicity:

No mutagenic effect was found in various tests with bacteria and mammalian cell culture. The product has not been fully tested. The statements have been derived in parts from products of a similar structure or composition.

#### Carcinogenicity

Assessment of carcinogenicity:

No data available.

#### Reproductive toxicity

Assessment of reproduction toxicity:

The results of animal studies gave no indication of a fertility impairing effect. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

#### **Developmental toxicity**

Assessment of teratogenicity:

No indications of a developmental toxic / teratogenic effect were seen in animal studies. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

## Specific target organ toxicity (single exposure)

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

#### Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

Version: 8.0

BASF Safety data sheet Date / Revised: 30.04.2025

Product: BUTYLDIGLYCOL ACETATE

(30034754/SDS\_GEN\_PH/EN)

Date of print: 19.10.2025

No substance-specific organtoxicity was observed after repeated administration to animals. Prolonged or repeated contact may cause mild skin irritation. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

#### **Aspiration hazard**

No aspiration hazard expected.

## 12. Ecological Information

#### **Ecotoxicity**

Assessment of aquatic toxicity:

Acutely harmful for aquatic organisms. The inhibition of the degradation activity of activated sludge is not anticipated when introduced to biological treatment plants in appropriate low concentrations.

Toxicity to fish:

LC50 (96 h) 50 - 70 mg/l, Brachydanio rerio (OECD Guideline 203, static)

The details of the toxic effect relate to the nominal concentration.

Aquatic invertebrates:

EC50 (48 h) 120 mg/l, Daphnia magna (OECD Guideline 202, part 1, static)

The details of the toxic effect relate to the nominal concentration.

Aquatic plants:

EC50 (72 h) 1,570 mg/l (growth rate), Pseudokirchneriella subcapitata (ISO 8692, static) Nominal concentration. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Microorganisms/Effect on activated sludge:

EC20 (30 min) > 1,000 mg/l, activated sludge, industrial (DIN EN ISO 8192, aerobic)

Chronic toxicity to fish:

No data available.

Chronic toxicity to aquatic invertebrates:

EC10 (7 d), 10.84 mg/l, Ceriodaphnia dubia (Daphnia test chronic, semistatic)

Nominal concentration.

Assessment of terrestrial toxicity:

Soil living organisms:

No data available.

Terrestrial plants:

No data available.

Other terrestrial non-mammals:

No data available.

## **Mobility**

Assessment transport between environmental compartments:

Product: BUTYLDIGLYCOL ACETATE

(30034754/SDS\_GEN\_PH/EN)

Date of print: 19.10.2025

The substance will not evaporate into the atmosphere from the water surface. Adsorption to solid soil phase is not expected.

#### Persistence and degradability

Elimination information:

100 % CO2 formation relative to the theoretical value (20 d) (OECD 301B; ISO 9439; 92/69/EWG, C.4-C) (aerobic, activated sludge)

Assessment of stability in water:

No data available.

Study scientifically not justified.

Information on Stability in Water (Hydrolysis):

No data available.

## **Bioaccumulation potential**

Assessment bioaccumulation potential:

Because of the n-octanol/water distribution coefficient (log Pow) accumulation in organisms is not to be expected.

#### **Additional information**

Other ecotoxicological advice:

Do not release untreated into natural waters.

## 13. Disposal Considerations

Must be disposed of or incinerated in accordance with local regulations.

Contaminated packaging:

Contaminated packaging should be emptied as far as possible; then it can be passed on for recycling after being thoroughly cleaned.

## 14. Transport Information

#### **Domestic transport:**

Not classified as a dangerous good under transport regulations

UN number or ID number
UN proper shipping name:
Transport hazard class(es):
Packing group:
Environmental hazards:
Special precautions for

Not applicable

user

#### Sea transport

**IMDG** 

Not classified as a dangerous good under transport regulations

UN number or ID number: Not applicable

Product: BUTYLDIGLYCOL ACETATE

(30034754/SDS\_GEN\_PH/EN)

Date of print: 19.10.2025

UN proper shipping name:
Transport hazard class(es):
Packing group:
Environmental hazards:

Not applicable
Not applicable
Not applicable
Not applicable

Marine pollutant: no

Special precautions for

user

None known

## Air transport

IATA/ICAO

Not classified as a dangerous good under transport regulations

UN number or ID number
Proper shipping name:
Transport hazard class(es):
Packing group:
Environmental hazards:
Special precautions for

Not applicable
Not applicable
Not applicable
Not applicable
Not applicable
Not applicable

user

## Maritime transport in bulk according to IMO instruments

Maritime transport in bulk is not intended.

## 15. Regulatory Information

#### Other regulations

- 1. Joint DTI-DENR-DA-DOF-DOH-DILG-DOLE-DOTC Administrative Order No. 01 Series of 2009 on "The Adoption and Implementation of the Globally Harmonized System of Classification and Labeling of Chemicals (GHS)"
- 2. DAO 2015-09 "Rules and Procedures for the Implementation of the Globally Harmonized System (GHS) of Classification and Labelling of Chemicals in Prepration of Safety Data Sheet (SDS) and Labelling Requirements of Toxic Chemical Substances"
- 3. Republic Act No. 6969, "Toxic Substances and Hazardous and Nuclear Wastes Control Act of 1990"

The regulatory information is not intended to be comprehensive. Other regulations may apply to the material

#### Registration status:

PICCS, PH released / listed

BASF Safety data sheet Date / Revised: 30.04.2025

Product: BUTYLDIGLYCOL ACETATE

Version: 8.0

(30034754/SDS\_GEN\_PH/EN) Date of print: 19.10.2025

## 16. Other Information

Vertical lines in the left hand margin indicate an amendment from the previous version.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.