

Revision date: 2022/03/28 Page: 1/12

Version: 5.0 (30043509/SDS\_GEN\_US/EN)

### 1. Identification

### Product identifier used on the label

## Caprolactam extract

### Recommended use of the chemical and restriction on use

Recommended use\*: Chemical

Recommended use\*: for the production of homopolymerisates and copolymerisates; initial product

for chemical syntheses

Unsuitable for use: Not intended for sale to or use by the general public.

### Details of the supplier of the safety data sheet

Company:
BASF CORPORATION
100 Park Avenue
Florham Park, NJ 07932, USA

Telephone: +1 973 245-6000

### **Emergency telephone number**

24 Hour Emergency Response Information

CHEMTREC: 1-800-424-9300

BASF HOTLINE: 1-800-832-HELP (4357)

### Other means of identification

Chemical family: organic compounds

## 2. Hazards Identification

### According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

## Classification of the product

Acute Tox. 4 (Inhalation - dust) Acute toxicity
Acute Tox. 4 (oral) Acute toxicity

Skin Corr./Irrit. 2 Skin corrosion/irritation

Eye Dam./Irrit. 2A Serious eye damage/eye irritation

<sup>\*</sup> The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

Revision date: 2022/03/28 Page: 2/12 Version: 5.0 (30043509/SDS GEN US/EN)

STOT SE 3 (irritating to Specific target organ toxicity — single exposure

respiratory system)

### Label elements

### Pictogram:



## Signal Word: Warning

Hazard Statement:

H319 Causes serious eye irritation.

H315 Causes skin irritation.

H335 May cause respiratory irritation. H302 + H332 Harmful if swallowed or if inhaled

Precautionary Statements (Prevention):

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves and eye protection or face protection.

P261 Avoid breathing dust.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P270 Do not eat, drink or smoke when using this product.
P264 Wash contaminated body parts thoroughly after handling.

Precautionary Statements (Response):

P312 Call a POISON CENTER or physician if you feel unwell.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for

breathing.

P303 + P352 IF ON SKIN (or hair): Wash with plenty of soap and water.

P330 Rinse mouth

P332 + P313 If skin irritation occurs: Get medical attention.

P337 + P311 If eye irritation persists: Call a POISON CENTER or physician. P362 + P364 Take off contaminated clothing and wash it before reuse.

Precautionary Statements (Storage):

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

Precautionary Statements (Disposal):

P501 Dispose of contents/container in accordance with local regulations.

### Hazards not otherwise classified

No specific dangers known, if the regulations/notes for storage and handling are considered.

### 3. Composition / Information on Ingredients

### According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

caprolactam

CAS Number: 105-60-2

Revision date: 2022/03/28 Page: 3/12 Version: 5.0 (30043509/SDS GEN US/EN)

Content (W/W): >= 50.0 - <= 100.0%

Synonym: Hexahydro-2H-azepin-2-one; ε-Carprolactam

### 4. First-Aid Measures

### **Description of first aid measures**

### General advice:

Immediately remove contaminated clothing. Avoid contact with the skin, eyes and clothing.

#### If inhaled:

Keep patient calm, remove to fresh air, seek medical attention. Assist in breathing if necessary.

#### If on skin:

Wash thoroughly with soap and water

### If in eyes:

Immediately wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

### If swallowed:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

### Most important symptoms and effects, both acute and delayed

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11.

Information on: caprolactam

Symptoms: Overexposure may cause:, headache, tachycardia, hypertension, hypotension (low blood pressure), fever, anorexia, epigastric distress, nausea, convulsions

-----

### Indication of any immediate medical attention and special treatment needed

Note to physician

Treatment: Treat according to symptoms (decontamination, vital functions), no

known specific antidote.

## 5. Fire-Fighting Measures

### **Extinguishing media**

Suitable extinguishing media:

foam, carbon dioxide, water spray

Unsuitable extinguishing media for safety reasons:

No data available.

### Special hazards arising from the substance or mixture

Hazards during fire-fighting:

hydrogen cyanide, nitrogen oxides

Revision date: 2022/03/28 Page: 4/12 Version: 5.0 (30043509/SDS\_GEN\_US/EN)

The substances/groups of substances mentioned can be released in case of fire.

### **Advice for fire-fighters**

Protective equipment for fire-fighting:

Firefighters should be equipped with self-contained breathing apparatus and turn-out gear.

### Further information:

Product itself is non-combustible; fire extinguishing method of surrounding areas must be considered. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems.

### 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Avoid contact with skin and eyes. Use breathing apparatus if exposed to vapours/dust/aerosol. Information regarding personal protective measures, see section 8.

### **Environmental precautions**

Do not empty into drains. Retain and dispose of contaminated wash water.

### Methods and material for containment and cleaning up

For large amounts: Pump off product.

For residues: Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr). Rinse away with water.

### 7. Handling and Storage

### Precautions for safe handling

Ensure thorough ventilation of stores and work areas. Avoid contact with skin and eyes. Wear suitable protective clothing and eye/face protection. Handle in accordance with good industrial hygiene and safety practice.

Protection against fire and explosion:

No special precautions necessary.

### Conditions for safe storage, including any incompatibilities

Segregate from acids and bases. Segregate from oxidants.

Suitable materials for containers: Stainless steel 1.4301 (V2), Stainless steel 1.4401, Carbon steel (Iron)

## 8. Exposure Controls/Personal Protection

### Components with occupational exposure limits

caprolactam ACGIH, US: TWA value 5 mg/m3 Inhalable fraction and vapor ;

### Advice on system design:

Ensure adequate ventilation. Provide local exhaust ventilation to maintain recommended P.E.L.

Revision date: 2022/03/28 Page: 5/12 Version: 5.0 (30043509/SDS GEN US/EN)

### Personal protective equipment

### Respiratory protection:

Observe OSHA regulations for respirator use (29 CFR 1910.134). Wear a NIOSH-certified (or equivalent) respirator as necessary.

#### Hand protection:

Wear chemical resistant protective gloves., Consult with glove manufacturer for testing data.

### Eye protection:

Wear face shield or tightly fitting safety goggles (chemical goggles) if splashing hazard exists.

### **Body protection:**

Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

### General safety and hygiene measures:

Handle in accordance with good industrial hygiene and safety practice. Take off immediately all contaminated clothing. At the end of the shift the skin should be cleaned and skin-care agents applied.

## 9. Physical and Chemical Properties

Form: solution
Odour: pungent odour
Odour threshold: No data available.
Colour: slightly yellow

pH value: 8

solidification 14.5 °C temperature: (80 %(m))

41.4 °C (90 %(m))

Melting point:

Freezing point:

Boiling range:

No data available.

No data available.

No data available.

Information on: Water

Boiling point: 100 °C

-----

Sublimation point: No applicable information available.

Flash point: not applicable
Flammability: not highly flammable

Lower explosion limit: not applicable Upper explosion limit: not applicable Autoignition: not applicable

Information on: Caprolactam

Vapour pressure: 0.0013 hPa

( 20 °C) 0.089 hPa ( 60 °C)

-----

Density: 1 g/cm3

(20°C)

Relative density:

Vapour density:

No data available.

No data available.

No data available.

Information on: caprolactam

Partitioning coefficient n- 0.12 (OECD Guideline

octanol/water (log Pow): (25 °C) 107)

Revision date: 2022/03/28 Page: 6/12 Version: 5.0 (30043509/SDS GEN US/EN)

-----

Self-ignition Based on its structural properties the temperature: product is not classified as self-

igniting.

Thermal decomposition: No decomposition if correctly stored and handled.

Viscosity, dynamic: No data available. Viscosity, kinematic: No data available.

Solubility in water: miscible
Molar mass: 113.16 g/mol

Evaporation rate: Value can be approximated from

Henry's Law Constant or vapor

pressure.

## 10. Stability and Reactivity

## Reactivity

Corrosion to metals:

No corrosive effect on metal.

Oxidizing properties:

Based on its structural properties the product is not classified as oxidizing.

### **Chemical stability**

The product is stable if stored and handled as prescribed/indicated.

### Possibility of hazardous reactions

Reacts with oxidizing agents. Polymerization coupled with heat formation.

### Conditions to avoid

Temperature: > 100 degrees Celsius

Avoid all sources of ignition: heat, sparks, open flame. Avoid formation of polymers in valves and pipes.

## Incompatible materials

oxidizing agents

### Hazardous decomposition products

Thermal decomposition:

No decomposition if correctly stored and handled.

## 11. Toxicological information

### Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

### **Acute Toxicity/Effects**

### Acute toxicity

Assessment of acute toxicity: Harmful by inhalation and if swallowed.

Oral

Revision date: 2022/03/28 Page: 7/12 Version: 5.0 (30043509/SDS GEN US/EN)

Type of value: ATE Value: 1,560 mg/kg

Information on: caprolactam

Type of value: LD50 Species: rat (female)

Value: 1,475 mg/kg (Directive 84/449/EEC, B.1)

-----

#### Inhalation

Type of value: ATE Value: > 20.0000 mg/l Determined for vapor

Type of value: ATE Value: > 5.0000 mg/l Determined for mist

Information on: caprolactam

Type of value: LC50 Species: rat (male/female)

Value: approx. 8.16 mg/l (BASF-Test)

Exposure time: 4 h

An aerosol with respirable particles was tested.

-----

### Dermal

Type of value: ATE Value: > 5,000 mg/kg

Information on: caprolactam

Type of value: LD50 Species: rat (male/female)

Value: > 2,000 mg/kg (Directive 92/69/EEC, B.3)

-----

### Assessment other acute effects

Assessment of STOT single:

Causes temporary irritation of the respiratory tract.

### Irritation / corrosion

Assessment of irritating effects: Causes serious eye irritation. Causes skin irritation.

Information on: caprolactam

Assessment of irritating effects: May cause slight irritation to the skin. May cause slight irritation to

the eyes.

-----

### Sensitization

Assessment of sensitization: Based on available data, the classification criteria are not met.

Information on: caprolactam modified Buehler test Species: guinea pig Result: Non-sensitizing. Method: OECD Guideline 406

Revision date: 2022/03/28 Page: 8/12 Version: 5.0 (30043509/SDS GEN US/EN)

### **Aspiration Hazard**

No aspiration hazard expected.

### **Chronic Toxicity/Effects**

#### Repeated dose toxicity

Assessment of repeated dose toxicity: Based on available data, the classification criteria are not met.

### Information on: caprolactam

Assessment of repeated dose toxicity: After repeated exposure the prominent effect is local irritation. The substance may cause damage to the upper respiratory tract after repeated inhalation, as shown in animal studies.

-----

### **Genetic toxicity**

Assessment of mutagenicity: Based on available data, the classification criteria are not met.

#### <u>Carcinogenicity</u>

Assessment of carcinogenicity: Based on available data, the classification criteria are not met.

#### Reproductive toxicity

Assessment of reproduction toxicity: Based on available data, the classification criteria are not met.

#### <u>Teratogenicity</u>

Assessment of teratogenicity: Based on available data, the classification criteria are not met.

#### Other Information

The product has not been tested. The statements on toxicology have been derived from the properties of the individual components.

## 12. Ecological Information

### **Toxicity**

Aquatic toxicity

Assessment of aquatic toxicity:

Based on available data, the classification criteria are not met.

### Aquatic toxicity

Information on: caprolactam

Assessment of aquatic toxicity:

There is a high probability that the product is not acutely harmful to aquatic organisms. The inhibition of the degradation activity of activated sludge is not anticipated when introduced to biological treatment plants in appropriate low concentrations.

-----

### Toxicity to fish

Information on: caprolactam

LC0 (96 h) 100 mg/l, Oryzias latipes (OECD Guideline 203, semistatic)

LC50 (96 h) 500 - 1,000 mg/l, Salmo gairdneri, syn. O. mykiss (OECD 203; ISO 7346; 84/449/EEC, C.1, static)

Revision date: 2022/03/28 Page: 9/12 Version: 5.0 (30043509/SDS GEN US/EN)

LC50 (96 h) 707.1 mg/l, Salmo gairdneri, syn. O. mykiss (OECD 203; ISO 7346; 84/449/EEC, C.1, statio)

-----

#### Aquatic invertebrates

Information on: caprolactam

EC50 (48 h) > 1,000 mg/l, Daphnia magna (OECD Guideline 202, part 1, static)

EC50 (48 h) > 500 mg/l, Daphnia magna (DIN 38412 Part 11, static) EC50 (48 h) > 500 mg/l, Daphnia magna (DIN 38412 Part 11, static)

-----

#### Aquatic plants

Information on: caprolactam

No observed effect concentration (72 h) 1,000 mg/l (growth rate), Pseudokirchneriella subcapitata (OECD Guideline 201, static)

EC50 (72 h) > 1,000 mg/l (growth rate), Selenastrum capricornutum (OECD Guideline 201, static) EC50 (72 h) 427.5 mg/l (growth rate), Scenedesmus subspicatus (DIN 38412 Part 9, static) EC50 (72 h) > 1,000 mg/l (biomass), Selenastrum capricornutum (OECD Guideline 201, static)

-----

### Chronic toxicity to fish

Information on: caprolactam Study scientifically not justified.

\_\_\_\_\_

### Chronic toxicity to aquatic invertebrates

Information on: caprolactam

No observed effect concentration (21 d) 100 mg/l, Daphnia magna (OECD Guideline 211, semistatic)

\_\_\_\_\_

### Assessment of terrestrial toxicity

Information on: caprolactam

No data available.

Study scientifically not justified.

-----

### Microorganisms/Effect on activated sludge

### Toxicity to microorganisms

Information on: caprolactam

other aquatic

bacterium/EC50 (17 h): 4,240 mg/l

-----

### Persistence and degradability

### Assessment biodegradation and elimination (H2O)

Information on: caprolactam

Readily biodegradable (according to OECD criteria).

Revision date : 2022/03/28 Page: 10/12 Version: 5.0 (30043509/SDS\_GEN\_US/EN)

-----

### **Elimination information**

Information on: caprolactam

82 % BOD of the ThOD (14 d) (OECD 301C; ISO 9408; 92/69/EEC, C.4-F) (aerobic, activated

sludge) Readily biodegradable (according to OECD criteria).

\_\_\_\_\_

### Assessment of stability in water

Information on: caprolactam

In contact with water the substance will hydrolyse slowly.

\_\_\_\_\_

### **Bioaccumulative potential**

### Bioaccumulation potential

Information on: caprolactam

Because of the n-octanol/water distribution coefficient (log Pow) accumulation in organisms is not to

be expected.

\_\_\_\_\_

### Mobility in soil

### Assessment transport between environmental compartments

Information on: caprolactam

The substance will not evaporate into the atmosphere from the water surface.

Adsorption to solid soil phase is not expected.

-----

### **Additional information**

## Sum parameter

Information on: Caprolactam

Chemical oxygen demand (COD): 1,960 mg/g

\_\_\_\_\_

Information on: Caprolactam

Biochemical oxygen demand (BOD): 1,110 mg/g

-----

Other ecotoxicological advice:

Do not release untreated into natural waters.

## 13. Disposal considerations

### Waste disposal of substance:

Dispose of in accordance with national, state and local regulations.

Revision date: 2022/03/28 Page: 11/12 Version: 5.0 (30043509/SDS GEN US/EN)

### Container disposal:

Uncleaned empties should be disposed of in the same manner as the contents.

### 14. Transport Information

### Land transport

USDOT

Not classified as a dangerous good under transport regulations

### Sea transport

**IMDG** 

Not classified as a dangerous good under transport regulations

## Air transport

Not classified as a dangerous good under transport regulations

### 15. Regulatory Information

### **Federal Regulations**

### Registration status:

Chemical TSCA, US released / listed

**EPCRA 311/312 (Hazard categories):** Refer to SDS section 2 for GHS hazard classes applicable for this product.

### State regulations

State RTKCAS NumberChemical namePA105-60-2caprolactamNJ105-60-2caprolactam

NFPA Hazard codes:

Health: 2 Fire: 0 Reactivity: 0 Special:

### 16. Other Information

### SDS Prepared by:

BASF NA Product Regulations SDS Prepared on: 2022/03/28

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

Revision date : 2022/03/28 Page: 12/12 Version: 5.0 (30043509/SDS\_GEN\_US/EN)

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE, IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK. **END OF DATA SHEET**