



We create chemistry

Safety Data Sheet

R+D HyCon R 7400 F

Revision date : 2024/06/14
Version: 1.0

Page: 1/10
(30843620/SDS_GEN_US/EN)

1. Identification

Product identifier used on the label

R+D HyCon R 7400 F

Recommended use of the chemical and restriction on use

Recommended use*: Product for construction chemicals, for industrial use only

* The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

Details of the supplier of the safety data sheet

Company:
BASF CORPORATION
100 Park Avenue
Florham Park, NJ 07932, USA

Telephone: +1 973 245-6000

Emergency telephone number

24 Hour Emergency Response Information
CHEMTREC: 1-800-424-9300
BASF HOTLINE: 1-800-832-HELP (4357)

Other means of identification

2. Hazards Identification

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

Classification of the product

Skin Sens.	1	Skin sensitization
Combustible Dust	Combustible Dust (1)	Combustible Dust

Label elements

Pictogram:

Safety Data Sheet

R+D HyCon R 7400 F

Revision date: 2024/06/14
Version: 1.0

Page: 2/10
(30843620/SDS_GEN_US/EN)



Signal Word:
Warning

Hazard Statement:

H317 May form combustible dust concentration in air.
May cause an allergic skin reaction.

Precautionary Statements (Prevention):

P280 Wear protective gloves.
P261 Avoid breathing dust or fume.
P272 Contaminated work clothing should not be allowed out of the workplace.

Precautionary Statements (Response):

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.
P333 + P313 If skin irritation or rash occurs: Get medical attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.

Precautionary Statements (Disposal):

P501 Dispose of contents/container in accordance with local regulations.

Hazards not otherwise classified

The product is under certain conditions capable of dust explosion.

Labeling of special preparations (GHS):

Product contains the following components and may cause an allergic skin reaction: 2-Butenedioic acid (Z)-, disodium salt

The substance may cause sensitization of the skin in particularly sensitive individuals. Based on our experience and the information available, no adverse health effects are expected if handled as recommended with suitable precautions for designated uses.

3. Composition / Information on Ingredients

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

Ammonium sulphate

CAS Number: 7783-20-2
Content (W/W): $\geq 3.0 - < 5.0\%$
Synonym: Ammonium sulfate

Silicon dioxide

CAS Number: 7631-86-9
Content (W/W): $\geq 0.0 - < 1.0\%$
Synonym: No data available.

2-Butenedioic acid (Z)-, disodium salt

CAS Number: 371-47-1
Content (W/W): $\geq 0.3 - < 1.0\%$
Synonym: (Z)-2-Butenedioic acid disodium salt

Safety Data Sheet

R+D HyCon R 7400 F

Revision date: 2024/06/14
Version: 1.0

Page: 3/10
(30843620/SDS_GEN_US/EN)

4. First-Aid Measures

Description of first aid measures

General advice:

Remove contaminated clothing.

If inhaled:

If difficulties occur after dust has been inhaled, remove to fresh air and seek medical attention.

If on skin:

Wash thoroughly with soap and water. If irritation develops, seek medical attention.

If in eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open. If irritation develops, seek medical attention.

If swallowed:

Rinse mouth and then drink 200-300 ml of water. Do not induce vomiting. Seek medical attention.

Most important symptoms and effects, both acute and delayed

Symptoms: (Further) symptoms and / or effects are not known so far

Indication of any immediate medical attention and special treatment needed

Note to physician

Treatment:

Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Extinguishing media

Suitable extinguishing media:
dry powder, foam

Unsuitable extinguishing media for safety reasons:
carbon dioxide

Additional information:

Avoid whirling up the material/product because of the danger of dust explosion.

Special hazards arising from the substance or mixture

Hazards during fire-fighting:

harmful vapours

Evolution of fumes/fog. The substances/groups of substances mentioned can be released in case of fire.

Advice for fire-fighters

Safety Data Sheet

R+D HyCon R 7400 F

Revision date: 2024/06/14
Version: 1.0

Page: 4/10
(30843620/SDS_GEN_US/EN)

Protective equipment for fire-fighting:
Firefighters should be equipped with self-contained breathing apparatus and turn-out gear.

Further information:

Dusty conditions may ignite explosively in the presence of an ignition source causing flash fire.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Use personal protective clothing.

Environmental precautions

Contain contaminated water/firefighting water. Do not discharge into drains/surface waters/groundwater.

Methods and material for containment and cleaning up

For small amounts: Pick up with suitable appliance and dispose of.
For large amounts: Contain with dust binding material and dispose of.
Avoid raising dust.

7. Handling and Storage

Precautions for safe handling

Closed containers should only be opened in well-ventilated areas.

Protection against fire and explosion:
Dust can form an explosive mixture with air.

Conditions for safe storage, including any incompatibilities

Further information on storage conditions: Keep container tightly closed and dry; store in a cool place.
Avoid all sources of ignition: heat, sparks, open flame.

8. Exposure Controls/Personal Protection

Components with occupational exposure limits

Silicon dioxide	ACGIH, US:	TWA value 10 mg/m3 Inhalable particles ;
	ACGIH, US:	TWA value 3 mg/m3 Respirable particles ;
	OSHA Z3:	TWA value 15 mg/m3 Total dust ;
	OSHA Z3:	TWA value 5 mg/m3 Respirable fraction ;
	OSHA Z3:	TWA value 50 millions of particles per cubic foot of air Total dust ;
	OSHA Z3:	TWA value 15 millions of particles per cubic foot of air Respirable fraction ;
	OSHA Z3:	TWA value 0.8 mg/m3 ; The exposure limit is calculated from the equation, $80\text{mg/m}^3 / (\% \text{SiO}_2)$, using a value of 100% SiO ₂ . Lower percentages of SiO ₂ will yield higher exposure limits.
	OSHA Z3:	TWA value 20 millions of particles per cubic foot of air ;

Safety Data Sheet

R+D HyCon R 7400 F

Revision date: 2024/06/14
Version: 1.0

Page: 5/10
(30843620/SDS_GEN_US/EN)

Personal protective equipment

Respiratory protection:

Wear a NIOSH-certified (or equivalent) particulate respirator.

Observe OSHA regulations for respirator use (29 CFR 1910.134).

Hand protection:

Chemical resistant protective gloves

Eye protection:

Safety glasses with side-shields. Wear face shield if splashing hazard exists.

General safety and hygiene measures:

Wear protective clothing as necessary to minimize contact. Handle in accordance with good industrial hygiene and safety practice.

9. Physical and Chemical Properties

Form:	solid	
Odour:	earthy	
Odour threshold:	not determined	
Colour:	light brown	
pH value:	6 - 6.5 (20 °C)	
Melting point:	not determined	
Boiling point:	not determined	
Flash point:	Study does not need to be conducted.	
Flammability:	not determined	
Lower explosion limit:	For solids not relevant for classification and labelling.	
Upper explosion limit:	For solids not relevant for classification and labelling.	
Autoignition:	> 600 °C	(VDI 2263, sheet 1, 2.6 (May 1990))
Vapour pressure:	not applicable	
Density:	No data available.	
Bulk density:	400 - 600 kg/m ³ (20 °C)	
Vapour density:	The product is a non-volatile solid.	
Partitioning coefficient n-octanol/water (log Pow):	Study does not need to be conducted.	
Self-ignition temperature:	not self-igniting	
Thermal decomposition:	not determined	
Viscosity, dynamic:	Study does not need to be conducted.	
Particle size:	No data available.	
Solubility in water:	soluble	
Evaporation rate:	The product is a non-volatile solid.	

Safety Data Sheet

R+D HyCon R 7400 F

Revision date: 2024/06/14
Version: 1.0

Page: 6/10
(30843620/SDS_GEN_US/EN)

10. Stability and Reactivity

Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Oxidizing properties:
not fire-propagating

Minimum ignition energy:
(DIN EN ISO/IEC 80079-20-2)
The product is capable of dust explosion.

Chemical stability

The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions

Dust explosion hazard.

Conditions to avoid

See SDS section 7 - Handling and storage.

Incompatible materials

strong acids, strong bases, strong oxidizing agents, strong reducing agents

Hazardous decomposition products

Decomposition products:
Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

Thermal decomposition:
not determined

11. Toxicological information

Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

Acute Toxicity/Effects

Acute toxicity

Assessment of acute toxicity: Virtually nontoxic after a single ingestion. Virtually nontoxic after a single skin contact.

Oral

Type of value: LD50

Species: rat

Value: > 5,000 mg/kg

The product has not been tested. The statement has been derived from the properties of the individual components.

Safety Data Sheet

R+D HyCon R 7400 F

Revision date: 2024/06/14

Version: 1.0

Page: 7/10

(30843620/SDS_GEN_US/EN)

Inhalation

Type of value: LC50

Species: rat

Exposure time: 4 h

not determined

Dermal

Type of value: LD50

Species: rat

Value: > 5,000 mg/kg

The product has not been tested. The statement has been derived from the properties of the individual components.

Assessment other acute effects

No data available.

Irritation / corrosion

Assessment of irritating effects: Not irritating to the skin. Not irritating to the eyes. May cause slight irritation to the respiratory tract.

Skin

Species: rabbit

Result: non-irritant

The product has not been tested. The statement has been derived from the properties of the individual components.

Eye

Species: rabbit

Result: non-irritant

The product has not been tested. The statement has been derived from the properties of the individual components.

Sensitization

Assessment of sensitization: Sensitization after skin contact possible.

Aspiration Hazard

not applicable

Chronic Toxicity/Effects

Repeated dose toxicity

Assessment of repeated dose toxicity: No data available.

Genetic toxicity

Assessment of mutagenicity: No data available concerning mutagenic effects.

Carcinogenicity

Assessment of carcinogenicity: No data available.

Reproductive toxicity

Assessment of reproduction toxicity: No data available.

Teratogenicity

Assessment of teratogenicity: No data available.

Safety Data Sheet

R+D HyCon R 7400 F

Revision date: 2024/06/14

Version: 1.0

Page: 8/10

(30843620/SDS_GEN_US/EN)

12. Ecological Information

Toxicity

Aquatic toxicity

Assessment of aquatic toxicity:

There is a high probability that the product is not acutely harmful to aquatic organisms.

Toxicity to fish

LC50 (96 h) > 100 mg/l, Fish

The product has not been tested. The statement has been derived from the properties of the individual components.

Aquatic invertebrates

LC50 (48 h), daphnia

not determined

Aquatic plants

EC50 (72 h), algae

not determined

Chronic toxicity to fish

No data available.

Chronic toxicity to aquatic invertebrates

No data available.

Microorganisms/Effect on activated sludge

Toxicity to microorganisms

bacteria/EC50 (0.5 h):

not determined

Persistence and degradability

Assessment biodegradation and elimination (H₂O)

The organic component of the product is biodegradable. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Bioaccumulative potential

Assessment bioaccumulation potential

No data available.

Mobility in soil

Assessment transport between environmental compartments

No data available.

Safety Data Sheet

R+D HyCon R 7400 F

Revision date: 2024/06/14
Version: 1.0

Page: 9/10
(30843620/SDS_GEN_US/EN)

13. Disposal considerations

Waste disposal of substance:

Do not discharge into drains/surface waters/groundwater. Dispose of in accordance with national, state and local regulations.

Container disposal:

Dispose of in accordance with national, state and local regulations. Recommend crushing, puncturing or other means to prevent unauthorized use of used containers.

14. Transport Information

Land transport

USDOT

Not classified as a dangerous good under transport regulations

Sea transport

IMDG

Not classified as a dangerous good under transport regulations

Air transport

IATA/ICAO

Not classified as a dangerous good under transport regulations

15. Regulatory Information

Federal Regulations

Registration status:

Chemical TSCA, US released / listed

EPCRA 311/312 (Hazard categories): Refer to SDS section 2 for GHS hazard classes applicable for this product.

State regulations

State RTK

PA

CAS Number

7783-20-2

Chemical name

Ammonium sulphate

Assessment of the hazard classes according to UN GHS criteria (most recent version):

16. Other Information

SDS Prepared by:

BASF NA Product Regulations

SDS Prepared on: 2024/06/14

Safety Data Sheet

R+D HyCon R 7400 F

Revision date: 2024/06/14

Version: 1.0

Page: 10/10

(30843620/SDS_GEN_US/EN)

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE, IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK.

END OF DATA SHEET