

Safety data sheet

Page: 1/11

BASF Safety data sheet
Date / Revised: 29.05.2025
Product: **OXOOIL 9 N**

Version: 3.0

(30035083/SDS_GEN_TH/EN)

Date of print: 22.10.2025

1. Substance/preparation and manufacturer/supplier identification

Product name:
OXOOIL 9 N

Use: solvent(s)

Manufacturer/supplier:

BASF (Thai) Limited
23rd Floor, Emporium Tower, 622, Sukhumvit 24 Rd.,
Klongton, Klongtoey, Bangkok 10110, THAILAND
Telephone: +66 2624-1999
Telefax number: +66 2664-9254
E-mail address: Thailand-SDS-info@basf.com

Emergency information:

International emergency number:
Telephone: +49 180 2273-112

2. Hazard identification

Classification according to UN GHS 2009

Classification of the substance and mixture:

| Skin sensitization: Cat.1B

Label elements and precautionary statement:

Pictogram:



Signal Word:

| Warning

BASF Safety data sheet
Date / Revised: 29.05.2025
Product: **OXOOIL 9 N**

Version: 3.0

(30035083/SDS_GEN_TH/EN)

Date of print: 22.10.2025

Hazard Statement:

H317 May cause an allergic skin reaction.

Precautionary Statements (Prevention):

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/...
P261 Avoid breathing mist or vapour or spray.
P272 Contaminated work clothing should not be allowed out of the workplace.

Precautionary Statements (Response):

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.
P333 + P313 If skin irritation or rash occurs: Get medical attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.

Precautionary Statements (Disposal):

P501 Dispose of contents and container to hazardous or special waste collection point.

Other hazards which do not result in classification:

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.
See section 12 - Results of PBT and vPvB assessment.

3. Composition/information on ingredients

Chemical nature

Substance nature: Substance

hydroformulation products of C8-alkenes, high-boiling (Content (W/W): 100 %)
CAS Number: 68526-89-6

Hazardous ingredients

hydroformulation products of C8-alkenes, high-boiling

Content (W/W): >= 100 % - <= 100 % Skin Sens.: Cat. 1B
CAS Number: 68526-89-6

4. First-Aid Measures

General advice:

Remove contaminated clothing.

If inhaled:

If difficulties occur after vapour/aerosol has been inhaled, remove to fresh air and seek medical attention.

BASF Safety data sheet
Date / Revised: 29.05.2025
Product: **OXOOIL 9 N**

Version: 3.0

(30035083/SDS_GEN_TH/EN)

Date of print: 22.10.2025

On skin contact:
Wash thoroughly with soap and water

On contact with eyes:
Wash affected eyes for at least 15 minutes under running water with eyelids held open.

On ingestion:
Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

Note to physician:

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far

Hazards: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11. (Further) symptoms and / or effects are not known so far

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Suitable extinguishing media:
dry powder, water spray, carbon dioxide, foam

Unsuitable extinguishing media for safety reasons:
water jet

Additional information:
Use extinguishing measures to suit surroundings.

Specific hazards:
The product is combustible. Cool endangered containers with water-spray. See SDS section 7 - Handling and storage.

Special protective equipment:
Wear a self-contained breathing apparatus. Special protective equipment for firefighters

Further information:
Evacuate area of all unnecessary personnel. Fight fire from maximum distance.

Further information:
Extend fire extinguishing measures to the surroundings. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

6. Accidental Release Measures

Personal precautions:
Handle in accordance with good industrial hygiene and safety practice.

Avoid contact with the skin, eyes and clothing.

Take off immediately all contaminated clothing.

Environmental precautions:

Due to the pH-value of the product, neutralization is generally required before discharging sewage into treatment plants.

Discharge into the environment must be avoided.

Methods for cleaning up or taking up:

Pick up with suitable appliance and dispose of. Spills should be contained, solidified, and placed in suitable containers for disposal. Dispose of absorbed material in accordance with regulations.

Additional information: High risk of slipping due to leakage/spillage of product.

Shut off or stop source of leak. Shut off or stop released substance/product under safe conditions.

Pack in tightly closed containers for disposal.

7. Handling and Storage

Handling

Handle in accordance with good industrial hygiene and safety practice. Avoid all direct contact with the substance/product. Ensure thorough ventilation of stores and work areas. Change clothes immediately after contamination.

Protection against fire and explosion:

No special precautions necessary. Substance/product is non-flammable.

Storage

Further information on storage conditions: Containers should be stored tightly sealed in a dry place.

8. Exposure controls and personal protection

Components with occupational exposure limits

No substance specific occupational exposure limits known.

Personal protective equipment

Respiratory protection:

Wear respiratory protection if ventilation is inadequate. Gas filter for gases/vapours of organic compounds (boiling point >65 °C, e. g. EN 14387 Type A)

Hand protection:

Chemical resistant protective gloves (EN ISO 374-1)

Suitable materials also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1):
butyl rubber (butyl) - 0.7 mm coating thickness

BASF Safety data sheet
 Date / Revised: 29.05.2025
 Product: **OXOOIL 9 N**

Version: 3.0

(30035083/SDS_GEN_TH/EN)

Date of print: 22.10.2025

Manufacturer's directions for use should be observed because of great diversity of types.

Supplementary note: The specifications are based on tests, literature data and information of glove manufacturers or are derived from similar substances by analogy. Due to many conditions (e.g. temperature) it must be considered, that the practical usage of a chemical-protective glove in practice may be much shorter than the permeation time determined through testing.

Eye protection:

Safety glasses with side-shields (frame goggles) (f.e. EN 166) and face shield

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures:

Handle in accordance with good industrial hygiene and safety practice. Wearing of closed work clothing is required additionally to the stated personal protection equipment.

9. Physical and Chemical Properties

Form:	liquid	
Colour:	yellowish clear to cloudy	
Odour:	almost odourless	
Odour threshold:	not determined	
pH value:	4.5 (258 mg/l, 20 °C)	(OECD Guideline 105)
pour point:	< -50 °C	(measured)
Boiling point:	294 °C (1,013 hPa)	(measured)
Flash point:	131 °C	(ISO 2719, closed cup)
Evaporation rate:	Value can be approximated from Henry's Law Constant or vapor pressure.	
Flammability (solid/gas):	hardly combustible	(derived from flash point)
Lower explosion limit:	For liquids not relevant for classification and labelling., The lower explosion point may be 5 - 15 °C below the flash point.	
Upper explosion limit:	For liquids not relevant for classification and labelling.	
Ignition temperature:	240 °C	(DIN 51794)
Thermal decomposition:	No decomposition if stored and handled as prescribed/indicated.	

BASF Safety data sheet
Date / Revised: 29.05.2025
Product: **OXOIL 9 N**

Version: 3.0

(30035083/SDS_GEN_TH/EN)

Date of print: 22.10.2025

Self ignition:	Based on its structural properties the product is not classified as self-igniting.	Test type: Spontaneous self-ignition at room-temperature.
Self heating ability:	not applicable, the product is a liquid	
Explosion hazard:	Based on the chemical structure there is no indication of explosive properties.	
Fire promoting properties:	Based on its structural properties the product is not classified as oxidizing.	
Vapour pressure:	4.1 hPa (20 °C) static	(OECD Guideline 104)
Density:	0.8611 g/cm ³ (20 °C) liquid	(DIN 53217)
Relative density:	0.8611 (20 °C)	
Solubility in water:	8 - 258 mg/l (20 °C)	
Solubility (qualitative) solvent(s):	organic solvents soluble	
Partitioning coefficient n-octanol/water (log Pow):	6.1 - 11.2 (23 °C; pH value: 6.1)	(OECD Guideline 117)
Adsorption/water - soil:	log KOC: > 5.63	(OECD Guideline 121)
Surface tension:	Based on chemical structure, surface activity is not to be expected.	
Viscosity, dynamic:	22 mPa.s (20 °C)	(calculated (from kinematic viscosity))
Viscosity, kinematic:	25.55 mm ² /s (20 °C)	(DIN 51562)

Particle characteristics

Particle size distribution: The substance / product is marketed or used in a non solid or granular form. -

10. Stability and Reactivity

Conditions to avoid:

No special precautions other than good housekeeping of chemicals.

Thermal decomposition: No decomposition if stored and handled as prescribed/indicated.

BASF Safety data sheet
Date / Revised: 29.05.2025
Product: **OXOOIL 9 N**

Version: 3.0

(30035083/SDS_GEN_TH/EN)

Date of print: 22.10.2025

Substances to avoid:
strong oxidizing agents

Corrosion to metals: Corrosive effects to metal are not anticipated.

Hazardous reactions:
Reacts with strong oxidizing agents.

Hazardous decomposition products:
No hazardous decomposition products if stored and handled as prescribed/indicated.

Chemical stability:
The product is stable if stored and handled as prescribed/indicated.

Reactivity:
No hazardous reactions if stored and handled as prescribed/indicated.

11. Toxicological Information

Routes of exposure

Acute oral toxicity

Experimental/calculated data:
LD50rat (oral): > 2,000 mg/kg (OECD Guideline 420)

Acute inhalation toxicity

(by inhalation): Study scientifically not justified.

Acute dermal toxicity

LD50 rat (dermal): > 2,000 mg/kg (OECD Guideline 402)

Assessment of acute toxicity

Virtually nontoxic after a single ingestion. Virtually nontoxic after a single skin contact.

Symptoms

Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11.
(Further) symptoms and / or effects are not known so far

Irritation

Assessment of irritating effects:
Not irritating to the skin. Not irritating to the eyes.

Experimental/calculated data:
Skin corrosion/irritation rabbit: non-irritant (OECD Guideline 404)

Serious eye damage/irritation rabbit: non-irritant (OECD Guideline 405)

Respiratory/Skin sensitization

Assessment of sensitization:

Sensitization after skin contact possible.

Experimental/calculated data:

In-vitro test In vitro assay: skin sensitizing (In vitro skin sensitization test battery)

Germ cell mutagenicity

Assessment of mutagenicity:

The substance was not mutagenic in bacteria. The substance was not mutagenic in mammalian cell culture.

Carcinogenicity

Assessment of carcinogenicity:

Based on available data, the classification criteria are not met.

Reproductive toxicity

Assessment of reproduction toxicity:

The results of animal studies gave no indication of a fertility impairing effect.

Developmental toxicity

Assessment of teratogenicity:

No indications of a developmental toxic / teratogenic effect were seen in animal studies.

Specific target organ toxicity (single exposure)

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

No substance-specific organotoxicity was observed after repeated administration to animals.

Aspiration hazard

No aspiration hazard expected.

12. Ecological Information

Ecotoxicity

Assessment of aquatic toxicity:

No toxic effects occur within the range of solubility. There is a high probability that the product is not acutely harmful to aquatic organisms. Based on long-term (chronic) toxicity study data, the product is very likely not harmful to aquatic organisms. The inhibition of the degradation activity of activated sludge is not anticipated when introduced to biological treatment plants in appropriate low concentrations.

Toxicity to fish:

LL50 (96 h) > 100 mg/l, *Oncorhynchus mykiss* (OECD 203; ISO 7346; 84/449/EWG, C.1, semistatic)
The product has low solubility in the test medium. An eluate has been tested. The details of the toxic effect relate to the nominal concentration.

Aquatic invertebrates:

EL50 (48 h) > 100 mg/l, *Daphnia magna* (OECD Guideline 202, part 1, static)
The product has low solubility in the test medium. An eluate has been tested. The details of the toxic effect relate to the nominal concentration.

Aquatic plants:

EL50 (72 h) > 100 mg/l (growth rate), *Desmodemus subspicatus* (OECD Guideline 201)
The product has low solubility in the test medium. An eluate has been tested. Limit concentration test only (LIMIT test). Nominal concentration.

EL10 (72 h) > 100 mg/l (growth rate), *Desmodemus subspicatus* (OECD Guideline 201)
The product has low solubility in the test medium. An eluate has been tested. Limit concentration test only (LIMIT test). Nominal concentration.

EC50 (7 d) > 100 mg/l (growth rate), *Lemna gibba* (OECD Guideline 221, semistatic)
The product has low solubility in the test medium. A saturated solution has been tested. Limit concentration test only (LIMIT test). No effects at the highest test concentration.

EC10 (7 d) > 100 mg/l (growth rate), *Lemna gibba* (OECD Guideline 221, semistatic)
The product has low solubility in the test medium. A saturated solution has been tested. Limit concentration test only (LIMIT test). No effects at the highest test concentration.

Microorganisms/Effect on activated sludge:

EC50 (180 min) > 1,000 mg/l, (OECD Guideline 209, static)

Chronic toxicity to fish:

EC10 (36 d) > 10 mg/l, *Brachydanio rerio* (OECD Guideline 210, Flow through.)
The product has low solubility in the test medium. A saturated solution has been tested. Limit concentration test only (LIMIT test). No effects at the highest test concentration.

Chronic toxicity to aquatic invertebrates:

EC10 (21 d), > 10 mg/l, *Daphnia magna* (OECD Guideline 211, semistatic)
The product has low solubility in the test medium. A saturated solution has been tested. Limit concentration test only (LIMIT test). No effects at the highest test concentration.

Assessment of terrestrial toxicity:**Soil living organisms:**

LC50 (14 d) > 1,000 mg/kg, *Eisenia foetida* (OECD Guideline 207, artificial soil)

Terrestrial plants:

No observed effect concentration (21 d) 125 mg/l, *Brassica napus* (OECD Guideline 208)

Other terrestrial non-mammals:

No data available.

Mobility**Assessment transport between environmental compartments:**

No data available.

Adsorption to solid soil phase is expected.

Persistence and degradability

Elimination information:

97 - 100 % CO₂ formation relative to the theoretical value (42 d) (OECD 301B; ISO 9439; 92/69/EWG, C.4-C) (aerobic, activated sludge, domestic, non-adapted)

Assessment of stability in water:

According to structural properties, hydrolysis is not expected/probable.

Information on Stability in Water (Hydrolysis):

The product has not been fully tested. The statements have been derived in parts from products of a similar structure or composition.

Bioaccumulation potential

Assessment bioaccumulation potential:

Because of the n-octanol/water distribution coefficient (log Pow) accumulation in organisms is possible.

Bioaccumulation potential:

Because of the n-octanol/water distribution coefficient (log Pow) accumulation in organisms is possible.

13. Disposal Considerations

Must be disposed of or incinerated in accordance with local regulations.

Contaminated packaging:

Contaminated packaging should be emptied as far as possible; then it can be passed on for recycling after being thoroughly cleaned.

14. Transport Information

Domestic transport:

UN number or ID number	Not classified as a dangerous good under transport regulations
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user	None known

Sea transport

IMDG

	Not classified as a dangerous good under transport regulations
UN number or ID number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable

BASF Safety data sheet
Date / Revised: 29.05.2025
Product: **OXOOIL 9 N**

Version: 3.0

(30035083/SDS_GEN_TH/EN)

Date of print: 22.10.2025

Packing group:	Not applicable
Environmental hazards:	Not applicable
	Marine pollutant: no
Special precautions for user	None known

Air transport

IATA/ICAO

	Not classified as a dangerous good under transport regulations
UN number or ID number	Not applicable
Proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user	None known

Maritime transport in bulk according to IMO instruments

Maritime transport in bulk is not intended.

15. Regulatory Information**Other regulations**

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

16. Other Information

Vertical lines in the left hand margin indicate an amendment from the previous version.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.