

# Helaian Data Keselamatan Safety data sheet

Mukasurat (Page): 1/29

BASF Helaian Data Keselamatan (BASF Safety data sheet)

Tarikh / Disemak (Date / Revised): 25.07.2023 Versi (Version): 10.0

Produk (Product): Basagran

(30035190/SDS\_CPA\_MY/MS)

Tarikh cetakan (Date of print): 15.10.2025

# 1. Pengenalan bahan kimia dan pembekal

# **Basagran**

Kegunaan: produk pelindung tanaman, racun herba

# Syarikat:

BASF (Malaysia) Sdn Bhd Lot 19.02 Level 19, 1 Powerhouse No 1 Persiaran Bandar Utama 47800 Petaling Jaya Selangor D.E, MALAYSIA Nombor Telefon: ±60.3 7612 1888

Nombor Telefon: +60 3 7612 1888 Nombor Telefax: +60 3 7612 1777

#### Maklumat kecemasan:

Nombor Kecemasan Kebangsaan

+603 7612 1999

Nombor Kecemasan Antarabangsa: Nombor Telefon: +49 180 2273-112

# 2. Pengenalan Bahaya

Pengelasan bahan dan campuran:

Toks. Akut 4 (oral) Kros./Kreng. Mata 2

Pem. Kulit 1

Pemb. 2 (bayi belum lahir)

Akuatik Akut 1 Akuatik Kronik 2

Bagi pengelasan yang tidak ditulis dengan penuh dalam bahagian ini, teks lengkap boleh didapati di bahagian 16.

Tarikh / Disemak (Date / Revised): 25.07.2023 Versi (Version): 10.0

Produk (Product): Basagran

(30035190/SDS\_CPA\_MY/MS)

Tarikh cetakan (Date of print): 15.10.2025

#### Unsur label dan pernyataan berjaga-jaga:

#### Piktogram:





# Kata Isyarat: Amaran

# Pernyataan Bahaya:

H319 Menyebabkan kerengsaan mata yang serius.

H302 Memudaratkan jika tertelan.

H317 Boleh menyebabkan tindak balas kulit alergi. H361d Disyaki merosakkan bayi dalam kandungan.

H411 Toksik kepada hidupan akuatik dengan kesan yang berpanjangan.

H400 Sangat toksik kepada hidupan akuatik.

EUH401 Untuk mengelakkan risiko kepada kesihatan manusia dan alam sekitar,

patuhi arahan semasa menggunakan bahan.

#### Pernyataan berjaga-jaga:

P101 Jika nasihat perubatan diperlukan, dapatkan bekas atau label produk.

P102 Jauhkan daripada kanak-kanak.

P103 Baca label sebelum menggunakan produk.

#### Pernyataan Berjaga-jaga (Pencegahan):

P280 Pakai sarung tangan perlindung, pakaian perlindung dan perlindung

mata atau perlindung muka.

P261 Elak daripada menghirup kabus atau wap atau semburan.
P201 Dapatkan arahan khas sebelum menggunakan produk.

P202 Jangan kendalikan sehingga semua langkah keselamatan telah dibaca

dan difahami.

P272 Pakaian kerja yang tercemar tidak boleh dibawa keluar dari tempat

kerja.

P270 Jangan makan, minum atau merokok semasa menggunakan produk ini.

Basuh bahagian badan yang tercemar sebersih-bersihnya selepas

pengendalian.

# Pernyataan Berjaga-jaga (Tindak Balas):

Tarikh / Disemak (Date / Revised): 25.07.2023 Versi (Version): 10.0

Produk (Product): Basagran

P333 + P313

(30035190/SDS\_CPA\_MY/MS)

Tarikh cetakan (Date of print): 15.10.2025

P305 + P351 + P338	JIKA TERKENA MATA: Bilas berhati-hati dengan air selama beberapa
	minit Tanggalkan kanta lakan jika ada dan danat dilakukan dangan

minit.Tanggalkan kanta lekap, jika ada dan dapat dilakukan dengan

mudah. Teruskan membilas.

JIKA TERKENA KULIT: Basuh dengan sabun dan air yang banyak.
Jika berlaku kerengsaan kulit atau ruam: Dapatkan nasihat/rawatan

perubatan.

P301 + P312 JIKA TERTELAN: Hubungi PUSAT RACUN atau doktor/pakar

perubatan jika anda rasa tidak sihat.

P330 Bilas mulut.

P308 + P313 Jika terdedah kepada bahan atau terkena bahan: Dapatkan

nasihat/rawatan perubatan.

P362 + P364 Tanggalkan pakaian yang tercemar dan basuh sebelum

menggunakannya semula.

P391 Pungut tumpahan.

P337 + P313 Jika kerengsaan mata berterusan: Dapatkan nasihat/rawatan

perubatan.

Pernyataan Berjaga-jaga (Penyimpanan):

P405 Simpan di tempat berkunci.

Pernyataan Berjaga-jaga (Pelupusan):

P501 Buangkan kandungan dan berkas ke tempat penggumpulan bahan sisa

merbahaya atau khas.

Bahaya lain yang tidak menyebabkan pengelasan:

Lihat seksyen 12 - Keputusan PBT dan Penilaian vPvB

Jika berkenaan, maklumat yang diberikan dalam bahagian ini tentang bahaya lain tidak menyebabkan pengelasan tetapi mungkin menyumbang kepada bahaya bahan atau campuran secara keseluruhan.

Produk tidak mengandungi bahan melebihi had undang-undang yang termasuk di dalam senarai yang disediakan mengikut Artikel 59(1) Peraturan (EC) No. 1907/2006 kerana mengandungi ciri-ciri gangguan endokrin atau telah dikenalpasti untuk mengandungi ciri-ciri gangguan endokrin mengikut kriteria yang ditetapkan dalam Peraturan Wakilan Suruhanjaya (EU) 2017/2100 atau Peraturan Suruhanjaya (EU) 2018/605.

# 3. Komposisi dan Maklumat Mengenai Ramuan Bahan Kimia

#### Keadaan kimia

produk pelindung tanaman, racun herba, Pekatan terlarutkan (SL)

# Ramuan berbahaya

1H-2,1,3-Benzothiadiazin-4(3H)-one, 3-(1-methylethyl)-, 2,2-dioxide, sodium salt

Kandungan (berat/berat): 44 % Toks. Akut 4 (oral) Nombor CAS: 50723-80-3 Kros./Kreng. Mata 2

Pem. Kulit 1

Pemb. 2 (unborn child)

Akuatik Akut 1 Akuatik Kronik 2

Bagi pengelasan yang tidak ditulis dengan penuh dalam bahagian ini, teks lengkap boleh didapati di bahagian 16.

Tarikh / Disemak (Date / Revised): 25.07.2023 Versi (Version): 10.0

Produk (Product): Basagran

(30035190/SDS\_CPA\_MY/MS)

Tarikh cetakan (Date of print): 15.10.2025

# 4. Langkah-Langkah Pertolongan Cemas

Nasihat am:

Tanggalkan pakaian yang tercemar.

Jika tersedut:

Tenangkan pesakit, alihkan ke tempat berudara bersih, dapatkan rawatan perubatan.

Apabila terkena kulit:

Basuh bersih-bersih dengan sabun dan air.

Apabila terkena mata:

basuh mata yang terkena bahan selama sekurang-kurangnya 15 minit dibawah air yang mengalir dengan kelopak mata dibuka, rujuk kepada pakar mata.

Apabila tertelan:

Segera berkumur, kemudian minum 200-300 ml air, dapatkan rawatan perubatan.

Nota kepada doktor:

Gejala: Maklumat, iaitu maklumat tambahan mengenai simptom dan kesan boleh termasuk di dalam fasa palabelan GHS yang tersedia ada dalam Seksyen 2 dan di dalam penaksiran Toksikologi yang tersedia ada dalam Seksyen 11., Simptom dan/atau kesan tidak diketahui setakat ini

Nota kepada doktor:

Rawatan: Rawat mengikut gejala (nyahcemar, fungsi utama), tiada penawar khusus diketahui.

# 5. Langkah-Langkah Pemadaman Kebakaran

Bahan pemadam yang sesuai:

semburan air, busa, serbuk kering, karbon dioksida

Bahaya tertentu:

karbon monoksida, karbon dioksida, nitrogen oksida, sulfur oksida

Bahan/kumpulan bahan yang dinyatakan boleh dibebaskan jika berlaku kebakaran.

Peralatan perlindungan khusus:

Gunakan alat pernafasan serba lengkap dan pakaian pelindung kimia.

Maklumat lanjut:

Kumpul air pemadam api yang tercemar secara berasingan, jangan biarkan ia mengalir ke dalam sistem pembetung atau efluen. Lupuskan sisa kebakaran dan air pemadam api yang tercemar menurut peraturan rasmi. Dalam hal kebakaran dan/atau letupan jangan menyedut wasap. Pastikan bekas sejuk dengan menyembur air pada bekas jika terdedah kepada kebakaran.

# 6. Langkah-Langkah Pelepasan Tidak Sengaja

Perlindungan diri, kelengkapan pelindung dan tatacara kecemasan:

Jangan bernafaskan wap/semburanGunakan pakaian pelindung diri.Elakkan dari bersentuhan dengan kulit, mata dan pakaian.

Tarikh / Disemak (Date / Revised): 25.07.2023 Versi (Version): 10.0

Produk (Product): Basagran

(30035190/SDS\_CPA\_MY/MS)

Tarikh cetakan (Date of print): 15.10.2025

Langkah berjaga-jaga untuk alam sekitar:

Jangan lepaskan ke dalam parit/air permukaan/air tanah. Jangan lepaskan ke dalam subtanah/tanah.

Kaedah pembersihan atau penyerapan:

Bagi sejumlah kecil: Kutip dengan bahan penyerap yang sesuai (contohnya pasir, habuk gergaji, pengikat serba guna, kieselguhr).

Bagi sejumlah besar: Bina benteng tumpahan. Pam produk.

Lupuskan bahan yang diserap mengikut peraturan. Kumpul sisa ke dalam bekas yang sesuai, yang boleh dilabel dan ditutup ketat. Basuh bersih-bersih lantai dan objek yang tercemar dengan air dan bahan pencuci, patuhi peraturan alam sekitar. Pakai peralatan pelindung yang sesuai.

# 7. Pengendalian dan Penyimpanan

# Pengendalian

Tiada langkah khusus diperlukan dengan syarat produk disimpan dan digunakan dengan betul. Pastikan pengalihudaraan menyeluruh di kawasan simpanan dan di tempat kerja. Jangan makan, minum atau merokok apabila menggunakannya. Tangan dan/atau muka hendaklah dibasuh sebelum rehat dan setelah tamat waktu bekerja.

Perlindungan terhadap kebakaran dan letupan:

Tiada langkah berjaga-jaga yang khusus diperlukan. Bahan/produk tidak mudah terbakar. Produk tidak meletup.

#### Penyimpanan

Asingkan daripada makanan dan makanan haiwan.

Maklumat lanjut tentang keadaan penyimpanan: Jauhkan daripada panas. Lindungi daripada pancaran terus cahaya matahari.

Kestabilan penyimpanan:

Tempoh penyimpanan: 60 bulan

Lindungi daripada suhu di bawah : 0 °C

Produk boleh menghablur di bawah had suhu tersebut.

Lindungi daripada suhu melebihi : 40 °C

Perubahan ciri produk boleh berlaku jika bahan/produk disimpan melebihi suhu yang dinyatakan bagi tempoh yang panjang.

# 8. Kawalan pendedahan dan perlindungan diri

Komponen dengan parameter kawalan tempat kerja

Tiada had pendedahan pekerjaan tertentu yang diketahui.

Tarikh / Disemak (Date / Revised): 25.07.2023 Versi (Version): 10.0

Produk (Product): Basagran

(30035190/SDS\_CPA\_MY/MS)

Tarikh cetakan (Date of print): 15.10.2025

# Peralatan perlindungan peribadi

Perlindungan pernafasan:

Perlindungan pernafasan yang sesuai bagi kepekatan yang tinggi atau kesan jangka panjang: Penapis gabungan bagi gas/wap sebatian organik, tak organik, asid tak organik dan alkali (contohnya EN 14387 Jenis ABEK).

#### Perlindungan tangan:

Sarung tangan kalis kimia yang sesuai (EN ISO 374-1) jika terkena secara langsung yang berpanjangan (Disyorkan: Indeks pelindung 6, sama dengan masa penelapan > 480 minit mengikut EN ISO 374-1): Misalnya getah nitril (0.4 mm), getah kloroprena (0.5 mm), polivinilklorida (0.7 mm) dan lainnya.

#### Perlindungan mata:

Kaca mata keselamatan dengan pelindung sisi (gogal berbingkai) (contohnya EN 166)

#### Perlindungan badan:

Perlindungan badan mesti dipilih bergantung kepada aktiviti dan pendedahan, contohnya apron, kasut perlindungan, pakaian perlindungan bahan kimia (Berdasarkan DIN-EN 465)

#### Langkah kebersihan dan keselamatan am:

Penyataan tentang kelengkapan pelindung diri dalam arahan penggunaan terpakai untuk penggunaan agen pelindung pertanian bagi pembungkusan terakhir. Disyorkan memakai pakaian kerja yang tertutup. Simpan pakaian kerja secara berasingan. Jauhkan daripada makanan, minuman dan barang makanan haiwan.

# 9. Sifat Fizikal dan Kimia

Bentuk: cecair

Warna: kuning ke merah ke coklat buah, sedikit berbau

Ambang bau: Tidak ditentukan disebabkan oleh bahaya kesihatan yang mungkin

melalui penyedutan.

nilai pH: dianggarkan 6 - 7

(Air D Piawaian CIPAC., 1 %(m), 20

°C)

takat lebur: dianggarkan 0 °C

(1,013.3 hPa)

Maklumat terpakai kepada pelarut.

takat didih: dianggarkan 100 °C

(1,013.3 hPa)

Maklumat terpakai kepada pelarut.

Takat kilat: (ISO 2719)

Tiada takat kilat- Ukuran dibuat

sehingga ke takat didih.

Tahap penyejatan:

Tidak boleh digunakan

Kemudahbakaran (pepejal/gas): Tidak boleh digunakan

Tarikh / Disemak (Date / Revised): 25.07.2023 Versi (Version): 10.0

Produk (Product): Basagran

(30035190/SDS\_CPA\_MY/MS)

Tarikh cetakan (Date of print): 15.10.2025

Had letupan bawah:

Hasil pengalaman kami dengan produk ini dan pengetahuan kami mengenai komposisinya kami menjangka tidak terdapat bahaya selagi produk ini digunakan dengan cara yang sesuai dan menurut penggunaan yang dicadangkan.

Had letupan atas:

Bahaya letupan:

Hasil pengalaman kami dengan produk ini dan pengetahuan kami mengenai komposisinya kami menjangka tidak terdapat bahaya selagi produk ini digunakan dengan cara yang sesuai dan menurut penggunaan yang dicadangkan.

Suhu pencucuhan: 555 °C

(Arahan 92/69/EEC, A.15)

Penguraian terma: 160 °C , 190 kJ/kg

(suhu permulaan)

(DDK (OECD 113))

Bahan tidak boleh mengurai sendiri menurut peraturan-peraturan pengangkutan UN, kelas 4.1 Berdasarkan struktur kimia tiada petuniuk ciri-ciri mudah meletup.

Sifat yang menggalakkan kebakaran: Berdasarkan sifat

strukturnya produk ini tidak dikelasifikasikan sebagai

pengoksida.

Tekanan Wap: dianggarkan 23.4 hPa

Maklumat terpakai kepada pelarut.

Kepekatan: dianggarkan 1.19 g/cm3

(Garispanduan OECD 109)

(20 °C)

Ketumpatan wap relatif (udara):

Tidak boleh digunakan

Keterlarutan dalam air: terlarut sepenuhnya

Pekali petakan n-oktanol/air (log Pow):

Penyataan adalah berdasarkan ciri

setiap komponen.

Maklumat tentang: 1H-2,1,3-Benzothiadiazin-4(3H)-one, 3-(1-methylethyl)-, 2,2-dioxide, sodium salt

Pekali petakan n-oktanol/air (log Pow): 0.77

(nilai pH: 5)

-----

Kelikatan, dinamik: dianggarkan 9 mPa.s

(OECD 114)

(20 °C, 100 1/s) 5.3 mPa.s (40 °C, 100 1/s)

Tarikh / Disemak (Date / Revised): 25.07.2023 Versi (Version): 10.0

Produk (Product): Basagran

(30035190/SDS\_CPA\_MY/MS)

Tarikh cetakan (Date of print): 15.10.2025

# 10. Kestabilan dan Kereaktifan

Keadaan yang perlu dielakkan:

Lihat MSDS bahagian 7 - Pengendalian dan Penyimpanan.

Penguraian terma: 160 °C, 190 kJ/kg (DDK (OECD 113))

(suhu permulaan)

Penguraian terma: Bahan tidak boleh mengurai sendiri menurut peraturan-

peraturan pengangkutan UN, kelas 4.1

Bahan yang perlu dielakkan:

bes kuat, asid kuat, agen pengoksida yang kuat

Tindak balas berbahaya:

Tiada produk penguraian yang berbahaya jika disimpan dan dikendalikan seperti yang ditetapkan/dinyatakan.

Bahan penguraian berbahaya:

Tiada produk penguraian yang berbahaya jika disimpan dan dikendalikan seperti yang ditetapkan/dinyatakan.

Kereaktifan:

Tiada produk penguraian yang berbahaya jika disimpan dan dikendalikan seperti yang ditetapkan/dinyatakan.

Kestabilan kimia:

Produk adalah stabil jika disimpan dan dikendalikan sebagaimana

# 11. Maklumat Toksikologi

#### Ketoksikan akut

Penilaian ketoksikan akut:

Ketoksikan sederhana selepas kali pertama tertelan. Tidak toksik selepas sekali terkena kulit Tidak toksik jika tersedut.

Data eksperimen/dikira:

LD50 tikus (melalui mulut): > 1,000 - < 2,000 mg/kg (Garispanduan OECD 401)

LC50 tikus (melalui penyedutan): > 4.8 mg/l 4 h (Garispanduan OECD 403)

Tiada kematian diperhatikan Aerosol diuji

LD50 tikus (dermal): > 4,000 mg/kg (Garispanduan OECD 402)

Tiada kematian diperhatikan

#### Kerengsaan

Penilaian kesan merengsa:

Sentuhan dengan mata boleh menyebabkan kerengsaan. Tidak merengsakan kulit.

Data eksperimen/dikira:

Tarikh / Disemak (Date / Revised): 25.07.2023 Versi (Version): 10.0

Produk (Product): Basagran

(30035190/SDS\_CPA\_MY/MS)

Tarikh cetakan (Date of print): 15.10.2025

Kakisan/Kerengsaan kulit arnab: tidak merengsa

Kerosakkan/kerengsaan mata yang serius arnab: Merengsa

## Pemekaan pernafasan/kulit

Penilaian pemekaan:

Pemekaan selepas sentuhan kulit yang berulang mungkin berlaku. Produk belum diuji. Penyataan diambil daripada ciri setiap komponen.

Maklumat tentang: 1H-2,1,3-Benzothiadiazin-4(3H)-one, 3-(1-methylethyl)-, 2,2-dioxide, sodium salt Data eksperimen/dikira:

Ujian pemaksimum tikus kasturi marmut: pemekaan kulit (Garispanduan OECD 406)

\_\_\_\_\_

# Kemutagenan sel germa

Penilaian kemutagenan:

Ujian kemutagenan membuktikan tiada potensi genotoksik . Produk belum diuji. Penyataan diambil daripada ciri setiap komponen.

## Kekarsinogenan

Penilaian kekarsinogenan:

Keputusan pelbagai ujian haiwan tidak menunjukkan kesan karsonogen. Produk belum diuji. Penyataan diambil daripada ciri setiap komponen.

#### Ketoksikan pembiakan

Penilaian ketoksikan pembiakan:

Keputusan kajian haiwan tidak menunjukkan kesan gangguan kesuburan. Produk belum diuji. Penyataan diambil daripada ciri setiap komponen.

#### Ketoksikan perkembangan

Penilaian keteratogenan:

Produk belum diuji. Penyataan diambil daripada ciri setiap komponen.

Maklumat tentang: 1H-2,1,3-Benzothiadiazin-4(3H)-one, 3-(1-methylethyl)-, 2,2-dioxide, sodium salt Penilaian keteratogenan:

Petunjuk toksik yang berkembang/kesan teratogen dilihat dalam ujian ke Bahan tidak menyebabkan kecacatan dalam kajian terhadap haiwan. Apabila diberi didalam dos yang tinggi ketoksikan-feto dapat diperhatikan.

-----

# Ketoksikan khusus organ sasaran (sekali pendedahan):

Penilaian sekali STOT:

Berdasarkan maklumat yang ada, ketoksikan organ sasaran yang khusus adalah tidak dijangka selepas sekali pendedahan.

Catatan: Produk belum diuji. Penyataan diambil daripada ciri setiap komponen.

Tarikh / Disemak (Date / Revised): 25.07.2023 Versi (Version): 10.0

Produk (Product): Basagran

(30035190/SDS\_CPA\_MY/MS)

Tarikh cetakan (Date of print): 15.10.2025

# Ketoksikan dos berulang dan Ketoksikan organ sasaran tertentu (pendedahan berulang)

Penilaian ketoksikan dos berulang:

Tiada ketoksikan organ daripada bahan tertentu diperhatikan selepas diberi secara berulang kepada haiwan. Produk belum diuji. Penyataan diambil daripada ciri setiap komponen.

# Bahaya penyedutan

Tiada bahaya penyedutan dijangka.

Produk belum diuji. Penyataan diambil daripada ciri setiap komponen.

# Maklumat lain yang berkaitan dengan ketoksikan

Penyalahgunaan boleh memudaratkan kesihatan.

# 12. Maklumat Ekologi

#### Keekotoksikan

Penilaian ketoksikan akuatik:

Sangat toksik kepada hidupan akuatik. Toksik kepada hidupan akuatik dengan kesan yang berpanjangan.

Produk belum diuji. Penyataan diambil daripada ciri setiap komponen.

Maklumat tentang: 1H-2,1,3-Benzothiadiazin-4(3H)-one, 3-(1-methylethyl)-, 2,2-dioxide, sodium salt Ketoksikan kepada ikan:

LC50 (96 h) > 100 mg/l, Oncorhynchus mykiss (EPA 72-1, statik)

-----

Maklumat tentang: 1H-2,1,3-Benzothiadiazin-4(3H)-one, 3-(1-methylethyl)-, 2,2-dioxide, sodium salt Invertebrat air:

EC50 (48 h) > 100 mg/l, Daphnia magna (Garispanduan OECD 202, Bahagian 1)

-----

Maklumat tentang: 1H-2,1,3-Benzothiadiazin-4(3H)-one, 3-(1-methylethyl)-, 2,2-dioxide, sodium salt Tumbuhan akuatik:

EC50 (72 h) 34.5 mg/l (kadar pertumbuhan), Pseudokirchneriella subcapitata

EC10 (72 h) 9 mg/l, Pseudokirchneriella subcapitata

EC50 (14 hari) 0.595 mg/l, tumbuhan akuatik

EC10 (14 hari) 0.172 mg/l, tumbuhan akuatik

Tiada kesan kepekatan yang diperhatikan 0.278 mg/l, tumbuhan akuatik

EC50 (14 hari) 3.48 mg/l, tumbuhan akuatik

EC10 (14 hari) 0.5 mg/l, tumbuhan akuatik

-----

Tarikh / Disemak (Date / Revised): 25.07.2023 Versi (Version): 10.0

Produk (Product): Basagran

(30035190/SDS\_CPA\_MY/MS)

Tarikh cetakan (Date of print): 15.10.2025

Maklumat tentang: 1H-2,1,3-Benzothiadiazin-4(3H)-one, 3-(1-methylethyl)-, 2,2-dioxide, sodium salt Ketoksikan kronik kepada ikan:

Tiada kesan kepekatan yang diperhatikan (35 hari) > 9.16 mg/l, Pimephales promelas

-----

Maklumat tentang: 1H-2,1,3-Benzothiadiazin-4(3H)-one, 3-(1-methylethyl)-, 2,2-dioxide, sodium salt Ketoksikan kronik kepada invertebrata akuatik:

Tiada kesan kepekatan yang diperhatikan (21 hari), > 91.6 mg/l, Daphnia magna

# Mobiliti

Penilaian pengangkutan di antara bahagian di persekitaran:

Produk belum diuji. Penyataan diambil daripada ciri setiap komponen.

Maklumat tentang: 1H-2,1,3-Benzothiadiazin-4(3H)-one, 3-(1-methylethyl)-, 2,2-dioxide, sodium salt Penilaian pengangkutan di antara bahagian di persekitaran:

Selepas terdedah kepada tanah, produk ini bergerak dan mungkin - bergantung kepada degradasi - menyerap masuk kedalam tanah yang mengandungi kandungan air yang banyak

-----

# Keterusan dan boleh keterdegradasikan

Penilaian biodegradasi dan penyingkiran (H2O):

Produk belum diuji. Penyataan diambil daripada ciri setiap komponen.

Maklumat tentang: 1H-2,1,3-Benzothiadiazin-4(3H)-one, 3-(1-methylethyl)-, 2,2-dioxide, sodium salt

-----

# Potensi Biotumpukan

Penilaian potensi bioakumilasi:

Produk belum diuji. Penyataan diambil daripada ciri setiap komponen.

Maklumat tentang: 1H-2,1,3-Benzothiadiazin-4(3H)-one, 3-(1-methylethyl)-, 2,2-dioxide, sodium salt Potensi Biotumpukan:

Oleh sebab pekali agihan n-oktanol/air (log Pow), tidak dijangka terakumulasi dalam organisma.

, -----

# Maklumat tambahan

Nasihat ekotoksikologi lain:

Jangan lepaskan produk ke persekitaran tanpa kawalan.

#### 13. Maklumat Pelupusan

Mesti dihantar ke loji pembakaran yang sesuai, mematuhi peraturan

Pembungkusan tercemar:

Bungkusan yang tercemar hendaklah dikosongkan sejauh yang boleh dan dilupuskan dengan cara yang sama melupuskan bahan/produk.

Tarikh / Disemak (Date / Revised): 25.07.2023 Versi (Version): 10.0

Produk (Product): Basagran

(30035190/SDS\_CPA\_MY/MS)

Tarikh cetakan (Date of print): 15.10.2025

# 14. Maklumat Pengangkutan

Pengangkutan domestik:

Kelas bahaya: 9 Kumpulan pembungkusan: Ш

UN 3082 Nombor-ID: Label Bahava: 9. EHSM

Nama penghantaran yang BAHAN YANG MEMBAHAYAKAN ALAM SEKITAR, CECAIR, betul:

N.O.S (mengandungi 3-ISOPROPYL-1H-2,1,3-

BENZOTHIADIAZIN-4(3H)-ONE 2,2-DIOXIDE, SODIUM SALT)

#### **Maklumat lanjut**

Kod Hazchem:3Z Nombor IERG:47

#### Pengangkutan laut

**IMDG** 

9 Kelas bahaya: Kumpulan pembungkusan: Ш

Nombor-ID: UN 3082 Label Bahaya: 9, EHSM Bahan pencemar laut: YΑ

Nama penghantaran yang BAHAN YANG MEMBAHAYAKAN ALAM SEKITAR, CECAIR,

betul: N.O.S (mengandungi 3-ISOPROPYL-1H-2,1,3-

BENZOTHIADIAZIN-4(3H)-ONE 2,2-DIOXIDE, SODIUM SALT)

Pengangkutan udara

IATA/ICAO

Kelas bahaya: 9 Kumpulan pembungkusan: Ш

Nombor-ID: UN 3082 Label Bahaya: 9. EHSM

Nama penghantaran yang BAHAN YANG MEMBAHAYAKAN ALAM SEKITAR, CECAIR,

betul: N.O.S (mengandungi 3-ISOPROPYL-1H-2,1,3-

BENZOTHIADIAZIN-4(3H)-ONE 2,2-DIOXIDE, SODIUM SALT)

# Pengangkutan secara pukal menurut Lampiran II MARPOL dan IBC

Peraturan: Tidak dinilai Tidak dinilai Penghantaran yang

diluluskan:

Nama pencemaran: Tidak dinilai Tidak dinilai

Kategori pencemaran: Jenis Kapal: Tidak dinilai

# **Maklumat lanjut**

Mukasurat (Page): 13/29

BASF Helaian Data Keselamatan (BASF Safety data sheet)

Tarikh / Disemak (Date / Revised): 25.07.2023 Versi (Version): 10.0

Produk (Product): Basagran

(30035190/SDS\_CPA\_MY/MS)

Tarikh cetakan (Date of print): 15.10.2025

Peraturan-peraturan berikut digunapakai untuk produk yang mengandungi kuantiti bersih 5L atau kurang daripada itu

ADR, RID, AND: Peraturan Khas 375;

JT/T617.3; IMDG: 2.10.2.7; IATA: A197:

TDG: Peraturan Khas 99(2); 49CFR: §171.4 (c) (2).

# 15. Maklumat Pengawalseliaan

Peraturan-Peraturan Keselamatan dan Kesihatan Pekerjaan (Pengelasan, Pelabelan dan Helaian Data Keselamatan Bahan kimia Berbahaya) 2013

Akta OSHA 1994 dan peraturan berkaitan

Akta Kualiti Alam Sekeliling 1974

Maklumat tentang peraturan-peraturan tidak meliputi kesemuanya. Peraturan-peraturan lain mungkin dikenakan kepada bahan ini.

#### Peraturan lain

Untuk mengelakkan risiko kepada manusia dan persekitaran, patuhi arahan penggunaan.

Peraturan-Peraturan Keselamatan dan Kesihatan Pekerjaan (Pengelasan, Pelabelan dan Helaian Data Keselamatan Bahan kimia Berbahaya) 2013

Akta OSHA 1994 dan peraturan berkaitan

Akta Kualiti Alam Sekeliling 1974

Maklumat tentang peraturan-peraturan tidak meliputi kesemuanya. Peraturan-peraturan lain mungkin dikenakan kepada bahan ini.

### 16. Maklumat lain

Tarikh Penyediaan / Tarikh Penyemakan: 25.07.2023

Sumber Maklumat dan Rujukan:

SDS ini disediakan dengan menggunakan data dan maklumat tersimpan di dalam sistem berasaskan IT dalaman kami dan dibekalkan oleh pembekal perkhidmatan syarikat kami.

Singkatan Petunjuk:

ATE - Anggaran Ketoksikan Akut

GHS - Sistem Terharmoni Global

IATA / ICAO - Persatuan Pengangkutan Udara Antarabangsa / Organisasi Penerbangan Awam Antarabangsa

IBC - Kontena Pukal Pertengahan

IMDG - Barangan Merbahaya Kelautan Antarabangsa

LC - Kepekatan Maut

LD - Dos Maut

OECD - Organisasi Untuk Kerjasama dan Pembangunan Ekonomi

OEL - Had Pendedahan Pekerjaan

OSHA - Akta Keselamatan dan Kesihatan Pekerjaan

STOT - Ketoksikan Organ Sasaran Khusus

Tarikh / Disemak (Date / Revised): 25.07.2023 Versi (Version): 10.0

Produk (Product): Basagran

Toks. Akut 2 Toks. Akut 3

Toks. Akut 4

(30035190/SDS\_CPA\_MY/MS)

Tarikh cetakan (Date of print): 15.10.2025

Teks penuh pengelasan, simbol bahaya dan pernyataan bahaya, jika dinyatakan dalam seksyen 2 atau 3:

Bhn. Ltp. T. Stab.	Bahan letup tidak stabil
•	·
Bhn. Ltp. 1.1	Bahan letup divisyen 1.1
Bhn. Ltp. 1.2	Bahan letup divisyen 1.2
Bhn. Ltp. 1.3	Bahan letup divisyen 1.3
Bhn. Ltp. 1.4	Bahan letup divisyen 1.4
Bhn. Ltp. 1.5	Bahan letup divisyen 1.5
Bhn. Ltp. 1.6	Bahan letup divisyen 1.6
Gas M. Bkr 1	Gas mudah terbakar kategori 1
Gas M. Bkr 2	Gas mudah terbakar kategori 2
Aerosol M. Bkr1	Aerosol mudah terbakar kategori 1
Aerosol M. Bkr 2	Aerosol mudah terbakar kategori 2
Cec. M. Bkr 1	Cecair mudah terbakar kategori 1
Cec. M. Bkr 2	Cecair mudah terbakar kategori 2
	<u> </u>
Cec. M. Bkr 3	Cecair mudah terbakar kategori 3
Pep. M. Bkr 1	Pepejal mudah terbakar kategori 1
Pep. M. Bkr 2	Pepejal mudah terbakar kategori 2
Gas Oks. 1	Gas mengoksida kategori 1
Cec. Oks. 1	Cecair mengoksida kategori 1
Cec. Oks. 2	
	Cecair mengoksida kategori 2
Cec. Oks. 3	Cecair mengoksida kategori 3
Pep. Oks. 1	Pepejal mengoksida kategori 1
Pep. Oks. 2	Pepejal mengoksida kategori 2
Pep. Oks. 3	Pepejal mengoksida kategori 3
Gas Tkn.	Gas di bawah tekanan
Swareak. A	Bahan kimia swareaktif jenis A
Swareak. B	Bahan kimia swareaktif jenis B
Swareak. CD	Bahan kimia swareaktif jenis C dan D
Swareak, EF	Bahan kimia swareaktif jenis E dan F
Swareak. G	Bahan kimia swareaktif jenis G
	·
Cec. Pir. 1	Cecair piroforik kategori 1
Pep. Pir. 1	Pepejal piroforik kategori 1
Swapanas. 1	Bahan kimia swapanasan kategori 1
Swapanas. 2	Bahan kimia swapanasan kategori 2
Tdk. Bls. Air 1	Bahan kimia yang, jika terkena air, membebaskan gas mudah
Tur. Dis. All T	, , ,
	terbakar kategori 1
Tdk. Bls. Air 2	Bahan kimia yang, jika terkena air, membebaskan gas mudah
	terbakar kategori 2
Tdk. Bls. Air 3	Bahan kimia yang, jika terkena air, membebaskan gas mudah
ran Bior / iii o	
Develor Over A	terbakar kategori 3
Peroks. Org. A	Peroksida organik jenis A
Peroks. Org. B	Peroksida organik jenis B
Peroks. Org. CD	Peroksida organik jenis C and D
Peroks. Org. EF	Peroksida organik jenis E and F
Peroks. Org. G	
<u> </u>	Peroksida organik jenis G
Kakis. Log. 1	Mengakis logam kategori 1
Toks. Akut 1	Ketoksikan akut kategori 1
Toks. Akut 2	Ketoksikan akut kategori 2
Toke Akut 2	Kotoksikan akut katagori 3

Kakisan atau kerengsaan kulit kategori 1A Kks. Kulit 1A

Ketoksikan akut kategori 3

Ketoksikan akut kategori 4

Mukasurat (Page): 15/29

BASF Helaian Data Keselamatan (BASF Safety data sheet)

Tarikh / Disemak (Date / Revised): 25.07.2023 Versi (Version): 10.0

Produk (Product): Basagran

(30035190/SDS\_CPA\_MY/MS)

Tarikh cetakan (Date of print): 15.10.2025

Kks. Kulit 1B Kakisan atau kerengsaan kulit kategori 1B Kks. Kulit 1C Kakisan atau kerengsaan kulit kategori 1C Kreng. Kulit 2 Kakisan atau kerengsaan kulit kategori 2

Kros. Mata 1 Kerosakan mata atau kerengsaan mata yang serius kategori 1 Kreng. Mata 2 Kerosakan mata atau kerengsaan mata yang serius kategori 2

Pem. Naf. 1 Pemekaan pernafasan kategori 1 Pem. Kulit 1 Pemekaan kulit kategori 1

Muta. 1A Kemutagenan sel germa kategori 1A Muta. 1B Kemutagenan sel germa kategori 1B Muta. 2 Kemutagenan sel germa kategori 2 Kars. 1A Kekarsinogenan kategori 1A Kekarsinogenan kategori 1B Kars. 2 Kekarsinogenan kategori 2

Pemb. 1A Ketoksikan pembiakan kategori 1A
Pemb. 1B Ketoksikan pembiakan kategori 1B
Pemb. 2 Ketoksikan pembiakan kategori 2
Laktasi Kesan ke atas atau melalui penyusuan

STOT SE 1

STOT SE 2

Ketoksikan organ sasaran khusus - pendedahan tunggal kategori 1

Ketoksikan organ sasaran khusus - pendedahan tunggal kategori 2

STOT SE 3

Ketoksikan organ sasaran khusus - pendedahan tunggal kategori 3

STOT RE 1

Ketoksikan organ sasaran khusus - pendedahan berulang kategori 1

STOT RE 2

Ketoksikan organ sasaran khusus - pendedahan berulang kategori 2

Bhy. Asp. Bahaya aspirasi kategori 1

Akuatik Akut 1

Berbahaya kepada persekitaran akuatik – bahaya akut kategori 1

Akuatik Kronik 1

Berbahaya kepada persekitaran akuatik – bahaya kronik kategori 1

Akuatik Kronik 2

Berbahaya kepada persekitaran akuatik – bahaya kronik kategori 2

Akuatik Kronik 3

Berbahaya kepada persekitaran akuatik – bahaya kronik kategori 3

Akuatik Kronik 4

Berbahaya kepada persekitaran akuatik – bahaya kronik kategori 4

Ozon Berbahaya bagi lapisan ozon kategori 1

Garis menegak pada margin sebelah kiri tangan menunjukkan pindaan dari versi sebelumnya.

Data yang terdapat dalam risalah data keselamatan ini adalah berdasarkan pengetahuan dan pengalaman kami, dan menerangkan tentang produk yang berkaitan dengan keperluan keselamatan sahaja. Data tidak menyatakan ciri produk (spesifikasi produk). Data dalam risalah data keselamatan ini juga tidak menyatakan apa-apa ciri khusus atau kesesuaian produk yang dipersetujui untuk apa-apa tujuan tertentu. Penerima produk bertanggungjawab untuk memastikan bahawa apa-apa hak pemilikan serta undang-undang dan perundangan sedia ada dipatuhi.

Tarikh / Disemak (Date / Revised): 25.07.2023 Versi (Version): 10.0

Produk (Product): Basagran

(30035190/SDS\_CPA\_MY/MS)

Tarikh cetakan (Date of print): 15.10.2025

# 1. Identification of the chemical and of the supplier

# **Basagran**

Use: crop protection product, herbicide

#### Company:

BASF (Malaysia) Sdn Bhd Lot 19.02 Level 19, 1 Powerhouse No 1 Persiaran Bandar Utama 47800 Petaling Jaya Selangor D.E, MALAYSIA Telephone: +60 3 7612 1888 Telefax number: +60 3 7612 1777

#### Emergency information:

National emergency number:

+603 7612 1999

International emergency number: Telephone: +49 180 2273-112

# 2. Hazard identification

Classification of the substance and mixture:

Acute Tox. 4 (oral) Eye Dam./Irrit. 2 Skin Sens. 1

Repr. 2 (unborn child) Aquatic Acute 1 Aquatic Chronic 2

For the classifications not written out in full in this section the full text can be found in section 16.

Label elements and precautionary statement:

Pictogram:





Signal Word: Warning

Hazard Statement:

Tarikh / Disemak (Date / Revised): 25.07.2023 Versi (Version): 10.0

Produk (Product): Basagran

(30035190/SDS\_CPA\_MY/MS)

Tarikh cetakan (Date of print): 15.10.2025

H319	Causes	serious	eye irritation.
11010	Cuuscs	3011043	cyc iiiitatioii.

H302 Harmful if swallowed.

H317 May cause an allergic skin reaction.
 H361d Suspected of damaging the unborn child.
 H411 Toxic to aquatic life with long lasting effects.

H400 Very toxic to aquatic life.

EUH401 To avoid risks to human health and the environment, comply with the

instructions for use.

# **Precautionary Statement:**

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

# Precautionary Statements (Prevention):

P280	Wear protective gloves, protective clothing and eye protection or face
	protection.
P261	Avoid breathing mist or vapour or spray.
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P272	Contaminated work clothing should not be allowed out of the workplace.
P270	Do not eat, drink or smoke when using this product.
P264	Wash contaminated body parts thoroughly after handling.

# Precautionary Statements (Response):

P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove
	contact lenses, if present and easy to do. Continue rinsing.
P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
P333 + P313	If skin irritation or rash occurs: Get medical attention.
P301 + P312	IF SWALLOWED: Call a POISON CENTER or doctor/physician if you
	feel unwell.
P330	Rinse mouth.
P308 + P313	IF exposed or concerned: Get medical attention.
P362 + P364	Take off contaminated clothing and wash it before reuse.
P391	Collect spillage.
P337 + P313	If eye irritation persists: Get medical attention.

# Precautionary Statements (Storage):

P405 Store locked up.

#### Precautionary Statements (Disposal):

P501 Dispose of contents and container to hazardous or special waste

collection point.

#### Other hazards which do not result in classification:

See section 12 - Results of PBT and vPvB assessment.

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture. Product does not contain a substance above legal limits included in the list established in accordance with Article 59(1) of Regulation (EC) No 1907/2006 for having endocrine disrupting properties or is identified to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

Tarikh / Disemak (Date / Revised): 25.07.2023 Versi (Version): 10.0

Produk (Product): Basagran

(30035190/SDS\_CPA\_MY/MS)

Tarikh cetakan (Date of print): 15.10.2025

# 3. Composition/information on ingredients

#### **Chemical nature**

crop protection product, herbicide, Soluble concentrate (SL)

#### Hazardous ingredients

1H-2,1,3-Benzothiadiazin-4(3H)-one, 3-(1-methylethyl)-, 2,2-dioxide, sodium salt

Content (W/W): 44 % Acute Tox. 4 (oral)
CAS Number: 50723-80-3 Eye Dam./Irrit. 2
Skin Sens. 1

Repr. 2 (unborn child) Aquatic Acute 1 Aquatic Chronic 2

For the classifications not written out in full in this section the full text can be found in section 16.

#### 4. First-Aid Measures

General advice:

Remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

On skin contact:

Wash thoroughly with soap and water

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

Note to physician:

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far Note to physician:

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

# 5. Fire-Fighting Measures

Suitable extinguishing media: water spray, foam, dry powder, carbon dioxide

Mukasurat (Page): 19/29

BASF Helaian Data Keselamatan (BASF Safety data sheet)

Tarikh / Disemak (Date / Revised): 25.07.2023 Versi (Version): 10.0

Produk (Product): Basagran

(30035190/SDS\_CPA\_MY/MS)

Tarikh cetakan (Date of print): 15.10.2025

#### Specific hazards:

carbon monoxide, carbon dioxide, nitrogen oxides, sulfur oxides

The substances/groups of substances mentioned can be released in case of fire.

#### Special protective equipment:

Wear self-contained breathing apparatus and chemical-protective clothing.

#### Further information:

Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations. In case of fire and/or explosion do not breathe fumes. Keep containers cool by spraying with water if exposed to fire.

#### 6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures:

Do not breathe vapour/spray. Use personal protective clothing. Avoid contact with the skin, eyes and clothing.

#### Environmental precautions:

Do not discharge into drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

Methods for cleaning up or taking up:

For small amounts: Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr).

For large amounts: Dike spillage. Pump off product.

Dispose of absorbed material in accordance with regulations. Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations. Wear suitable protective equipment.

# 7. Handling and Storage

# **Handling**

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift.

Protection against fire and explosion:

No special precautions necessary. The substance/product is non-combustible. Product is not explosive.

#### <u>Storage</u>

Segregate from foods and animal feeds.

Further information on storage conditions: Keep away from heat. Protect from direct sunlight.

Storage stability:

Storage duration: 60 Months

Protect from temperatures below: 0 °C

Mukasurat (Page): 20/29

BASF Helaian Data Keselamatan (BASF Safety data sheet)

Tarikh / Disemak (Date / Revised): 25.07.2023 Versi (Version): 10.0

Produk (Product): Basagran

(30035190/SDS\_CPA\_MY/MS)

Tarikh cetakan (Date of print): 15.10.2025

The product can crystallize below the limit temperature.

Protect from temperatures above: 40 °C

Changes in the properties of the product may occur if substance/product is stored above indicated temperature for extended periods of time.

# 8. Exposure controls and personal protection

#### Components with occupational exposure limits

No substance specific occupational exposure limits known.

#### Personal protective equipment

#### Respiratory protection:

Suitable respiratory protection for higher concentrations or long-term effect: Combination filter for gases/vapours of organic, inorganic, acid inorganic and alkaline compounds (e.g. EN 14387 Type ABEK).

#### Hand protection:

Suitable chemical resistant safety gloves (EN ISO 374-1) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc.

#### Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

#### Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

#### General safety and hygiene measures:

The statements on personal protective equipment in the instructions for use apply when handling crop-protection agents in final-consumer packing. Wearing of closed work clothing is recommended. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

# 9. Physical and Chemical Properties

Form: liquid

Colour: yellow to red to brown Odour: fruity, faint odour

Odour threshold: Not determined due to potential health hazard by inhalation.

pH value: approx. 6 - 7

(CIPAC standard water D, 1 %(m),

20 °C)

Melting point: approx. 0 °C

(1,013.3 hPa)

Information applies to the solvent.

Tarikh / Disemak (Date / Revised): 25.07.2023 Versi (Version): 10.0

Produk (Product): Basagran

(30035190/SDS\_CPA\_MY/MS)

Tarikh cetakan (Date of print): 15.10.2025

Boiling point: approx. 100 °C

(1,013.3 hPa)

Information applies to the solvent.

Flash point: (ISO 2719)

No flash point - Measurement made

up to the boiling point.

Evaporation rate:

not applicable

Flammability (solid/gas): not applicable

Lower explosion limit:

As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with

the intended use.

Upper explosion limit:

Explosion hazard:

As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with

the intended use.

Ignition temperature: 555 °C

(Directive 92/69/EEC, A.15)

Thermal decomposition: 160 °C , 190 kJ/kg

(onset temperature)

(DSC (OECD 113))

Not a substance liable to selfdecomposition according to UN transport regulations, class 4.1. Based on the chemical structure

there is no indication of explosive

properties.

Fire promoting properties: Based on its structural properties

the product is not classified as

oxidizing.

Vapour pressure: approx. 23.4 hPa

Information applies to the solvent.

Density: approx. 1.19 g/cm3

(OECD Guideline 109)

(20 °C)

Relative vapour density (air):

not applicable

Solubility in water: fully soluble

Partitioning coefficient n-octanol/water (log Pow):

The statements are based on the

properties of the individual

components.

Tarikh / Disemak (Date / Revised): 25.07.2023 Versi (Version): 10.0

Produk (Product): Basagran

(30035190/SDS\_CPA\_MY/MS)

Tarikh cetakan (Date of print): 15.10.2025

Information on: 1H-2,1,3-Benzothiadiazin-4(3H)-one, 3-(1-methylethyl)-, 2,2-dioxide, sodium salt Partitioning coefficient n-octanol/water (log Pow): 0.77

(pH value: 5)

(40 °C, 100 1/s)

.----

Viscosity, dynamic: approx. 9 mPa.s

approx. 9 mPa.s (OECD 114) (20 °C, 100 1/s) 5.3 mPa.s

# 10. Stability and Reactivity

Conditions to avoid:

See SDS section 7 - Handling and storage.

Thermal decomposition: 160 °C, 190 kJ/kg (DSC (OECD 113))

(onset temperature)

Thermal decomposition: Not a substance liable to self-decomposition according to

UN transport regulations, class 4.1.

Substances to avoid:

strong bases, strong acids, strong oxidizing agents

Hazardous reactions:

No hazardous reactions if stored and handled as prescribed/indicated.

Hazardous decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated.

Reactivity:

No hazardous reactions if stored and handled as prescribed/indicated.

Chemical stability:

The product is stable if stored and handled as prescribed/indicated.

# 11. Toxicological Information

# **Acute toxicity**

Assessment of acute toxicity:

Of moderate toxicity after single ingestion. Virtually nontoxic after a single skin contact. Virtually nontoxic by inhalation.

Experimental/calculated data:

LD50 rat (oral): > 1,000 - < 2,000 mg/kg (OECD Guideline 401)

LC50 rat (by inhalation): > 4.8 mg/l 4 h (OECD Guideline 403)

No mortality was observed. An aerosol was tested.

LD50 rat (dermal): > 4,000 mg/kg (OECD Guideline 402)

Tarikh / Disemak (Date / Revised): 25.07.2023 Versi (Version): 10.0

Produk (Product): Basagran

(30035190/SDS\_CPA\_MY/MS)

Tarikh cetakan (Date of print): 15.10.2025

No mortality was observed.

#### Irritation

Assessment of irritating effects:

Eye contact causes irritation. Not irritating to the skin.

Experimental/calculated data:

Skin corrosion/irritation rabbit: non-irritant

Serious eye damage/irritation rabbit: Irritant.

# Respiratory/Skin sensitization

Assessment of sensitization:

Sensitization after skin contact possible. The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: 3-Isopropyl-1H-2,1,3-benzothiadiazin-4(3H)-one 2,2-dioxide, sodium salt

Experimental/calculated data:

Guinea pig maximization test guinea pig: skin sensitizing (OECD Guideline 406)

-----

#### Germ cell mutagenicity

Assessment of mutagenicity:

Mutagenicity tests revealed no genotoxic potential. The product has not been tested. The statement has been derived from the properties of the individual components.

#### Carcinogenicity

Assessment of carcinogenicity:

The results of various animal studies gave no indication of a carcinogenic effect. The product has not been tested. The statement has been derived from the properties of the individual components.

#### Reproductive toxicity

Assessment of reproduction toxicity:

The results of animal studies gave no indication of a fertility impairing effect. The product has not been tested. The statement has been derived from the properties of the individual components.

# **Developmental toxicity**

Assessment of teratogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: 3-Isopropyl-1H-2,1,3-benzothiadiazin-4(3H)-one 2,2-dioxide, sodium salt Assessment of teratogenicity:

Indications of possible developmental toxicity/teratogenicity were seen in animal studies. The substance did not cause malformations in animal studies. When given in high doses fetotoxicity was observed.

-----

Tarikh / Disemak (Date / Revised): 25.07.2023 Versi (Version): 10.0

Produk (Product): Basagran

(30035190/SDS\_CPA\_MY/MS)

Tarikh cetakan (Date of print): 15.10.2025

## Specific target organ toxicity (single exposure):

Assessment of STOT single:

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

Remarks: The product has not been tested. The statement has been derived from the properties of the individual components.

## Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

No substance-specific organtoxicity was observed after repeated administration to animals. The product has not been tested. The statement has been derived from the properties of the individual components.

# **Aspiration hazard**

No aspiration hazard expected.

The product has not been tested. The statement has been derived from the properties of the individual components.

# Other relevant toxicity information

Misuse can be harmful to health.

# 12. Ecological Information

#### **Ecotoxicity**

Assessment of aquatic toxicity:

Very toxic to aquatic life. Toxic to aquatic life with long lasting effects.

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: 3-Isopropyl-1H-2,1,3-benzothiadiazin-4(3H)-one 2,2-dioxide, sodium salt Toxicity to fish:

LC50 (96 h) > 100 mg/l, Oncorhynchus mykiss (EPA 72-1, static)

\_\_\_\_\_

Information on: 3-Isopropyl-1H-2,1,3-benzothiadiazin-4(3H)-one 2,2-dioxide, sodium salt Aquatic invertebrates:

EC50 (48 h) > 100 mg/l, Daphnia magna (OECD Guideline 202, part 1)

-----

Information on: 3-Isopropyl-1H-2,1,3-benzothiadiazin-4(3H)-one 2,2-dioxide, sodium salt Aquatic plants:

EC50 (72 h) 34.5 mg/l (growth rate), Pseudokirchneriella subcapitata

EC10 (72 h) 9 mg/l, Pseudokirchneriella subcapitata

EC50 (14 d) 0.595 mg/l, aquatic plant

Mukasurat (Page): 25/29

BASF Helaian Data Keselamatan (BASF Safety data sheet)

Tarikh / Disemak (Date / Revised): 25.07.2023 Versi (Version): 10.0

Produk (Product): Basagran

(30035190/SDS\_CPA\_MY/MS)

Tarikh cetakan (Date of print): 15.10.2025

EC10 (14 d) 0.172 mg/l, aquatic plant

No observed effect concentration 0.278 mg/l, aquatic plant

EC50 (14 d) 3.48 mg/l, aquatic plant

EC10 (14 d) 0.5 mg/l, aquatic plant

-----

Information on: 3-Isopropyl-1H-2,1,3-benzothiadiazin-4(3H)-one 2,2-dioxide, sodium salt Chronic toxicity to fish:

No observed effect concentration (35 d) > 9.16 mg/l, Pimephales promelas

\_\_\_\_\_

Information on: 3-Isopropyl-1H-2,1,3-benzothiadiazin-4(3H)-one 2,2-dioxide, sodium salt Chronic toxicity to aquatic invertebrates:

No observed effect concentration (21 d), > 91.6 mg/l, Daphnia magna

# **Mobility**

Assessment transport between environmental compartments:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: 3-Isopropyl-1H-2,1,3-benzothiadiazin-4(3H)-one 2,2-dioxide, sodium salt Assessment transport between environmental compartments:

Following exposure to soil, the product trickles away and can - dependant on degradation - be transported to deeper soil areas with larger water loads.

\_\_\_\_\_

# Persistence and degradability

Assessment biodegradation and elimination (H2O):

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: 3-Isopropyl-1H-2,1,3-benzothiadiazin-4(3H)-one 2,2-dioxide, sodium salt

# **Bioaccumulation potential**

Assessment bioaccumulation potential:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: 3-Isopropyl-1H-2,1,3-benzothiadiazin-4(3H)-one 2,2-dioxide, sodium salt Bioaccumulation potential:

Because of the n-octanol/water distribution coefficient (log Pow) accumulation in organisms is not to be expected.

-----

Tarikh / Disemak (Date / Revised): 25.07.2023 Versi (Version): 10.0

Produk (Product): Basagran

(30035190/SDS\_CPA\_MY/MS)

Tarikh cetakan (Date of print): 15.10.2025

#### **Additional information**

Other ecotoxicological advice:

Do not discharge product into the environment without control.

# 13. Disposal Information

Must be sent to a suitable incineration plant, observing local regulations.

Contaminated packaging:

Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

# 14. Transportation Information

# **Domestic transport:**

Hazard class: 9
Packing group: III

ID number: UN 3082 Hazard label: 9, EHSM

Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (contains 3-ISOPROPYL-1H-2,1,3-BENZOTHIADIAZIN-

4(3H)-ONE 2,2-DIOXIDE, SODIUM SALT)

#### **Further information**

Hazchem Code:3Z IERG Number:47

# Sea transport

**IMDG** 

Hazard class: 9
Packing group: III

ID number: UN 3082
Hazard label: 9, EHSM
Marine pollutant: YES

Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (contains 3-ISOPROPYL-1H-2,1,3-BENZOTHIADIAZIN-

4(3H)-ONE 2,2-DIOXIDE, SODIUM SALT)

#### Air transport

IATA/ICAO

Hazard class: 9 Packing group: III

ID number: UN 3082 Hazard label: 9, EHSM

Mukasurat (Page): 27/29

BASF Helaian Data Keselamatan (BASF Safety data sheet)

Tarikh / Disemak (Date / Revised): 25.07.2023 Versi (Version): 10.0

Produk (Product): Basagran

(30035190/SDS\_CPA\_MY/MS)

Tarikh cetakan (Date of print): 15.10.2025

Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (contains 3-ISOPROPYL-1H-2,1,3-BENZOTHIADIAZIN-

4(3H)-ONE 2,2-DIOXIDE, SODIUM SALT)

# Transport in bulk according to Annex II of MARPOL and the IBC Code

Regulation:
Shipment approved:
Pollution name:
Pollution category:
Ship Type:
Not evaluated
Not evaluated
Not evaluated
Not evaluated
Not evaluated

# **Further information**

Product may be shipped as non-hazardous in suitable packages containing a net quantity of 5 L or less under the provisions of various regulatory agencies: ADR, RID, ADN: Special Provision 375; IMDG: 2.10.2.7; IATA: A197; TDG: Special Provision 99(2); 49CFR: §171.4 (c) (2) and also the Special Provision 375 in Appendix B which is regulated in China "Regulations Concerning Road Transportation of Dangerous Goods Part 3: Index of dangerous goods name and transportation requirements" (JT/T 617.3)

# 15. Regulatory Information

Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013
OSHA 1994 and relevant regulations
Environmental Quality Act, 1974

The regulatory information is not intended to be comprehensive. Other regulations may apply to this material.

# Other regulations

To avoid risks to man and the environment, comply with the instructions for use.

Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013
OSHA 1994 and relevant regulations
Environmental Quality Act, 1974

The regulatory information is not intended to be comprehensive. Other regulations may apply to this material.

#### 16. Other Information

Date of Preparation / Date of Revision: 25.07.2023

Information Source and References:

This SDS is prepared using data and information saved in our internal IT-based system and supplied by our company's service providers.

Mukasurat (Page): 28/29

BASF Helaian Data Keselamatan (BASF Safety data sheet)

Tarikh / Disemak (Date / Revised): 25.07.2023 Versi (Version): 10.0

Produk (Product): Basagran

(30035190/SDS\_CPA\_MY/MS)

Tarikh cetakan (Date of print): 15.10.2025

Key Abbreviations:

ATE - Acute Toxicity Estimates GHS - Globally Harmonized System

IATA / ICAO - International Air Transport Association / International Civil Aviation Organization

IBC - Intermediate Bulk Container

IMDG - International Maritime Dangerous Goods

LC - Lethal Concentration

LD - Lethal Dose

OECD - Organisation for Economic Co-operation and Development

OEL - Occupational Exposure Limit

OSHA - Occupational Safety and Health Act

STOT - Specific Target Organ Toxicity

Full text of classifications, hazard symbols and hazard statements, if mentioned in section 2 or 3:

Unst. Expl. Unstable explosives Expl. 1.1 Explosives division 1.1 Expl. 1.2 Explosives division 1.2 Expl. 1.3 Explosives division 1.3 Expl. 1.4 Explosives division 1.4 Expl. 1.5 Explosives division 1.5 Expl. 1.6 Explosives division 1.6 Flam. Gas 1 Flammable gases category 1 Flam. Gas 2 Flammable gases category 2 Flam. Aerosol 1 Flammable aerosols category 1 Flam. Aerosol 2 Flammable aerosols category 2 Flam. Liq. 1 Flammable liquids category 1 Flam. Liq. 2 Flammable liquids category 2 Flam. Liq. 3 Flammable liquids category 3 Flam. Sol. 1 Flammable solids category 1 Flam. Sol. 2 Flammable solids category 2 Ox. Gas 1 Oxidizing gases category 1 Oxidizing liquids category 1 Ox. Liq. 1 Oxidizing liquids category 2 Ox. Liq. 2 Ox. Liq. 3 Oxidizing liquids category 3 Ox. Sol. 1 Oxidizing solids category 1 Ox. Sol. 2 Oxidizing solids category 2 Ox. Sol. 3 Oxidizing solids category 3 Press. Gas Gases under pressure Self-react. A Self-reactive chemicals type A Self-react. B Self-reactive chemicals type B Self-react. CD Self-reactive chemicals type C and D Self-react. EF Self-reactive chemicals type E and F Self-react. G Self-reactive chemicals type G Pyr. Liq. 1 Pyrophoric liquids category 1 Pyr. Sol. 1 Pyrophoric solids category 1 Self-heat, 1 Self-heating chemicals category 1 Self-heat. 2 Self-heating chemicals category 2 Water-react. 1 Chemicals which, if in contact with water, emits flammable gases Water-react. 2

Chemicals which, if in contact with water, emits flammable gases

category 2

Versi (Version): 10.0 Tarikh / Disemak (Date / Revised): 25.07.2023

Produk (Product): Basagran

(30035190/SDS\_CPA\_MY/MS)

Tarikh cetakan (Date of print): 15.10.2025

Water-react. 3	Chemicals which, if in contact with water, emits flammable gases category 3
Org. Perox. A	Organic peroxides type A
Org. Perox. B	Organic peroxides type B
Org. Perox. CD	Organic peroxides type C and D
Org. Perox. EF	Organic peroxides type E and F
Org. Perox. G	Organic peroxides type G
Met. Corr. 1	Corrosive to metals category 1
Acute Tox. 1	Acute toxicity category 1
Acute Tox. 2	Acute toxicity category 2
Acute Tox. 3	Acute toxicity category 3
Acute Tox. 4	Acute toxicity category 4
Skin Corr. 1A	Skin corrosion or irritation category 1A
Skin Corr. 1B	Skin corrosion or irritation category 1B
Skin Corr. 1C	Skin corrosion or irritation category 1C
Skin Irrit. 2	Skin corrosion or irritation category 2
Eye Dam. 1	Serious eye damage or eye irritation category 1
Eye Irrit. 2	Serious eye damage or eye irritation category 2
Resp. Sens. 1	Respiratory sensitization category 1

Skin sensitization category 1 Skin Sens. 1 Muta. 1A Germ cell mutagenicity category 1A Muta. 1B Germ cell mutagenicity category 1B Germ cell mutagenicity category 2 Muta. 2

Carc. 1A Carcinogenicity category 1A Carc. 1B Carcinogenicity category 1B Carc. 2 Carcinogenicity category 2 Repr. 1A Reproductive toxicity category 1A Reproductive toxicity category 1B Repr. 1B Reproductive toxicity category 2 Repr. 2

Lact. Effect on or via lactation

STOT SE 1 Specific target organ toxicity - single exposure category 1 Specific target organ toxicity – single exposure category 2
Specific target organ toxicity – single exposure category 3
Specific target organ toxicity – repeated exposure category 1 STOT SE 2 STOT SE 3 STOT RE 1 STOT RE 2 Specific target organ toxicity - repeated exposure category 2

Aspiration hazard category 1 Asp. Haz.

Aquatic Acute 1 Hazardous to the aquatic environment - acute hazard category 1 Aquatic Chronic 1 Hazardous to the aquatic environment - chronic hazard category 1 Aquatic Chronic 2 Hazardous to the aquatic environment – chronic hazard category 2 Aquatic Chronic 3 Hazardous to the aquatic environment – chronic hazard category 3 Aquatic Chronic 4 Hazardous to the aquatic environment - chronic hazard category 4

Ozone Hazardous to the ozone layer category 1

Vertical lines in the left hand margin indicate an amendment from the previous version.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.