

Safety data sheet

Page: 1/11

BASF Safety data sheet

Date / Revised: 01.10.2023 Version: 2.1

Product: Solvenon® DPM

(30034801/SDS_GEN_TH/EN)

Date of print: 15.10.2025

1. Substance/preparation and manufacturer/supplier identification

Product name:

Solvenon® DPM

Use: Chemical

Manufacturer/supplier:

BASF (Thai) Limited

23rd Floor, Emporium Tower, 622, Sukhumvit 24 Rd., Klongton, Klongtoey, Bangkok 10110, THAILAND

Telephone: +66 2624-1999 Telefax number: +66 2664-9254

E-mail address: Thailand-SDS-info@basf.com

Emergency information:

International emergency number: Telephone: +49 180 2273-112

2. Hazard identification

Classification according to UN GHS 2009

Classification of the substance and mixture:

Flammable liquids: Cat.4

Label elements and precautionary statement:

Signal Word: Warning

Hazard Statement:

H227 Combustible liquid.

Precautionary Statements (Prevention):

Product: Solvenon® DPM

(30034801/SDS_GEN_TH/EN)

Date of print: 15.10.2025

P210 Keep away from heat, hot surfaces, sparks, open flames and other

ignition sources. No smoking.

P280 Wear protective gloves and eye protection or face protection.

Precautionary Statements (Response):

P370 + P378 In case of fire: Use alcohol-resistant foam, carbon dioxide, dry powder

or water spray for extinction.

Precautionary Statements (Storage):

P403 + P235 Store in a well-ventilated place. Keep cool.

Precautionary Statements (Disposal):

P501 Dispose of contents and container to hazardous or special waste

collection point.

Other hazards which do not result in classification:

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

See section 12 - Results of PBT and vPvB assessment.

3. Composition/information on ingredients

Chemical nature

Substance nature: Substance

dipropylene glycol monomethylether (Content (W/W): >= 98 %)

CAS Number: 34590-94-8

No particular hazards known.

4. First-Aid Measures

General advice:

Remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air.

On skin contact:

Wash thoroughly with soap and water

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open.

On ingestion:

Rinse mouth and then drink 200-300 ml of water.

Note to physician:

Product: Solvenon® DPM

(30034801/SDS_GEN_TH/EN)

Date of print: 15.10.2025

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11.

Hazards: (Further) symptoms and / or effects are not known so far Treatment: Symptomatic treatment (decontamination, vital functions).

5. Fire-Fighting Measures

Suitable extinguishing media:

dry powder, water spray, carbon dioxide, alcohol-resistant foam

Unsuitable extinguishing media for safety reasons:

water jet

Additional information:

Use extinguishing measures to suit surroundings.

Specific hazards:

Flammable liquid Cool endangered containers with water-spray. See SDS section 7 - Handling and storage.

Special protective equipment:

Wear a self-contained breathing apparatus. Special protective equipment for firefighters

Further information:

Evacuate area of all unnecessary personnel. Fight fire from maximum distance.

Further information:

Extend fire extinguishing measures to the surroundings. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

6. Accidental Release Measures

Personal precautions:

Handle in accordance with good industrial hygiene and safety practice.

Avoid all sources of ignition: heat, sparks, open flame. Use antistatic tools.

Environmental precautions:

Discharge into the environment must be avoided.

Methods for cleaning up or taking up:

Pick up with suitable appliance and dispose of. Spills should be contained, solidified, and placed in suitable containers for disposal. Dispose of absorbed material in accordance with regulations.

Additional information: High risk of slipping due to leakage/spillage of product.

Release of substance/product can cause fire or explosion. Shut off or stop source of leak. Shut off or stop released substance/product under safe conditions.

Pack in tightly closed containers for disposal.

Product: Solvenon® DPM

(30034801/SDS_GEN_TH/EN)

Date of print: 15.10.2025

7. Handling and Storage

Handling

Handle in accordance with good industrial hygiene and safety practice.

Protection against fire and explosion:

Avoid all sources of ignition: heat, sparks, open flame. Ground all transfer equipment properly to prevent electrostatic discharge.

Storage

Further information on storage conditions: Containers should be stored tightly sealed in a dry place.

8. Exposure controls and personal protection

Components with occupational exposure limits

dipropylene glycol monomethylether, 34590-94-8;

STEL value 150 ppm (ACGIHTLV) TWA value 100 ppm (ACGIHTLV) Skin Designation (ACGIHTLV) Danger of cutaneous absorption Skin Designation (ACGIHTLV) Danger of cutaneous absorption STEL value 100 ppm (ACGIHTLV) TWA value 50 ppm (ACGIHTLV)

Personal protective equipment

Respiratory protection:

Wear respiratory protection if ventilation is inadequate. Gas filter for gases/vapours of organic compounds (boiling point >65 °C, e. g. EN 14387 Type A)

Hand protection:

Chemical resistant protective gloves (EN ISO 374-1)

Suitable materials also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1):

butyl rubber (butyl) - 0.7 mm coating thickness

Manufacturer's directions for use should be observed because of great diversity of types. Supplementary note: The specifications are based on tests, literature data and information of glove manufacturers or are derived from similar substances by analogy. Due to many conditions (e.g. temperature) it must be considered, that the practical usage of a chemical-protective glove in practice may be much shorter than the permeation time determined through testing.

Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Product: Solvenon® DPM

(30034801/SDS_GEN_TH/EN)

Date of print: 15.10.2025

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures:

Handle in accordance with good industrial hygiene and safety practice. Wearing of closed work clothing is required additionally to the stated personal protection equipment.

9. Physical and Chemical Properties

Form: liquid
Colour: colourless
Odour: ether-like

mild

Odour threshold: not determined

pH value:

neutral

Melting point: -80 °C

Boiling range: 180 - 190 °C (DIN 53171)

(1,013 mbar)

Flash point: 75 °C (closed cup)

Evaporation rate:

Value can be approximated from Henry's Law Constant or vapor

pressure.

Flammability (solid/gas): not readily ignited (derived from flash point)

Lower explosion limit:

For liquids not relevant for classification and labelling., The lower explosion point may be 5 - 15

°C below the flash point.

Upper explosion limit:

For liquids not relevant for classification and labelling.

Ignition temperature: 207 °C

(Directive 92/69/EEC, A.15)

Thermal decomposition: No decomposition if stored and

handled as prescribed/indicated.

Self ignition: Temperature: 20 °C

not self-igniting

Test type: Spontaneous selfignition at room-temperature.

Self heating ability: It is not a substance capable of

spontaneous heating.

Explosion hazard: Based on the chemical structure

there is no indication of explosive

properties.

Product: Solvenon® DPM

(30034801/SDS_GEN_TH/EN)

Date of print: 15.10.2025

Fire promoting properties: Based on its structural properties

the product is not classified as

oxidizing.

Vapour pressure: 0.7 mbar

(20 °C) 2.6 mbar (40 °C)

Density: 0.95 g/cm3 (DIN 51757)

(20 °C)

Relative density: 0.95

(20 °C)

Relative vapour density (air):5.11 (calculated)

(20 °C)

Heavier than air.

Solubility in water: miscible

(20 °C)

Solubility (qualitative) solvent(s): organic solvents

soluble

Partitioning coefficient n-octanol/water (log Pow): 0.004

(OECD Guideline 107)

(25 °C; pH value: 7.5 - 7.7) Surface tension: 68.7 mN/m

68.7 mN/m (OECD Guideline 115)

(20 °C; 1 g/l)

Viscosity, dynamic: 4.32 mPa.s (OECD Guideline 114)

(20 °C)

Molar mass: 148.20 g/mol

10. Stability and Reactivity

Conditions to avoid:

No special precautions other than good housekeeping of chemicals.

Thermal decomposition: No decomposition if stored and handled as

prescribed/indicated.

Substances to avoid: strong oxidizing agents

Corrosion to metals: No corrosive effect on metal.

Hazardous reactions:

Reacts with strong oxidizing agents.

Hazardous decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated.

Chemical stability:

Product: Solvenon® DPM

(30034801/SDS_GEN_TH/EN)

Date of print: 15.10.2025

The product is stable if stored and handled as prescribed/indicated.

Reactivity:

When heated can give off ignitable vapours.

11. Toxicological Information

Routes of exposure

Acute oral toxicity

Experimental/calculated data: LD50rat (oral): > 5,000 mg/kg

Acute inhalation toxicity

rat (by inhalation): 7 h (IRT)

No mortality within the stated exposition time as shown in animal studies.

Acute dermal toxicity

LD50 rabbit (dermal): > 19,020 mg/kg

Assessment of acute toxicity

Virtually nontoxic after a single ingestion. Virtually nontoxic after a single skin contact. The inhalation of a highly enriched/saturated vapor-air-mixture represents an unlikely acute hazard.

Symptoms

Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11.

Irritation

Assessment of irritating effects:

Not irritating to the skin. Not irritating to the eyes.

Experimental/calculated data:

Skin corrosion/irritation rabbit: non-irritant (BASF-Test)

Serious eye damage/irritation rabbit: non-irritant (Draize test)

Respiratory/Skin sensitization

Assessment of sensitization:

The substance did not cause skin sensitization in humans.

Germ cell mutagenicity

Assessment of mutagenicity:

The substance was not mutagenic in bacteria. The substance was not mutagenic in mammalian cell culture.

Carcinogenicity

Assessment of carcinogenicity:

Product: Solvenon® DPM

(30034801/SDS_GEN_TH/EN)

Date of print: 15.10.2025

The chemical structure does not suggest a specific alert for such an effect. In long-term animal studies in which the substance was given by inhalation in high concentrations, a carcinogenic effect was not observed. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Reproductive toxicity

Assessment of reproduction toxicity:

The results of animal studies gave no indication of a fertility impairing effect. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Developmental toxicity

Assessment of teratogenicity:

No indications of a developmental toxic / teratogenic effect were seen in animal studies.

Specific target organ toxicity (single exposure)

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

Repeated oral uptake of the substance did not cause substance-related effects. Repeated inhalative uptake of the substance did not cause substance-related effects. Repeated dermal uptake of the substance did not cause substance-related effects.

Aspiration hazard

not applicable

12. Ecological Information

Ecotoxicity

Assessment of aquatic toxicity:

There is a high probability that the product is not acutely harmful to aquatic organisms. The inhibition of the degradation activity of activated sludge is not anticipated when introduced to biological treatment plants in appropriate low concentrations.

Toxicity to fish:

LC50 (96 h) > 1,000 mg/l, Poecilia reticulata (OECD 203; ISO 7346; 84/449/EWG, C.1, static) The details of the toxic effect relate to the nominal concentration.

Aquatic invertebrates:

LC50 (48 h) 1,919 mg/l, Daphnia magna (OPP 72-2 (EPA-guideline), static) The details of the toxic effect relate to the nominal concentration.

Aquatic plants:

Product: Solvenon® DPM

(30034801/SDS_GEN_TH/EN)

Date of print: 15.10.2025

EC50 (96 h) > 969 mg/l (growth rate), Pseudokirchneriella subcapitata (OECD Guideline 201, static) The statement of the toxic effect relates to the analytically determined concentration.

Microorganisms/Effect on activated sludge:

EC10 (18 h) 4,168 mg/l, Pseudomonas putida (DIN 38412 Part 8, aquatic)

Chronic toxicity to fish:

Study does not need to be conducted.

Chronic toxicity to aquatic invertebrates:

No observed effect concentration (22 d), > 0.5 mg/l, Daphnia magna (OECD Guideline 211, Flow through.)

The details of the toxic effect relate to the nominal concentration. No effects at the highest test concentration.

Assessment of terrestrial toxicity:

Soil living organisms:

Study does not need to be conducted.

Terrestrial plants:

No observed effect concentration 250 g/l, (OECD Guideline 227)

Other terrestrial non-mammals:

Study does not need to be conducted.

Mobility

Assessment transport between environmental compartments:

Study does not need to be conducted.

Persistence and degradability

Elimination information:

96 % DOC reduction (28 d) (OECD 301F; ISO 9408; 92/69/EWG, C.4-D) (aerobic, activated sludge, domestic)

94 % DOC reduction (13 d) (OECD Guideline 302 B) (aerobic, activated sludge, industrial)

Assessment of stability in water:

Study does not need to be conducted.

Bioaccumulation potential

Assessment bioaccumulation potential:

Because of the n-octanol/water distribution coefficient (log Pow) accumulation in organisms is not to be expected.

Other adverse effects

Adsorbable organically-bound halogen (AOX):

This product contains no organically-bound halogen.

Product: Solvenon® DPM

(30034801/SDS_GEN_TH/EN)

Date of print: 15.10.2025

13. Disposal Considerations

Dispose of in accordance with national, state and local regulations.

Contaminated packaging:

Disposal must be made according to official regulations.

14. Transport Information

Domestic transport:

Not classified as a dangerous good under transport regulations

UN number or ID number
UN proper shipping name:
Transport hazard class(es):
Packing group:
Not applicable
Not applicable
Not applicable

Environmental hazards: Special precautions for

user

Not applicable None known

Sea transport

IMDG

Not classified as a dangerous good under transport regulations

UN number or ID number: Not applicable UN proper shipping name: Not applicable Transport hazard class(es): Not applicable Packing group: Not applicable Environmental hazards: Not applicable

Marine pollutant: no

Special precautions for

user

None known

Air transport

IATA/ICAO

Not classified as a dangerous good under transport regulations

UN number or ID number
Proper shipping name:
Transport hazard class(es):
Packing group:
Environmental hazards:
Special precautions for

Not applicable
Not applicable
Not applicable
Not applicable
Not applicable
Not applicable

user

Product: Solvenon® DPM

(30034801/SDS_GEN_TH/EN)

Date of print: 15.10.2025

15. Regulatory Information

Other regulations

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

16. Other Information

Vertical lines in the left hand margin indicate an amendment from the previous version.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.