

Safety data sheet

Page: 1/14

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time.

Date / Revised: 12.01.2023

Version: 9.0

Date previous version: 23.06.2016

Previous version: 8.1

Date / First version: 07.03.2003

Product: **Hardener 529 liquid**

(ID no. 30034887/SDS_GEN_GB/EN)

Date of print 13.10.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Hardener 529 liquid

UFI: VVRW-W0TW-4002-C2R5

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Chemical

Recommended use: Chemical

Not recommended use: Technical information in support will be provided by BASF at the request of competent authorities.

1.3. Details of the supplier of the safety data sheet

Company:

BASF SE
67056 Ludwigshafen
GERMANY

Contact address:

BASF plc
4th and 5th Floors, 2 Stockport Exchange
Railway Road, Stockport, SK1 3GG
UNITED KINGDOM

Telephone: +44 161 475 3000

E-mail address: product-safety-uk-and-ireland@basf.com

1.4. Emergency telephone number

International emergency number:

Telephone: +49 180 2273-112

SECTION 2: Hazards Identification

2.1. Classification of the substance or mixture

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time.

Date / Revised: 12.01.2023

Version: 9.0

Date previous version: 23.06.2016

Previous version: 8.1

Date / First version: 07.03.2003

Product: **Hardener 529 liquid**

(ID no. 30034887/SDS_GEN_GB/EN)

Date of print 13.10.2025

For the classification of the mixture the following methods have been applied: extrapolation on the concentration levels of the hazardous substances, on basis of test results and after evaluation of experts. The methodologies used are mentioned at the respective test results.

According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

| Skin Corr./Irrit. 2 H315 Causes skin irritation.

For the classifications not written out in full in this section the full text can be found in section 16.

2.2. Label elements

According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

Pictogram:



Signal Word:

| Warning

Hazard Statement:

| H315 Causes skin irritation.

Precautionary Statements (Prevention):

| P280 Wear protective gloves.

| P264 Wash contaminated body parts thoroughly after handling.

Precautionary Statements (Response):

| P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

| P332 + P313 If skin irritation occurs: Get medical attention.

| P362 + P364 Take off contaminated clothing and wash it before reuse.

2.3. Other hazards

According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

| No specific dangers known, if the regulations/notes for storage and handling are considered.

| The product does not contain a substance above legal limits fulfilling the PBT

(persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria.

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time.

Date / Revised: 12.01.2023

Version: 9.0

Date previous version: 23.06.2016

Previous version: 8.1

Date / First version: 07.03.2003

Product: **Hardener 529 liquid**

(ID no. 30034887/SDS_GEN_GB/EN)

Date of print 13.10.2025

SECTION 3: Composition/Information on Ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Chemical nature

salts of an inorganic acid

aqueous solution

Hazardous ingredients (GHS)

Reaction mass of bis[(2-hydroxyethyl)ammonium] sulphite and 2-(methylamino)ethanol, compound with sulphur dioxide

Content (W/W): $\geq 43\%$ - $\leq 43\%$	Skin Corr./Irrit. 2
CAS Number: 15535-29-2	H315
EC-Number: 239-580-7	
REACH registration number: 01-2119982394-27	

For the classifications not written out in full in this section, including the hazard classes and the hazard statements, the full text is listed in section 16.

SECTION 4: First-Aid Measures

4.1. Description of first aid measures

Remove contaminated clothing.

If inhaled:

If difficulties occur after vapour/aerosol has been inhaled, remove to fresh air and seek medical attention.

On skin contact:

Wash thoroughly with soap and water

On contact with eyes:

Immediately wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time.

Date / Revised: 12.01.2023

Version: 9.0

Date previous version: 23.06.2016

Previous version: 8.1

Date / First version: 07.03.2003

Product: **Hardener 529 liquid**

(ID no. 30034887/SDS_GEN_GB/EN)

Date of print 13.10.2025

4.2. Most important symptoms and effects, both acute and delayed

Symptoms: skin irritation

Hazards: No hazard is expected under intended use and appropriate handling.

4.3. Indication of any immediate medical attention and special treatment needed

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

SECTION 5: Fire-Fighting Measures

5.1. Extinguishing media

Suitable extinguishing media:

water spray, foam, carbon dioxide, dry powder

5.2. Special hazards arising from the substance or mixture

Endangering substances: sulfur oxides, carbon oxides

Advice: The substances/groups of substances mentioned can be released in case of fire.

5.3. Advice for fire-fighters

Special protective equipment:

Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:

Suppress gases/vapours/mists with water spray jet.

SECTION 6: Accidental Release Measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective clothing.

6.2. Environmental precautions

Do not release untreated into natural waters.

6.3. Methods and material for containment and cleaning up

For large amounts: Pump off product.

For residues: Pick up with suitable absorbent material.

6.4. Reference to other sections

Information regarding exposure controls/personal protection and disposal considerations can be found in section 8 and 13.

SECTION 7: Handling and Storage

7.1. Precautions for safe handling

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time.

Date / Revised: 12.01.2023

Version: 9.0

Date previous version: 23.06.2016

Previous version: 8.1

Date / First version: 07.03.2003

Product: **Hardener 529 liquid**

(ID no. 30034887/SDS_GEN_GB/EN)

Date of print 13.10.2025

Handle in accordance with good industrial hygiene and safety practice.

Protection against fire and explosion:

No special precautions necessary.

7.2. Conditions for safe storage, including any incompatibilities

Segregate from acids and acid forming substances.

Suitable materials for containers: Stainless steel 1.4301 (V2), Polyester resin, glass reinforced (Palatal A410), High density polyethylene (HDPE), Low density polyethylene (LDPE), Stainless steel 1.4401, enamelled

Unsuitable materials for containers: Aluminium, Galvanized carbon steel (Zinc), Lead-plated, Paper/Fibreboard, Carbon steel (Iron), tinned carbon steel (Tinplate)

Further information on storage conditions: Keep in a cool place. Keep container tightly closed.

The packed product is not damaged by low temperatures or by frost.

The packed product will not be damaged by high temperatures.

7.3. Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

SECTION 8: Exposure Controls/Personal Protection

8.1. Control parameters

Components with occupational exposure limits

| No occupational exposure limits known.

PNEC

No PNEC value available.

DNEL

No DNEL value available.

8.2. Exposure controls

Personal protective equipment

Respiratory protection:

Wear respiratory protection if ventilation is inadequate.

Hand protection:

Chemical resistant protective gloves (EN ISO 374-1)

Eye protection:

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time.

Date / Revised: 12.01.2023

Version: 9.0

Date previous version: 23.06.2016

Previous version: 8.1

Date / First version: 07.03.2003

Product: **Hardener 529 liquid**

(ID no. 30034887/SDS_GEN_GB/EN)

Date of print 13.10.2025

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:

Standard work clothes and shoes.

General safety and hygiene measures

Avoid contact with the skin, eyes and clothing. Handle in accordance with good industrial hygiene and safety practice.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Form:	liquid	
Colour:	yellowish	
Odour:	faint odour	
Odour threshold:	No data available.	
pH value:	approx. 6.5 (20 °C)	(DIN ISO 976)
solidification temperature:	approx. -19 °C	
Boiling point:	approx. 114 °C 130 °C (1.013 bar)	
Flash point:	> 114 °C	(DIN 51758)
Evaporation rate:	Value can be approximated from Henry's Law Constant or vapor pressure.	
Flammability:	not highly flammable	
Lower explosion limit:		(DIN 51649-1)
Ignition temperature:	445 °C	(DIN 51794)
Vapour pressure:	approx. 6.7 mbar (20 °C) 10 mbar (20 °C) 47 mbar (50 °C) 59 mbar (55 °C)	
Density:	approx. 1.35 g/cm ³ (20 °C)	(ISO 2811-3)
Relative density:	No data available.	
Solubility in water:	miscible soluble (15 °C)	
Partitioning coefficient n-octanol/water (log K _{ow}):	not determined	

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time.

Date / Revised: 12.01.2023

Version: 9.0

Date previous version: 23.06.2016

Previous version: 8.1

Date / First version: 07.03.2003

Product: **Hardener 529 liquid**

(ID no. 30034887/SDS_GEN_GB/EN)

Date of print 13.10.2025

Self ignition:	not self-igniting
Thermal decomposition:	approx. 114 °C No decomposition if correctly stored and handled.
Viscosity, dynamic:	200 - 350 mPa.s (DIN EN ISO 3219) (20 °C)
Viscosity, kinematic:	No data available.
Explosion hazard:	not explosive
Fire promoting properties:	not fire-propagating

9.2. Other information

Self heating ability:	It is not a substance capable of spontaneous heating.
Radioactivity:	not radioactive for transport purposes (ISO 697)
Bulk density:	
Miscibility with water:	(15 °C) completely (e.g. >=90%)
Hygroscopy:	Non-hygroscopic
Grain size distribution:	The substance / product is marketed or used in a non solid or granular form.
Solids content:	80 %

SECTION 10: Stability and Reactivity

10.1. Reactivity

Corrosion to metals:	Corrosive effect on metals.	
Reactions with water/air:	Flammable gases:	no
	Toxic gases:	no
	Corrosive gases:	no
	Smoke or fog:	no
	Peroxides:	no
Formation of flammable gases:	Remarks:	Forms no flammable gases in the presence of water.

10.2. Chemical stability

The product is chemically stable.

Peroxides: Substance contains no organic peroxides.

10.3. Possibility of hazardous reactions

Evolution of sulphur dioxide under influence of acids.

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time.

Date / Revised: 12.01.2023

Version: 9.0

Date previous version: 23.06.2016

Previous version: 8.1

Date / First version: 07.03.2003

Product: **Hardener 529 liquid**

(ID no. 30034887/SDS_GEN_GB/EN)

Date of print 13.10.2025

The product is stable if stored and handled as prescribed/indicated.

10.4. Conditions to avoid

See SDS section 7 - Handling and storage.

10.5. Incompatible materials

Substances to avoid:

strong acids

10.6. Hazardous decomposition products

Hazardous decomposition products:

Sulphur dioxide

SECTION 11: Toxicological Information

11.1. Information on toxicological effects

Acute toxicity

Assessment of acute toxicity:

Virtually nontoxic after a single ingestion. The inhalation of a highly enriched/saturated vapor-air-mixture represents an unlikely acute hazard.

Experimental/calculated data:

LD50 rat (oral): 3,560 mg/kg (BASF-Test)

rat (by inhalation): 7 h (IRT)

No mortality within the stated exposition time as shown in animal studies.

Irritation

Assessment of irritating effects:

Irritating to skin. Not irritating to the eyes.

Experimental/calculated data:

Skin corrosion/irritation

rabbit: Irritant. (Draize test)

Serious eye damage/irritation

rabbit: non-irritant

Serious eye damage/irritation

rabbit: non-irritant (Draize test)

Respiratory/Skin sensitization

Assessment of sensitization:

The chemical structure does not suggest a sensitizing effect.

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time.

Date / Revised: 12.01.2023

Version: 9.0

Date previous version: 23.06.2016

Previous version: 8.1

Date / First version: 07.03.2003

Product: **Hardener 529 liquid**

(ID no. 30034887/SDS_GEN_GB/EN)

Date of print 13.10.2025

Germ cell mutagenicity

Assessment of mutagenicity:

The chemical structure does not suggest a specific alert for such an effect. The product has not been tested. The statement has been derived from the properties of the individual components.

Carcinogenicity

Assessment of carcinogenicity:

The whole of the information assessable provides no indication of a carcinogenic effect.

Reproductive toxicity

Assessment of reproduction toxicity:

The chemical structure does not suggest a specific alert for such an effect. The product has not been tested. The statement has been derived from the properties of the individual components.

Developmental toxicity

Assessment of teratogenicity:

The chemical structure does not suggest a specific alert for such an effect. The product has not been tested. The statement has been derived from the properties of the individual components.

Specific target organ toxicity (single exposure)

Assessment of STOT single:

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

Study not necessary due to exposure considerations.

Aspiration hazard

No aspiration hazard expected.

SECTION 12: Ecological Information

12.1. Toxicity

Assessment of aquatic toxicity:

There is a high probability that the product is not acutely harmful to aquatic organisms. Depending on local conditions and existing concentrations, disturbances in the biodegradation process of activated sludge are possible.

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time.

Date / Revised: 12.01.2023

Version: 9.0

Date previous version: 23.06.2016

Previous version: 8.1

Date / First version: 07.03.2003

Product: **Hardener 529 liquid**

(ID no. 30034887/SDS_GEN_GB/EN)

Date of print 13.10.2025

Toxicity to fish:

LC50 (96 h) > 460 - < 680 mg/l, *Leuciscus idus* (DIN 38412 Part 15, static)

Nominal concentration.

Aquatic invertebrates:

EC50 (48 h) > 100 mg/l, *Daphnia magna* (OECD Guideline 202, part 1, static)

Nominal concentration.

Microorganisms/Effect on activated sludge:

EC20 approx. 90 mg/l, activated sludge, industrial (DIN EN ISO 8192-OECD 209-88/302/EEC, P. C, aerobic)

Depending on local conditions and existing concentrations, disturbances in the biodegradation process of activated sludge are possible.

12.2. Persistence and degradability

Assessment biodegradation and elimination (H₂O):

Easily eliminated from water.

Elimination information:

96 % DOC reduction (10 d) (OECD 302B; ISO 9888; 88/302/EEC, part C) (aerobic, activated sludge, industrial)

90 - 100 % (28 d) (OECD 301F; ISO 9408; 92/69/EEC, C.4-D) (aerobic, activated sludge, domestic)

93 % DOC reduction (21 d) (OECD 301 A (new version)) (aerobic, activated sludge, domestic)

12.3. Bioaccumulative potential

Bioaccumulation potential:

Accumulation in organisms is not to be expected. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

12.4. Mobility in soil

Assessment transport between environmental compartments:

Adsorption in soil: No data available. Because of the high water solubility, part of the product will immediately dissolve.

12.5. Results of PBT and vPvB assessment

The product does not fulfill the criteria for PBT (Persistent/bioaccumulative/toxic) and vPvB (very persistent/very bioaccumulative).

12.6. Other adverse effects

The product does not contain substances that are listed in Regulation (EC) 1005/2009 on substances that deplete the ozone layer.

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time.

Date / Revised: 12.01.2023

Version: 9.0

Date previous version: 23.06.2016

Previous version: 8.1

Date / First version: 07.03.2003

Product: **Hardener 529 liquid**

(ID no. 30034887/SDS_GEN_GB/EN)

Date of print 13.10.2025

SECTION 13: Disposal Considerations

13.1. Waste treatment methods

Incinerate in suitable incineration plant, observing local authority regulations.

The UK Environmental Protection (Duty of Care) Regulations (EP) and amendments should be noted (United Kingdom).

This product and any uncleaned containers must be disposed of as hazardous waste in accordance with the 2005 Hazardous Waste Regulations and amendments (United Kingdom)

SECTION 14: Transport Information

Land transport

ADR

Not classified as a dangerous good under transport regulations

UN number or ID number: Not applicable

UN proper shipping name: Not applicable

Transport hazard class(es): Not applicable

Packing group: Not applicable

Environmental hazards: Not applicable

Special precautions for user: None known

RID

Not classified as a dangerous good under transport regulations

UN number or ID number: Not applicable

UN proper shipping name: Not applicable

Transport hazard class(es): Not applicable

Packing group: Not applicable

Environmental hazards: Not applicable

Special precautions for user: None known

Inland waterway transport

ADN

Not classified as a dangerous good under transport regulations

UN number or ID number: Not applicable

UN proper shipping name: Not applicable

Transport hazard class(es): Not applicable

Packing group: Not applicable

Environmental hazards: Not applicable

Special precautions for user: None known

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time.

Date / Revised: 12.01.2023

Version: 9.0

Date previous version: 23.06.2016

Previous version: 8.1

Date / First version: 07.03.2003

Product: **Hardener 529 liquid**

(ID no. 30034887/SDS_GEN_GB/EN)

Date of print 13.10.2025

Transport in inland waterway vessel

Not evaluated

Sea transport

IMDG

	Not classified as a dangerous good under transport regulations
UN number or ID number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user	None known

Air transport

IATA/ICAO

	Not classified as a dangerous good under transport regulations
UN number or ID number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user	None known

14.1. UN number or ID number

See corresponding entries for "UN number or ID number" for the respective regulations in the tables above.

14.2. UN proper shipping name

See corresponding entries for "UN proper shipping name" for the respective regulations in the tables above.

14.3. Transport hazard class(es)

See corresponding entries for "Transport hazard class(es)" for the respective regulations in the tables above.

14.4. Packing group

See corresponding entries for "Packing group" for the respective regulations in the tables above.

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time.

Date / Revised: 12.01.2023

Version: 9.0

Date previous version: 23.06.2016

Previous version: 8.1

Date / First version: 07.03.2003

Product: **Hardener 529 liquid**

(ID no. 30034887/SDS_GEN_GB/EN)

Date of print 13.10.2025

14.5. Environmental hazards

See corresponding entries for "Environmental hazards" for the respective regulations in the tables above.

14.6. Special precautions for user

See corresponding entries for "Special precautions for user" for the respective regulations in the tables above.

14.7. Maritime transport in bulk according to IMO instruments

Maritime transport in bulk is not intended.

SECTION 15: Regulatory Information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Directive 2012/18/EU - Control of Major Accident Hazards involving dangerous substances (EU):
Listed in above regulation: no

The data should be considered when making any assessment under the Control of Substances Hazardous to Health Regulations (COSHH), and related guidance, for example, 'COSHH Essentials' (United Kingdom).

15.2. Chemical Safety Assessment

Chemical Safety Assessment not yet performed due to registration timelines. Exposure scenarios for the mixture can not be provided at the moment because exposure scenarios are not yet available for all relevant substances due to registration timelines. For advice on essential measures see sections 7 and 8 of this safety data sheet.

SECTION 16: Other Information

Full text of the classifications, including the hazard classes and the hazard statements, if mentioned in section 2 or 3:

Skin Corr./Irrit.	Skin corrosion/irritation
H315	Causes skin irritation.

Abbreviations

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road.
ADN = The European Agreement concerning the International Carriage of Dangerous Goods by Inland waterways. ATE = Acute Toxicity Estimates. CAO = Cargo Aircraft Only. CAS = Chemical Abstract Service. CLP = Classification, Labelling and Packaging of substances and mixtures. DIN = German national organization for standardization. DNEL = Derived No Effect Level. EC50 = Effective concentration median for 50% of the population. EC = European Community. EN = European Standards. IARC = International Agency for Research on Cancer. IATA = International Air Transport Association. IBC-Code = Intermediate Bulk Container code. IMDG = International Maritime Dangerous Goods Code. ISO = International Organization for Standardization. STEL = Short-Term Exposure Limit. LC50 = Lethal

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time.

Date / Revised: 12.01.2023

Version: 9.0

Date previous version: 23.06.2016

Previous version: 8.1

Date / First version: 07.03.2003

Product: **Hardener 529 liquid**

(ID no. 30034887/SDS_GEN_GB/EN)

Date of print 13.10.2025

concentration median for 50% of the population. LD50 = Lethal dose median for 50% of the population. TLV = Threshold Limit Value. MARPOL = The International Convention for the Prevention of Pollution from Ships. NEN = Dutch Norm. NOEC = No Observed Effect Concentration. OEL = Occupational Exposure Limit. OECD = Organization for Economic Cooperation and Development. PBT = Persistent, Bioaccumulative and Toxic. PNEC = Predicted No Effect Level. PPM = Parts per million. RID = The European Agreement concerning the International Carriage of Dangerous Goods by Rail. TWA = Time Weight Average. UN-number = UN number at transport. vPvB = very Persistent and very Bioaccumulative.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Vertical lines in the left hand margin indicate an amendment from the previous version.