Safety data sheet

Page: 1/13

Safety data sheet according to the United Nations' Globally Harmonized System (UN GHS)

Date / Revised: 12.02.2024 Version: 2.0

Product: Hydropalat® WE 3185 EL

(ID no. 30692213/SDS_GEN_ZA/EN)

Date of print 21.10.2025

1. Identification

Product identifier

Hydropalat® WE 3185 EL

Chemical name: Hexan-1-ol, ethoxylated

CAS Number: 31726-34-8

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: wetting agent, additives for inks, varnishes or coatings, Levelling Agent

Details of the supplier of the safety data sheet

Company:

Emergency telephone number

National emergency number: +27 11 203 2420

International emergency number: Telephone: +49 180 2273-112

2. Hazards Identification

Classification of the substance or mixture

According to UN GHS criteria

Acute Tox. 4 (oral) Eye Dam./Irrit. 1

For the classifications not written out in full in this section the full text can be found in section 16.

Date / Revised: 12.02.2024 Version: 2.0

Product: Hydropalat® WE 3185 EL

(ID no. 30692213/SDS_GEN_ZA/EN)

Date of print 21.10.2025

Label elements

Globally Harmonized System (GHS)

Pictogram:



Signal Word: Danger

Hazard Statement:

H318 Causes serious eye damage.

H302 Harmful if swallowed.

Precautionary Statements (Prevention):

P280 Wear eye and face protection.

P270 Do not eat, drink or smoke when using this product.
P264 Wash contaminated body parts thoroughly after handling.

Precautionary Statements (Response):

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER or physician.

P330 Rinse mouth.

Precautionary Statements (Disposal):

P501 Dispose of contents and container to hazardous or special waste

collection point.

Labeling of special preparations (GHS):

This surfactant complies with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them at their direct request or at the request of a detergent manufacturer.

Other hazards

According to UN GHS criteria

No specific dangers known, if the regulations/notes for storage and handling are considered.

3. Composition/Information on Ingredients

Substances

Chemical nature

Polymer based on: Hexan-1-ol, ethoxylated

Date / Revised: 12.02.2024 Version: 2.0

Product: Hydropalat® WE 3185 EL

(ID no. 30692213/SDS_GEN_ZA/EN)

Date of print 21.10.2025

CAS Number: 31726-34-8

<u>Hazardous ingredients (GHS)</u> According to UN GHS criteria

2-(2-Hexyloxyethoxy)ethanol

Content (W/W): >= 1 % - < 7 % Acute Tox. 5 (oral)
CAS Number: 112-59-4 Acute Tox. 4 (dermal)
EC-Number: 203-988-3 Eye Dam./Irrit. 1

INDEX-Number: 603-175-00-7 STOT SE 3 (drowsiness and dizziness)

Aquatic Acute 3

H318, H312, H303, H336, H402

For the classifications not written out in full in this section the full text can be found in section 16.

Mixtures

Not applicable

4. First-Aid Measures

Description of first aid measures

Remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention. Immediately administer a corticosteroid from a controlled/metered dose inhaler.

On skin contact:

Immediately wash thoroughly with plenty of water, apply sterile dressings, consult a skin specialist.

On contact with eyes:

Immediately wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

Most important symptoms and effects, both acute and delayed

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far

Indication of any immediate medical attention and special treatment needed

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

Date / Revised: 12.02.2024 Version: 2.0

Product: Hydropalat® WE 3185 EL

(ID no. 30692213/SDS_GEN_ZA/EN)

Date of print 21.10.2025

5. Fire-Fighting Measures

Extinguishing media

Suitable extinguishing media: water spray, dry powder, foam

Special hazards arising from the substance or mixture

harmful vapours, carbon oxides

Evolution of fumes/fog. The substances/groups of substances mentioned can be released in case of fire

Advice for fire-fighters

Special protective equipment:

Wear a self-contained breathing apparatus.

Further information:

The degree of risk is governed by the burning substance and the fire conditions. Contaminated extinguishing water must be disposed of in accordance with official regulations.

6. Accidental Release Measures

High risk of slipping due to leakage/spillage of product.

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel: Use personal protective clothing. Information regarding personal protective measures, see section 8.

For emergency responders: Take appropriate protective measures.

Environmental precautions

Contain contaminated water/firefighting water. Do not discharge into drains/surface waters/groundwater.

Methods and material for containment and cleaning up

For large amounts: Dike spillage. Pump off product. For residues: Pick up with suitable absorbent material. Dispose of absorbed material in accordance with regulations.

7. Handling and Storage

Precautions for safe handling

No eating, drinking, smoking or tobacco use at the place of work. Wash hands before breaks and at end of work. Remove contaminated clothing and protective equipment before entering eating areas.

Protection against fire and explosion:

No special precautions necessary.

Conditions for safe storage, including any incompatibilities

Suitable materials for containers: Stainless steel 1.4301 (V2), Stainless steel 1.4401, Stainless steel 1.4539, Stainless steel 1.4541, Stainless steel 1.4571, glass, High density polyethylene (HDPE), Low density polyethylene (LDPE), Carbon steel (Iron), tinned carbon steel (Tinplate)

Date / Revised: 12.02.2024 Version: 2.0

Product: Hydropalat® WE 3185 EL

(ID no. 30692213/SDS_GEN_ZA/EN)

Date of print 21.10.2025

Further information on storage conditions: Keep container tightly closed and dry; store in a cool place.

The packed product is not damaged by low temperatures or by frost. Bulk must be protected from solidification.

Protect from temperatures above: 70 °C

Properties of the product change irreversibly on exceeding the limit temperature.

8. Exposure Controls/Personal Protection

Control parameters

Components with occupational exposure limits

No substance specific occupational exposure limits known.

Exposure controls

Personal protective equipment

Respiratory protection:

Respiratory protection in case of vapour/aerosol release. Particle filter with medium efficiency for solid and liquid particles (e.g. EN 143 or 149, Type P2 or FFP2)

Hand protection:

Chemical resistant protective gloves (EN ISO 374-1)

Suitable materials also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1): nitrile rubber (NBR) - 0.4 mm coating thickness

Supplementary note: The specifications are based on tests, literature data and information of glove manufacturers or are derived from similar substances by analogy. Due to many conditions (e.g. temperature) it must be considered, that the practical usage of a chemical-protective glove in practice may be much shorter than the permeation time determined through testing. Manufacturer's directions for use should be observed because of great diversity of types.

Eve protection:

Tightly fitting safety goggles (cage goggles) (e.g. EN 166) and face shield.

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures

Wearing of closed work clothing is recommended. No eating, drinking, smoking or tobacco use at the place of work. Handle in accordance with good industrial hygiene and safety practice.

9. Physical and Chemical Properties

Information on basic physical and chemical properties

Form: liquid

Colour: colourless to yellowish Odour: product specific

Date / Revised: 12.02.2024 Version: 2.0

Product: Hydropalat® WE 3185 EL

(ID no. 30692213/SDS_GEN_ZA/EN)

(DIN 51758)

(internal method)

Date of print 21.10.2025

pH value: approx. 7 (DIN EN 1262)

(50 g/l, 23 °C)

Melting point: $< 0 \, ^{\circ}\text{C}$ (other) Boiling point: $> 200 \, ^{\circ}\text{C}$ (internal test)

(1,013 hPa)

Flash point: 176 °C

Evaporation rate:

Value can be approximated from Henry's Law Constant or vapor

pressure.

Flammability: not flammable

Lower explosion limit:

For liquids not relevant for classification and labelling., The lower explosion point may be 5 - 15

°C below the flash point.

Upper explosion limit:

For liquids not relevant for

classification and labelling.

 $\begin{array}{lll} \mbox{Ignition temperature:} & > 250 \ ^{\circ}\mbox{C} & (DIN 51794) \\ \mbox{Vapour pressure:} & < 0.1 \ hPa & (internal method) \end{array}$

(20 °C)

Density: approx. 1 g/cm3 (DIN 51757)

(20 °C)

Relative density:

No data available.

Relative vapour density (air):

not determined

Solubility in water: soluble

(15 °C)

Solubility (qualitative) solvent(s): alcohols

soluble

Partitioning coefficient n-octanol/water (log Kow):

Study technically not feasible.

Self ignition: not self-igniting

Thermal decomposition: > 150 °C (internal method)

Viscosity, dynamic:

not determined

Viscosity, kinematic: approx. 20 mm2/s

(23 °C)

Explosion hazard: not explosive

Fire promoting properties: not fire-propagating

Other information

Self heating ability: It is not a substance capable of

spontaneous heating according to UN transport regulations class 4.2.

Hygroscopy: Non-hygroscopic

Surface tension: 48 mN/m (DIN EN 14370)

(20 °C; 1 g/l)

37.5 mN/m (DIN EN 14370)

(20 °C; 5 g/l)

Date / Revised: 12.02.2024 Version: 2.0

Product: Hydropalat® WE 3185 EL

(ID no. 30692213/SDS_GEN_ZA/EN)

Date of print 21.10.2025

Grain size distribution: The substance / product is marketed or used in a non solid or

granular form.

Other Information:

If necessary, information on other physical and chemical parameters is indicated in this section.

10. Stability and Reactivity

Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Corrosion to metals: Corrosive effects to metal are not anticipated.

Formation of Remarks: Forms no flammable gases in the

flammable gases: presence of water.

Chemical stability

The product is stable if stored and handled as prescribed/indicated.

Peroxides: The product does not contain peroxides. The product/the substance has

not a tendency towards the formation of peroxide.

Possibility of hazardous reactions

No hazardous reactions when stored and handled according to instructions.

Conditions to avoid

See SDS section 7 - Handling and storage.

Incompatible materials

Substances to avoid:

caustics, halogens, Alkalines, acids, reactive chemicals

Hazardous decomposition products

Hazardous decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated.

11. Toxicological Information

Information on toxicological effects

Acute toxicity

Experimental/calculated data:

LD50 rat (oral): > 300 - 2,000 mg/kg (OECD Guideline 423)

LC50 rat (by inhalation):

not determined

LD50 rat (dermal): > 2,000 mg/kg (OECD Guideline 402)

Information on: Hexan-1-ol, ethoxylated

Date / Revised: 12.02.2024 Version: 2.0

Product: Hydropalat® WE 3185 EL

(ID no. 30692213/SDS_GEN_ZA/EN)

Date of print 21.10.2025

Experimental/calculated data:

LD50 rat (oral): > 300 - 2,000 mg/kg (OECD Guideline 423)

Information on: 2-(2-Hexyloxyethoxy)ethanol

Experimental/calculated data:

LD50 rabbit (dermal): 2,001 - 2,216 mg/kg (similar to OECD guideline 402)

Irritation

Experimental/calculated data:

Skin corrosion/irritation rabbit: non-irritant (other)

The product has not been tested. The statement has been derived from the properties of the individual components.

Serious eye damage/irritation rabbit: irreversible damage (other)

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: 2-(2-Hexyloxyethoxy)ethanol

Experimental/calculated data:

Skin corrosion/irritation rabbit: non-irritant (Directive 84/449/EEC, B.4)

Literature data.

Information on: Hexan-1-ol, ethoxylated

Experimental/calculated data:

Skin corrosion/irritation rabbit: non-irritant (other)

Information on: 2-(2-Hexyloxyethoxy)ethanol

Experimental/calculated data:

Serious eye damage/irritation rabbit: irreversible damage (OECD Guideline 405)

Information on: Hexan-1-ol, ethoxylated

Experimental/calculated data:

Serious eye damage/irritation rabbit: Irritant. (other)

The statement for irritation of the mucous membrane was derived from products of similar

composition.

Respiratory/Skin sensitization

Assessment of sensitization:

No data available.

Germ cell mutagenicity

Assessment of mutagenicity: Not classified, due to lack of data.

Carcinogenicity

Date / Revised: 12.02.2024 Version: 2.0

Product: Hydropalat® WE 3185 EL

(ID no. 30692213/SDS_GEN_ZA/EN)

Date of print 21.10.2025

Assessment of carcinogenicity: Not classified, due to lack of data.

Reproductive toxicity

Assessment of reproduction toxicity: Not classified, due to lack of data.

Developmental toxicity

Assessment of teratogenicity: Not classified, due to lack of data.

Specific target organ toxicity (single exposure)

Remarks: No data available.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity: Not classified, due to lack of data.

Aspiration hazard

No aspiration hazard expected.

Other relevant toxicity information

The product has not been tested. The statements on toxicology have been derived from products of a similar structure and composition.

12. Ecological Information

Toxicity

Toxicity to fish:

LC50 (96 h) > 100 mg/l, Brachydanio rerio (OECD 203; ISO 7346; 84/449/EWG, C.1)

Aquatic invertebrates:

EC50 (48 h) > 100 mg/l, Daphnia magna (OECD Guideline 202, part 1)

Aquatic plants:

EC50 (72 h) > 100 mg/l, Scenedesmus subspicatus (Guideline 92/69/EEC, C.3)

EC10 (72 h) > 100 mg/l (growth rate), Scenedesmus subspicatus (Guideline 92/69/EEC, C.3)

Microorganisms/Effect on activated sludge:

EC50 > 1,000 mg/l

Inhibition of degradation activity in activated sludge is not to be anticipated during correct introduction of low concentrations.

Chronic toxicity to fish:

No data available.

Date / Revised: 12.02.2024 Version: 2.0

Product: Hydropalat® WE 3185 EL

(ID no. 30692213/SDS_GEN_ZA/EN)

Date of print 21.10.2025

Chronic toxicity to aquatic invertebrates:

No data available.

Assessment of terrestrial toxicity:

No data available concerning terrestrial toxicity.

Persistence and degradability

Assessment biodegradation and elimination (H2O):

Readily biodegradable.

Elimination information:

> 60 % CO2 formation relative to the theoretical value (28 d) (OECD 301B; ISO 9439; 92/69/EWG, C.4-C) Readily biodegradable.

Bioaccumulative potential

Assessment bioaccumulation potential:

Accumulation in organisms is not to be expected.

Mobility in soil

Assessment transport between environmental compartments:

Volatility: The substance will not evaporate into the atmosphere from the water surface.

Adsorption in soil: Adsorption to solid soil phase is possible.

Results of PBT and vPvB assessment

According to Annex XIII of Regulation (EC) No.1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH): The product does not fulfill the criteria for PBT (Persistent/bioaccumulative/toxic) and vPvB (very persistent/very bioaccumulative).

Other adverse effects

The product does not contain substances that are listed in Regulation (EC) 1005/2009 on substances that deplete the ozone layer.

Additional information

Sum parameter

Chemical oxygen demand (COD): (calculated) approx. 2,140 mg/g

Add. remarks environm. fate & pathway:

Treatment in biological waste water treatment plants has to be performed according to local and administrative regulations.

Other ecotoxicological advice:

The product has not been tested. The statements on ecotoxicology have been derived from products of a similar structure and composition. Do not allow to enter soil, waterways or waste water channels.

Date / Revised: 12.02.2024 Version: 2.0

Product: Hydropalat® WE 3185 EL

(ID no. 30692213/SDS_GEN_ZA/EN)

Date of print 21.10.2025

13. Disposal Considerations

Waste treatment methods

Must be disposed of or incinerated in accordance with local regulations. No disposal via sewage or waste water systems.

Contaminated packaging:

Uncontaminated packaging can be re-used.

Packs that cannot be cleaned should be disposed of in the same manner as the contents.

14. Transport Information

Land transport

ADR

Not classified as a dangerous good under transport regulations

UN number or ID number: Not applicable UN proper shipping name: Not applicable Transport hazard class(es): Not applicable Packing group: Not applicable Environmental hazards: Not applicable None known Special precautions for

user

RID

Not classified as a dangerous good under transport regulations

UN number or ID number: Not applicable Not applicable UN proper shipping name: Not applicable Transport hazard class(es): Packing group: Not applicable Environmental hazards: Not applicable None known

user

Special precautions for

Inland waterway transport

ADN

Not classified as a dangerous good under transport regulations

Not applicable UN number or ID number: Not applicable UN proper shipping name: Transport hazard class(es): Not applicable Packing group: Not applicable Not applicable Environmental hazards: Special precautions for None known

user:

Transport in inland waterway vessel

Date / Revised: 12.02.2024 Version: 2.0

Product: Hydropalat® WE 3185 EL

(ID no. 30692213/SDS_GEN_ZA/EN)

Date of print 21.10.2025

Not evaluated

Sea transport

IMDG

Not classified as a dangerous good under transport regulations

Not applicable UN number or ID number: Not applicable UN proper shipping name: Transport hazard class(es): Not applicable Packing group: Not applicable Environmental hazards: Not applicable None known

Special precautions for

user

Air transport

IATA/ICAO

Not classified as a dangerous good under transport regulations

UN number or ID number Not applicable Not applicable UN proper shipping name: Not applicable Transport hazard class(es): Packing group: Not applicable Environmental hazards: Not applicable Special precautions for None known

user

Maritime transport in bulk according to IMO instruments

Maritime transport in bulk is not intended.

15. Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

16. Other Information

Information on intended use: This product is of industrial quality and unless otherwise specified or agreed intended exclusively for industrial use. This includes the mentioned and recommended usage. Any other intended applications should be discussed with the manufacturer. In particular this concerns the application for products that are the object of special standards and regulations.

Full text of classifications, hazard symbols and hazard statements, if mentioned in section 2 or 3: Acute Tox. Acute toxicity

Page: 13/13

Safety data sheet according to the United Nations' Globally Harmonized System (UN GHS)

Date / Revised: 12.02.2024 Version: 2.0

Product: Hydropalat® WE 3185 EL

(ID no. 30692213/SDS_GEN_ZA/EN)

Date of print 21.10.2025

Eye Dam./Irrit.	Serious eye damage/eye irrita	tion

STOT SE Specific target organ toxicity — single exposure
Aquatic Acute Hazardous to the aquatic environment - acute

H318 Causes serious eye damage.
H312 Harmful in contact with skin.
H303 May be harmful if swallowed.
H336 May cause drowsiness or dizziness.

H402 Harmful to aquatic life.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Vertical lines in the left hand margin indicate an amendment from the previous version.