

Safety data sheet

Page: 1/13

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 15.07.2020 Version: 3.0

Product: Luphen® D 207 E

(ID no. 30714099/SDS_GEN_00/EN)

Date of print 12.10.2025

1. Identification

Product identifier

Luphen® D 207 E

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Raw material, for industrial use only

Details of the supplier of the safety data sheet

Company:
BASF SE
67056 Ludwigshafen
GERMANY
Regional Business Unit Dispersions Europe

Telephone: +49 621 60-0

E-mail address: ed-psr@basf.com

Emergency telephone number

International emergency number: Telephone: +49 180 2273-112

2. Hazards Identification

Classification of the substance or mixture

According to UN GHS criteria

Skin Sens. 1

For the classifications not written out in full in this section the full text can be found in section 16.

Date / Revised: 15.07.2020 Version: 3.0

Product: Luphen® D 207 E

(ID no. 30714099/SDS_GEN_00/EN)

Date of print 12.10.2025

Label elements

Globally Harmonized System (GHS)

Pictogram:



Signal Word: Warning

Hazard Statement:

H317 May cause an allergic skin reaction.

Precautionary Statements (Prevention):

P280 Wear protective gloves.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P272 Contaminated work clothing should not be allowed out of the workplace.

Precautionary Statements (Response):

P303 + P352 IF ON SKIN (or hair): Wash with plenty of soap and water.

P333 + P311 If skin irritation or rash occurs: Call a POISON CENTER or physician.

P362 + P364 Take off contaminated clothing and wash it before reuse.

Precautionary Statements (Disposal):

P501 Dispose of contents and container to hazardous or special waste

collection point.

Other hazards

According to UN GHS criteria

No specific dangers known, if the regulations/notes for storage and handling are considered. If the product adheres to skin, irritation may occur when it dries.

3. Composition/Information on Ingredients

Substances

Not applicable

Mixtures

Chemical nature

Date / Revised: 15.07.2020 Version: 3.0

Product: Luphen® D 207 E

(ID no. 30714099/SDS_GEN_00/EN)

Date of print 12.10.2025

Aqueous dispersion of a polymer based on: polyurethane

<u>Hazardous ingredients (GHS)</u> According to UN GHS criteria

mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one

Content (W/W): < 0,0025 % Acute Tox. 3 (oral)

CAS Number: 55965-84-9 Acute Tox. 2 (Inhalation - mist)

INDEX-Number: 613-167-00-5 Acute Tox. 2 (dermal)

Skin Corr./Irrit. 1C
Eye Dam./Irrit. 1
Skin Sens. 1A
Aquatic Acute 1
Aquatic Chronic 1
M-factor acute: 100
M-factor chronic: 100

H301, H317, H314, H310 + H330, H400, H410

EUH071

Specific concentration limit: Skin Corr./Irrit. 1C: >= 0,6 % Skin Sens. 1A: >= 0,0015 % Eye Dam./Irrit. 1: >= 0,6 % Skin Corr./Irrit. 2: 0,06 - < 0,6 % Eye Dam./Irrit. 2: 0,06 - < 0,6 %

For the classifications not written out in full in this section the full text can be found in section 16.

4. First-Aid Measures

Description of first aid measures

Remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

On skin contact:

Wash thoroughly with soap and water

On contact with eyes:

Immediately wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion:

Rinse mouth and then drink 200-300 ml of water. Do not induce vomiting unless told to by a poison control center or doctor.

Date / Revised: 15.07.2020 Version: 3.0

Product: Luphen® D 207 E

(ID no. 30714099/SDS_GEN_00/EN)

Date of print 12.10.2025

Most important symptoms and effects, both acute and delayed

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11.

Hazards: No hazards anticipated.

Indication of any immediate medical attention and special treatment needed

Treatment: Symptomatic treatment (decontamination, vital functions).

5. Fire-Fighting Measures

Extinguishing media

Suitable extinguishing media: water spray, dry powder, foam, carbon dioxide

Special hazards arising from the substance or mixture

No particular hazards known.

Advice for fire-fighters

Special protective equipment:

No data available.

Further information:

Dispose of fire debris and contaminated extinguishing water in accordance with official regulations. Product itself is non-combustible; fire extinguishing method of surrounding areas must be considered.

6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Use personal protective clothing. Avoid contact with skin and eyes.

Environmental precautions

Do not release untreated into natural waters.

Methods and material for containment and cleaning up

For small amounts: Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose

binder, kieselguhr). Dispose of absorbed material in accordance with regulations.

For large amounts: Pump off product.

7. Handling and Storage

Precautions for safe handling

Date / Revised: 15.07.2020 Version: 3.0

Product: Luphen® D 207 E

(ID no. 30714099/SDS_GEN_00/EN)

Date of print 12.10.2025

Handle in accordance with good industrial hygiene and safety practice. After long storage, slight quantities of carbon monoxide may be formed. To our best knowledge, the occupational exposure limit (OEL) is not exceeded during use. Entering of tanks must only be performed after intensive cleaning and when it is ensured that residual vapours have been removed. Consideration of national laws and international standards for confined space entry should be taken in to account. In case of doubt, the concentration of Carbon monoxide must be determined.

Conditions for safe storage, including any incompatibilities

Further information on storage conditions: Store protected against freezing.

Protect from temperatures below: 5 °C Protect from temperatures above: 60 °C

Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

8. Exposure Controls/Personal Protection

Control parameters

Components with occupational exposure limits

none

Exposure controls

Personal protective equipment

Hand protection:

Suitable chemical resistant safety gloves (EN 374) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN 374): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc. Supplementary note: The specifications are based on tests, literature data and information of glove manufacturers or are derived from similar substances by analogy. Due to many conditions (e.g. temperature) it must be considered, that the practical usage of a chemical-protective glove in practice may be much shorter than the permeation time determined through testing.

Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

General safety and hygiene measures

Hands and/or face should be washed before breaks and at the end of the shift. Avoid contact with skin and eyes.

9. Physical and Chemical Properties

Information on basic physical and chemical properties

Date / Revised: 15.07.2020 Version: 3.0

Product: Luphen® D 207 E

(ID no. 30714099/SDS_GEN_00/EN)

Date of print 12.10.2025

Form: liquid, dispersion

Colour: white

Odour: almost odourless

Odour threshold:

not determined

pH value: 7,0 - 9,0 (DIN ISO 976)

(23 °C)

Information on: Water

Melting point: 0 °C

Information on: Water

Boiling point: 100 °C

Flash point:

not applicable

Flammability: not flammable

Lower explosion limit:

For liquids not relevant for

classification and labelling.

Upper explosion limit:

For liquids not relevant for

classification and labelling.

Ignition temperature:

not applicable

Information on: Water

Vapour pressure:

23,4 hPa

(20 °C)

Literature data.

Density: approx. 1,06 g/cm3 (ISO 8962)

(20 °C)

Relative density:

No data available.

Relative vapour density (air):

not applicable

Solubility in water: partly soluble

(15 °C)

Partitioning coefficient n-octanol/water (log Kow):

not applicable

Self ignition: not self-igniting

Thermal decomposition: No decomposition if used correctly.

Viscosity, dynamic: 30 - 100 mPa.s (DIN EN ISO 3219)

(23 °C, 250 1/s)

Explosion hazard: not explosive

Fire promoting properties: not fire-propagating

Other information

Date / Revised: 15.07.2020 Version: 3.0

Product: Luphen® D 207 E

(ID no. 30714099/SDS_GEN_00/EN)

Date of print 12.10.2025

Self heating ability: It is not a substance capable of

spontaneous heating.

Miscibility with water:

miscible

Solids content: 44,0 - 46,0 %

(DIN EN ISO 3251)

Other Information:

Range of particle size: < 0,1 µm - 10 µm

10. Stability and Reactivity

Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Chemical stability

The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions

No hazardous reactions when stored and handled according to instructions. After long storage, slight quantities of carbon monoxide may be formed.

Conditions to avoid

Avoid extreme temperatures.

Incompatible materials

Substances to avoid:

No substances known that should be avoided.

Hazardous decomposition products

.

No hazardous decomposition products if stored and handled as prescribed/indicated.

11. Toxicological Information

Information on toxicological effects

Acute toxicity

Assessment of acute toxicity:

Virtually nontoxic after a single ingestion. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Experimental/calculated data:

LD50 rat (oral): > 2.000 - 10.000 mg/kg

Date / Revised: 15.07.2020 Version: 3.0

Product: Luphen® D 207 E

(ID no. 30714099/SDS_GEN_00/EN)

Date of print 12.10.2025

Irritation

Assessment of irritating effects:

If the product adheres to skin, irritation may occur when it dries.

Not irritating to the eyes. Not irritating to the skin. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Experimental/calculated data:

Skin corrosion/irritation rabbit: non-irritant (OECD Guideline 404)

Serious eye damage/irritation rabbit: non-irritant (OECD Guideline 405)

Respiratory/Skin sensitization

Assessment of sensitization:

May cause sensitization by skin contact.

Germ cell mutagenicity

Assessment of mutagenicity:

The substance was not mutagenic in bacteria. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Carcinogenicity

Assessment of carcinogenicity:

The whole of the information assessable provides no indication of a carcinogenic effect.

Reproductive toxicity

Assessment of reproduction toxicity:

Not expected to cause reproductive toxicity (based on composition).

Developmental toxicity

Assessment of teratogenicity:

The data available for an assessment of the effect of the substance on developmental toxicity are not sufficient for a proper evaluation.

Specific target organ toxicity (single exposure)

Assessment of STOT single:

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

Date / Revised: 15.07.2020 Version: 3.0

Product: Luphen® D 207 E

(ID no. 30714099/SDS_GEN_00/EN)

Date of print 12.10.2025

No adverse effects were observed after repeated inhalative exposure in animal studies. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Aspiration hazard

not applicable

Other relevant toxicity information

Based on our experience and the information available, no adverse health effects are expected if handled as recommended with suitable precautions for designated uses. The statement was derived from products of similar composition.

12. Ecological Information

Toxicity

Toxicity to fish:

LC50 (96 h) > 100 mg/l, Brachydanio rerio (OECD Guideline 203, static)

Aquatic invertebrates:

EC50 (48 h) > 100 mg/l, Daphnia magna (OECD Guideline 202, part 1, static)

Aquatic plants:

EC50 (72 h) > 100 mg/l, Scenedesmus subspicatus (OECD Guideline 201)

Nominal concentration.

Microorganisms/Effect on activated sludge:

EC20 (0.5 h) > 100 mg/l, activated sludge, domestic (DIN EN ISO 8192-OECD 209-88/302/EEC,P. C)

The inhibition of the degradation activity of activated sludge is not anticipated when introduced to biological treatment plants in appropriate low concentrations.

Persistence and degradability

Assessment biodegradation and elimination (H2O):

The product can be virtually eliminated from water by abiotic processes e.g. adsorption onto activated sludge.

Elimination information:

> 70 % DOC reduction (OECD 302B; ISO 9888; 88/302/EEC,part C) Easily eliminated from water.

Bioaccumulative potential

Bioaccumulation potential:

Based on its structural properties, the polymer is not biologically available. Accumulation in organisms is not to be expected.

Date / Revised: 15.07.2020 Version: 3.0

Product: Luphen® D 207 E

(ID no. 30714099/SDS_GEN_00/EN)

Date of print 12.10.2025

Mobility in soil

Assessment transport between environmental compartments: Volatility: No data available.

Other adverse effects

No data available.

Additional information

Adsorbable organically-bound halogen (AOX):

No data available.

Other ecotoxicological advice:

Do not release untreated into natural waters. At the present state of knowledge, no negative ecological effects are expected.

Ecological data are determined by analogy.

13. Disposal Considerations

Waste treatment methods

Must be disposed of or incinerated in accordance with local regulations.

A waste code in accordance with the European waste catalog (EWC) cannot be specified, due to dependence on the usage.

Observe national and local legal requirements.

14. Transport Information

Land transport

ADR

Not classified as a dangerous good under transport regulations

UN number:
UN proper shipping name:
Transport hazard class(es):
Packing group:
Environmental hazards:
Special precautions for

Not applicable
Not applicable
Not applicable
Not applicable
Not applicable
Not applicable

user

RID

Date / Revised: 15.07.2020 Version: 3.0

Product: Luphen® D 207 E

(ID no. 30714099/SDS_GEN_00/EN)

Date of print 12.10.2025

Not classified as a dangerous good under transport regulations

UN number:
UN proper shipping name:
Transport hazard class(es):
Packing group:
Environmental hazards:

Not applicable
Not applicable
Not applicable

Special precautions for

user

None known

Inland waterway transport

ADN

Not classified as a dangerous good under transport regulations

UN number:
UN proper shipping name:
Transport hazard class(es):
Packing group:
Environmental hazards:
Special precautions for

Not applicable
Not applicable
Not applicable
Not applicable
Not applicable
Not applicable

user:

Transport in inland waterway vessel

Not evaluated

Sea transport

IMDG

Not classified as a dangerous good under transport regulations

UN number:
UN proper shipping name:
Transport hazard class(es):
Packing group:
Environmental hazards:
Special precautions for

Not applicable

user

Air transport

IATA/ICAO

Not classified as a dangerous good under transport regulations

UN number: Not applicable
UN proper shipping name: Not applicable
Transport hazard class(es): Not applicable
Packing group: Not applicable

Date / Revised: 15.07.2020 Version: 3.0

Product: Luphen® D 207 E

(ID no. 30714099/SDS_GEN_00/EN)

Date of print 12.10.2025

Environmental hazards: Name of Special precautions for Name of

user

Not applicable None known

Transport in bulk according to Annex II of MARPOL and the IBC Code

Regulation: Not evaluated
Shipment approved: Not evaluated
Pollution name: Not evaluated
Pollution category: Not evaluated
Ship Type: Not evaluated

15. Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

16. Other Information

Any other intended applications should be discussed with the manufacturer.

Full text of classifications, hazard symbols and hazard statements, if mentioned in section 2 or 3:

Skin Sens. Skin sensitization Acute Tox. Acute toxicity

Skin Corr./Irrit. Skin corrosion/irritation

Eye Dam./Irrit. Serious eye damage/eye irritation

Aquatic Acute Hazardous to the aquatic environment - acute Aquatic Chronic Hazardous to the aquatic environment - chronic

H301 Toxic if swallowed.

H317 May cause an allergic skin reaction.

H314 Causes severe skin burns and eye damage.

H310 + H330 Fatal in contact with skin or if inhaled

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

EUH071 Corrosive to the respiratory tract.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Page: 13/13

BASF Safety data sheet according to UN GHS 4th rev. Date / Revised: 15.07.2020 Product: Luphen® D 207 E Version: 3.0

(ID no. 30714099/SDS_GEN_00/EN)

Date of print 12.10.2025

Vertical lines in the left hand margin indicate an amendment from the previous version.