

# Safety Data Sheet

## PALAMOLL® 654

Revision date : 2024/03/29

Version: 2.1

Page: 1/9

(30034730/SDS\_GEN\_MX/EN)

### 1. Identification

#### Product identifier used on the label

**PALAMOLL® 654**

#### Recommended use of the chemical and restriction on use

Recommended use\*: plasticizers

Recommended use\*: for industrial use only

Unsuitable for use: Not intended for sale to or use by the general public.

\* The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

#### Details of the supplier of the safety data sheet

##### Company:

BASF Mexicana S.A. de C.V.

Av. Insurgentes Sur 975

Col. CD. De Los Deportes,

C.P. 03710 Ciudad de México

MÉXICO

Telephone: +52 55 5325 2600

#### Emergency telephone number

##### 24 Hour Emergency Response Information

SETIQ: 1800-00-214-(Rep. Mexicana) or 55-59-15-88 (CDMX)

Telephone: +1-800-849-5204 or +1-833-229-1000

#### Other means of identification

Chemical family:

adipic acid polyesters

Synonyms:

POLYESTER BASED ON DICARBOXYLIC ACIDS AND  
POLYHYDRIC ALCOHOLS

---

### 2. Hazards Identification

#### According to Regulation NOM-018-STPS-2015

##### Label elements

# Safety Data Sheet

## PALAMOLL® 654

Revision date: 2024/03/29  
Version: 2.1

Page: 2/9  
(30034730/SDS\_GEN\_MX/EN)

The product does not require a hazard warning label in accordance with GHS criteria.

### Hazards not otherwise classified

No applicable information available.

---

## 3. Composition / Information on Ingredients

### According to Regulation NOM-018-STPS-2015

Under the referenced regulation, this product does not contain any components classified for health hazards above the relevant cut off value.

---

## 4. First-Aid Measures

### Description of first aid measures

#### General advice:

Remove contaminated clothing.

#### If inhaled:

Keep patient calm, remove to fresh air.

#### If on skin:

Wash thoroughly with soap and water

#### If in eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open.

#### If swallowed:

Rinse mouth and then drink 200-300 ml of water.

### Most important symptoms and effects, both acute and delayed

Symptoms: No applicable information available.

### Indication of any immediate medical attention and special treatment needed

#### Note to physician

Treatment: Symptomatic treatment (decontamination, vital functions).

---

## 5. Fire-Fighting Measures

### Extinguishing media

Suitable extinguishing media:

dry powder, water spray, carbon dioxide, foam

Unsuitable extinguishing media for safety reasons:

water jet

# Safety Data Sheet

## PALAMOLL® 654

Revision date: 2024/03/29  
Version: 2.1

Page: 3/9  
(30034730/SDS\_GEN\_MX/EN)

Additional information:  
Use extinguishing measures to suit surroundings.

### Special hazards arising from the substance or mixture

Hazards during fire-fighting:  
The product is combustible. Cool endangered containers with water-spray. See SDS section 7 - Handling and storage.

### Advice for fire-fighters

Protective equipment for fire-fighting:  
Wear a self-contained breathing apparatus. Special protective equipment for firefighters

### Further information:

Evacuate area of all unnecessary personnel. Fight fire from maximum distance.

Extend fire extinguishing measures to the surroundings. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

---

## 6. Accidental release measures

### Further accidental release measures:

High risk of slipping due to leakage/spillage of product.

Shut off or stop source of leak. Shut off or stop released substance/product under safe conditions.

Pack in tightly closed containers for disposal.

### Personal precautions, protective equipment and emergency procedures

Handle in accordance with good industrial hygiene and safety practice.

### Environmental precautions

Discharge into the environment must be avoided.

### Methods and material for containment and cleaning up

Pick up with suitable appliance and dispose of. Spills should be contained, solidified, and placed in suitable containers for disposal. Dispose of absorbed material in accordance with regulations.

---

## 7. Handling and Storage

### Precautions for safe handling

Handle in accordance with good industrial hygiene and safety practice.

Protection against fire and explosion:

No special precautions necessary. Substance/product is non-flammable.

### Conditions for safe storage, including any incompatibilities

Further information on storage conditions: Containers should be stored tightly sealed in a dry place.

---

# Safety Data Sheet

## PALAMOLL® 654

Revision date: 2024/03/29  
Version: 2.1

Page: 4/9  
(30034730/SDS\_GEN\_MX/EN)

### 8. Exposure Controls/Personal Protection

No substance specific occupational exposure limits known.

#### Personal protective equipment

##### **Respiratory protection:**

Wear respiratory protection if ventilation is inadequate. Gas filter for gases/vapours of organic compounds (boiling point >65 °C, e. g. EN 14387 Type A)

##### **Hand protection:**

Suitable chemical resistant safety gloves (EN ISO 374-1) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc., Manufacturer's directions for use should be observed because of great diversity of types., Supplementary note: The specifications are based on tests, literature data and information of glove manufacturers or are derived from similar substances by analogy. Due to many conditions (e.g. temperature) it must be considered, that the practical usage of a chemical-protective glove in practice may be much shorter than the permeation time determined through testing.

##### **Eye protection:**

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

##### **Body protection:**

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

##### **General safety and hygiene measures:**

Handle in accordance with good industrial hygiene and safety practice. Wearing of closed work clothing is required additionally to the stated personal protection equipment.

### 9. Physical and Chemical Properties

Form:	viscous	
Odour:	ester-like	
	ester-like	
Odour threshold:	not determined	
Colour:	colourless to slightly yellow	
pH value:	not applicable, of very low solubility	
pour point:	-18 °C	(DIN ISO 3016)
	( 1 ATM)	
Freezing point:	No data available.	
Melting point:	No data available.	
Boiling point:	not applicable	
Boiling range:	No data available.	
Flash point:	190 °C	(ISO 2719)
Flammability:	not highly flammable	
Lower explosion limit:	For liquids not relevant for classification and labelling. The lower explosion point may be 5 - 15 °C below the flash point.	

# Safety Data Sheet

## PALAMOLL® 654

Revision date: 2024/03/29  
Version: 2.1

Page: 5/9  
(30034730/SDS\_GEN\_MX/EN)

Upper explosion limit:	For liquids not relevant for classification and labelling.	
Autoignition:	400 °C	(DIN 51794)
Vapour pressure:	< 0.1 hPa ( 20 °C)	
Density:	1.070 - 1.085 g/cm3 ( 20 °C)	(DIN 51757)
Relative density:	1.070 - 1.085 ( 20 °C)	
Vapour density:	> 1 ( 20 °C) Heavier than air.	(estimated)
Partitioning coefficient n-octanol/water (log Pow):	not applicable	
Refractive index:	1.468 - 1.470 ( 20 °C )	(DIN 51423-2 (n2D20))
Self-ignition temperature:	not self-igniting	
Thermal decomposition:	No decomposition if stored and handled as prescribed/indicated.	
Viscosity, dynamic:	4,500 - 5,500 mPa.s ( 20 °C)	(calculated (from kinematic viscosity))
Viscosity, kinematic:	No data available.	
Solubility in water:	< 0.1 mg/l ( 20 °C)	
Solubility (quantitative):	No data available.	
Solubility (qualitative):	soluble solvent(s): organic solvents,	
Molar mass:	not applicable	
Evaporation rate:	No data available.	

## 10. Stability and Reactivity

### Reactivity

Corrosion to metals:  
No corrosive effect on metal.

Oxidizing properties:  
not fire-propagating (other)

Formation of flammable gases:	Remarks:	Forms no flammable gases in the presence of water.
-------------------------------	----------	--

### Chemical stability

The product is stable if stored and handled as prescribed/indicated.

### Possibility of hazardous reactions

Reacts with strong oxidizing agents.

### Conditions to avoid

No special precautions other than good housekeeping of chemicals.

### Incompatible materials

strong oxidizing agents

# Safety Data Sheet

## PALAMOLL® 654

Revision date: 2024/03/29  
Version: 2.1

Page: 6/9  
(30034730/SDS\_GEN\_MX/EN)

### Hazardous decomposition products

Decomposition products:

Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

Thermal decomposition:

No decomposition if stored and handled as prescribed/indicated.

---

## 11. Toxicological information

### Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

### Acute Toxicity/Effects

#### Acute toxicity

Assessment of acute toxicity: Virtually nontoxic after a single ingestion.

#### Oral

Type of value: LD50

Species: rat

Value: > 2,000 mg/kg (BASF-Test)

#### Assessment other acute effects

Assessment of STOT single:

Not relevant.

#### Irritation / corrosion

Assessment of irritating effects: Not irritating to the skin. Not irritating to the eyes.

#### Skin

Species: rabbit

Method: OECD Guideline 404

#### Eye

Species: rabbit

Method: OECD Guideline 405

#### Sensitization

Assessment of sensitization: The chemical structure does not suggest a sensitizing effect.

#### Aspiration Hazard

not applicable

### Chronic Toxicity/Effects

#### Repeated dose toxicity

# Safety Data Sheet

## PALAMOLL® 654

Revision date: 2024/03/29  
Version: 2.1

Page: 7/9  
(30034730/SDS\_GEN\_MX/EN)

Assessment of repeated dose toxicity: Based on our experience and the information available, no adverse health effects are expected if handled as recommended with suitable precautions for designated uses.

### Genetic toxicity

Assessment of mutagenicity: The chemical structure does not suggest a specific alert for such an effect.

### Carcinogenicity

Assessment of carcinogenicity: Based on the structure there is no suspicion of a carcinogenic effect.

### Reproductive toxicity

Assessment of reproduction toxicity: Based on our experience and the information available, no adverse health effects are expected if handled as recommended with suitable precautions for designated uses.

---

## 12. Ecological Information

### **Toxicity**

#### Aquatic toxicity

Assessment of aquatic toxicity:

There is a high probability that the product is not acutely harmful to aquatic organisms. The LC50 is higher than the solubility limit. The inhibition of the degradation activity of activated sludge is not anticipated when introduced to biological treatment plants in appropriate low concentrations.

#### Toxicity to fish

LC50 (96 h) > 10,000 mg/l, Oncorhynchus mykiss (OECD 203; ISO 7346; 84/449/EWG, C.1, static)  
Nominal concentration.

### **Microorganisms/Effect on activated sludge**

#### Toxicity to microorganisms

DIN 38412 Part 27 (draft) aerobic

bacterium/EC10 (16 h): > 10,000 mg/l

The product has low solubility in the test medium. An aqueous solution prepared with solubilizers has been tested.

### **Persistence and degradability**

#### Assessment biodegradation and elimination (H2O)

Biodegradable.

#### Elimination information

88 % BOD of COD (28 d) (OECD 301F; ISO 9408; 92/69/EWG, C.4-D) (aerobic, activated sludge, industrial) Biodegradable.

### **Bioaccumulative potential**

#### Bioaccumulation potential

Because of the product's consistency and low water solubility, bioavailability is improbable.

### **Mobility in soil**

# Safety Data Sheet

## PALAMOLL® 654

Revision date: 2024/03/29  
Version: 2.1

Page: 8/9  
(30034730/SDS\_GEN\_MX/EN)

Assessment transport between environmental compartments  
No data available.

### Additional information

Other ecotoxicological advice:  
Inhibition of degradation activity in activated sludge is not to be anticipated during correct introduction of low concentrations. Do not release untreated into natural waters.

## 13. Disposal considerations

### Waste disposal of substance:

Dispose of in accordance with national, state and local regulations.

### Container disposal:

Disposal must be made according to official regulations.

## 14. Transport Information

### Land transport TDG

Not classified as a dangerous good under transport regulations

### Sea transport IMDG

Not classified as a dangerous good under transport regulations

### Air transport IATA/ICAO

Not classified as a dangerous good under transport regulations

## 15. Regulatory Information

### Federal Regulations

Not applicable

### NFPA Hazard codes:

Health: 1      Fire: 1      Reactivity: 0      Special:

### HMIS III rating

Health: 1      Flammability: 1      Physical hazard: 0

## 16. Other Information

### SDS Prepared by:

BASF NA Product Regulations  
SDS Prepared on: 2024/03/29



# Safety Data Sheet

## PALAMOLL® 654

Revision date: 2024/03/29  
Version: 2.1

Page: 9/9  
(30034730/SDS\_GEN\_MX/EN)

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

PALAMOLL® 654 is a registered trademark of BASF Mexicana or BASF SE

This information is considered accurate but is not exhaustive and shall only be used as a guideline based on current knowledge of the chemical substance or mixture. Safety precautions suitable for the product must be applied.

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE, IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK.  
END OF DATA SHEET