

Safety data sheet

Page: 1/13

BASF Safety data sheet

Date / Revised: 15.11.2022

Version: 6.0

Product: **Vitamin A-Propionate 2.5 Mio IU/G stabilized with BHT**

(30041062/SDS_GEN_PH/EN)

Date of print): 23.10.2025

1. Substance/preparation and manufacturer/supplier identification

Product name:

Vitamin A-Propionate 2.5 Mio IU/G stabilized with BHT

Use: feed additive(s)

Manufacturer/supplier:

BASF Philippines, Inc.
Upper Penthouse CTP ASEAN Tower
Asean Drive, Spectrum District
Filinvest Corporate City, Alabang,
Muntinlupa City, 1781, Metro Manila
PHILIPPINES
Telephone: +63 2 8811-8001
E-mail address: psr.ph@basf.com

Emergency information:

National emergency number:
+63 2 8831 5576
International emergency number:
Telephone: +49 180 2273-112

2. Hazard identification

Classification of the substance and mixture:

Acute toxicity: Cat.5 (oral)

Skin corrosion/irritation: Cat.3

Reproductive toxicity: Cat.1B (unborn child)

Hazardous to the aquatic environment - acute: Cat.3

Hazardous to the aquatic environment - chronic: Cat.3

Label elements and precautionary statement:

Pictogram:

BASF Safety data sheet

Date / Revised: 15.11.2022

Version: 6.0

Product: **Vitamin A-Propionate 2.5 Mio IU/G stabilized with BHT**

(30041062/SDS_GEN_PH/EN)

Date of print): 23.10.2025



Signal Word:
Danger

Hazard Statement:

H316	Causes mild skin irritation.
H303	May be harmful if swallowed.
H360	May damage the unborn child.
H402	Harmful to aquatic life.
H412	Harmful to aquatic life with long lasting effects.

Precautionary Statements (Prevention):

P280	Wear protective gloves, protective clothing and eye protection or face protection.
P273	Avoid release to the environment.
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.

Precautionary Statements (Response):

P308 + P313	IF exposed or concerned: Get medical attention.
P301 + P312	IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
P332 + P313	If skin irritation occurs: Get medical attention.

Precautionary Statements (Storage):

P405	Store locked up.
------	------------------

Precautionary Statements (Disposal):

P501	Dispose of contents and container to hazardous or special waste collection point.
------	-----------------------------------------------------------------------------------

Other hazards which do not result in classification:

When finely distributed, self-ignition is possible.

3. Composition/information on ingredients

Chemical nature

Substance nature: mixture

Preparation based on:
retinyl propionate

stabilized with:
2,6-di-tert-butyl-p-cresol

Hazardous ingredients

BASF Safety data sheet

Date / Revised: 15.11.2022

Version: 6.0

Product: **Vitamin A-Propionate 2.5 Mio IU/G stabilized with BHT**

(30041062/SDS_GEN_PH/EN)

Date of print): 23.10.2025

retinyl propionate

Content (W/W): $\geq 75\%$ - $\leq 100\%$

CAS Number: 7069-42-3

Acute Tox.: Cat. 5 (oral)

Skin Corr./Irrit.: Cat. 3

Repr.: Cat. 1B (unborn child)

Aquatic Chronic: Cat. 4

2,6-di-tert-butyl-p-cresol

Content (W/W): $\geq 1\%$ - $< 3\%$

CAS Number: 128-37-0

Aquatic Acute: Cat. 1

Aquatic Chronic: Cat. 1

M-factor chronic: 1

4. First-Aid Measures

General advice:

First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

On skin contact:

Immediately wash thoroughly with soap and water, seek medical attention.

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

Note to physician:

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Suitable extinguishing media:

| water spray, foam, dry powder, carbon dioxide

Unsuitable extinguishing media for safety reasons:

| water jet

Specific hazards:

harmful vapours, carbon oxides

The substances/groups of substances mentioned can be released in case of fire. Evolution of fumes/fog.

BASF Safety data sheet

Date / Revised: 15.11.2022

Version: 6.0

Product: **Vitamin A-Propionate 2.5 Mio IU/G stabilized with BHT**

(30041062/SDS_GEN_PH/EN)

Date of print): 23.10.2025

Special protective equipment:

Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:

Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations. Cool endangered containers with water-spray.

6. Accidental Release Measures

Personal precautions:

Use personal protective clothing. Information regarding personal protective measures, see section 8. Ensure adequate ventilation. Do not breathe vapour/spray. Avoid contact with the skin, eyes and clothing.

Environmental precautions:

Do not discharge into drains/surface waters/groundwater. Inform authorities in the event of product spillage to water courses or sewage systems.

Methods for cleaning up or taking up:

For small amounts: Contain with absorbent material (e.g. sand, silica gel, acid binder, general purpose binder, sawdust). After taking up material in containers, cover immediately with water layer. For large amounts: Dike spillage. Pump off product.

Dispose of absorbed material in accordance with regulations. Soiled textiles / cleaning rags / adsorbents and Silica are capable of self ignition and should be wetted with water and must be disposed of in a safe manner.

7. Handling and Storage

Handling

Ensure thorough ventilation of stores and work areas. Wear suitable protective clothing and eye/face protection. Avoid aerosol formation. Avoid contact with the skin, eyes and clothing. Keep container tightly sealed. Ensure that there is no crystallized product in the container before use. Processing machines must be fitted with local exhaust ventilation.

Protection against fire and explosion:

Risk of self-ignition when a large surface area is produced due to fine dispersion. Avoid all sources of ignition: heat, sparks, open flame. Take precautionary measures against static discharges. Soiled textiles / cleaning rags / adsorbents and Silica are capable of self ignition and should be wetted with water and must be disposed of in a safe manner.

Storage

Segregate from oxidants.

Further information on storage conditions: Keep container tightly closed and dry; store in a cool place. Protect from air. Protect from the effects of light. Keep under nitrogen.

8. Exposure controls and personal protection

Components with occupational exposure limits

2,6-di-tert-butyl-p-cresol, 128-37-0;

TWA value 2 mg/m³ (ACGIHTLV), Inhalable fraction and vapor

Personal protective equipment

Respiratory protection:

Suitable respiratory protection for lower concentrations or short-term effect: Gas filter for gases/vapours of organic compounds (boiling point >65 °C, e. g. EN 14387 Type A)

Hand protection:

Suitable chemical resistant safety gloves (EN ISO 374-1) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc. Supplementary note: The specifications are based on tests, literature data and information of glove manufacturers or are derived from similar substances by analogy. Due to many conditions (e.g. temperature) it must be considered, that the practical usage of a chemical-protective glove in practice may be much shorter than the permeation time determined through testing. Manufacturer's directions for use should be observed because of great diversity of types.

Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures:

Females in early pregnancy must never be exposed to the substance. Under no circumstances should the product come into contact with the skin of pregnant women or be inhaled by them. Avoid contact with skin. Wearing of closed work clothing is required additionally to the stated personal protection equipment. Handle in accordance with good industrial hygiene and safety practice. No eating, drinking, smoking or tobacco use at the place of work. Hands and/or face should be washed before breaks and at the end of the shift. Store work clothing separately.

9. Physical and Chemical Properties

Form:	liquid
Colour:	yellow
Odour:	nutty
Odour threshold:	Not determined due to potential health hazard by inhalation.

BASF Safety data sheet

Date / Revised: 15.11.2022

Version: 6.0

Product: **Vitamin A-Propionate 2.5 Mio IU/G stabilized with BHT**

(30041062/SDS_GEN_PH/EN)

Date of print: 23.10.2025

pH value:	substance/mixture is non-soluble (in water)	
Melting point:	< 20 °C	
Boiling point:	The substance / product decomposes therefore not determined.	
Flash point:	161.0 °C	(ISO 2719)
Flammability (solid/gas):	not readily ignited	
Lower explosion limit:	For liquids not relevant for classification and labelling.	
Upper explosion limit:	For liquids not relevant for classification and labelling.	
Ignition temperature:	291 °C	(DIN EN 14522)
Thermal decomposition:	>= 165 °C	(DSC (DIN 51007))
Self ignition:	Temperature: 291 °C	(Method: Directive 92/69/EEC, A.15)
Self heating ability:	not applicable, the product is a liquid	
SADT:	> 75 °C Heat accumulation / Dewar 500 ml (SADT, UN-Test H.4, 28.4.4)	
Explosion hazard:	not explosive	
Fire promoting properties:	not fire-propagating	
Vapour pressure:	< 1 hPa (20 °C)	
Density:	0.94 g/cm ³ (20 °C)	
Relative vapour density (air):	> 1 Heavier than air.	
Solubility in water:	sparingly soluble	
Solubility (qualitative) solvent(s):	organic solvents soluble	
Partitioning coefficient n-octanol/water (log Pow):	not applicable for mixtures	
Viscosity, dynamic:	No data available.	
Viscosity, kinematic:	No data available.	

10. Stability and Reactivity

BASF Safety data sheet

Date / Revised: 15.11.2022

Version: 6.0

Product: **Vitamin A-Propionate 2.5 Mio IU/G stabilized with BHT**

(30041062/SDS_GEN_PH/EN)

Date of print: 23.10.2025

Conditions to avoid:

See SDS section 7 - Handling and storage.

Thermal decomposition: $\geq 165\text{ °C}$ (DSC (DIN 51007))

Substances to avoid:

oxidizing agents

Corrosion to metals: Corrosive effects to metal are not anticipated.

Hazardous reactions:

When finely distributed, self-ignition is possible.

Hazardous decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated.

Chemical stability:

The product is stable if stored and handled as prescribed/indicated.

11. Toxicological Information

Routes of exposure

Assessment of acute toxicity

Of low toxicity after single ingestion.

Information on: retinyl propionate

Acute oral toxicity

Experimental/calculated data:

LD50 rat (oral): $> 2,000\text{ mg/kg}$ (BASF-Test)

No mortality was observed.

Information on: 2,6-di-tert-butyl-p-cresol

Acute oral toxicity

Experimental/calculated data:

LD50 rat (oral): $> 5,000\text{ mg/kg}$ (OECD Guideline 401)

Symptoms

Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11.

(Further) symptoms and / or effects are not known so far

Irritation

Assessment of irritating effects:

Skin contact causes slight irritation. Not irritating to the eyes.

Information on: retinyl propionate

Assessment of irritating effects:

Skin contact causes irritation. Not irritating to the eyes.

BASF Safety data sheet

Date / Revised: 15.11.2022

Version: 6.0

Product: **Vitamin A-Propionate 2.5 Mio IU/G stabilized with BHT**

(30041062/SDS_GEN_PH/EN)

Date of print): 23.10.2025

Information on: 2,6-di-tert-butyl-p-cresol

Assessment of irritating effects:

Not irritating to the skin. Not irritating to the eyes.

Respiratory/Skin sensitization

Assessment of sensitization:

Skin sensitizing effects were not observed in animal studies.

Information on: retinyl propionate

Experimental/calculated data:

Guinea pig maximization test guinea pig: Non-sensitizing. (OECD Guideline 406)

Information on: 2,6-di-tert-butyl-p-cresol

Experimental/calculated data:

Guinea pig maximization test guinea pig: Non-sensitizing. (similar to OECD guideline 406)

Germ cell mutagenicity

Assessment of mutagenicity:

Based on available data, the classification criteria are not met.

Information on: retinyl propionate

Assessment of mutagenicity:

In the majority of tests performed (bacteria/microorganisms/cell cultures) a mutagenic effect was not found. A mutagenic effect was also not observed in in-vivo assays. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Carcinogenicity

Assessment of carcinogenicity:

Based on available data, the classification criteria are not met.

Information on: retinyl propionate

Assessment of carcinogenicity:

No reliable data was available concerning carcinogenic activity.

Information on: 2,6-di-tert-butyl-p-cresol

Assessment of carcinogenicity:

The whole of the information assessable provides no indication of a carcinogenic effect.

Reproductive toxicity

Assessment of reproduction toxicity:

The substance caused malformations/developmental toxicity in laboratory animals.

Developmental toxicity

Assessment of teratogenicity:

The substance caused malformations/developmental toxicity in laboratory animals. May cause harm to the unborn child.

Information on: retinyl propionate

Assessment of teratogenicity:

May cause harm to the unborn child. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Specific target organ toxicity (single exposure)

Based on available data, the classification criteria are not met.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

Repeated exposure to large quantities may affect certain organs.

Information on: retinyl propionate

Assessment of repeated dose toxicity:

Repeated exposure to large quantities may affect certain organs.

Information on: 2,6-di-tert-butyl-p-cresol

Assessment of repeated dose toxicity:

The substance may cause damage to the liver after repeated ingestion of high doses, as shown in animal studies.

Aspiration hazard

No data available.

Other relevant toxicity information

The product has not been tested. The statement has been derived from the properties of the individual components.

12. Ecological Information

Ecotoxicity

Assessment of aquatic toxicity:

Harmful to aquatic life with long lasting effects.

Information on: 2,6-di-tert-butyl-p-cresol

Toxicity to fish:

LC0 (96 h) >= 0.57 mg/l, Brachydanio rerio (OECD 203; ISO 7346; 84/449/EEC, C.1, semistatic)

The statement of the toxic effect relates to the analytically determined concentration. Limit concentration test only (LIMIT test).

Information on: 2,6-di-tert-butyl-p-cresol

Aquatic invertebrates:

EC0 (48 h) 0.48 mg/l, Daphnia magna (OECD Guideline 202, part 1, static)

The statement of the toxic effect relates to the analytically determined concentration.

Information on: retinyl propionate

Aquatic invertebrates:

EC50 (48 h) > 100 mg/l, Daphnia magna (OECD Guideline 202, part 1, static)

The details of the toxic effect relate to the nominal concentration. The product has not been tested.

The statement has been derived from substances/products of a similar structure or composition.

Information on: 2,6-di-tert-butyl-p-cresol

Aquatic plants:

EC50 (72 h) > 0.40 mg/l (growth rate), Scenedesmus subspicatus (Guideline 92/69/EEC, C.3, static)

The statement of the toxic effect relates to the analytically determined concentration.

Information on: 2,6-di-tert-butyl-p-cresol

Microorganisms/Effect on activated sludge:

EC0 (3 h) 1,000 mg/l, activated sludge (DIN EN ISO 8192-OECD 209-88/302/EEC, P. C, aerobic)

Information on: retinyl propionate

Microorganisms/Effect on activated sludge:

EC20 (3 h) > 1,000 mg/l, activated sludge, domestic (OECD Guideline 209, aerobic)

The inhibition of the degradation activity of activated sludge is not anticipated when introduced to biological treatment plants in appropriate low concentrations.

Information on: 2,6-di-tert-butyl-p-cresol

Chronic toxicity to aquatic invertebrates:

No observed effect concentration (21 d), 0.316 mg/l, Daphnia magna (OECD Guideline 202, part 2, semistatic)

The details of the toxic effect relate to the nominal concentration.

Assessment of terrestrial toxicity:

No data available.

Mobility

Assessment transport between environmental compartments:

Adsorption to solid soil phase is expected.

Information on: retinyl propionate

Assessment transport between environmental compartments:

No data available.

Adsorption to solid soil phase is expected.

Information on: 2,6-di-tert-butyl-p-cresol

Assessment transport between environmental compartments:

The substance will not evaporate into the atmosphere from the water surface.

Adsorption to solid soil phase is expected.

Persistence and degradability

Information on: retinyl propionate

Assessment biodegradation and elimination (H₂O):

Not readily biodegradable (by OECD criteria). Moderately/partially biodegradable.

Information on: 2,6-di-tert-butyl-p-cresol

Bioaccumulation potential

Assessment bioaccumulation potential:

The product contains components with potential for bioaccumulation

Information on: retinyl propionate

Assessment bioaccumulation potential:

Significant accumulation in organisms is not to be expected.

Information on: 2,6-di-tert-butyl-p-cresol

Assessment bioaccumulation potential:

May be accumulated in organisms.

Additional information

Add. remarks environm. fate & pathway:

The product has not been tested. The statements on environmental fate and pathway have been derived from the properties of the individual components.

Other ecotoxicological advice:

The product has not been tested. The statements on ecotoxicology have been derived from the properties of the individual components.

13. Disposal Considerations

Observe national and local legal requirements.

14. Transport Information**Domestic transport:**

UN number or ID number	Not classified as a dangerous good under transport regulations
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user	None known

Sea transport

IMDG

BASF Safety data sheet

Date / Revised: 15.11.2022

Version: 6.0

Product: **Vitamin A-Propionate 2.5 Mio IU/G stabilized with BHT**

(30041062/SDS_GEN_PH/EN)

Date of print): 23.10.2025

	Not classified as a dangerous good under transport regulations
UN number or ID number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user	None known

Air transport

IATA/ICAO

	Not classified as a dangerous good under transport regulations
UN number or ID number	Not applicable
Proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user	None known

15. Regulatory Information

Other regulations

1. Joint DTI-DENR-DA-DOF-DOH-DILG-DOLE-DOTC Administrative Order No. 01 Series of 2009 on "The Adoption and Implementation of the Globally Harmonized System of Classification and Labeling of Chemicals (GHS)"
2. DAO 2015-09 "Rules and Procedures for the Implementation of the Globally Harmonized System (GHS) of Classification and Labelling of Chemicals in Preparation of Safety Data Sheet (SDS) and Labelling Requirements of Toxic Chemical Substances"
3. Republic Act No. 6969, "Toxic Substances and Hazardous and Nuclear Wastes Control Act of 1990"

The regulatory information is not intended to be comprehensive. Other regulations may apply to the material

Registration status:

PICCS, PH

Not listed.

BASF Safety data sheet

Date / Revised: 15.11.2022

Product: **Vitamin A-Propionate 2.5 Mio IU/G stabilized with BHT**

Version: 6.0

(30041062/SDS_GEN_PH/EN)

Date of print): 23.10.2025

16. Other Information

Any other intended applications should be discussed with the manufacturer. Corresponding occupational protection measurements must be followed.

Vertical lines in the left hand margin indicate an amendment from the previous version.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.