

Safety data sheet

Page: 1/11

BASF Safety data sheet

Date / Revised: 03.08.2023 Version: 6.0

Product: PLASTOMOLL® DNA

(30034726/SDS_GEN_TH/EN)

Date of print: 14.10.2025

1. Substance/preparation and manufacturer/supplier identification

Product name:

PLASTOMOLL® DNA

Use: plasticizers

Manufacturer/supplier:

BASF (Thai) Limited

23rd Floor, Emporium Tower, 622, Sukhumvit 24 Rd., Klongton, Klongtoey, Bangkok 10110, THAILAND

Telephone: +66 2624-1999 Telefax number: +66 2664-9254

E-mail address: Thailand-SDS-info@basf.com

Emergency information:

International emergency number: Telephone: +49 180 2273-112

2. Hazard identification

Classification according to UN GHS 2009

Classification of the substance and mixture:

No need for classification according to GHS criteria for this product.

Label elements and precautionary statement:

The product does not require a hazard warning label in accordance with GHS criteria.

Other hazards which do not result in classification:

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture. See section 12 - Results of PBT and vPvB assessment.

Version: 6.0

BASF Safety data sheet Date / Revised: 03.08.2023 Product: **PLASTOMOLL® DNA**

(30034726/SDS_GEN_TH/EN)

Date of print: 14.10.2025

3. Composition/information on ingredients

Chemical nature

Substance nature: Substance

diisononyl adipate

CAS Number: 33703-08-1

4. First-Aid Measures

General advice:

Remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air.

On skin contact:

Wash thoroughly with soap and water

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open.

On ingestion:

Rinse mouth and then drink 200-300 ml of water.

Note to physician:

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11.

Treatment: Symptomatic treatment (decontamination, vital functions).

5. Fire-Fighting Measures

Suitable extinguishing media:

dry powder, water spray, carbon dioxide, foam

Unsuitable extinguishing media for safety reasons:

water jet

Additional information:

Use extinguishing measures to suit surroundings.

Specific hazards:

Do not breathe gas/vapour. The product is combustible. Burning produces harmful and toxic fumes.

Version: 6.0

BASF Safety data sheet Date / Revised: 03.08.2023 Product: **PLASTOMOLL® DNA**

(30034726/SDS_GEN_TH/EN)

Date of print: 14.10.2025

Shut off or stop released substance/product under safe conditions. Cool endangered containers with water-spray. Due to the organic compound content of the preparation, fire will produce dense black smoke. Inhalation of dangerous decomposition products may cause serious damage to health.

Do not release chemically contaminated water into drains, soil or surface water. Sufficient measures must be taken to retain the water used for extinguishing. Dispose of contaminated water and soil according to local regulations.

Special protective equipment:

Wear a self-contained breathing apparatus. Special protective equipment for firefighters

Further information:

Evacuate area of all unnecessary personnel. Fight fire from maximum distance.

Further information:

Extend fire extinguishing measures to the surroundings. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

6. Accidental Release Measures

Personal precautions:

Handle in accordance with good industrial hygiene and safety practice.

Environmental precautions:

Discharge into the environment must be avoided.

Methods for cleaning up or taking up:

Pick up with suitable appliance and dispose of. Spills should be contained, solidified, and placed in suitable containers for disposal. Dispose of absorbed material in accordance with regulations.

Additional information: High risk of slipping due to leakage/spillage of product.

Shut off or stop source of leak. Shut off or stop released substance/product under safe conditions.

Pack in tightly closed containers for disposal.

7. Handling and Storage

Handling

Handle in accordance with good industrial hygiene and safety practice. Ensure thorough ventilation of stores and work areas.

Protection against fire and explosion:

Prevent electrostatic charge - sources of ignition should be kept well clear - fire extinguishers should be kept handy.

Storage

Further information on storage conditions: Containers should be stored tightly sealed in a dry place.

BASF Safety data sheet Date / Revised: 03.08.2023

Version: 6.0 Product: PLASTOMOLL® DNA

(30034726/SDS_GEN_TH/EN)

Date of print: 14.10.2025

8. Exposure controls and personal protection

Components with occupational exposure limits

No substance specific occupational exposure limits known.

Personal protective equipment

Respiratory protection:

Wear respiratory protection if ventilation is inadequate. Gas filter for gases/vapours of organic compounds (boiling point >65 °C, e. g. EN 14387 Type A)

Hand protection:

Chemical resistant protective gloves (EN ISO 374-1)

Suitable materials also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1):

nitrile rubber (NBR) - 0.4 mm coating thickness

butyl rubber (butyl) - 0.7 mm coating thickness

Manufacturer's directions for use should be observed because of great diversity of types. Supplementary note: The specifications are based on tests, literature data and information of glove manufacturers or are derived from similar substances by analogy. Due to many conditions (e.g. temperature) it must be considered, that the practical usage of a chemical-protective glove in practice may be much shorter than the permeation time determined through testing.

Eve protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures:

Handle in accordance with good industrial hygiene and safety practice. Wearing of closed work clothing is required additionally to the stated personal protection equipment.

9. Physical and Chemical Properties

Form: liquid

Colour: almost colourless Odour: almost odourless Odour threshold: not determined

pH value:

not applicable, of very low solubility

pour point: -65 °C

Product: PLASTOMOLL® DNA

(30034726/SDS_GEN_TH/EN)

Date of print: 14.10.2025

Boiling point: 232 °C

(6.7 hPa) Literature data.

Cannot be distilled without

decomposition at normal pressure.

Flash point: 210 °C

Literature data.

Evaporation rate:

Value can be approximated from Henry's Law Constant or vapor

pressure.

Flammability (solid/gas): not flammable (other)

Lower explosion limit:

For liquids not relevant for classification and labelling., The lower explosion point may be 5 - 15

°C below the flash point.

Upper explosion limit:

For liquids not relevant for classification and labelling.

Ignition temperature: 330 °C

(DIN 51794)

(measured)

(calculated)

Thermal decomposition: No decomposition if stored and

handled as prescribed/indicated.

Self ignition: Temperature: 20 °C

not self-igniting

Explosion hazard: not explosive (other)
Fire promoting properties: not fire-propagating (other)

Vapour pressure: < 0.00001 Pa

(20 °C)

Density: 0.9225 g/cm3 (pyknometer)

(20 °C)

Relative density: 0.918 - 0.922

(20 °C)

Relative vapour density (air):13.7 (calculated)

(20 °C)

Heavier than air.

Solubility in water:

< 0.1 mg/l (25 °C)

Solubility (qualitative) solvent(s): organic solvents

soluble

Partitioning coefficient n-octanol/water (log Pow): 9.56 - 10.4 (OECD Guideline 117)

(25 °C)

Adsorption/water - soil: KOC: 140800; log KOC: 5.15

Adsorption to solid soil phase is

expected.

Product: PLASTOMOLL® DNA

(30034726/SDS_GEN_TH/EN)

Date of print: 14.10.2025

Volatility/water - air: (calculated)

The substance will slowly evaporate into the atmosphere from the water

surface.

Surface tension:

Based on chemical structure, surface

activity is not to be expected.

Viscosity, dynamic: 17 - 21 mPa.s

(20 °C)

(calculated (from kinematic viscosity))

The value was determined by calculation from the detected

kinematic viscosity.

Molar mass: 398.63 g/mol

10. Stability and Reactivity

Conditions to avoid:

No special precautions other than good housekeeping of chemicals.

Thermal decomposition: No decomposition if stored and handled as

prescribed/indicated.

Substances to avoid: strong oxidizing agents

Corrosion to metals: No corrosive effect on metal.

Hazardous reactions:

Reacts with strong oxidizing agents.

Hazardous decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated.

Chemical stability:

The product is stable if stored and handled as prescribed/indicated.

Reactivity:

No hazardous reactions if stored and handled as prescribed/indicated.

11. Toxicological Information

Routes of exposure

Acute oral toxicity

Experimental/calculated data:

LD50rat (oral): > 5,000 mg/kg (OECD Guideline 401)

No mortality was observed.

Acute inhalation toxicity

BASF Safety data sheet Date / Revised: 03.08.2023

Version: 6.0 Product: PLASTOMOLL® DNA

(30034726/SDS_GEN_TH/EN)

Date of print: 14.10.2025

LC50 rat (by inhalation): > 5.7 mg/l 4 h (OECD Guideline 403)

No mortality was observed. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition. An aerosol was tested.

Assessment of acute toxicity

Virtually nontoxic after a single ingestion. Virtually nontoxic by inhalation.

Symptoms

Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11.

Irritation

Assessment of irritating effects:

Not irritating to eyes and skin.

Experimental/calculated data:

Skin corrosion/irritation rabbit: non-irritant (OECD Guideline 404)

Serious eye damage/irritation rabbit: non-irritant (OECD Guideline 405)

Respiratory/Skin sensitization

Assessment of sensitization:

The chemical structure does not suggest a sensitizing effect.

Experimental/calculated data:

Non-sensitizing. ((Q)SAR Model)

Draize test guinea pig: Non-sensitizing.

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition. Literature data.

Germ cell mutagenicity

Assessment of mutagenicity:

No mutagenic effect was found in various tests with bacteria and mammalian cell culture. The substance was not mutagenic in a test with mammals. The product has not been fully tested. The statements have been derived in parts from products of a similar structure or composition.

Carcinogenicity

Assessment of carcinogenicity:

In long-term studies in rats and mice in which the substance was given by feed, a carcinogenic effect was not observed. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Reproductive toxicity

Assessment of reproduction toxicity:

The results of animal studies gave no indication of a fertility impairing effect. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Product: PLASTOMOLL® DNA

(30034726/SDS_GEN_TH/EN)

Date of print: 14.10.2025

Developmental toxicity

Assessment of teratogenicity:

Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Specific target organ toxicity (single exposure)

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

The information available on the product provides no indication of toxicity on target organs after repeated exposure. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Aspiration hazard

No aspiration hazard expected.

12. Ecological Information

Ecotoxicity

Assessment of aquatic toxicity:

There is a high probability that the product is not acutely harmful to aquatic organisms. The inhibition of the degradation activity of activated sludge is not anticipated when introduced to biological treatment plants in appropriate low concentrations. Based on long-term (chronic) toxicity study data, the product is very likely not harmful to aquatic organisms.

Toxicity to fish:

LC50 (96 h) > 500 mg/l, Leuciscus idus (DIN 38412 Part 15, static)

Nominal concentration.

Aquatic invertebrates:

EC50 (48 h) > 100 mg/l, Daphnia magna (Directive 79/831/EEC, static)

Nominal concentration. The product has low solubility in the test medium. An aqueous solution prepared with solubilizers has been tested.

Aquatic plants:

EC50 (72 h) > 100 mg/l (growth rate), Scenedesmus subspicatus (other, static)

Nominal concentration. The product has low solubility in the test medium. An aqueous solution prepared with solubilizers has been tested.

Microorganisms/Effect on activated sludge:

EC20 (0.5 h) > 1,000 mg/l, activated sludge, domestic (DIN EN ISO 8192-OECD 209-88/302/EEC,P. C, aerobic)

Chronic toxicity to fish:

Product: PLASTOMOLL® DNA

(30034726/SDS_GEN_TH/EN)

Date of print: 14.10.2025

Study scientifically not justified.

Chronic toxicity to aquatic invertebrates:

No observed effect concentration (21 d), > 0.77 mg/l, Daphnia magna (OECD Guideline 202, part 2, semistatic)

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition. No toxic effects occur within the range of solubility.

Analogous: Assessment derived from products with similar chemical character.

Assessment of terrestrial toxicity:

Soil living organisms:

LC50 (14 d) 865 mg/kg, Eisenia foetida (Directive 88/302/EEC, part C, p. 95, artificial soil)

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Analogous: Assessment derived from products with similar chemical character.

Other terrestrial non-mammals:

Study scientifically not justified.

Mobility

Assessment transport between environmental compartments:

The substance will slowly evaporate into the atmosphere from the water surface.

Adsorption to solid soil phase is expected.

Persistence and degradability

Assessment biodegradation and elimination (H2O):

Readily biodegradable (according to OECD criteria).

Elimination information:

> 90 % BOD of COD (28 d) (OECD 301F; ISO 9408; 92/69/EEC, C.4-D) (aerobic, activated sludge, domestic) Readily biodegradable.

Assessment of stability in water:

According to structural properties, hydrolysis is not expected/probable.

Bioaccumulation potential

Assessment bioaccumulation potential:

Does not accumulate in organisms.

Bioaccumulation potential:

Bioconcentration factor: 27 (28 d), Lepomis macrochirus (measured)

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Analogous: Assessment derived from products with similar chemical character.

Additional information

Other ecotoxicological advice:

Inhibition of degradation activity in activated sludge is not to be anticipated during correct introduction of low concentrations. Do not release untreated into natural waters.

Product: PLASTOMOLL® DNA

(30034726/SDS_GEN_TH/EN)

Date of print: 14.10.2025

13. Disposal Considerations

Dispose of in accordance with national, state and local regulations.

Contaminated packaging:

Disposal must be made according to official regulations.

14. Transport Information

Domestic transport:

Not classified as a dangerous good under transport regulations

UN number or ID number
UN proper shipping name:
Transport hazard class(es):
Packing group:
Not applicable
Not applicable
Not applicable
Not applicable
Not applicable
Not applicable

Special precautions for

user

Not applicable None known

Sea transport

IMDG

Not classified as a dangerous good under transport regulations

UN number or ID number: Not applicable UN proper shipping name: Not applicable Transport hazard class(es): Not applicable Packing group: Not applicable Environmental hazards: Not applicable

Marine pollutant: no

Special precautions for

user

None known

Air transport

IATA/ICAO

Not classified as a dangerous good under transport regulations

UN number or ID number
Proper shipping name:
Transport hazard class(es):
Packing group:
Environmental hazards:
Special precautions for

Not applicable
Not applicable
Not applicable
Not applicable
Not applicable
Not applicable

user

Version: 6.0

BASF Safety data sheet
Date / Revised: 03.08.2023
Product: PLASTOMOLL® DNA

(30034726/SDS_GEN_TH/EN)

Date of print: 14.10.2025

15. Regulatory Information

Other regulations

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

16. Other Information

Vertical lines in the left hand margin indicate an amendment from the previous version.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.