Safety data sheet

Page: 1/12

Safety data sheet according to UN GHS 4th rev.

Date / Revised: 08.05.2023 Version: 1.0

Product: Rheovis® AS 1180

(ID no. 30041264/SDS_GEN_ZA/EN)

Date of print 21.10.2025

1. Identification

Product identifier

Rheovis® AS 1180

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Raw material, for industrial use only

Details of the supplier of the safety data sheet

Company:

Emergency telephone number

National emergency number: +27 11 203 2420

International emergency number: Telephone: +49 180 2273-112

2. Hazards Identification

Classification of the substance or mixture

According to UN GHS criteria

Flam. Liq. 4 Skin Corr./Irrit. 3 Eye Dam./Irrit. 2A Aquatic Acute 2

For the classifications not written out in full in this section the full text can be found in section 16.

Date / Revised: 08.05.2023 Version: 1.0

Product: Rheovis® AS 1180

(ID no. 30041264/SDS_GEN_ZA/EN)

Date of print 21.10.2025

Label elements

Globally Harmonized System (GHS)

Pictogram:



Signal Word: Warning

Hazard Statement:

H227 Combustible liquid.

H319 Causes serious eye irritation. H316 Causes mild skin irritation. H401 Toxic to aquatic life.

Precautionary Statements (Prevention):

P280 Wear eye protection.

P273 Avoid release to the environment.

P210 Keep away from heat, hot surfaces, sparks, open flames and other

ignition sources. No smoking.

P280 Wear protective gloves and eye protection or face protection.
P264 Wash contaminated body parts thoroughly after handling.

Precautionary Statements (Response):

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical attention.
P332 + P313 If skin irritation occurs: Get medical attention.

P370 + P378 In case of fire: Use water spray, dry powder or foam for extinction.

Precautionary Statements (Storage):

P403 Store in a well-ventilated place.

Precautionary Statements (Disposal):

P501 Dispose of contents and container to hazardous or special waste

collection point.

According to UN GHS criteria

Hazard determining component(s) for labelling: Alcohols, C12-15 branched and linear, ethoxylated, propoxylated, Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics

Other hazards

According to UN GHS criteria

No specific dangers known, if the regulations/notes for storage and handling are considered.

Date / Revised: 08.05.2023 Version: 1.0

Product: Rheovis® AS 1180

(ID no. 30041264/SDS_GEN_ZA/EN)

Date of print 21.10.2025

3. Composition/Information on Ingredients

Substances

Not applicable

Mixtures

Chemical nature

polyacrylate, mineral oil, in water

Hazardous ingredients (GHS)

According to UN GHS criteria

Ammonia, aqueous solution

Content (W/W): >= 0 % - < 0.2 % Skin Corr./Irrit. 1B CAS Number: 1336-21-6 Eye Dam./Irrit. 1

EC-Number: 215-647-6 STOT SE 3 (irr. to respiratory syst.)

INDEX-Number: 007-001-01-2 Aquatic Acute 1

Aquatic Chronic 2 H335, H314, H411, H400

Specific concentration limit:

STOT SE 3, irr. to respiratory syst.: >= 5 %

Alcohols, C12-15-branched and linear, ethoxylated propoxylated

Content (W/W): >= 1 % - < 3 % Skin Corr./Irrit. 2
CAS Number: 120313-48-6 Eye Dam./Irrit. 1
Aquatic Acute 1

Aquatic Acute 1 Aquatic Chronic 3 H318, H315, H412, H400

Distillates (petroleum), hydrotreated light; Kerosine -- unspecified

Content (W/W): >= 20 % - < 25 % Asp. Tox. 1 CAS Number: 64742-47-8 Flam. Liq. 4 EC-Number: 265-149-8 H227, H304

INDEX-Number: 649-422-00-2

For the classifications not written out in full in this section the full text can be found in section 16.

4. First-Aid Measures

Description of first aid measures

Remove contaminated clothing.

If inhaled:

If difficulties occur after vapour/aerosol has been inhaled, remove to fresh air and seek medical attention.

Date / Revised: 08.05.2023 Version: 1.0

Product: Rheovis® AS 1180

(ID no. 30041264/SDS_GEN_ZA/EN)

Date of print 21.10.2025

On skin contact:

Wash thoroughly with soap and water

On contact with eyes:

Immediately wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion:

Rinse mouth and then drink 200-300 ml of water. Do not induce vomiting unless told to by a poison control center or doctor.

Most important symptoms and effects, both acute and delayed

Symptoms: (Further) symptoms and / or effects are not known so far

Hazards: When inhaled (e.g. during vomiting) risk of pulmonary oedema and/or pneumonia.

Indication of any immediate medical attention and special treatment needed

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Extinguishing media

Suitable extinguishing media: water spray, dry powder, foam

Special hazards arising from the substance or mixture

harmful vapours

Evolution of fumes/fog. The substances/groups of substances mentioned can be released in case of fire.

Advice for fire-fighters

Further information:

Contaminated extinguishing water must be disposed of in accordance with official regulations.

6. Accidental Release Measures

High risk of slipping due to leakage/spillage of product.

Personal precautions, protective equipment and emergency procedures

Use personal protective clothing.

Environmental precautions

Contain contaminated water/firefighting water. Do not discharge into drains/surface waters/groundwater.

Methods and material for containment and cleaning up

For large amounts: Pump off product.

For residues: Pick up with suitable absorbent material. Dispose of absorbed material in accordance with regulations.

Date / Revised: 08.05.2023 Version: 1.0

Product: Rheovis® AS 1180

(ID no. 30041264/SDS_GEN_ZA/EN)

Date of print 21.10.2025

7. Handling and Storage

Precautions for safe handling

Use suitable eye protection.

Protection against fire and explosion:

No special precautions necessary.

Conditions for safe storage, including any incompatibilities

Further information on storage conditions: Keep container tightly closed and dry; store in a cool place.

Storage stability:

Storage temperature: -10 - 35 °C

Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

8. Exposure Controls/Personal Protection

Control parameters

Components with occupational exposure limits

No substance specific occupational exposure limits known.

Exposure controls

Personal protective equipment

Respiratory protection:

Respiratory protection in case of vapour/aerosol release. Particle filter with medium efficiency for solid and liquid particles (e.g. EN 143 or 149, Type P2 or FFP2)

Hand protection:

Chemical resistant protective gloves (EN ISO 374-1)

Suitable materials for short-term contact (recommended: At least protective index 2, corresponding > 30 minutes of permeation time according to EN ISO 374-1)

butyl rubber (butyl) - 0.7 mm coating thickness

nitrile rubber (NBR) - 0.4 mm coating thickness

Supplementary note: The specifications are based on tests, literature data and information of glove manufacturers or are derived from similar substances by analogy. Due to many conditions (e.g. temperature) it must be considered, that the practical usage of a chemical-protective glove in practice may be much shorter than the permeation time determined through testing. Manufacturer's directions for use should be observed because of great diversity of types.

Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

General safety and hygiene measures

Date / Revised: 08.05.2023 Version: 1.0

Product: Rheovis® AS 1180

(ID no. 30041264/SDS_GEN_ZA/EN)

Date of print 21.10.2025

Handle in accordance with good industrial hygiene and safety practice. Wearing of closed work clothing is recommended.

9. Physical and Chemical Properties

Information on basic physical and chemical properties

Form: liquid Colour: white

Odour: ammonia-like

Odour threshold:

No data available.

pH value: 7.5 - 9.0 (DIN ISO 976)

Freezing point:

not determined

Flash point: 74 °C (DIN 51758)

Evaporation rate:

not determined

Flammability: not flammable (derived from flash point)

Lower explosion limit: 34.9 %(V)

Upper explosion limit: 90.5 %(V)

Ignition temperature: 455 °C (DIN 51794)

Vapour pressure: 123 mbar

(50 °C)

Density: approx. 1.0 g/cm3 (ISO 2811-1)

(20 °C)

Relative vapour density (air):

not determined

Solubility in water: dispersible

(20 °C)

Partitioning coefficient n-octanol/water (log Kow):

not applicable for mixtures

Self ignition: not self-igniting

Thermal decomposition: No decomposition if used as directed.

Viscosity, dynamic: 100 - 300 mPa.s (DIN EN ISO 3219)

(23 °C, 250 1/s)

Explosion hazard: not explosive

Fire promoting properties: not fire-propagating

Other information

Self heating ability: Study scientifically not justified.

Miscibility with water:

miscible

Surface tension:

No data available.

Flow time: 28 s (DIN 53211)

(20 °C)

Grain size distribution: The substance / product is marketed or used in a non solid or

granular form.

Solids content: 26.0 - 32.0 % (DIN EN ISO 3251)

Date / Revised: 08.05.2023 Version: 1.0

Product: Rheovis® AS 1180

(ID no. 30041264/SDS_GEN_ZA/EN)

Date of print 21.10.2025

10. Stability and Reactivity

Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Chemical stability

The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions

No hazardous reactions when stored and handled according to instructions.

Conditions to avoid

Avoid extreme temperatures.

Incompatible materials

Substances to avoid:

strong oxidizing agents, strong acids, strong bases

Hazardous decomposition products

Hazardous decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated.

11. Toxicological Information

Information on toxicological effects

Acute toxicity

Assessment of acute toxicity:

Virtually nontoxic after a single ingestion.

Experimental/calculated data:

LD50 rat (oral): > 5,000 mg/kg (BASF-Test)

LC50 rat (by inhalation):

not determined

LD50 rat (dermal):

not determined

Irritation

Experimental/calculated data:

Skin corrosion/irritation rabbit: Slightly irritating. (OECD Guideline 404)

The product has not been tested. The statement has been derived from the properties of the individual components.

Serious eye damage/irritation rabbit: Irritant. (OECD Guideline 405)

Date / Revised: 08.05.2023 Version: 1.0

Product: Rheovis® AS 1180

(ID no. 30041264/SDS_GEN_ZA/EN)

Date of print 21.10.2025

The product has not been tested. The statement has been derived from the properties of the individual components.

Respiratory/Skin sensitization

Assessment of sensitization:

No sensitizing effect. The product has not been tested. The statement has been derived from the properties of the individual components.

Experimental/calculated data:

not determined

Germ cell mutagenicity

Assessment of mutagenicity:

The substance was not mutagenic in bacteria.

Carcinogenicity

Assessment of carcinogenicity:

The whole of the information assessable provides no indication of a carcinogenic effect.

Reproductive toxicity

Assessment of reproduction toxicity:

Based on the ingredients, there is no suspicion of a toxic effect on reproduction.

Developmental toxicity

Assessment of teratogenicity:

Based on the ingredients, there is no suspicion of a teratogenic effect.

Specific target organ toxicity (single exposure)

Remarks: No data available.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

The information available on the product provides no indication of toxicity on target organs after repeated exposure.

Aspiration hazard

No aspiration hazard expected.

12. Ecological Information

Toxicity

Assessment of aquatic toxicity:

Acutely toxic for aquatic organisms.

Toxicity to fish:

Date / Revised: 08.05.2023 Version: 1.0

Product: Rheovis® AS 1180

(ID no. 30041264/SDS_GEN_ZA/EN)

Date of print 21.10.2025

LC50 (96 h) 71 mg/l, Brachydanio rerio (OECD 203; ISO 7346; 92/69/EEC, C.1, semistatic)

Aquatic invertebrates:

EC50 (48 h) 3 mg/l, Daphnia magna (OECD Guideline 202, part 1, static)

Aquatic plants:

EC50 (72 h) 4.5 mg/l (growth rate), Scenedesmus subspicatus (OECD Guideline 201, static)

Microorganisms/Effect on activated sludge:

> 1,000 mg/l, Bacillus subtilis (DEV-L2)

Inhibition of degradation activity in activated sludge is not to be anticipated during correct introduction of low concentrations.

Chronic toxicity to fish:

No data available.

Chronic toxicity to aquatic invertebrates:

No data available.

Assessment of terrestrial toxicity:

No data available concerning terrestrial toxicity.

Persistence and degradability

Elimination information:

> 70 % COD reduction (OECD 302B; ISO 9888; 88/302/EEC,part C) Easily eliminated from water.

Bioaccumulative potential

Assessment bioaccumulation potential:

The product has not been tested.

Bioaccumulation potential:

No data available.

Mobility in soil

Assessment transport between environmental compartments:

Volatility: No data available.

Additional information

Sum parameter

Chemical oxygen demand (COD): 635 mg/g

Biochemical oxygen demand (BOD) Incubation period 5 d: 235 mg/g

Biochemical oxygen demand (BOD) Incubation period 30 d: 605 mg/g

Add. remarks environm. fate & pathway:

Treatment in biological waste water treatment plants has to be performed according to local and administrative regulations.

Other ecotoxicological advice:

Date / Revised: 08.05.2023 Version: 1.0

Product: Rheovis® AS 1180

(ID no. 30041264/SDS_GEN_ZA/EN)

Date of print 21.10.2025

Do not release untreated into natural waters.

13. Disposal Considerations

Waste treatment methods

Must be disposed of or incinerated in accordance with local regulations.

Contaminated packaging:

Uncontaminated packaging can be re-used.

Packs that cannot be cleaned should be disposed of in the same manner as the contents.

14. Transport Information

Land transport

ADR

Not classified as a dangerous good under transport regulations

UN number or ID number: Not applicable Not applicable UN proper shipping name: Transport hazard class(es): Not applicable Packing group: Not applicable Environmental hazards: Not applicable Special precautions for None known

user

RID

Not classified as a dangerous good under transport regulations

UN number or ID number: Not applicable Not applicable UN proper shipping name: Not applicable Transport hazard class(es): Packing group: Not applicable Environmental hazards: Not applicable None known Special precautions for

user

Inland waterway transport

ADN

Not classified as a dangerous good under transport regulations

UN number or ID number: Not applicable UN proper shipping name: Not applicable Transport hazard class(es): Not applicable Packing group: Not applicable Environmental hazards: Not applicable None known

Special precautions for

user:

Date / Revised: 08.05.2023 Version: 1.0

Product: Rheovis® AS 1180

(ID no. 30041264/SDS_GEN_ZA/EN)

Date of print 21.10.2025

Transport in inland waterway vessel

Not evaluated

Sea transport

IMDG

Not classified as a dangerous good under transport regulations

UN number or ID number:
UN proper shipping name:
Transport hazard class(es):
Packing group:
Environmental hazards:
Special precautions for

Not applicable
Not applicable
Not applicable
Not applicable
Not applicable
Not applicable

user

Air transport

IATA/ICAO

Not classified as a dangerous good under transport regulations

UN number or ID number
UN proper shipping name:
Transport hazard class(es):
Packing group:
Environmental hazards:
Special precautions for

Not applicable
Not applicable
Not applicable
Not applicable
Not applicable
Not applicable

user

Maritime transport in bulk according to IMO instruments

Maritime transport in bulk is not intended.

15. Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

16. Other Information

Any other intended applications should be discussed with the manufacturer.

Full text of classifications, hazard symbols and hazard statements, if mentioned in section 2 or 3:

Flam. Liq. Flammable liquids
Skin Corr./Irrit. Skin corrosion/irritation

Eye Dam./Irrit. Serious eye damage/eye irritation

Date / Revised: 08.05.2023 Version: 1.0

Product: Rheovis® AS 1180

(ID no. 30041264/SDS_GEN_ZA/EN)

Date of print 21.10.2025

Aquatic Acute STOT SE Aquatic Chronic Asp. Tox. H335 H314 H411 H400 H318 H315 H412	Hazardous to the aquatic environment - acute Specific target organ toxicity — single exposure Hazardous to the aquatic environment - chronic Aspiration hazard May cause respiratory irritation. Causes severe skin burns and eye damage. Toxic to aquatic life with long lasting effects. Very toxic to aquatic life. Causes serious eye damage. Causes skin irritation. Harmful to aquatic life with long lasting effects.
H227 H304	Combustible liquid. May be fatal if swallowed and enters airways.
	· · · · · · · · · · · · · · · · · · ·

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Vertical lines in the left hand margin indicate an amendment from the previous version.