

# Safety data sheet

Page: 1/13

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 04.08.2022 Version: 3.0

Product: **Linalool** 

(ID no. 30034999/SDS\_GEN\_00/EN)

Date of print 20.10.2025

### 1. Identification

#### **Product identifier**

# Linalool

Chemical name: Linalool CAS Number: 78-70-6

# Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Chemical, Chemical for detergents, Cosmetic and oral care chemical, flavoring substance

# Details of the supplier of the safety data sheet

Company:
BASF SE
67056 Ludwigshafen
GERMANY
Operating Division Nutrition and Health

Telephone: +49 621 60-48434

E-mail address: EN-global-safety-data@basf.com

# **Emergency telephone number**

International emergency number: Telephone: +49 180 2273-112

# 2. Hazards Identification

#### Classification of the substance or mixture

According to UN GHS criteria

Date / Revised: 04.08.2022 Version: 3.0

Product: **Linalool** 

(ID no. 30034999/SDS\_GEN\_00/EN)

Date of print 20.10.2025

Flam. Liq. 4 Acute Tox. 5 (oral) Skin Corr./Irrit. 2 Eye Dam./Irrit. 2A Skin Sens. 1B Aquatic Acute 3

For the classifications not written out in full in this section the full text can be found in section 16.

#### Label elements

# Globally Harmonized System (GHS)

#### Pictogram:



# Signal Word:

Warning

#### Hazard Statement:

H227 Combustible liquid.

H319 Causes serious eye irritation.

H315 Causes skin irritation.

H303 May be harmful if swallowed.H317 May cause an allergic skin reaction.

H402 Harmful to aquatic life.

# Precautionary Statements (Prevention):

P280 Wear protective gloves and eye protection or face protection.

P261 Avoid breathing mist or vapour or spray.

P280 Wear eye protection.

P210 Keep away from heat, hot surfaces, sparks, open flames and other

ignition sources. No smoking.

P273 Avoid release to the environment.

P272 Contaminated work clothing should not be allowed out of the workplace.

P264 Wash contaminated body parts thoroughly after handling.

# Precautionary Statements (Response):

P305 + P351 + P338	IF IN EYES: Rinse cauti	iously with water	for several	minutes. Remove
--------------------	-------------------------	-------------------	-------------	-----------------

contact lenses, if present and easy to do. Continue rinsing.

P302 + P352 IF ON SKIN: Wash with plenty of soap and water. P333 + P313 If skin irritation or rash occurs: Get medical attention.

P301 + P312 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you

feel unwell.

P332 + P313 If skin irritation occurs: Get medical attention.

P362 + P364 Take off contaminated clothing and wash it before reuse.

P337 + P313 If eye irritation persists: Get medical attention.

P370 + P378 In case of fire: Use alcohol-resistant foam, carbon dioxide, dry powder

or water spray for extinction.

#### Precautionary Statements (Storage):

Date / Revised: 04.08.2022 Version: 3.0

Product: **Linalool** 

(ID no. 30034999/SDS\_GEN\_00/EN)

Date of print 20.10.2025

P403 Store in a well-ventilated place.

Precautionary Statements (Disposal):

P501 Dispose of contents and container to hazardous or special waste

collection point.

#### Other hazards

#### According to UN GHS criteria

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

# 3. Composition/Information on Ingredients

#### **Substances**

#### Chemical nature

Linalool

CAS Number: 78-70-6 EC-Number: 201-134-4

# <u>Hazardous ingredients (GHS)</u> According to UN GHS criteria

#### Linalool

Content (W/W): >= 75 % - <= 100 Flam. Liq. 4

% Acute Tox. 5 (oral)
CAS Number: 78-70-6 Skin Corr./Irrit. 2
EC-Number: 201-134-4 Eye Dam./Irrit. 2A
Skin Sens. 1B

Aquatic Acute 3

H227, H319, H315, H303, H317, H402

3,4-Dihydro-2,5,7,8-tetramethyl-2-(4,8,12-trimethyltridecyl)-2H-benzopyran-6-ol

Content (W/W): > 0 % - < 0,1 % Skin Sens. 1B

CAS Number: 10191-41-0 H317

EC-Number: 233-466-0

For the classifications not written out in full in this section the full text can be found in section 16.

#### **Mixtures**

Not applicable

Date / Revised: 04.08.2022 Version: 3.0

Product: **Linalool** 

(ID no. 30034999/SDS\_GEN\_00/EN)

Date of print 20.10.2025

#### 4. First-Aid Measures

# Description of first aid measures

Remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

On skin contact:

Wash thoroughly with soap and water

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

# Most important symptoms and effects, both acute and delayed

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11.

#### Indication of any immediate medical attention and special treatment needed

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

# 5. Fire-Fighting Measures

#### **Extinguishing media**

Suitable extinguishing media:

water spray, carbon dioxide, dry powder, alcohol-resistant foam

Unsuitable extinguishing media for safety reasons:

water jet

# Special hazards arising from the substance or mixture

carbon oxides, harmful vapours

The substances/groups of substances mentioned can be released in case of fire. Combustible Liquid

#### Advice for fire-fighters

Special protective equipment:

Wear a self-contained breathing apparatus.

#### Further information:

Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations. Cool endangered containers with water-spray.

Date / Revised: 04.08.2022 Version: 3.0

Product: **Linalool** 

(ID no. 30034999/SDS\_GEN\_00/EN)

Date of print 20.10.2025

#### 6. Accidental Release Measures

# Personal precautions, protective equipment and emergency procedures

Use personal protective clothing. Information regarding personal protective measures, see section 8. Ensure adequate ventilation. Do not breathe vapour/spray. Avoid contact with the skin, eyes and clothing.

# **Environmental precautions**

Do not discharge into drains/surface waters/groundwater.

### Methods and material for containment and cleaning up

For large amounts: Dike spillage. Cover with blanket of foam (alcohol-resistant foam). Pump off product.

For residues: Contain with absorbent material (e.g. sand, silica gel, acid binder, general purpose binder, sawdust).

Dispose of absorbed material in accordance with regulations.

# 7. Handling and Storage

# Precautions for safe handling

Ensure thorough ventilation of stores and work areas. Wear suitable protective clothing and eye/face protection. Avoid contact with the skin, eyes and clothing. Keep container tightly sealed. This product may cause irritations; wash your hands after every contact.

Protection against fire and explosion:

The product is combustible. Avoid all sources of ignition: heat, sparks, open flame. Take precautionary measures against static discharges. If exposed to fire, keep containers cool by spraying with water. Vapours may form explosive mixture with air.

# Conditions for safe storage, including any incompatibilities

Odour-sensitive: Segregate from products releasing odours.

Further information on storage conditions: Keep container tightly closed and dry; store in a cool place. Protect containers from physical damage.

#### Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

# 8. Exposure Controls/Personal Protection

#### **Control parameters**

Components with occupational exposure limits

78-70-6: Linalool

#### **Exposure controls**

Personal protective equipment

Respiratory protection:

Date / Revised: 04.08.2022 Version: 3.0

Product: **Linalool** 

(ID no. 30034999/SDS\_GEN\_00/EN)

Date of print 20.10.2025

Suitable respiratory protection for higher concentrations or long-term effect: Gas filter for gases/vapours of organic compounds (boiling point >65 °C, e. g. EN 14387 Type A)

# Hand protection:

Suitable materials also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1):

butyl rubber (butyl) - 0.7 mm coating thickness

nitrile rubber (NBR) - 0.4 mm coating thickness

fluoroelastomer (FKM) - 0.7 mm coating thickness

Suitable materials for short-term contact (recommended: At least protective index 2, corresponding > 30 minutes of permeation time according to EN ISO 374-1)

chloroprene rubber (CR) - 0.5 mm coating thickness

Supplementary note: The specifications are based on tests, literature data and information of glove manufacturers or are derived from similar substances by analogy. Due to many conditions (e.g. temperature) it must be considered, that the practical usage of a chemical-protective glove in practice may be much shorter than the permeation time determined through testing. Manufacturer's directions for use should be observed because of great diversity of types.

#### Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

#### Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

#### General safety and hygiene measures

Handle in accordance with good industrial hygiene and safety practice. Wearing of closed work clothing is required additionally to the stated personal protection equipment. Avoid contact with the skin, eyes and clothing. No eating, drinking, smoking or tobacco use at the place of work. Hands and/or face should be washed before breaks and at the end of the shift. Store work clothing separately.

# 9. Physical and Chemical Properties

# Information on basic physical and chemical properties

Form: liquid
Colour: colourless
Odour: flowery
Odour threshold: < 100 ppm

pH value: 4,5

(1,45 g/l, 25 °C)

Melting point: < -100 °C (OECD Guideline 102)

glass transition temperature: -99 °C Boiling point: 196,3 °C

(OECD Guideline 103)

(1.013,25 hPa)

Flash point: 77,2 °C (ISO 2719, closed cup)

Evaporation rate:

Value can be approximated from Henry's Law Constant or vapor

pressure.

Flammability: Combustible liquid. (derived from flash point)

Date / Revised: 04.08.2022 Version: 3.0

Product: **Linalool** 

(ID no. 30034999/SDS\_GEN\_00/EN)

Date of print 20.10.2025

Lower explosion limit:

For liquids not relevant for classification and labelling., The lower explosion point may be 5 - 15

°C below the flash point.

Upper explosion limit:

For liquids not relevant for classification and labelling.

260 °C (Directive 92/69/EEC, A.15) Ignition temperature:

0,3 hPa (measured) Vapour pressure:

> (20 °C) dynamic

Density: 0,862 g/cm3

(pyknometer)

(20 °C, 1.013 hPa)

0,862 Relative density:

(20 °C)

Relative vapour density (air):> 1 (calculated)

(20 °C)

Heavier than air.

Solubility in water: (other)

1,45 g/l

(25 °C, 1.013 hPa, pH 4.5)

Solubility (qualitative) solvent(s): organic solvents

soluble

Partitioning coefficient n-octanol/water (log Kow): 2,7 (OECD Guideline 107)

(25 °C)

Based on its structural properties the Self ignition:

product is not classified as self-

igniting.

Test type: Spontaneous self-

ignition at room-temperature.

Thermal decomposition: approx. >= 260 °C (DSC (DIN 51007))

Viscosity, dynamic: 4,46 mPa.s

(25 °C)

Literature data.

Viscosity, kinematic: approx. 5,19 mm2/s (calculated (from dynamic

> (25 °C) viscosity))

Explosion hazard: not explosive

Fire promoting properties: Based on its structural properties

the product is not classified as

oxidizing.

#### Other information

Self heating ability: not applicable, the product is a liquid

pKA:

not applicable, The substance does

not dissociate.

Adsorption/water - soil: KOC: 56,32; log KOC: 1,75 (calculated)

Surface tension:

Based on chemical structure, surface

activity is not to be expected.

Grain size distribution: The substance / product is marketed or used in a non solid or

granular form.

154,25 g/mol Molar mass:

Date / Revised: 04.08.2022 Version: 3.0

Product: **Linalool** 

(ID no. 30034999/SDS\_GEN\_00/EN)

Date of print 20.10.2025

# 10. Stability and Reactivity

### Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Corrosion to metals: Corrosive effects to metal are not anticipated.

Formation of Remarks: Forms no flammable gases in the

flammable gases: presence of water.

# **Chemical stability**

The product is stable if stored and handled as prescribed/indicated.

### Possibility of hazardous reactions

Evolution of heat under influence of acids.

#### Conditions to avoid

Avoid all sources of ignition: heat, sparks, open flame. See SDS section 7 - Handling and storage.

# Incompatible materials

Substances to avoid:

acids

### Hazardous decomposition products

Hazardous decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated.

# 11. Toxicological Information

### Information on toxicological effects

#### Acute toxicity

Assessment of acute toxicity:

Of low toxicity after single ingestion. Virtually nontoxic after a single skin contact.

Experimental/calculated data: LD50 rat (oral): 2.790 mg/kg

Literature data.

LD50 rabbit (dermal): 5.610 mg/kg

Literature data.

#### Irritation

Assessment of irritating effects:

Skin contact causes irritation. Eye contact causes irritation.

Date / Revised: 04.08.2022 Version: 3.0

Product: **Linalool** 

(ID no. 30034999/SDS\_GEN\_00/EN)

Date of print 20.10.2025

Experimental/calculated data:

Skin corrosion/irritation rabbit: Irritant. (OECD Guideline 404)

Literature data.

Serious eye damage/irritation rabbit: Irritant. (OECD Guideline 405)

#### Respiratory/Skin sensitization

Assessment of sensitization:

Caused skin sensitization in animal studies.

Experimental/calculated data:

Mouse Local Lymph Node Assay (LLNA) mouse: skin sensitizing (OECD Guideline 429)

#### Germ cell mutagenicity

Assessment of mutagenicity:

Results from a number of mutagenicity studies with microorganisms, mammalian cell culture and mammals are available. Taking into account all of the information, there is no indication that the substance is mutagenic.

#### Carcinogenicity

Assessment of carcinogenicity:

The whole of the information assessable provides no indication of a carcinogenic effect.

#### Reproductive toxicity

Assessment of reproduction toxicity:

The results of animal studies gave no indication of a fertility impairing effect.

# **Developmental toxicity**

Assessment of teratogenicity:

Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals.

# Specific target organ toxicity (single exposure)

Assessment of STOT single:

Based on available data, the classification criteria are not met.

#### Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

Effects on the kidney of male rats were detected after repeated exposure. These effects are specific for the male rat and are known to be of no relevance to humans.

# Aspiration hazard

No data available.

Date / Revised: 04.08.2022 Version: 3.0

Product: Linalool

(ID no. 30034999/SDS\_GEN\_00/EN)

Date of print 20.10.2025

# 12. Ecological Information

# **Toxicity**

Assessment of aquatic toxicity:

Acutely harmful for aquatic organisms. The inhibition of the degradation activity of activated sludge is not anticipated when introduced to biological treatment plants in appropriate low concentrations.

Toxicity to fish:

LC50 (96 h) 27,8 mg/l, Oncorhynchus mykiss (OECD Guideline 203, static)

The statement of the toxic effect relates to the analytically determined concentration.

Aquatic invertebrates:

EC50 (48 h) 59 mg/l, Daphnia magna (OECD Guideline 202, part 1, static)

Aquatic plants:

EC50 (72 h) 156,6 mg/l (growth rate), Desmodesmus subspicatus (DIN 38412 Part 9, static)

Microorganisms/Effect on activated sludge:

EC10 (3 h) > 100 mg/l, (OECD Guideline 209, static)

Chronic toxicity to fish:

Study does not need to be conducted.

Chronic toxicity to aquatic invertebrates:

Study does not need to be conducted.

Assessment of terrestrial toxicity:

Study scientifically not justified.

# Persistence and degradability

Assessment biodegradation and elimination (H2O):

Readily biodegradable (according to OECD criteria).

Elimination information:

60 - 70 % BOD of the ThOD (28 d) (OECD 301D; EEC 92/69, C.4-E) (aerobic, municipal sewage treatment plant effluent)

Assessment of stability in water:

Study does not need to be conducted.

# **Bioaccumulative potential**

Assessment bioaccumulation potential:

Because of the n-octanol/water distribution coefficient (log Pow) accumulation in organisms is not to be expected.

# Mobility in soil

Assessment transport between environmental compartments:

Volatility: The substance will not evaporate into the atmosphere from the water surface.

Adsorption in soil: Adsorption to solid soil phase is not expected.

Date / Revised: 04.08.2022 Version: 3.0

Product: **Linalool** 

(ID no. 30034999/SDS\_GEN\_00/EN)

Date of print 20.10.2025

#### Results of PBT and vPvB assessment

According to Annex XIII of Regulation (EC) No.1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH): The product does not fulfill the criteria for PBT (Persistent/bioaccumulative/toxic) and vPvB (very persistent/very bioaccumulative). Self classification

#### Other adverse effects

The substance is not listed in Regulation (EC) 1005/2009 on substances that deplete the ozone layer.

# 13. Disposal Considerations

#### Waste treatment methods

Observe national and local legal requirements.

# 14. Transport Information

#### **Land transport**

**ADR** 

Not classified as a dangerous good under transport regulations

UN number or ID number:
UN proper shipping name:
Transport hazard class(es):
Packing group:
Not applicable
Not applicable
Not applicable
Not applicable

Environmental hazards: Not applicable Special precautions for None known

user

**RID** 

Not classified as a dangerous good under transport regulations

UN number or ID number:
UN proper shipping name:
Transport hazard class(es):
Packing group:
Not applicable
Not applicable
Not applicable
Not applicable
Not applicable

None known

Special precautions for user

2001

# **Inland waterway transport**

ADN

Not classified as a dangerous good under transport regulations

UN number or ID number: Not applicable UN proper shipping name: Not applicable Transport hazard class(es): Not applicable Packing group: Not applicable

Date / Revised: 04.08.2022 Version: 3.0

Product: Linalool

(ID no. 30034999/SDS\_GEN\_00/EN)

Date of print 20.10.2025

Environmental hazards: Special precautions for Not applicable None known

user:

Transport in inland waterway vessel

Not evaluated

#### Sea transport

**IMDG** 

Not classified as a dangerous good under transport regulations

UN number or ID number:
UN proper shipping name:
Transport hazard class(es):
Packing group:
Environmental hazards:
Not applicable
Not applicable
Not applicable

Special precautions for

user

None known

#### Air transport

IATA/ICAO

Not classified as a dangerous good under transport regulations

UN number or ID number
UN proper shipping name:
Transport hazard class(es):
Packing group:
Environmental hazards:
Special precautions for

Not applicable

user

# Maritime transport in bulk according to IMO instruments

Maritime transport in bulk is not intended.

# 15. Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

#### 16. Other Information

Date / Revised: 04.08.2022 Version: 3.0

Product: Linalool

(ID no. 30034999/SDS\_GEN\_00/EN)

Date of print 20.10.2025

Any other intended applications should be discussed with the manufacturer. Corresponding occupational protection measurements must be followed.

Full text of classifications, hazard symbols and hazard statements, if mentioned in section 2 or 3:

Flam. Liq. Flammable liquids Acute Tox. Acute toxicity

Skin Corr./Irrit. Skin corrosion/irritation

Eye Dam./Irrit. Serious eye damage/eye irritation

Skin Sens. Skin sensitization

Aquatic Acute Hazardous to the aquatic environment - acute

H227 Combustible liquid.

H319 Causes serious eye irritation.

H315 Causes skin irritation.

H303 May be harmful if swallowed. H317 May cause an allergic skin reaction.

H402 Harmful to aquatic life.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Vertical lines in the left hand margin indicate an amendment from the previous version.