

Revision date : 2025/10/29 Page: 1/10

Version: 3.0 (30034918/SDS_GEN_CA/EN)

1. Identification

Product identifier used on the label

Kaurit® Powder 287

Recommended use of the chemical and restriction on use

Recommended use*: Chemical

Recommended use*: Chemical; for industrial and professional users

Details of the supplier of the safety data sheet

Company:

BASF Canada Inc. 5025 Creekbank Road Building A, Floor 2 Mississauga, ON, L4W 0B6, CANADA

Telephone: +1 289 360-1300

Emergency telephone number

24 Hour Emergency Response Information

CHEMTREC: 1-800-424-9300

BASF HOTLINE: (800) 454-COPE (2673)

Other means of identification

Chemical family: No data available.

2. Hazards Identification

According to Hazardous Products Regulations (HPR) (SOR/2022-272)

Classification of the product

Skin Sens.1Skin sensitizationCarc.1BCarcinogenicity

Label elements

^{*} The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

Safety Data Sheet

Kaurit® Powder 287

Revision date: 2025/10/29 Page: 2/10 Version: 3.0 (30034918/SDS_GEN_CA/EN)

Pictogram:



Signal Word: Danger

Hazard Statement:

H317 May cause an allergic skin reaction.

H350 May cause cancer.

Precautionary Statements (Prevention):

P280 Wear protective gloves, protective clothing and eye protection or face

protection.

P201 Obtain special instructions before use.

P261 Avoid breathing dust or fume.

P202 Do not handle until all safety precautions have been read and

understood.

P272 Contaminated work clothing should not be allowed out of the workplace.

Precautionary Statements (Response):

P308 + P313 IF exposed or concerned: Get medical attention.
P302 + P352 IF ON SKIN: Wash with plenty of soap and water.
P333 + P313 If skin irritation or rash occurs: Get medical attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.

Precautionary Statements (Storage): P405 Store locked up.

Precautionary Statements (Disposal):

P501 Dispose of contents/container in accordance with local regulations.

Hazards not otherwise classified

No specific dangers known, if the regulations/notes for storage and handling are considered. If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

3. Composition / Information on Ingredients

According to Hazardous Products Regulations (HPR) (SOR/2022-272)

Formaldehyde

CAS Number: 50-00-0

Content (W/W): >= 0.1 - <= 1.0%

Synonym: Formaldehyde; Formalin

Revision date: 2025/10/29 Page: 3/10 Version: 3.0 (30034918/SDS GEN CA/EN)

4. First-Aid Measures

Description of first aid measures

General advice:

First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

If on skin:

Immediately wash thoroughly with soap and water, seek medical attention.

If in eves:

Wash affected eyes for at least 15 minutes under running water with eyelids held open.

If swallowed:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

Most important symptoms and effects, both acute and delayed

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far

Information on: Formaldehyde

Symptoms: Overexposure may cause:, respiratory disorders, headache, coughing, lung oedema

Hazards: No applicable information available.

Indication of any immediate medical attention and special treatment needed

Note to physician

Treat according to symptoms (decontamination, vital functions), no

known specific antidote.

5. Fire-Fighting Measures

Suitable extinguishing media: water spray, foam, carbon dioxide, dry powder

Unsuitable extinguishing media for safety reasons: water jet

Special hazards arising from the substance or mixture

Hazards during fire-fighting: Formaldehyde, harmful vapours Dust explosion hazard.

Advice for fire-fighters

Revision date: 2025/10/29 Page: 4/10 Version: 3.0 (30034918/SDS GEN CA/EN)

Protective equipment for fire-fighting:

Firefighters should be equipped with self-contained breathing apparatus and turn-out gear.

Further information:

Fire debris must be disposed of in accordance with offical regulations. In case of combustion evolution of toxic gases/vapours possible. Do not allow to enter drains or waterways. Forms slippery surfaces with water.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Avoid contact with the skin, eyes and clothing. Handle in accordance with good industrial hygiene and safety practice.

Environmental precautions

Do not allow to enter soil, waterways or waste water channels. Prevent entry into drains and surface waters. Ensure compliance with local regulations before discharging into effluent treatment plants.

Methods and material for containment and cleaning up

For small amounts: Sweep/shovel up. For large amounts: Sweep/shovel up.

7. Handling and Storage

Precautions for safe handling

Handle in accordance with good industrial hygiene and safety practice. Inform workers about possible hazards caused by the release of formaldehyde during processing.

Protection against fire and explosion:

Avoid dust formation. The product is capable of dust explosion. Sources of ignition should be kept well clear. Take precautionary measures against static discharges.

No explosion proofing necessary.

Conditions for safe storage, including any incompatibilities

No applicable information available.

Suitable materials for containers: Low density polyethylene (LDPE), Paper/Fibreboard, High density polyethylene (HDPE), Aluminium

Further information on storage conditions: Keep in a cool place. Keep container dry.

8. Exposure Controls/Personal Protection

Components with occupational exposure limits

Componente with Cocapational expectate minte		
Formaldehyde	ACGIH, US:	STEL value 0.3 ppm ;
1	ACGIH, US:	TWA value 0.1 ppm;
	OSHA, US:	STEL value 2 ppm ;
	OSHA, US:	OSHA Action level 0.5 ppm;
	OSHA, US:	TWA value 0.75 ppm;

Revision date: 2025/10/29 Page: 5/10 Version: 3.0 (30034918/SDS_GEN_CA/EN)

Advice on system design:

Ensure adequate ventilation.

Personal protective equipment

Respiratory protection:

Breathing protection if dusts are formed. Wear a NIOSH-certified (or equivalent) particulate respirator. Do not exceed the maximum use concentration for the respirator facepiece/cartridge combination. For emergency or non-routine, high exposure situations, use a NIOSH-certified full facepiece pressure demand self-contained breathing apparatus (SCBA) or a full facepiece pressure demand supplied-air respirator (SAR) with escape provisions.

Hand protection:

Chemical resistant protective gloves should be worn to prevent all skin contact., Suitable materials may include, nitrile rubber (Buna N), chloroprene rubber (Neoprene), polyvinylchloride (Pylox), Consult with glove manufacturer for testing data., Protective glove selection must be based on the user's assessment of the workplace hazards.

Eye protection:

Safety glasses with side-shields.

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

General safety and hygiene measures:

Do not breathe dust. Do not breathe vapour/spray. No eating, drinking, smoking or tobacco use at the place of work. Wash contaminated clothing before reuse.

9. Physical and Chemical Properties

Physical state: solid Form: powder

Odour: almost odourless Odour threshold: No data available.

Colour: white

pH value: approx. 7

(660 g/l, 20 °C)

Melting point: approx. 120 °C approx. 120 °C

No data available.

Freezing point: Boiling point: not applicable No data available. Sublimation point:

not applicable, the product is a solid Flash point:

Flammability: not readily ignited (other)

Lower explosion limit: (20 - 24 °C, 1013 hPa) (DIN EN 14034-3)

The lower explosion limit of dust has

been determined.

Upper explosion limit: For solids not relevant for

classification and labelling.

Autoignition: approx. 460 °C (VDI 2263, sheet 1,

2.6 (May 1990))

(DIN ISO 976)

Revision date: 2025/10/29 Page: 6/10 Version: 3.0 (30034918/SDS GEN CA/EN)

SADT: > 75 °C

Heat accumulation / Dewar 500 ml (SADT, UN-Test H.4,

28.4.4)

Vapour pressure: not applicable

Density: No information is available for the

absolute density. Instead the bulk density was determined as a more

relevant value.

Relative density: not determined

Bulk density: approx. 600 kg/m3 (DIN ISO 697)

Relative vapour density: The product is a non-volatile solid.

Partitioning coefficient n- < 1.0

octanol/water (log Pow): The statements are based on the

properties of the individual

components.

Self-ignition > 350 °C (VDI 2263, sheet 1, temperature: 1.4.1 (May 1990))

Thermal decomposition: > 250 °C

No decomposition if correctly stored and handled.

Viscosity, dynamic: not applicable, the product is a solid Viscosity, kinematic: not applicable, the product is a solid

Solubility in water: > 2 g/l

The product has not been tested. The statement has been derived from substances/products of a similar structure or

composition.

Solubility (quantitative): No data available.
Solubility (qualitative): No data available.
Molecular weight: No data available.

Evaporation rate: The product is a non-volatile solid.

Other Information: none

Particle characteristics

Particle size distribution: 33.53 - 77.79 µm (D50, Volumetric Distribution,

measured)

fine particles

10. Stability and Reactivity

Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Oxidizing properties: not fire-propagating

Minimum ignition energy:

650 mJ, Grain size distribution: 3 μ m (DIN EN 13821) 1.3 J, Grain size distribution: 100 μ m (DIN EN 13821)

Chemical stability

The product is chemically stable.

Possibility of hazardous reactions

During processing with acids, water and / or heat formaldehyde will be released, which may act as a sensitizer.

Safety Data Sheet

Kaurit® Powder 287

Revision date: 2025/10/29 Page: 7/10
Version: 3.0 (30034918/SDS_GEN_CA/EN)

Conditions to avoid

> 30 degrees Celsius

Avoid heat. Avoid humidity. Avoid dust formation.

Incompatible materials

Organic Peroxides, strong bases, strong acids, acid anhydrides

Hazardous decomposition products

Decomposition products:

Formaldehyde

Thermal decomposition:

> 250 °C

No decomposition if correctly stored and handled.

11. Toxicological information

Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

Acute Toxicity/Effects

Acute toxicity

Assessment of acute toxicity: Virtually nontoxic after a single ingestion. The inhalation of a highly enriched/saturated vapor-air-mixture represents an unlikely acute hazard.

Oral

Type of value: LD50

Species: rat

Value: > 10,000 mg/kg

Inhalation

Species: rat Value: (IRT) Exposure time: 8 h

No mortality within the stated exposition time as shown in animal studies.

<u>Dermal</u>

No applicable information available.

Assessment other acute effects

Assessment of STOT single:

The available information is not sufficient for the evaluation of specific target organ toxicity.

Irritation / corrosion

Assessment of irritating effects: Prolonged contact with the product can result in skin irritation. Not irritating to the eyes.

<u>Skin</u>

Safety Data Sheet

Kaurit® Powder 287

Revision date: 2025/10/29 Page: 8/10
Version: 3.0 (30034918/SDS_GEN_CA/EN)

Species: rabbit Result: non-irritant Method: BASF-Test

Eye

Species: rabbit Result: non-irritant Method: BASF-Test

Sensitization

Assessment of sensitization: Sensitization after skin contact possible.

Information on: Formaldehyde Assessment of sensitization:

Caused skin sensitization in animal studies. Caused sensitization in humans.

Aspiration Hazard not applicable

Chronic Toxicity/Effects

Repeated dose toxicity

Assessment of repeated dose toxicity: The information available on the product provides no indication of toxicity on target organs after repeated exposure.

Information on: Formaldehyde

Assessment of repeated dose toxicity: After repeated exposure the prominent effect is local irritation.

Genetic toxicity

Assessment of mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity

Assessment of carcinogenicity: The substance caused cancer in animal studies.

Information on: Formaldehyde

Assessment of carcinogenicity: NTP listed carcinogen The International Agency for Research on Cancer (IARC) has classified formaldehyde as a Group 1 (known) human carcinogen based on epidemiological evidence linking formaldehyde exposure to occurrence of nasopharyngeal cancer and leukemia. Current regulatory information is provided in this SDS. No adverse health effects are anticipated if recommended personal protective equipment and industrial hygiene practices are used.

Reproductive toxicity

Assessment of reproduction toxicity: Not classified, due to lack of data.

<u>Teratogenicity</u>

Assessment of teratogenicity: Not classified, due to lack of data.

Other Information

The product has not been tested. The statements on toxicology have been derived from the properties of the individual components.

Revision date: 2025/10/29 Page: 9/10 Version: 3.0 (30034918/SDS_GEN_CA/EN)

12. Ecological Information

Toxicity

Aquatic toxicity

Assessment of aquatic toxicity:

There is a high probability that the product is not acutely harmful to aquatic organisms. The inhibition of the degradation activity of activated sludge is not anticipated when introduced to biological treatment plants in appropriate low concentrations.

Toxicity to fish

LC50 (96 h) > 500 mg/l, Leuciscus idus (DIN 38412 Part 15, static) Nominal concentration.

Persistence and degradability

Assessment biodegradation and elimination (H2O)

The product has not been tested.

Elimination information

No data available.

Bioaccumulative potential

Assessment bioaccumulation potential

Based on its structural properties, the polymer is not biologically available. Accumulation in organisms is not to be expected.

Mobility in soil

Assessment transport between environmental compartments

The substance will not evaporate into the atmosphere from the water surface.

Additional information

Other ecotoxicological advice:

Do not release untreated into natural waters. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition. Inhibition of degradation activity in activated sludge is not to be anticipated during correct introduction of low concentrations.

13. Disposal considerations

Waste disposal of substance:

Incinerate in suitable incineration plant, observing local authority regulations.

14. Transport Information

Revision date: 2025/10/29 Page: 10/10 Version: 3.0 (30034918/SDS_GEN_CA/EN)

Land transport

TDG

Not classified as a dangerous good under transport regulations

Sea transport

IMDG

Not classified as a dangerous good under transport regulations

Air transport IATA/ICAO

Not classified as a dangerous good under transport regulations

15. Regulatory Information

Federal Regulations

Registration status:

Chemical DSL, CA

DSL listed and/or otherwise compliant.

NFPA Hazard codes:

Health: 2 Fire: 1 Reactivity: 0 Special:

16. Other Information

SDS Prepared by:

BASF NA Product Regulations SDS Prepared on: 2025/10/29

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

Kaurit® Powder 287 is a registered trademark of BASF Canada or BASF SE

Date / Revised: 2025/10/29 Version: 3.0

Date / Previous version: 2020/11/09 Previous version: 2.1

END OF DATA SHEET