

Safety data sheet

Page: 1/12

BASF Safety data sheet
Date / Revised: 09.07.2024
Product: **Dihydrorosan®**

Version: 1.0

(30035075/SDS_GEN_VN/EN)

Date of print: 17.10.2025

1. Substance/preparation and manufacturer/supplier identification

Product name:
Dihydrorosan®

Use: Chemical, Chemical for detergents, Chemical for soaps, detergents and cosmetic

Manufacturer/supplier:
BASF Vietnam Co. Ltd.
Level 23, Deutsches Haus, 33 Le Duan,
Sai Gon Ward, Ho Chi Minh City, Vietnam
Telephone: +84 28 3824 3833
Telefax number: +84 28 3824 3832
E-mail address: minh-triet.thieu@basf.com

Emergency information:
18001703 (Vietnam)
Telefax number: +84 28 3824 3832
International emergency number:
Telephone: +49 180 2273-112

2. Hazard identification

Classification of the substance and mixture:
Flammable liquids: Cat.4
Skin irritation: Cat.2
Hazardous to the aquatic environment - acute: Cat.3
Hazardous to the aquatic environment - chronic: Cat.3

Label elements and precautionary statement:

Pictogram:

BASF Safety data sheet
Date / Revised: 09.07.2024
Product: **Dihydrorosan®**

Version: 1.0

(30035075/SDS_GEN_VN/EN)

Date of print: 17.10.2025



Signal Word:
Warning

Hazard Statement:

H227	Combustible liquid.
H315	Causes skin irritation.
H402	Harmful to aquatic life.
H412	Harmful to aquatic life with long lasting effects.

Precautionary Statements (Prevention):

P280	Wear protective gloves and eye protection or face protection.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P273	Avoid release to the environment.
P264	Wash contaminated body parts thoroughly after handling.

Precautionary Statements (Response):

P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
P332 + P313	If skin irritation occurs: Get medical attention.
P362 + P364	Take off contaminated clothing and wash it before reuse.
P370 + P378	In case of fire: Use alcohol-resistant foam, carbon dioxide, dry powder or water spray for extinction.

Precautionary Statements (Storage):

P403	Store in a well-ventilated place.
------	-----------------------------------

Precautionary Statements (Disposal):

P501	Dispose of contents and container to hazardous or special waste collection point.
------	---

Other hazards which do not result in classification:

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

3. Composition/information on ingredients

Chemical nature

Substance nature: Substance

2-(2-Methylpropyl)-4-methyltetrahydropyran
CAS Number: 13477-62-8

Hazardous ingredients

BASF Safety data sheet
Date / Revised: 09.07.2024
Product: **Dihydrosan®**

Version: 1.0

(30035075/SDS_GEN_VN/EN)

Date of print: 17.10.2025

2-(2-Methylpropyl)-4-methyltetrahydropyran

Content (W/W): $\geq 75\%$ - $\leq 100\%$

CAS Number: 13477-62-8

Flam. Liq.: Cat. 4

Skin Irrit.: Cat. 2

Aquatic Acute: Cat. 3

Aquatic Chronic: Cat. 3

D,L-alpha-tocopherol

Content (W/W): $> 0\%$ - $< 0.1\%$

CAS Number: 10191-41-0

Skin Sens.: Cat. 1B

4. First-Aid Measures

General advice:

Remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

On skin contact:

Wash thoroughly with soap and water

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

Note to physician:

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Suitable extinguishing media:

water spray, dry powder, alcohol-resistant foam, carbon dioxide

Unsuitable extinguishing media for safety reasons:

water jet

Specific hazards:

harmful vapours, carbon oxides

The substances/groups of substances mentioned can be released in case of fire. Combustible Liquid

Special protective equipment:

Wear a self-contained breathing apparatus.

Further information:

Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations. Cool endangered containers with water-spray.

6. Accidental Release Measures

Personal precautions:

Use personal protective clothing. Information regarding personal protective measures, see section 8. Ensure adequate ventilation. Do not breathe vapour/spray. Avoid contact with the skin, eyes and clothing.

Environmental precautions:

Do not discharge into drains/surface waters/groundwater. Inform authorities in the event of product spillage to water courses or sewage systems.

Methods for cleaning up or taking up:

For large amounts: Dike spillage. Cover with blanket of foam (alcohol-resistant foam). Pump off product.

For residues: Contain with absorbent material (e.g. sand, silica gel, acid binder, general purpose binder, sawdust).

Dispose of absorbed material in accordance with regulations.

7. Handling and Storage

Handling

Ensure thorough ventilation of stores and work areas. Wear suitable protective clothing and eye/face protection. Avoid contact with the skin, eyes and clothing. Keep container tightly sealed. This product may cause irritations; wash your hands after every contact.

Protection against fire and explosion:

Take precautionary measures against static discharges. Avoid all sources of ignition: heat, sparks, open flame.

Storage

Further information on storage conditions: Keep container tightly closed and dry; store in a cool place.

8. Exposure controls and personal protection

Components with occupational exposure limits

No substance specific occupational exposure limits known.

Personal protective equipment

Respiratory protection:

Respiratory protection in case of vapour/aerosol release. Particle filter with medium efficiency for solid and liquid particles (e.g. EN 143 or 149, Type P2 or FFP2)

Hand protection:

Suitable chemical resistant safety gloves (EN ISO 374-1) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc. Supplementary note: The specifications are based on tests, literature data and information of glove manufacturers or are derived from similar substances by analogy. Due to many conditions (e.g. temperature) it must be considered, that the practical usage of a chemical-protective glove in practice may be much shorter than the permeation time determined through testing. Manufacturer's directions for use should be observed because of great diversity of types.

Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures:

Handle in accordance with good industrial hygiene and safety practice. Wearing of closed work clothing is recommended. Avoid contact with skin. No eating, drinking, smoking or tobacco use at the place of work. Hands and/or face should be washed before breaks and at the end of the shift. Store work clothing separately.

9. Physical and Chemical Properties

Form:	liquid	
Colour:	colourless	
Odour:	flowery	
Odour threshold:	< 100 ppm	
pH value:	5.1 - 5.3 (0.13 g/l, 20 °C)	(OECD Guideline 105)
Melting point:	< -130 °C (1,013.25 hPa)	(OECD Guideline 102)
glass transition temperature:	-120 °C (1,013.25 hPa)	(OECD Guideline 102)
Boiling point:	181.9 °C (1,013.25 hPa)	(measured)
Flash point:	62 °C	(Directive 92/69/EEC, A.9, closed cup)
Evaporation rate:	Value can be approximated from Henry's Law Constant or vapor pressure.	

BASF Safety data sheet
 Date / Revised: 09.07.2024
 Product: **Dihydrosan®**

Version: 1.0

(30035075/SDS_GEN_VN/EN)

Date of print: 17.10.2025

Flammability (solid/gas):	Combustible liquid.	(derived from flash point)
Lower explosion limit:	0.6 %(V) For liquids not relevant for classification and labelling., The lower explosion point may be 5 - 15 °C below the flash point.	
Upper explosion limit:	For liquids not relevant for classification and labelling.	
Ignition temperature:	225 °C	(Directive 92/69/EEC, A.15)
Thermal decomposition:	approx. 460 °C	(DSC (DIN 51007))
Self ignition:	Based on its structural properties the product is not classified as self-igniting.	Test type: Spontaneous self-ignition at room-temperature.
Self heating ability:	not applicable, the product is a liquid	
Explosion hazard:	Based on the chemical structure there is no indication of explosive properties.	
Fire promoting properties:	Based on its structural properties the product is not classified as oxidizing.	
Vapour pressure:	1.1 hPa (20 °C) 1.5 hPa (25 °C) 7.2 hPa (50 °C)	(OECD Guideline 104) (OECD Guideline 104) (OECD Guideline 104)
Density:	0.8388 g/cm ³ (20 °C) Literature data.	
Relative density:	0.8388 (20 °C) Literature data.	
Relative vapour density (air):	> 1 (20 °C) Heavier than air.	(calculated)
Solubility in water:	0.13 g/l (20 °C)	
Solubility (qualitative) solvent(s):	Ethanol soluble	
Partitioning coefficient n-octanol/water (log Pow):	4.4 - 5.2 (25 °C; pH value: 5.3)	(OECD Guideline 117)
Adsorption/water - soil:	KOC: 722.7; log KOC: 2.86	(calculated)
Surface tension:	Based on chemical structure, surface activity is not to be expected.	

BASF Safety data sheet
Date / Revised: 09.07.2024
Product: **Dihydrorosan®**

Version: 1.0

(30035075/SDS_GEN_VN/EN)

Date of print: 17.10.2025

Viscosity, dynamic: No data available.
Viscosity, kinematic: No data available.

10. Stability and Reactivity

Conditions to avoid:
Avoid all sources of ignition: heat, sparks, open flame. See SDS section 7 - Handling and storage.

Thermal decomposition: approx. 460 °C (DSC (DIN 51007))

Substances to avoid:
None known during use and storage if used according to instructions.

Corrosion to metals: Corrosive effects to metal are not anticipated.

Hazardous reactions:
Generation of flammable gases/vapours.

Hazardous decomposition products:
No hazardous decomposition products if stored and handled as prescribed/indicated.

Chemical stability:
The product is stable if stored and handled as prescribed/indicated.

Reactivity:
No hazardous reactions if stored and handled as prescribed/indicated.

11. Toxicological Information

Routes of exposure

Acute oral toxicity

Experimental/calculated data:
LD50rat (oral): > 5,000 mg/kg (BASF-Test)

Acute inhalation toxicity

other rat (by inhalation): 23.1 mg/l 7 h (IRT)
Inhalation-risk test (IRT): No mortality within 7 hours as shown in animal studies. The inhalation of a highly saturated vapor-air mixture represents no acute hazard. The vapour was tested.

Acute dermal toxicity

LD50 rat (dermal): > 2,000 mg/kg (BASF-Test)

Assessment of acute toxicity

Virtually nontoxic after a single ingestion. Virtually nontoxic after a single skin contact.

Symptoms

Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11.
(Further) symptoms and / or effects are not known so far

Irritation

Assessment of irritating effects:
Skin contact causes irritation. Not irritating to the eyes.

Experimental/calculated data:
Skin corrosion/irritation rabbit: Irritant. (OECD Guideline 404)

Serious eye damage/irritation rabbit: non-irritant (OECD Guideline 405)

Respiratory/Skin sensitization

Assessment of sensitization:
No sensitizing effect.

Experimental/calculated data:
Human Maximization Test human: Non-sensitizing. (Human patch test)

In-vitro test In vitro assay: Non-sensitizing. (OECD Guidelines 442C/D)

Germ cell mutagenicity

Assessment of mutagenicity:
No mutagenic effect was found in various tests with bacteria and mammalian cell culture.

Experimental/calculated data:
Ames-test
negative (OECD Guideline 471)

HGPRT assay
negative (OECD Guideline 476)

Micronucleus assay
negative (OECD Guideline 487)

Carcinogenicity

Assessment of carcinogenicity:
No data available concerning carcinogenic effects.

Reproductive toxicity

Assessment of reproduction toxicity:
The results of animal studies gave no indication of a fertility impairing effect. The results were determined in a Screening test (OECD 421/422).

Developmental toxicity

Assessment of teratogenicity:

No indications of a developmental toxic / teratogenic effect were seen in animal studies. The results were determined in a Screening test (OECD 421/422).

Specific target organ toxicity (single exposure)

Based on available data, the classification criteria are not met.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

No substance-specific organotoxicity was observed after repeated administration to animals.

Aspiration hazard

No data available.

12. Ecological Information

Ecotoxicity

Assessment of aquatic toxicity:

Acutely harmful for aquatic organisms. The inhibition of the degradation activity of activated sludge is not anticipated when introduced to biological treatment plants in appropriate low concentrations.

Toxicity to fish:

LC50 (96 h) 77.6 mg/l, Brachydanio rerio (OECD Guideline 203, semistatic)

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition. The statement of the toxic effect relates to the analytically determined concentration.

Aquatic invertebrates:

EC50 (48 h) 33.2 mg/l, Daphnia magna (OECD Guideline 202, part 1, static)

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition. The details of the toxic effect relate to the nominal concentration.

Aquatic plants:

EC50 (72 h) 79.7 mg/l (growth rate), Pseudokirchneriella subcapitata (OECD Guideline 201, static)

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition. The statement of the toxic effect relates to the analytically determined concentration.

EC10 (72 h) 38.1 mg/l (growth rate), Pseudokirchneriella subcapitata (OECD Guideline 201, static)

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition. The statement of the toxic effect relates to the analytically determined concentration.

Microorganisms/Effect on activated sludge:

EC20 (30 min) approx. 550 mg/l, activated sludge (OECD Guideline 209, aerobic)

EC20 (3 h) > 1,000 mg/l, activated sludge, domestic (OECD Guideline 209, static)

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition. The details of the toxic effect relate to the nominal concentration.

Chronic toxicity to fish:
No data available.

Chronic toxicity to aquatic invertebrates:
No data available.

Assessment of terrestrial toxicity:
Study scientifically not justified.

Soil living organisms:
Study scientifically not justified.

Terrestrial plants:
Study scientifically not justified.

Other terrestrial non-mammals:
Study scientifically not justified.

Mobility

Assessment transport between environmental compartments:
The substance will slowly evaporate into the atmosphere from the water surface.
Adsorption to solid soil phase is possible.

Persistence and degradability

Elimination information:
18 % CO₂ formation relative to the theoretical value (28 d) (OECD Guideline 310) (aerobic, activated sludge, domestic, non-adapted)

75 % CO₂ formation relative to the theoretical value (60 d) (OECD Guideline 310) (aerobic, activated sludge, domestic, non-adapted)
Enhanced conditions: prolonged incubation

Assessment of stability in water:
According to structural properties, hydrolysis is not expected/probable.

Bioaccumulation potential

Assessment bioaccumulation potential:
Because of the n-octanol/water distribution coefficient (log Pow) accumulation in organisms is possible.

13. Disposal Considerations

Information on disposal regulations: Must comply with regulations on hazardous waste such as:

- Decree No. 08/2022/ND-CP of the Government: detailing a number of articles of the Law on Environmental Protection.

- Circular No. 02/2022/TT-BTNMT of the Ministry of Natural Resources and Environment: detailing a number of articles of the Law on Environmental Protection.

BASF Safety data sheet
Date / Revised: 09.07.2024
Product: **Dihydrorosan®**

Version: 1.0

(30035075/SDS_GEN_VN/EN)

Date of print: 17.10.2025

Observe national and local legal requirements.

14. Transport Information

Domestic transport:

	Not classified as a dangerous good under transport regulations
UN number or ID number	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user	None known

Sea transport

IMDG

	Not classified as a dangerous good under transport regulations
UN number or ID number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
	Marine pollutant: no
Special precautions for user	None known

Air transport

IATA/ICAO

	Not classified as a dangerous good under transport regulations
UN number or ID number	Not applicable
Proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user	None known

15. Regulatory Information

Other regulations

The SDS is composed based on the Global Harmonization Globally Harmonized System of Classification and Labeling of Chemicals and applicable local chemical regulations as following:
- The Chemical Law 06/2007/QH12 issued on 21/11/2007.

BASF Safety data sheet
Date / Revised: 09.07.2024
Product: **Dihydrosan®**

Version: 1.0

(30035075/SDS_GEN_VN/EN)

Date of print: 17.10.2025

- The decree No. 113/2017/ND-CP specifying and providing guidelines for implementation of certain articles of the law on chemicals.
- The decree No. 82/2022/ND-CP Amendments to some articles of government's decree no.113/2017/ND-CP dated October 09, 2017 specifying and providing guidelines for implementation of certain articles of the law on chemicals.
- Circular 17/2022/TT-BCT Amendments to some articles of circular no. 32/2017/TT-BCT dated December 28, 2017 of the Minister Of Industry And Trade on elaboration and provision of guidelines for implementation of certain articles of the law on chemicals and the government's decree no. 113/2017/ ND-CP dated October 09, 2017 on elaboration and provision of guidelines for implementation of certain articles of the law on chemicals.
- The decree No. 17/2020/ND-CP Amendments to some articles of decrees related to necessary business conditions in fields under the management of the Ministry Of Industry and Trade.
- The decree No. 34/2024/ND-CP dated March 31st 2024 of the Government on the List of dangerous goods, transportation of dangerous goods by road motor vehicles and transportation of dangerous goods on inland waterways
- The Circular 32/2017/TT-BCT specifying and providing guidelines for implementation of certain articles of the law on chemicals and the government's decree no. 113/2017/ND-CP dated October 09, 2017 specifying and providing guidelines for implementation of certain articles of the law on chemicals.
- The decree No. 33/2024/ND-CP dated March 27th 2024 of the Government on implementing the convention on the prohibition of the development, production, stockpiling and use of chemical weapons and on their destruction

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

16. Other Information

Any other intended applications should be discussed with the manufacturer. Corresponding occupational protection measurements must be followed.

Vertical lines in the left hand margin indicate an amendment from the previous version.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.