

Safety data sheet

Page: 1/16

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from

time to time.

Date / Revised: 10.12.2024 Version: 10.0
Date / Previous version: 14.09.2023 Previous version: 9.0

Product: BUTYLDIGLYCOL ACETATE

(ID no. 30034754/SDS_GEN_GB/EN)

Date of print 08.10.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

BUTYLDIGLYCOL ACETATE

Chemical name: 2-(2-butoxyethoxy)ethyl acetate

CAS Number: 124-17-4

REACH registration number: 01-2119475110-51-0002

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: solvent(s)

1.3. Details of the supplier of the safety data sheet

Company: BASF SE 67056 Ludwigshafen GERMANY Contact address:
BASF plc
4th and 5th Floors, 2 Stockport Exchange
Railway Road, Stockport, SK1 3GG
UNITED KINGDOM

Telephone: +44 161 475 3000

E-mail address: product-safety-uk-and-ireland@basf.com

1.4. Emergency telephone number

International emergency number: Telephone: +49 180 2273-112

SECTION 2: Hazards Identification

2.1. Classification of the substance or mixture

time to time.

Date / Revised: 10.12.2024 Version: 10.0 Date / Previous version: 14.09.2023 Previous version: 9.0

Product: BUTYLDIGLYCOL ACETATE

(ID no. 30034754/SDS_GEN_GB/EN)

Date of print 08.10.2025

According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

Eye Irrit. 2 H319 Causes serious eye irritation.

For the classifications not written out in full in this section the full text can be found in section 16.

2.2. Label elements

According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

Pictogram:



Signal Word:

Warning

Hazard Statement:

H319 Causes serious eye irritation.

Precautionary Statements (Prevention):

P280 Wear eye protection.

P264 Wash contaminated body parts thoroughly after handling.

Precautionary Statements (Response):

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical attention.

2.3. Other hazards

According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

See section 12 - Results of PBT and vPvB assessment.

Product does not contain a substance above legal limits included in the list established in accordance with Article 59(1) of Regulation (EC) No 1907/2006 for having endocrine disrupting properties or is identified to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

time to time.

Date / Revised: 10.12.2024 Version: 10.0
Date / Previous version: 14.09.2023 Previous version: 9.0

Product: BUTYLDIGLYCOL ACETATE

(ID no. 30034754/SDS_GEN_GB/EN)

Date of print 08.10.2025

SECTION 3: Composition/Information on Ingredients

3.1. Substances

Chemical nature

2-(2-Butoxyethoxy)ethyl acetate

CAS Number: 124-17-4 EC-Number: 204-685-9

Hazardous ingredients (GHS)

2-(2-Butoxyethoxy)ethyl acetate

Content (W/W): >= 98.5 % - <= Eye Irrit. 2 98.5 % H319

CAS Number: 124-17-4 EC-Number: 204-685-9

For the classifications not written out in full in this section, including the hazard classes and the hazard statements, the full text is listed in section 16.

3.2. Mixtures

Not applicable

SECTION 4: First-Aid Measures

4.1. Description of first aid measures

Remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air.

On skin contact:

Wash thoroughly with soap and water

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open.

On ingestion:

Rinse mouth and then drink 200-300 ml of water.

4.2. Most important symptoms and effects, both acute and delayed

time to time.

Date / Revised: 10.12.2024 Version: 10.0 Date / Previous version: 14.09.2023 Previous version: 9.0

Product: BUTYLDIGLYCOL ACETATE

(ID no. 30034754/SDS_GEN_GB/EN)

Date of print 08.10.2025

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11.

Hazards: (Further) symptoms and / or effects are not known so far

4.3. Indication of any immediate medical attention and special treatment needed

Treatment: Symptomatic treatment (decontamination, vital functions).

SECTION 5: Fire-Fighting Measures

5.1. Extinguishing media

Suitable extinguishing media:

dry powder, water spray, carbon dioxide, alcohol-resistant foam

Unsuitable extinguishing media for safety reasons: water jet

Additional information:

Use extinguishing measures to suit surroundings.

5.2. Special hazards arising from the substance or mixture

Advice: The product is combustible. Cool endangered containers with water-spray. See SDS section 7 - Handling and storage.

5.3. Advice for fire-fighters

Special protective equipment:

Wear a self-contained breathing apparatus. Special protective equipment for firefighters

Further information:

Evacuate area of all unnecessary personnel. Fight fire from maximum distance.

Extend fire extinguishing measures to the surroundings. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

SECTION 6: Accidental Release Measures

High risk of slipping due to leakage/spillage of product.

Release of substance/product can cause fire or explosion. Shut off or stop source of leak. Shut off or stop released substance/product under safe conditions.

Pack in tightly closed containers for disposal.

6.1. Personal precautions, protective equipment and emergency procedures

Handle in accordance with good industrial hygiene and safety practice.

Avoid all sources of ignition: heat, sparks, open flame. Use antistatic tools.

time to time.

Date / Revised: 10.12.2024 Version: 10.0 Date / Previous version: 14.09.2023 Previous version: 9.0

Product: BUTYLDIGLYCOL ACETATE

(ID no. 30034754/SDS_GEN_GB/EN)

Date of print 08.10.2025

6.2. Environmental precautions

Discharge into the environment must be avoided.

6.3. Methods and material for containment and cleaning up

Pick up with suitable appliance and dispose of. Spills should be contained, solidified, and placed in suitable containers for disposal. Dispose of absorbed material in accordance with regulations.

6.4. Reference to other sections

Information regarding exposure controls/personal protection and disposal considerations can be found in section 8 and 13.

SECTION 7: Handling and Storage

7.1. Precautions for safe handling

Handle in accordance with good industrial hygiene and safety practice. Prevent contact with air/oxygen (formation of peroxide).

Protection against fire and explosion:

Substance/product is non-flammable. Prevent electrostatic charge - sources of ignition should be kept well clear - fire extinguishers should be kept handy. Electrical devices must meet the specified temperature class.

7.2. Conditions for safe storage, including any incompatibilities

Further information on storage conditions: Containers should be stored tightly sealed in a dry place.

7.3. Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

SECTION 8: Exposure Controls/Personal Protection

8.1. Control parameters

Components with occupational exposure limits

No substance specific occupational exposure limits known.

PNEC

freshwater: 0.108 mg/l

marine water: 0.0108 mg/l

intermittent release: 0.6 mg/l

STP: 100 mg/l

sediment (freshwater): 0.8 mg/kg

time to time.

Date / Revised: 10.12.2024 Version: 10.0 Date / Previous version: 14.09.2023 Previous version: 9.0

Product: BUTYLDIGLYCOL ACETATE

(ID no. 30034754/SDS_GEN_GB/EN)

Date of print 08.10.2025

sediment (marine water): 0.08 mg/kg

soil: 0.29 mg/kg

oral (secondary poisoning): 70 mg/kg

DNEL

consumer:

Long-term exposure- systemic effects, oral: 7.9 mg/kg

8.2. Exposure controls

Appropriate engineering controls

Provide local exhaust ventilation to maintain recommended P.E.L. Provide local exhaust ventilation to control vapours.

Personal protective equipment

Respiratory protection:

Wear respiratory protection if ventilation is inadequate. Gas filter for gases/vapours of organic compounds (boiling point >65 °C, e. g. EN 14387 Type A)

Hand protection:

Chemical resistant protective gloves (EN ISO 374-1)

Suitable materials also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1):

butyl rubber (butyl) - 0.7 mm coating thickness

Manufacturer's directions for use should be observed because of great diversity of types. Supplementary note: The specifications are based on tests, literature data and information of glove manufacturers or are derived from similar substances by analogy. Due to many conditions (e.g. temperature) it must be considered, that the practical usage of a chemical-protective glove in practice may be much shorter than the permeation time determined through testing.

Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures

Handle in accordance with good industrial hygiene and safety practice. Wearing of closed work clothing is required additionally to the stated personal protection equipment.

Environmental exposure controls

All appropriate measures must be taken to prevent the release of this product to the environment and to limit the dispersion of any release when it occurs. Suitable risk management measures should be in place.

time to time.

Date / Revised: 10.12.2024 Version: 10.0 Date / Previous version: 14.09.2023 Previous version: 9.0

Product: BUTYLDIGLYCOL ACETATE

(ID no. 30034754/SDS_GEN_GB/EN)

(Directive 84/449/EEC, A.15)

Date of print 08.10.2025

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Form: liquid
Colour: colourless
Odour: fruity

Odour threshold:

not determined

pH value:

No data available.

Melting point: -32 °C

Literature data.

Boiling point: 246 °C

(1,013 hPa)

Flash point: 116 °C (ASTM D93, closed cup)

Evaporation rate:

Value can be approximated from Henry's Law Constant or vapor

pressure.

Flammability: hardly combustible (derived from flash point)

Lower explosion limit:

For liquids not relevant for classification and labelling., The lower explosion point may be 5 - 15

°C below the flash point.

Upper explosion limit:

For liquids not relevant for classification and labelling.

Ignition temperature: 197 °C

Vapour pressure: approx. 0.005 hPa (measured)

(20 °C)

Density: 0.9765 g/cm3 (DIN 51757)

(20 °C)

Relative density:

0.9765 (20 °C)

Relative vapour density (air):7.04 (calculated)

(20 °C)

Heavier than air.

Solubility in water: Literature data.

65 g/l (20 °C)

Solubility (qualitative) solvent(s): organic solvents

soluble

Partitioning coefficient n-octanol/water (log Kow): 1.7 (OECD Guideline 117)

(23 °C; pH value: 6.4)

time to time.

Date / Revised: 10.12.2024 Version: 10.0 Date / Previous version: 14.09.2023 Previous version: 9.0

Product: BUTYLDIGLYCOL ACETATE

(ID no. 30034754/SDS_GEN_GB/EN)

Date of print 08.10.2025

Self ignition: Based on its structural properties the Test type: Spontaneous self-

product is not classified as self-

ignition at room-temperature.

igniting.

Thermal decomposition: No data available.

Viscosity, kinematic: 3.5 mm2/s

(20 °C)

Explosion hazard: Based on the chemical structure

there is no indication of explosive

properties.

Fire promoting properties: Based on its structural properties

the product is not classified as

oxidizing.

9.2. Other information

Self heating ability: It is not a substance capable of

spontaneous heating.

Miscibility with water:

(20 °C)

partly miscible

pKA:

The substance does not dissociate.,

Study scientifically not justified.

Adsorption/water - soil: log KOC: 1.0 (calculated)

Surface tension: 57.8 mN/m (OECD Guideline 115, OECD

(20.1 °C; 1 g/l) harmonized ring method)

Grain size distribution: Test substance The substance / product is marketed or

used in a non solid or granular form.

Molar mass: 204.27 g/mol

SECTION 10: Stability and Reactivity

10.1. Reactivity

Corrosion to metals: No corrosive effect on metal.

Formation of Remarks: Forms no flammable gases in the

flammable gases: presence of water.

10.2. Chemical stability

The product is stable if stored and handled as prescribed/indicated.

10.3. Possibility of hazardous reactions

Reacts with strong oxidizing agents.

10.4. Conditions to avoid

No special precautions other than good housekeeping of chemicals.

10.5. Incompatible materials

time to time.

Date / Revised: 10.12.2024 Version: 10.0
Date / Previous version: 14.09.2023 Previous version: 9.0

Product: BUTYLDIGLYCOL ACETATE

(ID no. 30034754/SDS_GEN_GB/EN)

Date of print 08.10.2025

Substances to avoid: strong oxidizing agents

10.6. Hazardous decomposition products

Hazardous decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated.

SECTION 11: Toxicological Information

11.1. Information on toxicological effects

Acute toxicity

Assessment of acute toxicity:

Virtually nontoxic after a single ingestion. Virtually nontoxic after a single skin contact. Virtually nontoxic by inhalation.

Experimental/calculated data:

LD50 rat (oral): 11,920 mg/kg (similar to OECD guideline 401)

LC50 rat (by inhalation): > 3 mg/l 2 h (IHT)

No mortality was observed. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition. The vapour was tested.

LD50 rabbit (dermal): 5,400 - 5,700 mg/kg (OECD Guideline 402)

Irritation

Assessment of irritating effects:

Not irritating to the skin. Eye contact causes irritation.

Experimental/calculated data:

Skin corrosion/irritation

rabbit: non-irritant (similar to OECD guideline 404)

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Serious eye damage/irritation

In vitro assay: Irritant. (OECD Guideline 492B)

Respiratory/Skin sensitization

Assessment of sensitization:

Skin sensitizing effects were not observed in animal studies.

time to time.

Date / Revised: 10.12.2024 Version: 10.0
Date / Previous version: 14.09.2023 Previous version: 9.0

Product: BUTYLDIGLYCOL ACETATE

(ID no. 30034754/SDS_GEN_GB/EN)

Date of print 08.10.2025

Experimental/calculated data:

Buehler test guinea pig: Non-sensitizing. (Guideline 92/69/EEC, B.6)

Germ cell mutagenicity

Assessment of mutagenicity:

No mutagenic effect was found in various tests with bacteria and mammalian cell culture. The product has not been fully tested. The statements have been derived in parts from products of a similar structure or composition.

Carcinogenicity

Assessment of carcinogenicity:

No data available.

Reproductive toxicity

Assessment of reproduction toxicity:

The results of animal studies gave no indication of a fertility impairing effect. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Developmental toxicity

Assessment of teratogenicity:

No indications of a developmental toxic / teratogenic effect were seen in animal studies. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Specific target organ toxicity (single exposure)

Assessment of STOT single:

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

No substance-specific organtoxicity was observed after repeated administration to animals. Prolonged or repeated contact may cause mild skin irritation. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Aspiration hazard

time to time.

Date / Revised: 10.12.2024 Version: 10.0 Date / Previous version: 14.09.2023 Previous version: 9.0

Product: BUTYLDIGLYCOL ACETATE

(ID no. 30034754/SDS_GEN_GB/EN)

Date of print 08.10.2025

No aspiration hazard expected.

SECTION 12: Ecological Information

12.1. Toxicity

Assessment of aquatic toxicity:

Acutely harmful for aquatic organisms. The inhibition of the degradation activity of activated sludge is not anticipated when introduced to biological treatment plants in appropriate low concentrations.

Toxicity to fish:

LC50 (96 h) 50 - 70 mg/l, Brachydanio rerio (OECD Guideline 203, static)

The details of the toxic effect relate to the nominal concentration.

Aquatic invertebrates:

EC50 (48 h) 120 mg/l, Daphnia magna (OECD Guideline 202, part 1, static)

The details of the toxic effect relate to the nominal concentration.

Aquatic plants:

EC50 (72 h) 1,570 mg/l (growth rate), Pseudokirchneriella subcapitata (ISO 8692, static) Nominal concentration. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Microorganisms/Effect on activated sludge:

EC20 (30 min) > 1,000 mg/l, activated sludge, industrial (DIN EN ISO 8192, aerobic)

Chronic toxicity to fish:

No data available.

Chronic toxicity to aquatic invertebrates:

EC10 (7 d) 10.84 mg/l, Ceriodaphnia dubia (Daphnia test chronic, semistatic)

Nominal concentration.

Assessment of terrestrial toxicity:

No data available.

Soil living organisms:

No data available.

Terrestrial plants:

No data available.

Other terrestrial non-mammals:

No data available.

12.2. Persistence and degradability

Assessment biodegradation and elimination (H2O):

Readily biodegradable (according to OECD criteria).

time to time.

Date / Revised: 10.12.2024 Version: 10.0
Date / Previous version: 14.09.2023 Previous version: 9.0

Product: BUTYLDIGLYCOL ACETATE

(ID no. 30034754/SDS_GEN_GB/EN)

Date of print 08.10.2025

Elimination information:

100 % CO2 formation relative to the theoretical value (20 d) (OECD 301B; ISO 9439; 92/69/EWG, C.4-C) (aerobic, activated sludge)

Assessment of stability in water:

No data available.

Study scientifically not justified.

Information on Stability in Water (Hydrolysis):

No data available.

12.3. Bioaccumulative potential

Assessment bioaccumulation potential:

Because of the n-octanol/water distribution coefficient (log Pow) accumulation in organisms is not to be expected.

12.4. Mobility in soil

Assessment transport between environmental compartments:

Volatility: The substance will not evaporate into the atmosphere from the water surface.

Adsorption in soil: Adsorption to solid soil phase is not expected.

12.5. Results of PBT and vPvB assessment

According to Annex XIII of Regulation (EC) No.1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH): The product does not fulfill the criteria for PBT (Persistent/bioaccumulative/toxic) and vPvB (very persistent/very bioaccumulative). Self classification

12.6. Other adverse effects

The substance is not listed in Regulation (EC) 1005/2009 on substances that deplete the ozone layer.

12.7. Additional information

Other ecotoxicological advice:

Do not release untreated into natural waters.

SECTION 13: Disposal Considerations

13.1. Waste treatment methods

Must be disposed of or incinerated in accordance with local regulations.

The UK Environmental Protection (Duty of Care) Regulations (EP) and amendments should be noted (United Kingdom).

time to time.

Date / Revised: 10.12.2024 Version: 10.0
Date / Previous version: 14.09.2023 Previous version: 9.0

Product: BUTYLDIGLYCOL ACETATE

(ID no. 30034754/SDS_GEN_GB/EN)

Date of print 08.10.2025

This product and any uncleaned containers must be disposed of as hazardous waste in accordance with the 2005 Hazardous Waste Regulations and amendments (United Kingdom)

Contaminated packaging:

Contaminated packaging should be emptied as far as possible; then it can be passed on for recycling after being thoroughly cleaned.

SECTION 14: Transport Information

Land transport

ADR

Not classified as a dangerous good under transport regulations

UN number or ID number:
UN proper shipping name:
Transport hazard class(es):
Packing group:
Environmental hazards:
Special precautions for

Not applicable
Not applicable
Not applicable
Not applicable
Not applicable

user

RID

Not classified as a dangerous good under transport regulations

UN number or ID number:
UN proper shipping name:
UN proper shipping name:
Transport hazard class(es):
Packing group:
Not applicable
Not applicable
Not applicable

Environmental hazards: Not apply Special precautions for None k

user

Not applicable
None known

Inland waterway transport

ADN

Not classified as a dangerous good under transport regulations

UN number or ID number:
UN proper shipping name:
Transport hazard class(es):
Packing group:
Environmental hazards:
Not applicable
Not applicable
Not applicable

Special precautions for

user:

None known

Transport in inland waterway vessel

Not evaluated

time to time.

Date / Revised: 10.12.2024 Version: 10.0
Date / Previous version: 14.09.2023 Previous version: 9.0

Product: BUTYLDIGLYCOL ACETATE

(ID no. 30034754/SDS_GEN_GB/EN)

Date of print 08.10.2025

Sea transport

IMDG

Not classified as a dangerous good under transport regulations

UN number or ID number:
UN proper shipping name:
Transport hazard class(es):
Packing group:
Environmental hazards:
Special precautions for

Not applicable
Not applicable
Not applicable
Not applicable
Not applicable
Not applicable

user

Air transport

IATA/ICAO

Not classified as a dangerous good under transport regulations

UN number or ID number:
UN proper shipping name:
Transport hazard class(es):
Packing group:
Environmental hazards:
Special precautions for

Not applicable
Not applicable
Not applicable
Not applicable
Not applicable

user

14.1. UN number or ID number

See corresponding entries for "UN number or ID number" for the respective regulations in the tables above.

14.2. UN proper shipping name

See corresponding entries for "UN proper shipping name" for the respective regulations in the tables above.

14.3. Transport hazard class(es)

See corresponding entries for "Transport hazard class(es)" for the respective regulations in the tables above.

14.4. Packing group

See corresponding entries for "Packing group" for the respective regulations in the tables above.

14.5. Environmental hazards

See corresponding entries for "Environmental hazards" for the respective regulations in the tables above.

14.6. Special precautions for user

time to time.

Date / Revised: 10.12.2024 Version: 10.0
Date / Previous version: 14.09.2023 Previous version: 9.0

Product: BUTYLDIGLYCOL ACETATE

(ID no. 30034754/SDS_GEN_GB/EN)

Date of print 08.10.2025

See corresponding entries for "Special precautions for user" for the respective regulations in the tables above.

14.7. Maritime transport in bulk according to IMO instruments

Maritime transport in bulk is not intended.

SECTION 15: Regulatory Information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Prohibitions, Restrictions and Authorizations

Annex XVII of Regulation (EC) No 1907/2006: Number on List: 55

Directive 2012/18/EU - Control of Major Accident Hazards involving dangerous substances (EU): Listed in above regulation: no

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

The data should be considered when making any assessment under the Control of Substances Hazardous to Health Regulations (COSHH), and related guidance, for example, 'COSHH Essentials' (United Kingdom).

15.2. Chemical Safety Assessment

Advice on product handling can be found in sections 7 and 8 of this safety data sheet.

SECTION 16: Other Information

Assessment of the hazard classes according to UN GHS criteria (most recent version)

Aquatic Acute 3 Eye Irrit. 2A

<u>Full text of the classifications, including the hazard classes and the hazard statements, if mentioned in section 2 or 3:</u>

Eye Irrit. Eye irritation

H319 Causes serious eye irritation.

Abbreviations

time to time.

Date / Revised: 10.12.2024 Version: 10.0 Date / Previous version: 14.09.2023 Previous version: 9.0

Product: BUTYLDIGLYCOL ACETATE

(ID no. 30034754/SDS_GEN_GB/EN)

Date of print 08.10.2025

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road. ADN = The European Agreement concerning the International Carriage of Dangerous Goods by Inland waterways. ATE = Acute Toxicity Estimates. CAO = Cargo Aircraft Only. CAS = Chemical Abstract Service. CLP = Classification, Labelling and Packaging of substances and mixtures. DIN = German national organization for standardization. DNEL = Derived No Effect Level. EC50 = Effective concentration median for 50% of the population. EC = European Community. EN = European Standards. IARC = International Agency for Research on Cancer. IATA = International Air Transport Association. IBC-Code = Intermediate Bulk Container code. IMDG = International Maritime Dangerous Goods Code. ISO = International Organization for Standardization. STEL = Short-Term Exposure Limit. LC50 = Lethal concentration median for 50% of the population. LD50 = Lethal dose median for 50% of the population. TLV = Threshold Limit Value. MARPOL = The International Convention for the Prevention of Pollution from Ships. NEN = Dutch Norm. NOEC = No Observed Effect Concentration. OEL = Occupational Exposure Limit. OECD = Organization for Economic Cooperation and Development. PBT = Persistent, Bioaccumulative and Toxic. PNEC = Predicted No Effect Level. PPM = Parts per million. RID = The European Agreement concerning the International Carriage of Dangerous Goods by Rail. TWA = Time Weight Average. UN-number = UN number at transport. vPvB = very Persistent and very Bioaccumulative.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Vertical lines in the left hand margin indicate an amendment from the previous version.