

Safety data sheet

Page: 1/10

BASF Safety data sheet

Date / Revised: 30.04.2024 Version: 4.0

Product: Dispex® CX 4230

(30535654/SDS_GEN_AU/EN)

Date of print: 22.10.2025

1. Substance/preparation and manufacturer/supplier identification

Product name:

Dispex® CX 4230

Use: dispersing agent

Manufacturer/supplier:

BASF Australia Limited (ABN 62 008 437 867) Level 23, 40 City Road, Southbank Victoria 3006, AUSTRALIA Telephone: +61 3 8855-6600

Emergency information:

BASF Emergency Advice Number: 1800 803 440 (24h) [within Australia] BASF Emergency Advice Number: + 61 3 8855 6666 [outside Australia]

2. Hazard identification

Classification of the substance and mixture:

No need for classification according to GHS criteria for this product.

Label elements and precautionary statement:

The product does not require a hazard warning label in accordance with GHS criteria.

Other hazards which do not result in classification:

No specific dangers known, if the regulations/notes for storage and handling are considered.

3. Composition/information on ingredients

Chemical nature

Product: Dispex® CX 4230

(30535654/SDS_GEN_AU/EN)

Date of print: 22.10.2025

Substance nature: mixture

Ammonium salt of modified styrene acrylic polymers, in water

Hazardous ingredients

propan-2-ol

Content (W/W): >= 1 % - < 3 % Flam. Liq.: Cat. 2 CAS Number: 67-63-0 Acute Tox.: Cat. 5 (oral)

Eye Irrit.: Cat. 2A

STOT SE: Cat. 3 (drowsiness and dizziness)

methacrylic acid

Content (W/W): >= 0 % - < 0.8 % Flam. Liq.: Cat. 4

CAS Number: 79-41-4 Acute Tox.: Cat. 4 (oral)

Acute Tox.: Cat. 4 (Inhalation - mist)

Acute Tox.: Cat. 3 (dermal)

Skin Corr.: Cat. 1A Eye Dam.: Cat. 1

STOT SE: Cat. 3 (irr. to respiratory syst.)

Aquatic Acute: Cat. 3

ammonia, aqueous solution

Content (W/W): >= 0.3 % - < 1 % Ski CAS Number: 1336-21-6 Eye

Skin Corr.: Cat. 1B Eye Dam.: Cat. 1

STOT SE: Cat. 3 (irr. to respiratory syst.)

Aquatic Acute: Cat. 1 Aquatic Chronic: Cat. 2

4. First-Aid Measures

General advice:

Remove contaminated clothing.

If inhaled:

If difficulties occur after vapour/aerosol has been inhaled, remove to fresh air and seek medical attention.

On skin contact:

Wash thoroughly with soap and water

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open.

On ingestion:

Rinse mouth and then drink 200-300 ml of water.

Note to physician:

Symptoms: (Further) symptoms and / or effects are not known so far

Product: Dispex® CX 4230

(30535654/SDS_GEN_AU/EN)

Date of print: 22.10.2025

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Suitable extinguishing media: water spray, dry powder, foam

Unsuitable extinguishing media for safety reasons: water jet

Specific hazards:

harmful vapours

Evolution of fumes/fog. The substances/groups of substances mentioned can be released in case of fire

Special protective equipment:

Wear a self-contained breathing apparatus.

Further information:

The degree of risk is governed by the burning substance and the fire conditions. Contaminated extinguishing water must be disposed of in accordance with official regulations.

6. Accidental Release Measures

Personal precautions:

Use personal protective clothing. Breathing protection required.

Environmental precautions:

Contain contaminated water/firefighting water.Do not discharge into drains/surface waters/groundwater.

Methods for cleaning up or taking up:

For large amounts: Pump off product.

For residues: Pick up with suitable absorbent material. Dispose of absorbed material in accordance with regulations.

7. Handling and Storage

Handling

No special measures necessary provided product is used correctly.

Protection against fire and explosion:

Take precautionary measures against static discharges.

<u>Storage</u>

Further information on storage conditions: Keep container tightly closed and dry; store in a cool place.

Product: Dispex® CX 4230

(30535654/SDS_GEN_AU/EN)

Date of print: 22.10.2025

8. Exposure controls and personal protection

Components with occupational exposure limits

propan-2-ol, 67-63-0;

STEL value 400 ppm (ACGIHTLV) TWA value 200 ppm (ACGIHTLV)

TWA value 983 mg/m3; 400 ppm (AU NOEL) STEL value 1,230 mg/m3; 500 ppm (AU NOEL) STEL value 1,230 mg/m3; 500 ppm (OEL (AU)) TWA value 983 mg/m3; 400 ppm (OEL (AU))

methacrylic acid, 79-41-4;

TWA value 20 ppm (ACGIHTLV)

TWA value 70 mg/m3; 20 ppm (AU NOEL) TWA value 70 mg/m3; 20 ppm (OEL (AU))

ammonia, aqueous solution, 1336-21-6;

STEL value 35 ppm (ACGIHTLV) TWA value 25 ppm (ACGIHTLV)

TWA value 17 mg/m3; 25 ppm (AU NOEL) STEL value 24 mg/m3; 35 ppm (AU NOEL)

Personal protective equipment

Respiratory protection:

Suitable respiratory protection for higher concentrations or long-term effect: Gas filter for gases/vapours of organic compounds (boiling point >65 °C, e. g. EN 14387 Type A)

Hand protection:

Chemical resistant protective gloves

Suitable materials also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1): nitrile rubber (NBR) - 0.4 mm coating thickness

Supplementary note: The specifications are based on tests, literature data and information of glove manufacturers or are derived from similar substances by analogy. Due to many conditions (e.g. temperature) it must be considered, that the practical usage of a chemical-protective glove in practice may be much shorter than the permeation time determined through testing. Manufacturer's directions for use should be observed because of great diversity of types.

Eye protection:

Safety glasses with side-shields.

General safety and hygiene measures:

Handle in accordance with good industrial hygiene and safety practice. Wearing of closed work clothing is recommended.

Product: Dispex® CX 4230

(30535654/SDS_GEN_AU/EN)

Date of print: 22.10.2025

9. Physical and Chemical Properties

Form: liquid
Colour: yellow
Odour: ammonia-like

Odour threshold: Not determined due to potential health hazard by inhalation.

pH value: 7.5 - 8.0

(as such)

Freezing point: approx. 0 - 5 °C

Information applies to the solvent.

Boiling point: approx. 100 °C

Information applies to the solvent.

Flash point: > 93.4 °C (ASTM D93)

Evaporation rate:

not determined

Flammability (solid/gas): not flammable

Lower explosion limit:

For liquids not relevant for classification and labelling., The lower explosion point may be 5 - 15

°C below the flash point.

Upper explosion limit:

For liquids not relevant for classification and labelling.

Ignition temperature:

Based on the water content the

product does not ignite.

Thermal decomposition: No decomposition if stored and

handled as prescribed/indicated.

Self ignition: not self-igniting Test type: Spontaneous self-

ignition at room-temperature.

Self heating ability: Study scientifically not justified.

Explosion hazard: not explosive

Fire promoting properties: not fire-propagating

Vapour pressure:

not determined

Density: 1.0904 - 1.1144 g/cm3

(20 °C)

Relative density: 1.0904 - 1.1144

(20 °C)

Relative vapour density (air):

not determined

Product: Dispex® CX 4230

(30535654/SDS_GEN_AU/EN)

(calculated (from dynamic

Date of print: 22.10.2025

Solubility in water: dispersible

(20°C)

Hygroscopy: Non-hygroscopic Partitioning coefficient n-octanol/water (log Pow):

not applicable for mixtures

Viscosity, dynamic: 50.00 - 250.00 mPa*s

(23 °C)

Viscosity, kinematic: approx. 45 - 230 mm2/s

(23 °C) viscosity))

10. Stability and Reactivity

Conditions to avoid:

See SDS section 7 - Handling and storage.

Thermal decomposition: No decomposition if stored and handled as

prescribed/indicated.

Substances to avoid: strong oxidizing agents

Hazardous reactions:

No hazardous reactions when stored and handled according to instructions.

Hazardous decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated.

Chemical stability:

The product is chemically stable.

Reactivity:

No hazardous reactions if stored and handled as prescribed/indicated.

11. Toxicological Information

Routes of exposure

Acute oral toxicity

Experimental/calculated data:

LD50rat (oral): > 5,000 mg/kg

The product has not been tested. The statement has been derived from the properties of the individual components.

Acute inhalation toxicity

LC50 rat (by inhalation): 4 h

not determined

Acute dermal toxicity

LD50 rat (dermal): > 5,000 mg/kg

Product: Dispex® CX 4230

(30535654/SDS_GEN_AU/EN)

Date of print: 22.10.2025

The product has not been tested. The statement has been derived from the properties of the individual components.

Symptoms

(Further) symptoms and / or effects are not known so far

Irritation

Experimental/calculated data:

Skin corrosion/irritation rabbit: non-irritant

The product has not been tested. The statement has been derived from the properties of the individual components.

Serious eye damage/irritation rabbit: non-irritant

The product has not been tested. The statement has been derived from the properties of the individual components.

Respiratory/Skin sensitization

Experimental/calculated data:

other other: Non-sensitizing.

The product has not been tested. The statement has been derived from the properties of the individual components.

Germ cell mutagenicity

Assessment of mutagenicity:

Based on the ingredients, there is no suspicion of a mutagenic effect.

Carcinogenicity

Assessment of carcinogenicity:

No data available.

Reproductive toxicity

Assessment of reproduction toxicity:

Based on the ingredients, there is no suspicion of a toxic effect on reproduction.

Developmental toxicity

Assessment of teratogenicity:

Based on the ingredients, there is no suspicion of a teratogenic effect.

Specific target organ toxicity (single exposure)

Remarks: No data available.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

The information available on the product provides no indication of toxicity on target organs after repeated exposure.

Product: Dispex® CX 4230

(30535654/SDS_GEN_AU/EN)

Date of print: 22.10.2025

Aspiration hazard

No aspiration hazard expected.

12. Ecological Information

Ecotoxicity

Toxicity to fish:

LC50 (96 h) > 100 mg/l, Fish

The product has not been tested. The statement has been derived from the properties of the individual components.

Aquatic invertebrates:

LC50 (48 h), daphnia (other)

not determined

Aquatic plants:

EC50 (72 h), algae (other)

not determined

Microorganisms/Effect on activated sludge:

EC50 (0.5 h), bacteria (other)

not determined

Chronic toxicity to fish:

No data available.

Chronic toxicity to aquatic invertebrates:

No data available.

Assessment of terrestrial toxicity:

No data available concerning terrestrial toxicity.

Mobility

Assessment transport between environmental compartments:

No data available.

Persistence and degradability

Assessment biodegradation and elimination (H2O):

Not readily biodegradable (by OECD criteria).

Elimination information:

20 - 30 % (28 d) (OECD 301B; ISO 9439; 92/69/EWG, C.4-C) (aerobic)

Bioaccumulation potential

Assessment bioaccumulation potential:

The product has not been tested.

Product: Dispex® CX 4230

(30535654/SDS_GEN_AU/EN)

Date of print: 22.10.2025

Additional information

Add. remarks environm. fate & pathway:

Treatment in biological waste water treatment plants has to be performed according to local and administrative regulations.

13. Disposal Considerations

Must be disposed of or incinerated in accordance with local regulations.

Contaminated packaging:

Uncontaminated packaging can be re-used.

Packs that cannot be cleaned should be disposed of in the same manner as the contents.

14. Transport Information

Domestic transport:

Not classified as a dangerous good under transport regulations

UN number or ID number
UN proper shipping name:
Transport hazard class(es):
Packing group:
Environmental hazards:
Special precautions for

Not applicable

user

Sea transport

IMDG

Not classified as a dangerous good under transport regulations

UN number or ID number:
UN proper shipping name:
Transport hazard class(es):
Packing group:
Environmental hazards:
Not applicable
Not applicable
Not applicable

Marine pollutant: no

Special precautions for

user

None known

Air transport

IATA/ICAO

Not classified as a dangerous good under transport regulations

UN number or ID number
Proper shipping name:
Transport hazard class(es):
Packing group:
Environmental hazards:
Special precautions for

Not applicable
Not applicable
Not applicable
Not applicable
Not applicable
Not applicable

user

Product: Dispex® CX 4230

(30535654/SDS_GEN_AU/EN)

Date of print: 22.10.2025

15. Regulatory Information

Other regulations

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP): Not Scheduled

Registration status:

AICIS, AU

Listed in AIIC or exempted., This product contains at least one polymer which fulfills the polymer of low concern criteria under AICIS., Please contact your BASF representative.

16. Other Information

Vertical lines in the left hand margin indicate an amendment from the previous version.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.