

Safety data sheet

Page: 1/12

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 05.09.2022 Version: 3.0

Product: Lutavit® Calpan 98%

(ID no. 30041184/SDS_GEN_IL/EN)

Date of print 12.10.2025

1. Identification

Product identifier

Lutavit® Calpan 98%

Chemical name: Calcium pantothenate, D-form

CAS Number: 137-08-6

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: feed additive(s)

Details of the supplier of the safety data sheet

Company:
BASF SE
67056 Ludwigshafen
GERMANY
Operating Division Nutrition and Health

Telephone: +49 621 60-48434

E-mail address: EN-global-safety-data@basf.com

Emergency telephone number

International emergency number: Telephone: +49 180 2273-112

2. Hazards Identification

Classification of the substance or mixture

According to UN GHS criteria

No need for classification according to GHS criteria for this product.

Date / Revised: 05.09.2022 Version: 3.0

Product: Lutavit® Calpan 98%

(ID no. 30041184/SDS_GEN_IL/EN)

Date of print 12.10.2025

Label elements

Globally Harmonized System (GHS)

The product does not require a hazard warning label in accordance with GHS criteria.

Other hazards

According to UN GHS criteria

The product is under certain conditions capable of dust explosion.

3. Composition/Information on Ingredients

Substances

Chemical nature

Calcium pantothenate, D-form

CAS Number: 137-08-6 EC-Number: 205-278-9

<u>Hazardous ingredients (GHS)</u> According to UN GHS criteria

calcium-beta-alaninate

Content (W/W): > 0 % - < 1 % Acute Tox. 5 (oral)
CAS Number: 36321-40-1 Eye Dam./Irrit. 1
EC-Number: 252-973-8 H318, H303

For the classifications not written out in full in this section the full text can be found in section 16.

Mixtures

Not applicable

4. First-Aid Measures

Description of first aid measures

Remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air.

On skin contact:

Wash thoroughly with soap and water

Date / Revised: 05.09.2022 Version: 3.0

Product: Lutavit® Calpan 98%

(ID no. 30041184/SDS_GEN_IL/EN)

Date of print 12.10.2025

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open.

On ingestion:

Rinse mouth and then drink 200-300 ml of water.

Most important symptoms and effects, both acute and delayed

Symptoms: (Further) symptoms and / or effects are not known so far

Indication of any immediate medical attention and special treatment needed

Treatment: Symptomatic treatment (decontamination, vital functions).

5. Fire-Fighting Measures

Extinguishing media

Suitable extinguishing media:

water spray, foam, dry powder, carbon dioxide

Unsuitable extinguishing media for safety reasons:

water jet

Additional information:

Avoid whirling up the material/product because of the danger of dust explosion.

Special hazards arising from the substance or mixture

harmful vapours, carbon oxides, nitrogen oxides

The substances/groups of substances mentioned can be released in case of fire. Burning produces harmful and toxic fumes. Dust explosion hazard.

Advice for fire-fighters

Special protective equipment:

Wear a self-contained breathing apparatus.

Further information:

Dust can form an explosive mixture with air. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations. Cool endangered containers with water-spray.

6. Accidental Release Measures

Dust can form an explosive mixture with air.

Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Information regarding personal protective measures, see section 8. Use personal protective clothing.

Environmental precautions

Do not discharge into drains/surface waters/groundwater.

Methods and material for containment and cleaning up

For small amounts: Contain with dust binding material and dispose of.

For large amounts: Sweep/shovel up.

Date / Revised: 05.09.2022 Version: 3.0

Product: Lutavit® Calpan 98%

(ID no. 30041184/SDS_GEN_IL/EN)

Date of print 12.10.2025

Dispose of absorbed material in accordance with regulations. Avoid raising dust.

7. Handling and Storage

Precautions for safe handling

Avoid dust formation. Provide exhaust ventilation if dust is formed.

Protection against fire and explosion:

The product is capable of dust explosion. Avoid dust formation. Prevent electrostatic charge - sources of ignition should be kept well clear - fire extinguishers should be kept handy. Use explosion-proof apparatus and fittings.

Conditions for safe storage, including any incompatibilities

Suitable materials for containers: Low density polyethylene (LDPE), Galvanized carbon steel (Zinc), Stainless steel 1.4301 (V2), Stainless steel 1.4401, glass, Paper/Fibreboard, High density polyethylene (HDPE), Aluminium, tinned carbon steel (Tinplate), Carbon steel (Iron) Further information on storage conditions: Keep container tightly closed and dry; store in a cool place.

Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

8. Exposure Controls/Personal Protection

Control parameters

Components with occupational exposure limits

No substance specific occupational exposure limits known.

Exposure controls

Personal protective equipment

Respiratory protection:

Breathing protection if dusts are formed. Particle filter with low efficiency for solid particles (e.g. EN 143 or 149, Type P1or FFP1)

Hand protection:

Chemical resistant protective gloves (EN ISO 374-1)

Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:

chemical protection overall (f.e. according to EN 13982) if dust is formed.

General safety and hygiene measures

Handle in accordance with good industrial hygiene and safety practice. Wearing of closed work clothing is recommended. No eating, drinking, smoking or tobacco use at the place of work. Hands

Date / Revised: 05.09.2022 Version: 3.0

Product: Lutavit® Calpan 98%

(ID no. 30041184/SDS_GEN_IL/EN)

Date of print 12.10.2025

and/or face should be washed before breaks and at the end of the shift. Store work clothing separately.

9. Physical and Chemical Properties

Information on basic physical and chemical properties

Form: granules Colour: white

Odour: almost odourless

Odour threshold:

not applicable

pH value: 6,5 - 9,5

(50 g/l, 20 °C)

Melting temperature: approx. 190 °C

decomposition point: 195 °C

(1.013 hPa)

The substance / product

decomposes.

Flash point:

not applicable, the product is a solid

Evaporation rate:

The product is a non-volatile solid.

Flammability: not highly flammable (UN Test N.1 (ready combustible solids))

Lower explosion limit:

For solids not relevant for classification and labelling.

Upper explosion limit:

For solids not relevant for classification and labelling.

Ignition temperature:

430 °C

Vapour pressure:

not applicable

Density: 1,162 g/cm3

(25 °C)

Relative density:

No data available.

Relative vapour density (air):

The product is a non-volatile solid.

Solubility in water:

350 g/l

(20 °C)

Solubility (qualitative) solvent(s): organic solvents

soluble

Partitioning coefficient n-octanol/water (log Kow): -3,9 (measured)

(25 °C)

Self ignition: Test type: Spontaneous selfnot self-igniting

ignition at room-temperature.

(VDI 2263, sheet 1, 2.6)

Temperature: 430 °C Test type: Self-ignition at high

temperatures.

Thermal decomposition: >= 130 °C (DSC (DIN 51007))

Date / Revised: 05.09.2022 Version: 3.0

Product: Lutavit® Calpan 98%

(ID no. 30041184/SDS_GEN_IL/EN)

Date of print 12.10.2025

Viscosity, dynamic:

not applicable, the product is a solid

Explosion hazard: Product is not explosive, however a

dust explosion could result from an

air / dust mixture.

Fire promoting properties: Based on its structural properties

the product is not classified as

oxidizing.

Other information

Burning rate: The material doesn't meet the criteria (UN Test N.1 (ready

specified in paragraph 33.2.4.4 of UN combustible solids))

manual of tests and criteria.

Self heating ability: It is not a substance capable of (VDI 2263, sheet 1, 1.4.1)

spontaneous heating according to UN transport regulations class 4.2.

SADT: No data available.

Minimum ignition energy: > 0,3 - < 1 J (VDI 2263, sheet 1, 2.5)

(1.013 hPa, 20 °C) Inductivity: 1 mH

The product is capable of dust

explosion.

Bulk density: approx. 600 kg/m3

Adsorption/water - soil: KOC: 10; log KOC: 1 (calculated)

Adsorption to solid soil phase is not

expected.

Grain size distribution: particles < 500 µm 97 %

10. Stability and Reactivity

Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Corrosion to metals: Corrosive effects to metal are not anticipated.

Formation of Remarks: Forms no flammable gases in the

flammable gases: presence of water.

Chemical stability

The product is stable if stored and handled as prescribed/indicated.

Peroxides: The product does not contain peroxides.

Possibility of hazardous reactions

Dust explosion hazard.

Conditions to avoid

Avoid dust formation. See SDS section 7 - Handling and storage.

Incompatible materials

Date / Revised: 05.09.2022 Version: 3.0

Product: Lutavit® Calpan 98%

(ID no. 30041184/SDS_GEN_IL/EN)

Date of print 12.10.2025

Substances to avoid:

None known during use and storage if used according to instructions.

Hazardous decomposition products

Hazardous decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated.

11. Toxicological Information

Information on toxicological effects

Acute toxicity

Assessment of acute toxicity:

Virtually nontoxic after a single ingestion. Virtually nontoxic by inhalation.

Experimental/calculated data:

LD50 rat (oral): > 5.000 mg/kg (BASF-Test)

LC0 rat (by inhalation): 2,14 mg/l 7 h (IRT)

Inhalation-risk test (IRT): No mortality within 7 hours as shown in animal studies. The inhalation of a highly saturated vapor-air mixture represents no acute hazard. Tested as dust aerosol.

LC50 rat (by inhalation): > 5,2 mg/l 4 h (OECD Guideline 403)

no data

Irritation

Assessment of irritating effects:

Not irritating to eyes and skin.

Experimental/calculated data:

Skin corrosion/irritation rabbit: non-irritant (Draize test)

Serious eye damage/irritation rabbit: non-irritant (Draize test)

Respiratory/Skin sensitization

Assessment of sensitization:

No sensitizing effect.

Experimental/calculated data:

Guinea pig maximization test guinea pig: Non-sensitizing. (other)

Germ cell mutagenicity

Assessment of mutagenicity:

Based on available data, the classification criteria are not met.

Carcinogenicity

Assessment of carcinogenicity:

Date / Revised: 05.09.2022 Version: 3.0

Product: Lutavit® Calpan 98%

(ID no. 30041184/SDS_GEN_IL/EN)

Date of print 12.10.2025

Not classified, due to lack of data.

Reproductive toxicity

Assessment of reproduction toxicity:

Based on available data, the classification criteria are not met.

Developmental toxicity

Assessment of teratogenicity:

Not classified, due to lack of data.

Specific target organ toxicity (single exposure)

Assessment of STOT single:

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

Based on available data, the classification criteria are not met.

Aspiration hazard

No aspiration hazard expected.

12. Ecological Information

Toxicity

Assessment of aquatic toxicity:

There is a high probability that the product is not acutely harmful to aquatic organisms. Depending on local conditions and existing concentrations, disturbances in the biodegradation process of activated sludge are possible.

Toxicity to fish:

LC50 (96 h) > 10.000 mg/l, Leuciscus idus (DIN 38412 Part 15, static)

The details of the toxic effect relate to the nominal concentration.

Aquatic invertebrates:

EC50 (48 h) > 580 mg/l, Daphnia magna (DIN 38412 Part 11, static)

The details of the toxic effect relate to the nominal concentration.

Aquatic plants:

EC50 (72 h) > 500 mg/l (growth rate), Scenedesmus subspicatus (DIN 38412 Part 9, static)

The details of the toxic effect relate to the nominal concentration.

Microorganisms/Effect on activated sludge:

EC10 (17 h) > 10.000 mg/l, Pseudomonas putida (DIN 38412 Part 8, aerobic)

The details of the toxic effect relate to the nominal concentration.

EC20 (180 min) approx. 20 mg/l, activated sludge, industrial (DIN EN ISO 8192, aerobic)

Date / Revised: 05.09.2022 Version: 3.0

Product: Lutavit® Calpan 98%

(ID no. 30041184/SDS_GEN_IL/EN)

Date of print 12.10.2025

Chronic toxicity to fish:

No data available.

Chronic toxicity to aquatic invertebrates:

No data available.

Assessment of terrestrial toxicity:

No data available.

Persistence and degradability

Assessment biodegradation and elimination (H2O):

Not readily biodegradable (by OECD criteria). Biodegradable. Easily eliminated from water. The product has not been tested. The statement has been derived from the properties of the individual components.

Elimination information:

> 90 % DOC reduction (28 d) (OECD Guideline 302 B) (aerobic, activated sludge)

Assessment of stability in water:

According to structural properties, hydrolysis is not expected/probable.

Information on Stability in Water (Hydrolysis):

No data available.

Bioaccumulative potential

Assessment bioaccumulation potential:

Because of the n-octanol/water distribution coefficient (log Pow) accumulation in organisms is not to be expected.

Bioaccumulation potential:

Because of the n-octanol/water distribution coefficient (log Pow) accumulation in organisms is not to be expected.

Mobility in soil

Assessment transport between environmental compartments:

Volatility: The substance will not evaporate into the atmosphere from the water surface.

Adsorption in soil: Adsorption to solid soil phase is not expected.

Results of PBT and vPvB assessment

According to Annex XIII of Regulation (EC) No.1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH): The product does not contain a substance fulfilling the PBT (persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria. Self classification

Other adverse effects

The substance is not listed in Regulation (EC) 1005/2009 on substances that deplete the ozone layer.

Date / Revised: 05.09.2022 Version: 3.0

Product: Lutavit® Calpan 98%

(ID no. 30041184/SDS_GEN_IL/EN)

Date of print 12.10.2025

13. Disposal Considerations

Waste treatment methods

Observe national and local legal requirements.

Contaminated packaging:

Uncontaminated packaging can be re-used.

Packs that cannot be cleaned should be disposed of in the same manner as the contents.

14. Transport Information

Land transport

ADR

Not classified as a dangerous good under transport regulations

UN number or ID number:
UN proper shipping name:
Transport hazard class(es):
Packing group:
Environmental hazards:
Special precautions for

Not applicable
Not applicable
Not applicable
Not applicable
Not applicable
Not applicable

user

RID

Not classified as a dangerous good under transport regulations

UN number or ID number:
UN proper shipping name:
Transport hazard class(es):
Packing group:

Not applicable
Not applicable
Not applicable

Environmental hazards: Not applicable Special precautions for None known

user

Inland waterway transport

ADN

Not classified as a dangerous good under transport regulations

UN number or ID number:
UN proper shipping name:
Transport hazard class(es):
Packing group:
Environmental hazards:

Not applicable
Not applicable
Not applicable

Environmental hazards: Not applicable Special precautions for None known

user:

Transport in inland waterway vessel

Not evaluated

Date / Revised: 05.09.2022 Version: 3.0

Product: Lutavit® Calpan 98%

(ID no. 30041184/SDS_GEN_IL/EN)

Date of print 12.10.2025

Sea transport

IMDG

Not classified as a dangerous good under transport regulations

UN number or ID number:
UN proper shipping name:
Transport hazard class(es):
Packing group:
Environmental hazards:
Special precautions for

Not applicable
Not applicable
Not applicable
Not applicable
Not applicable

user

Air transport

IATA/ICAO

Not classified as a dangerous good under transport regulations

UN number or ID number
UN proper shipping name:
Transport hazard class(es):
Packing group:
Environmental hazards:
Special precautions for

Not applicable

user

Maritime transport in bulk according to IMO instruments

Maritime transport in bulk is not intended.

15. Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

16. Other Information

Any other intended applications should be discussed with the manufacturer. Corresponding occupational protection measurements must be followed.

Full text of classifications, hazard symbols and hazard statements, if mentioned in section 2 or 3:

Acute Tox. Acute toxicity

Eye Dam./Irrit. Serious eye damage/eye irritation
H318 Causes serious eye damage.
H303 May be harmful if swallowed.

Date / Revised: 05.09.2022 Version: 3.0

Product: Lutavit® Calpan 98%

(ID no. 30041184/SDS_GEN_IL/EN)

Date of print 12.10.2025

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Vertical lines in the left hand margin indicate an amendment from the previous version.