

# Safety Data Sheet

## Luphen® D 259 U

Revision date : 2015/03/27

Version: 1.0

Page: 1/9

(30,041,456/SDS\_GEN\_CA/EN)

### 1. Identification

#### Product identifier used on the label

## Luphen® D 259 U

#### Recommended use of the chemical and restriction on use

Recommended use\*: Raw material

Suitable for use in industrial sector: chemical industry

\* The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

#### Details of the supplier of the safety data sheet

##### Company:

BASF Canada Inc.

5025 Creekbank Road

Building A, Floor 2

Mississauga, ON, L4W 0B6, CANADA

Telephone: +1 289 360-1300

#### Emergency telephone number

CHEMTREC: 1-800-424-9300

BASF HOTLINE: (800) 454-COPE (2673)

#### Other means of identification

Chemical family: Polymer, dispersion

Synonyms: Aqueous Dispersion Based on Polyurethane Elastomer

### 2. Hazards Identification

#### According to Hazardous Products Regulations (HPR) (SOR/2015-17)

#### Classification of the product

No need for classification according to GHS criteria for this product.

#### Label elements

The product does not require a hazard warning label in accordance with GHS criteria.

# Safety Data Sheet

## Luphen® D 259 U

Revision date : 2015/03/27

Version: 1.0

Page: 2/9

(30,041,456/SDS\_GEN\_CA/EN)

---

### Hazards not otherwise classified

No specific dangers known, if the regulations/notes for storage and handling are considered. If the product adheres to skin, irritation may occur when it dries.

### According to Controlled Products Regulations (CPR) (SOR/88-66)

### Emergency overview

NO PARTICULAR HAZARDS KNOWN.

---

## 3. Composition / Information on Ingredients

### According to Hazardous Products Regulations (HPR) (SOR/2015-17)

This product does not contain any components classified as hazardous under the referenced regulation.

### According to Controlled Products Regulations (CPR) (SOR/88-66)

Not WHMIS controlled.

---

## 4. First-Aid Measures

### Description of first aid measures

#### General advice:

Remove contaminated clothing.

#### If inhaled:

Remove the affected individual into fresh air and keep the person calm. Assist in breathing if necessary. Immediate medical attention required.

#### If on skin:

Wash affected areas thoroughly with soap and water. If irritation develops, seek medical attention.

#### If in eyes:

Flush with copious amounts of water for at least 15 minutes. If irritation develops, seek medical attention.

#### If swallowed:

Immediately rinse mouth and then drink plenty of water, do not induce vomiting, seek medical attention. Never induce vomiting or give anything by mouth if the victim is unconscious or having convulsions.

### Most important symptoms and effects, both acute and delayed

Symptoms: No significant symptoms are expected due to the non-classification of the product.  
Hazards: No hazards anticipated.

### Indication of any immediate medical attention and special treatment needed

# Safety Data Sheet

## Luphen® D 259 U

Revision date : 2015/03/27  
Version: 1.0

Page: 3/9  
(30,041,456/SDS\_GEN\_CA/EN)

### Note to physician

Treatment: Symptomatic treatment (decontamination, vital functions).

---

## 5. Fire-Fighting Measures

### Extinguishing media

Suitable extinguishing media:  
water spray, foam, dry powder

### Special hazards arising from the substance or mixture

Hazards during fire-fighting:  
No particular hazards known.

### Advice for fire-fighters

Protective equipment for fire-fighting:  
Firefighters should be equipped with self-contained breathing apparatus and turn-out gear.

### Further information:

Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.  
Product itself is non-combustible; fire extinguishing method of surrounding areas must be considered.

---

## 6. Accidental release measures

### Further accidental release measures:

High risk of slipping due to leakage/spillage of product.

### Personal precautions, protective equipment and emergency procedures

Use personal protective clothing. Avoid contact with skin and eyes.

### Environmental precautions

Do not release untreated into natural waters.

### Methods and material for containment and cleaning up

Spills should be contained, solidified, and placed in suitable containers for disposal.

For small amounts: Pick up with absorbent material (e.g. sand, sawdust, general-purpose binder).  
Dispose of absorbed material in accordance with regulations.  
For large amounts: Pump off product.

---

## 7. Handling and Storage

### Precautions for safe handling

Handle in accordance with good industrial hygiene and safety practice. No special measures necessary provided product is used correctly. Ensure adequate ventilation.

Protection against fire and explosion:  
No explosion proofing necessary.

### Conditions for safe storage, including any incompatibilities

# Safety Data Sheet

## Luphen® D 259 U

Revision date : 2015/03/27

Page: 4/9

Version: 1.0

(30,041,456/SDS\_GEN\_CA/EN)

Further information on storage conditions: Store protected against freezing.  
Protect from temperatures below: 5 °C  
The packed product is destroyed at low temperatures or by frost.  
Protect from temperatures above: 60 °C  
The packed product must be protected against exceeding the indicated temperature.

### 8. Exposure Controls/Personal Protection

#### Advice on system design:

Ensure adequate ventilation.

#### Personal protective equipment

##### Respiratory protection:

Wear respiratory protection if ventilation is inadequate.

##### Hand protection:

Chemical resistant protective gloves

##### Eye protection:

Tightly fitting safety goggles (chemical goggles). Wear face shield if splashing hazard exists.

##### General safety and hygiene measures:

Hands and/or face should be washed before breaks and at the end of the shift. Avoid contact with skin and eyes.

### 9. Physical and Chemical Properties

|   |                                     |                           |
|---|-------------------------------------|---------------------------|
| Form:   | liquid, dispersion                  |                           |
| Odour:  | sweetish, mild                      |                           |
| Odour threshold:                                    |                                     | No data available.        |
| Colour:   | white                               |                           |
| pH value:   | 6.0 - 7.0                           | ( 23 °C) (DIN ISO 976)    |
| <i>Information on: Water</i>                        |                                     |                           |
| Melting point:                                      | 0 °C                                |                           |
| -----   |                                     |                           |
| <i>Information on: Water</i>                        |                                     |                           |
| Boiling point:                                      | 100 °C                              |                           |
| -----   |                                     |                           |
| Flash point:  | > 148 °C                            | (Unspecified)             |
| Flammability:                                       | not flammable                       |                           |
| Lower explosion limit:                              |                                     | not applicable            |
| Upper explosion limit:                              |                                     | not applicable            |
| <i>Information on: Water</i>                        |                                     |                           |
| Vapour pressure:                                    | 23.4 hPa                            | ( 20 °C) Literature data. |
| -----   |                                     |                           |
| Density:  | approx. 1.04 g/cm <sup>3</sup>      | ( 20 °C) (ISO 8962)       |
| Relative density:                                   |                                     | No data available.        |
| Vapour density:                                     |                                     | not applicable            |
| Partitioning coefficient n-octanol/water (log Pow): |                                     | not applicable            |
| Self-ignition temperature:                          |                                     | not self-igniting         |
| Thermal decomposition:                              | No decomposition if used correctly. |                           |

# Safety Data Sheet

## Luphen® D 259 U

Revision date : 2015/03/27

Page: 5/9

Version: 1.0

(30,041,456/SDS\_GEN\_CA/EN)

---

|                         |  |                                 |
|-------------------------|--|---------------------------------|
| Viscosity, dynamic:     | 20 - 120 mPa.s                           | ( 23 °C) (DIN EN ISO 3219)      |
| Solids content:         |  | 39.0 - 41.0 % (DIN EN ISO 3251) |
| Solubility in water:    |  | ( 15 °C) partly soluble         |
| Miscibility with water: |  | miscible                        |
| Evaporation rate:       |  | not applicable                  |
| Other Information:      | Range of particle size: < 0,1 µm - 10 µm |                                 |

---

## 10. Stability and Reactivity

### Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Corrosion to metals:

Corrosive effects to metal are not anticipated.

Oxidizing properties:

not fire-propagating

### Chemical stability

The product is stable if stored and handled as prescribed/indicated.

### Possibility of hazardous reactions

No hazardous reactions when stored and handled according to instructions. After long storage, slight quantities of carbon monoxide may be formed.

The product is chemically stable.

### Conditions to avoid

Avoid extreme heat.

### Incompatible materials

metal salts

### Hazardous decomposition products

Decomposition products:

Hazardous decomposition products: carbon dioxide, carbon monoxide, hydrocarbons

Thermal decomposition:

No decomposition if used correctly.

---

## 11. Toxicological information

### Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

### Acute Toxicity/Effects

#### Acute toxicity

Assessment of acute toxicity: Virtually nontoxic after a single ingestion. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

#### Oral

# Safety Data Sheet

## Luphen® D 259 U

Revision date : 2015/03/27

Page: 6/9

Version: 1.0

(30,041,456/SDS\_GEN\_CA/EN)

Type of value: LD50

Species: rat

Value: > 2,000 - 10,000 mg/kg

### Assessment other acute effects

Assessment of STOT single:

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

### Irritation / corrosion

Assessment of irritating effects: If the product adheres to skin, irritation may occur when it dries.

Not irritating to the eyes. Not irritating to the skin. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

### Skin

Species: rabbit

Result: non-irritant

Method: OECD Guideline 404

### Eye

Species: rabbit

Result: non-irritant

Method: OECD Guideline 405

### Sensitization

Assessment of sensitization: Skin sensitizing effects were not observed in animal studies. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

### Aspiration Hazard

not applicable

## **Chronic Toxicity/Effects**

### Repeated dose toxicity

Assessment of repeated dose toxicity: No adverse effects were observed after repeated inhalative exposure in animal studies. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

### Genetic toxicity

Assessment of mutagenicity: The substance was not mutagenic in bacteria. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

### Carcinogenicity

Assessment of carcinogenicity: The whole of the information assessable provides no indication of a carcinogenic effect.

### Reproductive toxicity

Assessment of reproduction toxicity: Not expected to cause reproductive toxicity (based on composition).

### Teratogenicity

Assessment of teratogenicity: The data available for an assessment of the effect of the substance on developmental toxicity are not sufficient for a proper evaluation.

### Other Information

# Safety Data Sheet

## Luphen® D 259 U

Revision date : 2015/03/27

Page: 7/9

Version: 1.0

(30,041,456/SDS\_GEN\_CA/EN)

Based on our experience and the information available, no adverse health effects are expected if handled as recommended with suitable precautions for designated uses. The statement was derived from products of similar composition.

### Symptoms of Exposure

No significant symptoms are expected due to the non-classification of the product.

---

## 12. Ecological Information

### Toxicity

#### Toxicity to fish

LC50 (96 h) > 100 mg/l, Brachydanio rerio (OECD Guideline 203, static)

#### Aquatic invertebrates

EC50 (48 h) > 100 mg/l, Daphnia magna (OECD Guideline 202, part 1, static)

#### Aquatic plants

EC50 (72 h) > 100 mg/l, Scenedesmus subspicatus (OECD Guideline 201)

Nominal concentration.

### Microorganisms/Effect on activated sludge

#### Toxicity to microorganisms

DIN EN ISO 8192-OECD 209-88/302/EEC,P. C activated sludge, domestic/EC20 (0.5 h): > 100 mg/l

The inhibition of the degradation activity of activated sludge is not anticipated when introduced to biological treatment plants in appropriate low concentrations.

### Persistence and degradability

#### Assessment biodegradation and elimination (H2O)

The product can be virtually eliminated from water by abiotic processes e.g. adsorption onto activated sludge.

#### Elimination information

> 70 % DOC reduction (OECD 302B; ISO 9888; 88/302/EEC,part C) Easily eliminated from water.

### Bioaccumulative potential

#### Bioaccumulation potential

Based on its structural properties, the polymer is not biologically available. Accumulation in organisms is not to be expected.

### Mobility in soil

#### Assessment transport between environmental compartments

No data available.

### Additional information

Adsorbable organically-bound halogen (AOX):

No data available.

# Safety Data Sheet

## Luphen® D 259 U

Revision date : 2015/03/27

Version: 1.0

Page: 8/9

(30,041,456/SDS\_GEN\_CA/EN)

Other ecotoxicological advice:

Do not release untreated into natural waters. At the present state of knowledge, no negative ecological effects are expected.

Ecological data are determined by analogy.

---

### 13. Disposal considerations

**Waste disposal of substance:**

Incinerate or dispose of in a licensed facility. Do not discharge into drains/surface waters/groundwater.

**Container disposal:**

Dispose of in a licensed facility. Recommend crushing, puncturing or other means to prevent unauthorized use of used containers.

---

### 14. Transport Information

**Land transport**

TDG

Not classified as a dangerous good under transport regulations

**Sea transport**

IMDG

Not classified as a dangerous good under transport regulations

**Air transport**

IATA/ICAO

Not classified as a dangerous good under transport regulations

---

### 15. Regulatory Information

**Federal Regulations**

**Registration status:**

Chemical                  DSL, CA        released / listed

Not WHMIS controlled.

**THIS PRODUCT HAS BEEN CLASSIFIED IN ACCORDANCE WITH THE HAZARD CRITERIA OF THE CPR AND THE MSDS CONTAINS ALL THE INFORMATION REQUIRED BY THE CPR.**

---

### 16. Other Information

**SDS Prepared by:**

BASF NA Product Regulations

SDS Prepared on: 2015/03/27



# Safety Data Sheet

## Luphen® D 259 U

Revision date : 2015/03/27

Page: 9/9

Version: 1.0

(30,041,456/SDS\_GEN\_CA/EN)

---

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

---

Luphen® D 259 U is a registered trademark of BASF Canada or BASF SE  
END OF DATA SHEET