

Safety data sheet

Page: 1/13

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 09.05.2016

Version: 2.0

Product: **Rheovis® AS 1180**

(ID no. 30041264/SDS_GEN_00/EN)

Date of print 21.10.2025

1. Identification

Product identifier

Rheovis® AS 1180

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Raw material, for industrial use only

Details of the supplier of the safety data sheet

Company:

BASF SE

67056 Ludwigshafen

GERMANY

Global Business Unit Resins and Additives

Telephone: +49 621 60-0

E-mail address: ed-psr@basf.com

Emergency telephone number

International emergency number:

Telephone: +49 180 2273-112

2. Hazards Identification

Classification of the substance or mixture

According to UN GHS criteria

Flam. Liq. 4

Skin Corr./Irrit. 3

Eye Dam./Irrit. 2A

Aquatic Acute 2

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 09.05.2016

Version: 2.0

Product: **Rheovis® AS 1180**

(ID no. 30041264/SDS_GEN_00/EN)

Date of print 21.10.2025

For the classifications not written out in full in this section the full text can be found in section 16.

Label elements

Globally Harmonized System (GHS)

Pictogram:



Signal Word:

Warning

Hazard Statement:

H227	Combustible liquid.
H319	Causes serious eye irritation.
H316	Causes mild skin irritation.
H401	Toxic to aquatic life.

Precautionary Statements (Prevention):

P280	Wear protective gloves and eye/face protection.
P273	Avoid release to the environment.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P264	Wash with plenty of water and soap thoroughly after handling.

Precautionary Statements (Response):

P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337 + P311	If eye irritation persists: Call a POISON CENTER or doctor/physician.
P332 + P313	If skin irritation occurs: Get medical advice/attention.
P370 + P378	In case of fire: Use water spray, dry powder, foam or carbon dioxide for extinction.

Precautionary Statements (Storage):

P403 + P235	Store in a well-ventilated place. Keep cool.
-------------	--

Precautionary Statements (Disposal):

P501	Dispose of contents/container to hazardous or special waste collection point.
------	---

According to UN GHS criteria

Hazard determining component(s) for labelling: Alcohols, C12-15 branched and linear, ethoxylated, propoxylated, Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 09.05.2016

Version: 2.0

Product: **Rheovis® AS 1180**

(ID no. 30041264/SDS_GEN_00/EN)

Date of print 21.10.2025

Other hazardsAccording to UN GHS criteria

| No specific dangers known, if the regulations/notes for storage and handling are considered.

3. Composition/Information on Ingredients**Substances**

Not applicable

MixturesChemical nature

polyacrylate, mineral oil, in water

Hazardous ingredients (GHS)According to UN GHS criteria

| ammonia...%

Content (W/W): $\geq 0\%$ - $< 0,2\%$

CAS Number: 1336-21-6

EC-Number: 215-647-6

INDEX-Number: 007-001-01-2

Skin Corr./Irrit. 1B

Eye Dam./Irrit. 1

STOT SE 3 (irr. to respiratory syst.)

Aquatic Acute 1

Aquatic Chronic 2

H335, H314, H411, H400

Specific concentration limit:STOT SE 3, irr. to respiratory syst.: $\geq 5\%$

| Alcohols, C12-15 branched and linear, ethoxylated, propoxylated

Content (W/W): $\geq 1\%$ - $< 3\%$

CAS Number: 120313-48-6

Skin Corr./Irrit. 2

Eye Dam./Irrit. 1

Aquatic Acute 1

Aquatic Chronic 3

M-factor acute: 1

H318, H315, H412, H400

| Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, $<2\%$ aromaticsContent (W/W): $\geq 20\%$ - $< 25\%$

CAS Number: 64742-47-8

Asp. Tox. 1

H304

For the classifications not written out in full in this section the full text can be found in section 16.

4. First-Aid Measures

Description of first aid measures

Immediately remove contaminated clothing.

On skin contact:

Wash thoroughly with soap and water.

On contact with eyes:

Immediately wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion:

Immediately rinse mouth and then drink plenty of water, do not induce vomiting, seek medical attention.

Most important symptoms and effects, both acute and delayed

Symptoms: The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11.

Hazards: When inhaled (e.g. during vomiting) risk of pulmonary oedema and/or pneumonia.

Indication of any immediate medical attention and special treatment needed

Treatment: Symptomatic treatment (decontamination, vital functions).

5. Fire-Fighting Measures

Extinguishing media

Suitable extinguishing media:

water spray, dry powder, foam, carbon dioxide

Special hazards arising from the substance or mixture

No particular hazards known.

Advice for fire-fighters

Special protective equipment:

Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:

Contaminated extinguishing water must be disposed of in accordance with official regulations.

6. Accidental Release Measures

High risk of slipping due to leakage/spillage of product.

Personal precautions, protective equipment and emergency procedures

Use personal protective clothing. Avoid contact with skin and eyes.

Environmental precautions

Do not discharge into drains/surface waters/groundwater.

Methods and material for containment and cleaning up

For small amounts: Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr). Dispose of absorbed material in accordance with regulations.

For large amounts: Pump off product.

Reference to other sections

Information regarding exposure controls/personal protection and disposal considerations can be found in section 8 and 13.

7. Handling and Storage

Precautions for safe handling

Handle in accordance with good industrial hygiene and safety practice.

Protection against fire and explosion:

No special precautions necessary.

Conditions for safe storage, including any incompatibilities

Further information on storage conditions: Keep container tightly closed and dry; store in a cool place.

Storage stability:

Storage temperature: -10 - 35 °C

Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

8. Exposure Controls/Personal Protection

Control parameters

Components with occupational exposure limits

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 09.05.2016

Version: 2.0

Product: **Rheovis® AS 1180**

(ID no. 30041264/SDS_GEN_00/EN)

Date of print 21.10.2025

1336-21-6: ammonia...%

64742-47-8: Distillates (petroleum), hydrotreated light; Kerosine -- unspecified

Exposure controlsPersonal protective equipment

Respiratory protection:

Respiratory protection in case of vapour/aerosol release.

Hand protection:

Chemical resistant protective gloves (EN 374)

Suitable materials also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN 374):

nitrile rubber (NBR) - 0.4 mm coating thickness

Suitable chemical resistant safety gloves (EN 374) also with prolonged, direct contact

(Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN 374): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc.

Manufacturer's directions for use should be observed because of great diversity of types.

Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

9. Physical and Chemical Properties**Information on basic physical and chemical properties**

Form:	liquid	
Colour:	white	
Odour:	ammonia-like	
Odour threshold:	No data available.	
pH value:	7,5 - 9,0	(DIN ISO 976)
Freezing point:	not determined	
Flash point:	74 °C	(DIN 51758)
Evaporation rate:	not determined	
Flammability:	not flammable	
Lower explosion limit:	34,9 %(V)	
Upper explosion limit:	90,5 %(V)	
Ignition temperature:	455 °C	(DIN 51794)
Vapour pressure:	123 mbar (50 °C)	
Density:	approx. 1,0 g/cm ³ (20 °C)	(ISO 2811-1)
Relative vapour density (air):	not determined	
Solubility in water:	dispersible	

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 09.05.2016

Version: 2.0

Product: **Rheovis® AS 1180**

(ID no. 30041264/SDS_GEN_00/EN)

Date of print 21.10.2025

Partitioning coefficient n-octanol/water (log Kow):
not applicable for mixtures
Self ignition: not self-igniting

Thermal decomposition: No decomposition if used as directed.
Viscosity, dynamic: 100 - 300 mPa.s (DIN EN ISO 3219)
(23 °C, 250 1/s)
Explosion hazard: not explosive
Fire promoting properties: not fire-propagating

Other information

Miscibility with water:
miscible

Surface tension:
No data available.

Flow time: 28 s (DIN 53211)
(20 °C)

Grain size distribution: The substance / product is marketed or used in a non solid or granular form.

Solids content: 26,0 - 32,0 % (DIN EN ISO 3251)

10. Stability and Reactivity

Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Chemical stability

The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions

No hazardous reactions when stored and handled according to instructions.

Conditions to avoid

Avoid extreme temperatures.

Incompatible materials

Substances to avoid:
strong oxidizing agents, strong acids, strong bases

Hazardous decomposition products

Hazardous decomposition products:
No hazardous decomposition products if stored and handled as prescribed/indicated.

11. Toxicological Information

Information on toxicological effects

Acute toxicity

Assessment of acute toxicity:

Virtually nontoxic after a single ingestion.

Experimental/calculated data:

LD50 rat (oral): > 5.000 mg/kg (BASF-Test)

LC50 rat (by inhalation):

not determined

LD50 rat (dermal):

not determined

Irritation

Experimental/calculated data:

Skin corrosion/irritation rabbit: non to mildly irritating (OECD Guideline 404)

The product has not been tested. The statement has been derived from the properties of the individual components.

Serious eye damage/irritation rabbit: Irritant. (OECD Guideline 405)

The product has not been tested. The statement has been derived from the properties of the individual components.

Respiratory/Skin sensitization

Assessment of sensitization:

No data available.

Experimental/calculated data:

No data available.

Germ cell mutagenicity

Assessment of mutagenicity:

The substance was not mutagenic in bacteria.

Carcinogenicity

Assessment of carcinogenicity:

No data available.

Reproductive toxicity

Assessment of reproduction toxicity:

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 09.05.2016

Version: 2.0

Product: **Rheovis® AS 1180**

(ID no. 30041264/SDS_GEN_00/EN)

Date of print 21.10.2025

No data available.

Developmental toxicity

Assessment of teratogenicity:

No data available.

Specific target organ toxicity (single exposure)

| Remarks: No data available.

12. Ecological Information

Toxicity

Assessment of aquatic toxicity:

Acutely toxic for aquatic organisms.

Toxicity to fish:

LC50 (96 h) 71 mg/l, Brachydanio rerio (OECD 203; ISO 7346; 92/69/EEC, C.1, semistatic)

Aquatic invertebrates:

EC50 (48 h) 3 mg/l, Daphnia magna (OECD Guideline 202, part 1, static)

Aquatic plants:

EC50 (72 h) 4,5 mg/l (growth rate), Scenedesmus subspicatus (OECD Guideline 201, static)

Microorganisms/Effect on activated sludge:

> 1.000 mg/l, Bacillus subtilis (DEV-L2)

Inhibition of degradation activity in activated sludge is not to be anticipated during correct introduction of low concentrations.

Chronic toxicity to fish:

| No data available.

Chronic toxicity to aquatic invertebrates:

| No data available.

Assessment of terrestrial toxicity:

| No data available concerning terrestrial toxicity.

Persistence and degradability

Elimination information:

> 70 % COD reduction (OECD 302B; ISO 9888; 88/302/EEC, part C) Easily eliminated from water.

Bioaccumulative potential

Assessment bioaccumulation potential:

The product has not been tested.

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 09.05.2016

Version: 2.0

Product: **Rheovis® AS 1180**

(ID no. 30041264/SDS_GEN_00/EN)

Date of print 21.10.2025

Bioaccumulation potential:

No data available.

Mobility in soil

Assessment transport between environmental compartments:

Volatility: No data available.

Additional information

Sum parameter

Chemical oxygen demand (COD): 635 mg/g

Biochemical oxygen demand (BOD) Incubation period 5 d: 235 mg/g

Biochemical oxygen demand (BOD) Incubation period 30 d: 605 mg/g

Add. remarks environm. fate & pathway:

Treatment in biological waste water treatment plants has to be performed according to local and administrative regulations.

Other ecotoxicological advice:

Do not release untreated into natural waters.

13. Disposal Considerations**Waste treatment methods**

Must be disposed of or incinerated in accordance with local regulations.

Contaminated packaging:

Uncontaminated packaging can be re-used.

Packs that cannot be cleaned should be disposed of in the same manner as the contents.

14. Transport Information**Land transport**

ADR

Not classified as a dangerous good under transport regulations

UN number: Not applicable

UN proper shipping name: Not applicable

Transport hazard class(es): Not applicable

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 09.05.2016

Version: 2.0

Product: **Rheovis® AS 1180**

(ID no. 30041264/SDS_GEN_00/EN)

Date of print 21.10.2025

Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user	None known

RID

	Not classified as a dangerous good under transport regulations
UN number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user	None known

Inland waterway transport**ADN**

	Not classified as a dangerous good under transport regulations
UN number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user:	None known

Transport in inland waterway vessel

Not evaluated

Sea transport**IMDG**

	Not classified as a dangerous good under transport regulations
UN number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user	None known

Air transport

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 09.05.2016

Version: 2.0

Product: **Rheovis® AS 1180**

(ID no. 30041264/SDS_GEN_00/EN)

Date of print 21.10.2025

IATA/ICAO

	Not classified as a dangerous good under transport regulations
UN number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user	None known

UN number

See corresponding entries for "UN number" for the respective regulations in the tables above.

UN proper shipping name

See corresponding entries for "UN proper shipping name" for the respective regulations in the tables above.

Transport hazard class(es)

See corresponding entries for "Transport hazard class(es)" for the respective regulations in the tables above.

Packing group

See corresponding entries for "Packing group" for the respective regulations in the tables above.

Environmental hazards

See corresponding entries for "Environmental hazards" for the respective regulations in the tables above.

Special precautions for user

See corresponding entries for "Special precautions for user" for the respective regulations in the tables above.

Transport in bulk according to Annex II of MARPOL and the IBC Code

Regulation:	Not evaluated
Shipment approved:	Not evaluated
Pollution name:	Not evaluated
Pollution category:	Not evaluated
Ship Type:	Not evaluated

15. Regulatory Information**Safety, health and environmental regulations/legislation specific for the substance or mixture**

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 09.05.2016

Version: 2.0

Product: **Rheovis® AS 1180**

(ID no. 30041264/SDS_GEN_00/EN)

Date of print 21.10.2025

16. Other Information

Any other intended applications should be discussed with the manufacturer.

Full text of classifications, hazard symbols and hazard statements, if mentioned in section 2 or 3:

Flam. Liq.	Flammable liquids
Skin Corr./Irrit.	Skin corrosion/irritation
Eye Dam./Irrit.	Serious eye damage/eye irritation
Aquatic Acute	Hazardous to the aquatic environment - acute
STOT SE	Specific target organ toxicity — single exposure
Aquatic Chronic	Hazardous to the aquatic environment - chronic
Asp. Tox.	Aspiration hazard
H335	May cause respiratory irritation.
H314	Causes severe skin burns and eye damage.
H411	Toxic to aquatic life with long lasting effects.
H400	Very toxic to aquatic life.
H318	Causes serious eye damage.
H315	Causes skin irritation.
H412	Harmful to aquatic life with long lasting effects.
H304	May be fatal if swallowed and enters airways.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Vertical lines in the left hand margin indicate an amendment from the previous version.