

Safety Data Sheet

PLASTOMOLL® DOA

Revision date : 2025/10/31

Version: 8.0

Page: 1/11

(30034813/SDS_GEN_CA/EN)

1. Identification

Product identifier used on the label

PLASTOMOLL® DOA

Recommended use of the chemical and restriction on use

Recommended use*: plasticizers

Recommended use*: solvent(s); for industrial use only

Unsuitable for use: Not intended for sale to or use by the general public.

* The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

Details of the supplier of the safety data sheet

Company:

BASF Canada Inc.
5025 Creekbank Road
Building A, Floor 2
Mississauga, ON, L4W 0B6, CANADA

Telephone: +1 289 360-1300

Emergency telephone number

24 Hour Emergency Response Information

CHEMTREC: 1-800-424-9300

BASF HOTLINE: (800) 454-COPE (2673)

Other means of identification

Chemical family: adipic acid ester

Synonyms: DI-2-ETHYLHEXYL ADIPATE; DIOCTYL ADIPATE Use:
plasticizers

2. Hazards Identification

According to Hazardous Products Regulations (HPR) (SOR/2022-272)

Classification of the product

| No need for classification according to GHS criteria for this product.

Safety Data Sheet

PLASTOMOLL® DOA

Revision date: 2025/10/31
Version: 8.0

Page: 2/11
(30034813/SDS_GEN_CA/EN)

Label elements

The product does not require a hazard warning label in accordance with GHS criteria.

Hazards not otherwise classified

No applicable information available.

3. Composition / Information on Ingredients

According to Hazardous Products Regulations (HPR) (SOR/2022-272)

Under the referenced regulation, this product does not contain any components classified for health hazards above the relevant cut off value.

4. First-Aid Measures

Description of first aid measures

General advice:

Remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air.

If on skin:

Wash thoroughly with soap and water

If in eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open.

If swallowed:

Rinse mouth and then drink 200-300 ml of water.

Most important symptoms and effects, both acute and delayed

Symptoms: No data available.

Hazards: (Further) symptoms and / or effects are not known so far

Indication of any immediate medical attention and special treatment needed

Note to physician

Treatment: Symptomatic treatment (decontamination, vital functions).

Safety Data Sheet

PLASTOMOLL® DOA

Revision date: 2025/10/31
Version: 8.0

Page: 3/11
(30034813/SDS_GEN_CA/EN)

5. Fire-Fighting Measures

Suitable extinguishing media:
dry powder, water spray, carbon dioxide, foam

Unsuitable extinguishing media for safety reasons:
water jet

Additional information:
Use extinguishing measures to suit surroundings.

Special hazards arising from the substance or mixture

Hazards during fire-fighting:
The product is combustible. Cool endangered containers with water-spray. See SDS section 7 - Handling and storage.

Advice for fire-fighters

Protective equipment for fire-fighting:
Wear a self-contained breathing apparatus. Special protective equipment for firefighters

Further information:

Evacuate area of all unnecessary personnel. Fight fire from maximum distance.

Extend fire extinguishing measures to the surroundings. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

Impact Sensitivity:

Remarks: Based on the chemical structure there is no shock-sensitivity.

6. Accidental release measures

Further accidental release measures:
High risk of slipping due to leakage/spillage of product.

Shut off or stop source of leak. Shut off or stop released substance/product under safe conditions.

Pack in tightly closed containers for disposal.

Personal precautions, protective equipment and emergency procedures

Handle in accordance with good industrial hygiene and safety practice.

Environmental precautions

Discharge into the environment must be avoided.

Methods and material for containment and cleaning up

Pick up with suitable appliance and dispose of. Spills should be contained, solidified, and placed in suitable containers for disposal. Dispose of absorbed material in accordance with regulations.

7. Handling and Storage

Precautions for safe handling

Safety Data Sheet

PLASTOMOLL® DOA

Revision date: 2025/10/31
Version: 8.0

Page: 4/11
(30034813/SDS_GEN_CA/EN)

Handle in accordance with good industrial hygiene and safety practice.

Protection against fire and explosion:

No special precautions necessary. Substance/product is non-flammable.

Conditions for safe storage, including any incompatibilities

Further information on storage conditions: Containers should be stored tightly sealed in a dry place.

8. Exposure Controls/Personal Protection

No substance specific occupational exposure limits known.

Advice on system design:

Ensure adequate ventilation.

Personal protective equipment

Hand protection:

Chemical resistant protective gloves

Eye protection:

Tightly fitting safety goggles (chemical goggles).

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

General safety and hygiene measures:

Handle in accordance with good industrial hygiene and safety practice. Wearing of closed work clothing is required additionally to the stated personal protection equipment. Wash soiled clothing immediately.

9. Physical and Chemical Properties

Physical state:	liquid	
Form:	liquid	
Odour:	almost odourless ester-like	
Odour threshold:	not determined	
Colour:	colourless	
pH value:	not applicable, of very low solubility	
Melting point:	-67.8 °C Literature data.	
Freezing point:	No data available.	
Boiling point:	377.88 °C (1,013 hPa)	(measured)
Boiling range:	No data available.	
Sublimation point:	No applicable information available.	
Flash point:	200 °C Literature data.	(closed cup)
Flammability:	hardly combustible	(derived from flash point)

Safety Data Sheet

PLASTOMOLL® DOA

Revision date: 2025/10/31
Version: 8.0

Page: 5/11
(30034813/SDS_GEN_CA/EN)

Lower explosion limit:	For liquids not relevant for classification and labelling. The lower explosion point may be 5 - 15 °C below the flash point.	
Upper explosion limit:	For liquids not relevant for classification and labelling.	
Autoignition:	377 °C	
Vapour pressure:	Literature data. 0.00003 Pa (20 °C)	(measured)
Density:	Extrapolated value 0.924 - 0.926 g/cm3 (20 °C)	(DIN 51757)
Relative density:	0.92 (20 °C)	(DIN 51757)
Relative vapour density:	12.7 (20 °C)	(calculated)
Partitioning coefficient n-octanol/water (log Pow):	Heavier than air. 8.94 (25 °C)	(OECD Guideline 117)
Refractive index:	1.446 - 1.448 (20 °C)	(DIN 51423-1)
Self-ignition temperature:	Based on its structural properties the product is not classified as self-igniting.	
Thermal decomposition:	No data available.	
Viscosity, dynamic:	13 - 15 mPa.s (20 °C)	(calculated (from kinematic viscosity))
Viscosity, kinematic:	The value was determined by calculation from the detected kinematic viscosity.	
Solubility in water:	No applicable information available.	
Solubility (quantitative):	0.0032 mg/l (22 °C)	
Solubility (qualitative):	Literature data. No applicable information available. soluble solvent(s): organic solvents,	
Molecular weight:	370.57 g/mol	
Evaporation rate:	No data available.	
<u>Particle characteristics</u>		
Particle size distribution:	The substance / product is marketed or used in a non solid or granular form.	

10. Stability and Reactivity

Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Corrosion to metals:

Corrosive effects to metal are not anticipated.

Oxidizing properties:

Safety Data Sheet

PLASTOMOLL® DOA

Revision date: 2025/10/31
Version: 8.0

Page: 6/11
(30034813/SDS_GEN_CA/EN)

Based on its structural properties the product is not classified as oxidizing.
Formation of flammable gases: Remarks: Forms no flammable gases in the presence of water.

Chemical stability

The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions

Reacts with strong oxidizing agents.

Conditions to avoid

Avoid all sources of ignition: heat, sparks, open flame.

Incompatible materials

strong oxidizing agents

Hazardous decomposition products

Decomposition products:

Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

Thermal decomposition:

No data available.

11. Toxicological information

Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

Acute Toxicity/Effects

Acute toxicity

Assessment of acute toxicity: Virtually nontoxic after a single ingestion. Virtually nontoxic by inhalation. Virtually nontoxic after a single skin contact.

Oral

Type of value: LD50

Species: rat (female)

Value: approx. 24,600 mg/kg (OECD Guideline 401)

Inhalation

Type of value: LC50

Species: rat (male/female)

Value: > 5.7 mg/l (OECD Guideline 403)

Exposure time: 4 h

An aerosol was tested.

No mortality was observed.

Dermal

Type of value: LD50

Safety Data Sheet

PLASTOMOLL® DOA

Revision date: 2025/10/31
Version: 8.0

Page: 7/11
(30034813/SDS_GEN_CA/EN)

Species: rabbit (male)
Value: 15,076 mg/kg

Assessment other acute effects

Assessment of STOT single:

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

Irritation / corrosion

Assessment of irritating effects: Not irritating to the skin. Not irritating to the eyes.

Skin

Species: rabbit
Result: non-irritant
Method: Draize test

Eye

Species: rabbit
Result: non-irritant
Method: similar to OECD guideline 405

Sensitization

Assessment of sensitization: Skin sensitizing effects were not observed in animal studies.

Draize test

Species: guinea pig
Result: Non-sensitizing.

Patch test

Species: rabbit
Result: Non-sensitizing.
Method: Patch test

other

Species: in silico
Result: Non-sensitizing.
Method: (Q)SAR Model

Aspiration Hazard

not applicable

Chronic Toxicity/Effects

Repeated dose toxicity

Assessment of repeated dose toxicity: Repeated exposure to high doses of the substance causes reversible liver changes in rodents. According to present knowledge, these effects do not occur in man.

Genetic toxicity

Assessment of mutagenicity: No mutagenic effect was found in various tests with bacteria, microorganisms and mammalian cell culture. The substance was not mutagenic in studies with mammals.

Carcinogenicity

Safety Data Sheet

PLASTOMOLL® DOA

Revision date: 2025/10/31
Version: 8.0

Page: 8/11
(30034813/SDS_GEN_CA/EN)

Assessment of carcinogenicity: Based on available data, the classification criteria are not met. IARC Group 3 (not classifiable as to human carcinogenicity).

Reproductive toxicity

Assessment of reproduction toxicity: The results of animal studies gave no indication of a fertility impairing effect.

Teratogenicity

Assessment of teratogenicity: No indications of a developmental toxic / teratogenic effect were seen in animal studies.

12. Ecological Information

Toxicity

Aquatic toxicity

Assessment of aquatic toxicity:

No toxic effects occur within the range of solubility. The inhibition of the degradation activity of activated sludge is not anticipated when introduced to biological treatment plants in appropriate low concentrations. There is a high probability that the product is not acutely harmful to aquatic organisms. Based on long-term (chronic) toxicity study data, the product is very likely not harmful to aquatic organisms.

Toxicity to fish

LC0 (96 h) > 0.78 mg/l, Oncorhynchus mykiss (other, static)

No mortality was observed. No toxic effects occur within the range of solubility.

Aquatic invertebrates

EC50 (48 h) > 500 mg/l, Daphnia magna (Directive 79/831/EEC, static)

The product has low solubility in the test medium. An aqueous solution prepared with solubilizers has been tested. No toxic effects occur within the range of solubility.

Aquatic plants

EC50 (72 h) > 500 mg/l, Scenedesmus subspicatus (DIN 38412 Part 9)

The product has low solubility in the test medium. An aqueous solution prepared with solubilizers has been tested. No toxic effects occur within the range of solubility.

Chronic toxicity to fish

Study scientifically not justified.

Chronic toxicity to aquatic invertebrates

Lowest observed effect concentration (21 d) > 0.77 mg/l, Daphnia magna (OECD Guideline 202, part 2, semistatic)

Assessment of terrestrial toxicity

Toxic effects have been observed in studies with soil living organisms.

Soil living organisms

Toxicity to soil dwelling organisms:

LC50 (14 d) 865 mg/kg, Eisenia foetida (Directive 88/302/EEC, part C, p. 95, artificial soil)

Toxicity to terrestrial plants

Safety Data Sheet

PLASTOMOLL® DOA

Revision date: 2025/10/31
Version: 8.0

Page: 9/11
(30034813/SDS_GEN_CA/EN)

No data available.

Other terrestrial non-mammals

No data available.

Microorganisms/Effect on activated sludge

Toxicity to microorganisms

DIN EN ISO 8192-OECD 209-88/302/EEC, P. C aerobic
aerobic bacteria from a domestic water treatment plant/EC20 (3 h): > 350 mg/l

Persistence and degradability

Assessment biodegradation and elimination (H₂O)

Readily biodegradable (according to OECD criteria).

Elimination information

approx. 98 % BOD of the ThOD (28 d) (OECD 301F; ISO 9408; 92/69/EWG, C.4-D)

Assessment of stability in water

In contact with water the substance will hydrolyse slowly.

Bioaccumulative potential

Assessment bioaccumulation potential

Does not significantly accumulate in organisms.

Bioaccumulation potential

Bioconcentration factor: 27 (28 d), *Lepomis macrochirus* (measured)

Mobility in soil

Assessment transport between environmental compartments

The substance will slowly evaporate into the atmosphere from the water surface.
Adsorption to solid soil phase is expected.

Additional information

Other ecotoxicological advice:

Do not release untreated into natural waters.

13. Disposal considerations

Waste disposal of substance:

Dispose of in a licensed facility. Do not discharge substance/product into sewer system. Dispose of in accordance with national, state and local regulations.

Container disposal:

Disposal must be made according to official regulations.

Dispose of in accordance with national, state and local regulations.

Safety Data Sheet

PLASTOMOLL® DOA

Revision date: 2025/10/31
Version: 8.0

Page: 10/11
(30034813/SDS_GEN_CA/EN)

14. Transport Information

Land transport
TDG

Not classified as a dangerous good under transport regulations

Sea transport
IMDG

Not classified as a dangerous good under transport regulations

Air transport
IATA/ICAO

Not classified as a dangerous good under transport regulations

15. Regulatory Information

Federal Regulations

Registration status:

Chemical DSL, CA

DSL listed and/or otherwise compliant.

Assessment of the hazard classes according to UN GHS criteria (most recent version):

16. Other Information

SDS Prepared by:

BASF NA Product Regulations

SDS Prepared on: 2025/10/31

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

PLASTOMOLL® DOA is a registered trademark of BASF Canada or BASF SE

Date / Revised: 2025/10/31

Date / Previous version: 2023/08/25

Version: 8.0

Previous version: 7.0

Safety Data Sheet

PLASTOMOLL® DOA

Revision date: 2025/10/31
Version: 8.0

Page: 11/11
(30034813/SDS_GEN_CA/EN)

END OF DATA SHEET