

Safety data sheet

Page: 1/41

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 09.09.2022 Version: 1.0
Date previous version: not applicable Previous version: none

Date / First version: 09.09.2022 Product: **CitronellyInitrile**

(ID no. 30035072/SDS_GEN_FR/EN)

Date of print 21.10.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

CitronellyInitrile

Chemical name: 3,7-Dimethyloct-6-enenitrile

CAS Number: 51566-62-2

REACH registration number: 01-2119956151-43-0000

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Chemical, Chemical for detergents, Chemical for soaps, detergents and cosmetic

For the detailed identified uses of the product see appendix of the safety data sheet.

1.3. Details of the supplier of the safety data sheet

Company: BASF SE 67056 Ludwigshafen GERMANY Contact address:
BASF France SAS
176, rue Montmartre
75002 PARIS
FRANCE

Telephone: +33 1 4964-5732

E-mail address: securite-produits.france@basf.com

1.4. Emergency telephone number

Tél.: 01 45 42 59 59 (APPEL D'URGENCE ORFILA)

Fax: 01 49 64 53 80 (heures de bureau)

International emergency number (Numéro d'urgence international):

contact speaking the language of the calling country (contact parlant la langue du pays d'appel)

Telephone: +49 180 2273-112

Date / Revised: 09.09.2022 Version: 1.0
Date previous version: not applicable Previous version: none

Date / First version: 09.09.2022 Product: **CitronellyInitrile**

(ID no. 30035072/SDS_GEN_FR/EN)

Date of print 21.10.2025

SECTION 2: Hazards Identification

2.1. Classification of the substance or mixture

According to Regulation (EC) No 1272/2008 [CLP]

No need for classification according to GHS criteria for this product.

2.2. Label elements

According to Regulation (EC) No 1272/2008 [CLP]

The product does not require a hazard warning label in accordance with GHS criteria.

2.3. Other hazards

According to Regulation (EC) No 1272/2008 [CLP]

The product does not contain a substance fulfilling the PBT (persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria. Product does not contain a substance above legal limits included in the list established in accordance with Article 59(1) of Regulation (EC) No 1907/2006 for having endocrine disrupting properties or is identified to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

SECTION 3: Composition/Information on Ingredients

3.1. Substances

Chemical nature

3,7-Dimethyloct-6-enenitrile

CAS Number: 51566-62-2 EC-Number: 257-288-8

3.2. Mixtures

Not applicable

SECTION 4: First-Aid Measures

4.1. Description of first aid measures

Remove contaminated clothing.

If inhaled:

Date / Revised: 09.09.2022 Version: 1.0
Date previous version: not applicable Previous version: none

Date / First version: 09.09.2022 Product: **CitronellyInitrile**

(ID no. 30035072/SDS_GEN_FR/EN)

Date of print 21.10.2025

Keep patient calm, remove to fresh air.

On skin contact:

Wash thoroughly with soap and water

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open.

On ingestion:

Rinse mouth and then drink 200-300 ml of water.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11.

4.3. Indication of any immediate medical attention and special treatment needed

Treatment: Symptomatic treatment (decontamination, vital functions).

SECTION 5: Fire-Fighting Measures

5.1. Extinguishing media

Suitable extinguishing media: carbon dioxide, foam, dry powder, water spray

Unsuitable extinguishing media for safety reasons: water jet

5.2. Special hazards arising from the substance or mixture

Endangering substances: carbon oxides, harmful vapours

Advice: The substances/groups of substances mentioned can be released in case of fire.

5.3. Advice for fire-fighters

Special protective equipment:

Wear a self-contained breathing apparatus.

Further information:

Dispose of fire debris and contaminated extinguishing water in accordance with official regulations. Cool endangered containers with water-spray.

Date / Revised: 09.09.2022 Version: 1.0
Date previous version: not applicable Previous version: none

Date / First version: 09.09.2022 Product: **CitronellyInitrile**

(ID no. 30035072/SDS_GEN_FR/EN)

Date of print 21.10.2025

SECTION 6: Accidental Release Measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective clothing. Information regarding personal protective measures, see section 8.

6.2. Environmental precautions

Do not discharge into drains/surface waters/groundwater.

6.3. Methods and material for containment and cleaning up

For small amounts: Contain with absorbent material (e.g. sand, silica gel, acid binder, general purpose binder, sawdust).

For large amounts: Dike spillage. Pump off product.

Dispose of absorbed material in accordance with regulations.

6.4. Reference to other sections

Information regarding exposure controls/personal protection and disposal considerations can be found in section 8 and 13.

SECTION 7: Handling and Storage

7.1. Precautions for safe handling

Handle in accordance with good industrial hygiene and safety practice.

Protection against fire and explosion:

Take precautionary measures against static discharges. Avoid all sources of ignition: heat, sparks, open flame.

7.2. Conditions for safe storage, including any incompatibilities

Further information on storage conditions: Keep container tightly closed and dry; store in a cool place.

7.3. Specific end use(s)

See exposure scenario(s) in the attachment to this safety data sheet.

SECTION 8: Exposure Controls/Personal Protection

8.1. Control parameters

Components with occupational exposure limits

No substance specific occupational exposure limits known.

to Regulation (EC) No 1907/2006.

Date / Revised: 09.09.2022 Version: 1.0
Date previous version: not applicable Previous version: none

Date / First version: 09.09.2022 Product: **CitronellyInitrile**

(ID no. 30035072/SDS_GEN_FR/EN)

Date of print 21.10.2025

PNEC

freshwater: 0,0114 mg/l

intermittent release: 0,114 mg/l

marine water: 0,00114 mg/l

sediment (freshwater): 2,22 mg/kg

STP: 1000 mg/l

sediment (marine water): 0,222 mg/kg

oral (secondary poisoning):

No PNEC oral derived, as accumulation in organisms is not to be expected.

DNEL

worker:

Long-term exposure- systemic effects, dermal: 5 mg/kg

worker:

Long-term exposure- systemic effects, Inhalation: 17,6 mg/m3

consumer:

Long-term exposure- systemic effects, Inhalation: 4,35 mg/m3

consumer:

Long-term exposure- systemic effects, dermal: 2,5 mg/kg

consumer:

Long-term exposure- systemic effects, oral: 2,5 mg/kg

8.2. Exposure controls

Personal protective equipment

Respiratory protection:

Respiratory protection in case of vapour/aerosol release. Particle filter with medium efficiency for solid and liquid particles (e.g. EN 143 or 149, Type P2 or FFP2)

Consider the risk management measures as outlined in the exposure scenario.

Hand protection:

Chemical resistant protective gloves (EN ISO 374-1)

Consider the risk management measures as outlined in the exposure scenario.

Date / Revised: 09.09.2022 Version: 1.0
Date previous version: not applicable Previous version: none

Date / First version: 09.09.2022
Product: CitronellyInitrile

(ID no. 30035072/SDS_GEN_FR/EN)

Date of print 21.10.2025

Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Consider the risk management measures as outlined in the exposure scenario.

Body protection:

Body protection must be chosen based on level of activity and exposure.

Consider the risk management measures as outlined in the exposure scenario.

General safety and hygiene measures

Handle in accordance with good industrial hygiene and safety practice. Wearing of closed work clothing is recommended. No eating, drinking, smoking or tobacco use at the place of work. Hands and/or face should be washed before breaks and at the end of the shift. Store work clothing separately.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

State of matter: liquid
Form: liquid
Colour: colourless
Odour: fruity
Odour threshold: < 100 ppm
class transition temperature: -120

glass transition temperature: -120 °C (OECD Guideline 102) Melting point: (OECD Guideline 102)

not applicable

Boiling point: 231,43 °C (measured)

(1.013,25 hPa)

Flammability: hardly combustible (derived from flash point)

Lower explosion limit:

For liquids not relevant for classification and labelling., The lower explosion point may be 5 - 15

°C below the flash point.

Upper explosion limit:

For liquids not relevant for classification and labelling.

Flash point: 103 °C (DIN 51758, closed cup)
Auto-ignition temperature: 307 °C (DIN 51758, closed cup)

Thermal decomposition: approx. 380 °C (DSC (DIN 51007))

No decomposition if stored and handled as prescribed/indicated.

pH value:

The substance does not dissociate.

Viscosity, kinematic: 2,96 mm2/s (OECD 114)

(20 °C)

to Regulation (EC) No 1907/2006.

Date / Revised: 09.09.2022 Version: 1.0

Date previous version: not applicable Previous version: none

Date / First version: 09.09.2022 Product: **CitronellyInitrile**

(ID no. 30035072/SDS_GEN_FR/EN)

Date of print 21.10.2025

1,97 mm2/s (OECD 114)

(40 °C)

Viscosity, dynamic: 2,5 mPa.s (OECD 114)

(20 °C)

The value was determined by calculation from the detected

kinematic viscosity.

1,64 mPa.s (OECD 114)

(40 °C)

The value was determined by calculation from the detected

kinematic viscosity.

Solubility in water: (OECD Guideline 105)

119 g/l (20 °C)

Solubility (qualitative) solvent(s): organic solvents

soluble

Partitioning coefficient n-octanol/water (log Kow): 3,55 (calculated)

The data refers to the undissociated

form of the substance.

3,1 (OECD Guideline 117)

(23 °C; pH value: 6,2)

Vapour pressure: 0,57 mbar (measured)

(50 °C)

0,05 mbar (measured)

(20 °C)

Relative density: 0,8453 (OECD Guideline 109)

(20 °C)

Density: 0,8453 g/cm3 (OECD Guideline 109)

(20 °C)

Relative vapour density (air):> 1 (calculated)

(20 °C)

Heavier than air.

9.2. Other information

Information with regard to physical hazard classes

Explosives

Explosion hazard: not explosive (other)

Impact sensitivity:

Based on the chemical structure there is no shock-sensitivity.

Oxidizing properties

Fire promoting properties: Based on its structural properties

the product is not classified as

oxidizing.

Pyrophoric properties

to Regulation (EC) No 1907/2006.

Date / Revised: 09.09.2022 Version: 1.0
Date previous version: not applicable Previous version: none

Date / First version: 09.09.2022 Product: **CitronellyInitrile**

(ID no. 30035072/SDS_GEN_FR/EN)

Date of print 21.10.2025

Self-ignition temperature:

Test type: Spontaneous selfignition at room-temperature.

Based on its structural properties the product is not classified as self-

igniting.

Self-heating substances and mixtures

Self heating ability: It is not a substance capable of

spontaneous heating.

Substances and mixtures, which emit flammable gases in contact with water

Formation of flammable gases:

Forms no flammable gases in the presence of water.

Corrosion to metals

No corrosive effect on metal.

Other safety characteristics

pKA:

The substance does not dissociate.

Molar mass:

151,25 g/mol

SAPT-Temperature:

Study scientifically not justified.

Evaporation rate:

Value can be approximated from Henry's Law Constant or vapor

pressure.

SECTION 10: Stability and Reactivity

10.1. Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Corrosion to metals: No corrosive effect on metal.

Formation of Remarks: Forms no flammable gases in the

flammable gases: presence of water.

10.2. Chemical stability

The product is stable if stored and handled as prescribed/indicated.

10.3. Possibility of hazardous reactions

No hazardous reactions if stored and handled as prescribed/indicated.

to Regulation (EC) No 1907/2006. Date / Revised: 09.09.2022

Version: 1.0 Previous version: none

Date previous version: not applicable Date / First version: 09.09.2022

Product: CitronellyInitrile

(ID no. 30035072/SDS_GEN_FR/EN)

Date of print 21.10.2025

10.4. Conditions to avoid

See SDS section 7 - Handling and storage.

10.5. Incompatible materials

Substances to avoid: acids

10.6. Hazardous decomposition products

Hazardous decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated.

SECTION 11: Toxicological Information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Assessment of acute toxicity:

Of low toxicity after single ingestion. Virtually nontoxic after a single skin contact. Virtually nontoxic by inhalation.

Experimental/calculated data:

LD50 rat (oral): 4.490 mg/kg

LC50 rat (by inhalation): > 4,9 mg/l 4 h (BASF-Test)

An aerosol was tested.

LD50 rabbit (dermal): > 5.000 mg/kg

Irritation

Assessment of irritating effects:

Not irritating to the skin. Not irritating to the eyes.

Experimental/calculated data:

Skin corrosion/irritation

rabbit: non-irritant (similar to OECD guideline 404)

Serious eye damage/irritation

rabbit: non-irritant (OECD Guideline 405)

Version: 1.0

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 09.09.2022 Date previous version: not applicable

Date / First version: 09.09.2022
Product: **CitronellyInitrile**

(ID no. 30035072/SDS_GEN_FR/EN)

Date of print 21.10.2025

Previous version: none

Respiratory/Skin sensitization

Assessment of sensitization:

Skin sensitizing effects were not observed in animal studies. A controlled medical study in humans did not reveal a skin sensitizing effect.

Experimental/calculated data:

Draize test guinea pig: Non-sensitizing. (other)

Human Maximization Test human: Non-sensitizing. (other)

Germ cell mutagenicity

Assessment of mutagenicity:

In the majority of tests performed (bacteria/microorganisms/cell cultures) a mutagenic effect was not found. A mutagenic effect was also not observed in in-vivo assays.

Carcinogenicity

Assessment of carcinogenicity:

No data available concerning carcinogenic effects.

Reproductive toxicity

Assessment of reproduction toxicity:

The results of animal studies gave no indication of a fertility impairing effect.

Developmental toxicity

Assessment of teratogenicity:

Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals.

Specific target organ toxicity (single exposure)

Assessment of STOT single:

Based on available data, the classification criteria are not met.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

No substance-specific organtoxicity was observed after repeated administration to animals.

Date / Revised: 09.09.2022 Version: 1.0
Date previous version: not applicable Previous version: none

Date / First version: 09.09.2022 Product: **CitronellyInitrile**

(ID no. 30035072/SDS_GEN_FR/EN)

Date of print 21.10.2025

Aspiration hazard

No data available.

Interactive effects

No data available.

11.2. Information on other hazards

Endocrine disrupting properties

The substance is not identified to have endocrine disrupting properties according to Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 nor is included in the Candidate List of substances of very high concern according to EU REACh Article 59 for having endocrine disrupting properties.

SECTION 12: Ecological Information

12.1. Toxicity

Assessment of aquatic toxicity:

Acutely harmful for aquatic organisms. The inhibition of the degradation activity of activated sludge is not anticipated when introduced to biological treatment plants in appropriate low concentrations.

Toxicity to fish:

LC50 (96 h) 31,58 mg/l, Leuciscus idus (DIN 38412 Part 15, static) The details of the toxic effect relate to the nominal concentration.

Aquatic invertebrates:

EC50 (48 h) 11,4 mg/l, Daphnia magna (OECD Guideline 202, part 1, static)

Aquatic plants:

EC50 (72 h) 14,5 mg/l (growth rate), Pseudokirchneriella subcapitata (OECD Guideline 201, static)

Microorganisms/Effect on activated sludge:

EC10 (30 min) > 10.000 mg/l, Pseudomonas putida (DIN 38412 Part 27 (draft), aquatic) The details of the toxic effect relate to the nominal concentration.

Chronic toxicity to fish:

Study scientifically not justified.

Chronic toxicity to aquatic invertebrates:

to Regulation (EC) No 1907/2006. Date / Revised: 09.09.2022

Version: 1.0 Previous version: none

Date previous version: not applicable Date / First version: 09.09.2022

Product: **CitronellyInitrile**

(ID no. 30035072/SDS_GEN_FR/EN)

Date of print 21.10.2025

Study scientifically not justified.

Assessment of terrestrial toxicity: Study scientifically not justified.

Soil living organisms:

Study scientifically not justified.

Terrestrial plants:

Study scientifically not justified.

Other terrestrial non-mammals: Study scientifically not justified.

12.2. Persistence and degradability

Assessment biodegradation and elimination (H2O): Readily biodegradable (according to OECD criteria).

Elimination information:

69 % BOD of the ThOD (28 d) (OECD 301F; ISO 9408; 92/69/EEC, C.4-D) (aerobic, activated sludge, domestic)

Assessment of stability in water: Study scientifically not justified.

12.3. Bioaccumulative potential

Assessment bioaccumulation potential:

Because of the n-octanol/water distribution coefficient (log Pow) accumulation in organisms is not to be expected.

12.4. Mobility in soil

Assessment transport between environmental compartments:

Volatility: The substance will slowly evaporate into the atmosphere from the water surface. Adsorption in soil: Adsorption to solid soil phase is possible.

12.5. Results of PBT and vPvB assessment

According to Annex XIII of Regulation (EC) No.1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH): The product does not fulfill the criteria for PBT

Date / Revised: 09.09.2022 Version: 1.0

Date previous version: not applicable Previous version: none

Date / First version: 09.09.2022 Product: **CitronellyInitrile**

(ID no. 30035072/SDS_GEN_FR/EN)

Date of print 21.10.2025

(Persistent/bioaccumulative/toxic) and vPvB (very persistent/very bioaccumulative). Self classification

12.6. Endocrine disrupting properties

The substance is not identified to have endocrine disrupting properties according to Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 nor is included in the Candidate List of substances of very high concern according to EU REACh Article 59 for having endocrine disrupting properties.

12.7. Other adverse effects

The substance is not listed in Regulation (EC) 1005/2009 on substances that deplete the ozone layer.

SECTION 13: Disposal Considerations

13.1. Waste treatment methods

Observe national and local legal requirements.

Contaminated packaging:

Uncontaminated packaging can be re-used.

Packs that cannot be cleaned should be disposed of in the same manner as the contents.

SECTION 14: Transport Information

Land transport

ADR

Not classified as a dangerous good under transport regulations

UN number or ID number:
UN proper shipping name:
Transport hazard class(es):
Packing group:
Environmental hazards:
Special precautions for

Not applicable
Not applicable
Not applicable
Not applicable
Not applicable
Not applicable

user

RID

Not classified as a dangerous good under transport regulations

UN number or ID number: Not applicable UN proper shipping name: Not applicable

to Regulation (EC) No 1907/2006.

Date / Revised: 09.09.2022 Version: 1.0 Date previous version: not applicable Previous version: none

Date / First version: 09.09.2022 Product: CitronellyInitrile

(ID no. 30035072/SDS_GEN_FR/EN)

Date of print 21.10.2025

Transport hazard class(es): Not applicable Not applicable Packing group: Environmental hazards: Not applicable Special precautions for None known

user

Inland waterway transport

ADN

Not classified as a dangerous good under transport regulations

UN number or ID number: Not applicable UN proper shipping name: Not applicable Transport hazard class(es): Not applicable Packing group: Not applicable Not applicable Environmental hazards: Special precautions for None known

user:

Transport in inland waterway vessel

Not evaluated

Sea transport

IMDG

Not classified as a dangerous good under transport regulations

UN number or ID number: Not applicable UN proper shipping name: Not applicable Transport hazard class(es): Not applicable Packing group: Not applicable Not applicable Environmental hazards:

Special precautions for

user

None known

Air transport

IATA/ICAO

Not classified as a dangerous good under transport regulations

UN number or ID number: Not applicable UN proper shipping name: Not applicable Transport hazard class(es): Not applicable Not applicable Packing group:

Environmental hazards: Not applicable None known Special precautions for

Date / Revised: 09.09.2022 Version: 1.0

Date previous version: not applicable Previous version: none

Date / First version: 09.09.2022 Product: **CitronellyInitrile**

(ID no. 30035072/SDS_GEN_FR/EN)

Date of print 21.10.2025

user

14.1. UN number or ID number

See corresponding entries for "UN number or ID number" for the respective regulations in the tables above.

14.2. UN proper shipping name

See corresponding entries for "UN proper shipping name" for the respective regulations in the tables above.

14.3. Transport hazard class(es)

See corresponding entries for "Transport hazard class(es)" for the respective regulations in the tables above.

14.4. Packing group

See corresponding entries for "Packing group" for the respective regulations in the tables above.

14.5. Environmental hazards

See corresponding entries for "Environmental hazards" for the respective regulations in the tables above.

14.6. Special precautions for user

See corresponding entries for "Special precautions for user" for the respective regulations in the tables above.

14.7. Maritime transport in bulk according to IMO instruments

Maritime transport in bulk is not intended.

SECTION 15: Regulatory Information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Directive 2012/18/EU - Control of Major Accident Hazards involving dangerous substances (EU): Listed in above regulation: no

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

15.2. Chemical Safety Assessment

Chemical Safety Assessment performed

SECTION 16: Other Information

Date / Revised: 09.09.2022 Version: 1.0
Date previous version: not applicable Previous version: none

Date / First version: 09.09.2022
Product: CitronellyInitrile

(ID no. 30035072/SDS_GEN_FR/EN)

Date of print 21.10.2025

Assessment of the hazard classes according to UN GHS criteria (most recent version)

Aquatic Acute 3 Acute Tox. 5 (oral)

Any other intended applications should be discussed with the manufacturer. Corresponding occupational protection measurements must be followed.

Abbreviations

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road. ADN = The European Agreement concerning the International Carriage of Dangerous Goods by Inland waterways. ATE = Acute Toxicity Estimates. CAO = Cargo Aircraft Only. CAS = Chemical Abstract Service. CLP = Classification, Labelling and Packaging of substances and mixtures. DIN = German national organization for standardization. DNEL = Derived No Effect Level. EC50 = Effective concentration median for 50% of the population. EC = European Community. EN = European Standards. IARC = International Agency for Research on Cancer. IATA = International Air Transport Association. IBC-Code = Intermediate Bulk Container code. IMDG = International Maritime Dangerous Goods Code. ISO = International Organization for Standardization. STEL = Short-Term Exposure Limit. LC50 = Lethal concentration median for 50% of the population. LD50 = Lethal dose median for 50% of the population. TLV = Threshold Limit Value. MARPOL = The International Convention for the Prevention of Pollution from Ships, NEN = Dutch Norm, NOEC = No Observed Effect Concentration, OEL = Occupational Exposure Limit. OECD = Organization for Economic Cooperation and Development. PBT = Persistent, Bioaccumulative and Toxic. PNEC = Predicted No Effect Level. PPM = Parts per million. RID = The European Agreement concerning the International Carriage of Dangerous Goods by Rail. TWA = Time Weight Average. UN-number = UN number at transport. vPvB = very Persistent and very Bioaccumulative.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Vertical lines in the left hand margin indicate an amendment from the previous version.

Page: 17/41

Version: 1.0

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 09.09.2022
Date previous version: not applicable

Date / First version: 09.09.2022 Product: **CitronellyInitrile**

(ID no. 30035072/SDS_GEN_FR/EN)

Date of print 21.10.2025

Previous version: none

Annex: Exposure Scenarios

Index

1. Compounding

ERC2; PROC1, PROC3, PROC5, PROC8a, PROC8b, PROC9, PROC15

2. Formulation

ERC2; PROC1, PROC3, PROC5, PROC8a, PROC8b, PROC9, PROC14, PROC15

- **3.** Use in washing and cleaning products, (use in industrial settings) ERC4; PROC1, PROC2, PROC4, PROC7, PROC8b, PROC10, PROC13
- **4.** Use as an intermediate, (use in industrial settings) ERC6a; PROC1, PROC2, PROC3, PROC8b, PROC9, PROC15
- **5.** Use in washing and cleaning products, (use in industrial settings) ERC8a, ERC8d; PROC1, PROC2, PROC4, PROC7, PROC8b, PROC10, PROC13
- **6.** Use in polishes, wax blends, washing and cleaning products, (consumer use) ERC8a, ERC8d; PC31, PC35
- **7.** Use in polishes, wax blends, washing and cleaning products, (use in professional settings) ERC8a, ERC8d; PROC1, PROC2, PROC4, PROC8a, PROC8b, PROC10, PROC11, PROC13
- **8.** Use in/as Air care products, (consumer use) ERC8a; PC3
- **9.** Use in cosmetics, (consumer use) ERC8a; PC28, PC39

10.Use as fragrance in biocidal products, (consumer use) ERC8a, ERC8d; PC8

* * * * * * * * * * * * * * *

1. Short title of exposure scenario

Compounding

ERC2; PROC1, PROC3, PROC5, PROC8a, PROC8b, PROC9, PROC15

Contributing exposure scenario		
Use descriptors covered	ERC2: Formulation into mixture	
Operational conditions		
Annual amount per site	70.000 kg	

Date / Revised: 09.09.2022

Date previous version: not applicable Date / First version: 09.09.2022 Product: **CitronellyInitrile**

Version: 1.0 Previous version: none

(ID no. 30035072/SDS_GEN_FR/EN)

Minimum emission days per year	250		
Emission factor air	2,5 %		
Emission factor water	0,2 %	0,2 %	
Emission factor soil	0 %	0 %	
Receive Surf. Water (Flow Rate).	18.000 m3/d		
Dilution factor river	10		
Dilution factor coast	100		
Risk Management Measures			
Type of STP		Municipal STP	
Assumed sewage treatment plant flow	Assumed sewage treatment plant flow (m3/d)		
Exposure estimate and reference to	its source		
Assessment method	EASY TRA v4.2, ECETOC TRA v3.0, Environment		
Risk Characterization Ratio (RCR)	0,254034		
	Risk from environmental exposure is driven by soil.		
1.102,2			
Maximum amount of safe use	kg/d		
Risk from environmental exposure is driven by soil.			

Contributing exposure scenario	
Use descriptors covered	PROC1: Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions. As no toxicological hazard was identified no human related (worker/consumer) exposure assessment and risk characterization was performed.

Contributing exposure scenario	
Use descriptors covered	PROC3: Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment condition As no toxicological hazard was identified no human related (worker/consumer) exposure assessment and risk characterization was performed.

Contributing exposure scenario	
Use descriptors covered	PROC5: Mixing or blending in batch processes

to Regulation (EC) No 1907/2006. Date / Revised: 09.09.2022

Version: 1.0 Previous version: none

Date previous version: not applicable Date / First version: 09.09.2022 Product: **CitronellyInitrile**

(ID no. 30035072/SDS_GEN_FR/EN)

Date of print 21.10.2025

As no toxicological hazard was identified no human related (worker/consumer) exposure assessment and risk characterization was performed.

Contributing exposure scenario	
Use descriptors covered	PROC8a: Transfer of substance or mixture (charging and discharging) at non-dedicated facilities As no toxicological hazard was identified no human related (worker/consumer) exposure assessment and risk characterization was performed.

Contributing exposure scenario	
Use descriptors covered	PROC8b: Transfer of substance or mixture (charging and discharging) at dedicated facilities As no toxicological hazard was identified no human related (worker/consumer) exposure assessment and risk characterization was performed.

Contributing exposure scenario	
Use descriptors covered	PROC9: Transfer of substance or preparation into small containers (dedicated filling line, including weighing). As no toxicological hazard was identified no human related (worker/consumer) exposure assessment and risk characterization was performed.

Contributing exposure scenario	
Use descriptors covered	PROC15: Use a laboratory reagent. As no toxicological hazard was identified no human related (worker/consumer) exposure assessment and risk characterization was performed.

* * * * * * * * * * * * * * * *

2. Short title of exposure scenario

Formulation

ERC2; PROC1, PROC3, PROC5, PROC8a, PROC8b, PROC9, PROC14, PROC15

Contributing exposure scenario	
Use descriptors covered	AISE SPERC 2.1.a.v2: AISE SPERC 2.1.a.v2

to Regulation (EC) No 1907/2006.

Date / Revised: 09.09.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 09.09.2022 Product: **CitronellyInitrile**

(ID no. 30035072/SDS_GEN_FR/EN)

Operational conditions		
Annual amount used in the EU	125.000 kg	
Minimum emission days per year	250	
Emission factor air	0 %	
Emission factor water	0,01 %	
Emission factor soil	0 %	
Receive Surf. Water (Flow Rate).	18.000 m3/d	
Dilution factor river	10	
Dilution factor coast	100	
Risk Management Measures		
Wastewater treatment measures considered suitable are, e.g.		Precipitation, Coagulation, Must be eliminated from water by chemical flocculation.
Type of STP		Municipal STP
Assumed sewage treatment plant flow (2.000 m3/d
Exposure estimate and reference to i		
Assessment method	EASY TRA v4.2, ECETOC TRA v3.0, Environment	
Risk Characterization Ratio (RCR)	0,026449	
	Risk from environmental exposure is driven by freshwater.	
Maximum amount of safe use	18.904,7 kg/d	
Risk from environmental exposure is driven by freshwater.		

Contributing exposure scenario		
Use descriptors covered	AISE SPERC 2.1.b.v2: AISE SPERC 2.1.b.v2	
Operational conditions		
Annual amount used in the EU	50.000 kg	
Minimum emission days per year	250	
Emission factor air	0 %	
Emission factor water	0,1 %	
Emission factor soil	0 %	
Receive Surf. Water (Flow Rate).	18.000 m3/d	

to Regulation (EC) No 1907/2006.

Date / Revised: 09.09.2022

Version: 1.0

Date previous version: not applicable

Previous version: none

Date / First version: 09.09.2022 Product: **CitronellyInitrile**

(ID no. 30035072/SDS_GEN_FR/EN)

Dilution factor river	10		
Dilution factor coast	100		
Risk Management Measures			
Wastewater treatment measures considered suitable are, e.g.		Precipitation, Coagulation, Must be eliminated from water by chemical flocculation.	
Type of STP		Municipal STP	
Assumed sewage treatment plant flow (m3/d)		2.000 m3/d	
Exposure estimate and reference to its source			
Assessment method	EASY TRA v4.2, ECETO	EASY TRA v4.2, ECETOC TRA v3.0, Environment	
Risk Characterization Ratio (RCR)	0,090567		
	Risk from environmental exposure is driven by soil.		
Maximum amount of safe use	2.208,3 kg/d		
Risk from environmental exposure is d	n environmental exposure is driven by soil.		

Contributing exposure scenario			
Use descriptors covered	AISE SPERC 2.1.c.v2: A	AISE SPERC 2.1.c.v2: AISE SPERC 2.1.c.v2	
Operational conditions			
Annual amount used in the EU	40.000 kg	40.000 kg	
Minimum emission days per year	250		
Emission factor air	0 %	0 %	
Emission factor water	0,2 %		
Emission factor soil	0 % 18.000 m3/d 10		
Receive Surf. Water (Flow Rate).			
Dilution factor river			
Dilution factor coast	100	100	
Risk Management Measures			
Wastewater treatment measures cons	sidered suitable are, e.g.	Precipitation, Coagulation, Must be eliminated from water by chemical flocculation.	
Type of STP Assumed sewage treatment plant flow (m3/d)		Municipal STP	
		2.000 m3/d	
Exposure estimate and reference to its source Assessment method EASY TRA v4.2, ECETOC TRA v3.0, Environment			
		OC TRA v3.0, Environment	
Risk Characterization Ratio (RCR)	Characterization Ratio (RCR) 0,144853		

to Regulation (EC) No 1907/2006.

Date / Revised: 09.09.2022 Version: 1.0
Date previous version: not applicable Previous version: none

Date / First version: 09.09.2022 Product: **CitronellyInitrile**

(ID no. 30035072/SDS_GEN_FR/EN)

	Risk from environmental exposure is driven by soil.
Maximum amount of safe use	1.104,6 kg/d
Risk from environmental exposure is dri	, and the second

Contributing exposure scenario		
Use descriptors covered	AISE SPERC 2.1.j.v2: AISE SPERC 2.1.j.v2	
Operational conditions		
Annual amount used in the EU	35.000 kg	
Minimum emission days per year	250	
Emission factor air	0 %	
Emission factor water	0,1 %	
Emission factor soil	0 %	
Receive Surf. Water (Flow Rate).	18.000 m3/d	
Dilution factor river	10	
Dilution factor coast	100	
Risk Management Measures		
Wastewater treatment measures considered suitable are, e.g.		Nanofiltration (NR), Ultrafiltration (UF) or Reverse Osmosis (OR), Coagulation, Must be eliminated from water by chemical flocculation.
Type of STP		Municipal STP
Assumed sewage treatment plant flow (2.000 m3/d
Exposure estimate and reference to its source		
Assessment method	EASY TRA v4.2, ECETOC TRA v3.0, Environment	
Risk Characterization Ratio (RCR)	0,063423	
	Risk from environmental exposure is driven by soil.	
Maximum amount of safe use	mum amount of safe use 2.207,4 kg/d	
Risk from environmental exposure is driven by soil.		

Contributing exposure scenario	
Use descriptors covered	AISE SPERC 2.1.k.v2: AISE SPERC 2.1.k.v2
Operational conditions	•
Annual amount used in the EU 20.000 kg	

to Regulation (EC) No 1907/2006.

Date / Revised: 09.09.2022 Version: 1.0
Date previous version: not applicable Previous version: none

Date / First version: 09.09.2022 Product: **CitronellyInitrile**

(ID no. 30035072/SDS_GEN_FR/EN)

Minimum emission days per year	250	
Emission factor air	0 %	
Emission factor water	0,2 %	
Emission factor soil 0 %		
Receive Surf. Water (Flow Rate).	18.000 m3/d	
Dilution factor river	10	
Dilution factor coast	100	
Risk Management Measures		
Wastewater treatment measures consid	lered suitable are, e.g.	Nanofiltration (NR), Ultrafiltration (UF) or Reverse Osmosis (OR), Coagulation, Must be eliminated from water by chemical flocculation.
Type of STP		Municipal STP
Assumed sewage treatment plant flow (m3/d)	2.000 m3/d
Exposure estimate and reference to its source		
Assessment method EASY TRA v4.2, ECETOC TRA v3.0, Envi		TRA v3.0, Environment
Risk Characterization Ratio (RCR)	0,072471	
	Risk from environmental exposure is driven by soil.	
1.103,9		
Maximum amount of safe use kg/d		
Risk from environmental exposure is driven by soil.		

Contributing exposure scenario		
Use descriptors covered	AISE SPERC 2.1.I.v2: AISE SPERC 2.1.I.v2	
Operational conditions		
Annual amount used in the EU	20.000 kg	
Minimum emission days per year	250	
Emission factor air	0 %	
Emission factor water	0,4 %	
Emission factor soil	0 %	
Receive Surf. Water (Flow Rate).	18.000 m3/d	

to Regulation (EC) No 1907/2006.

Date / Revised: 09.09.2022 Version: 1.0
Date previous version: not applicable Previous version: none

Date / First version: 09.09.2022 Product: **CitronellyInitrile**

(ID no. 30035072/SDS_GEN_FR/EN)

Dilution factor river	10	
Dilution factor coast	100	
Risk Management Measures		
Wastewater treatment measures considered suitable are, e.g.		Nanofiltration (NR), Ultrafiltration (UF) or Reverse Osmosis (OR), Coagulation, Must be eliminated from water by chemical flocculation.
Type of STP		Municipal STP
Assumed sewage treatment plant flow (m3/d)	2.000 m3/d
Exposure estimate and reference to it	ts source	
Assessment method	EASY TRA v4.2, ECETOC	TRA v3.0, Environment
Risk Characterization Ratio (RCR)	0,144853	
	Risk from environmental exposure is driven by soil.	
Maximum amount of safe use	aximum amount of safe use 552,3 kg/d	
Risk from environmental exposure is dri	s driven by soil.	

Contributing exposure scenario		
Use descriptors covered	ERC2: Formulation into mixture	
Operational conditions		
Annual amount used in the EU	55.000 kg	
Minimum emission days per year	250	
Emission factor air	0 %	
Emission factor water	0 %	
Emission factor soil	0,01 % 18.000 m3/d	
Receive Surf. Water (Flow Rate).		
Dilution factor river	10	
Dilution factor coast	100	
Risk Management Measures		
Type of STP		
Assumed sewage treatment plant flow (m3/d)		2.000 m3/d
Exposure estimate and reference to	its source	
Assessment method	EASY TRA v4.2, ECETOC TRA v3.0, Environment 0,011807	
Risk Characterization Ratio (RCR)		
	Risk from environmental exposure is driven by freshwater.	

to Regulation (EC) No 1907/2006.

Date / Revised: 09.09.2022 Version: 1.0
Date previous version: not applicable Previous version: none

Date / First version: 09.09.2022 Product: **CitronellyInitrile**

(ID no. 30035072/SDS_GEN_FR/EN)

	Maximum amount of safe use	18.632,5 kg/d
Risk from environmental exposure is driven by freshwater.		ven by freshwater.

Contributing exposure scenario			
Use descriptors covered	ERC2: Formulation into mixture		
Operational conditions			
Annual amount used in the EU	5.000 kg	5.000 kg	
Minimum emission days per year	250		
Emission factor air	0 %	0 %	
Emission factor water	2 %		
Emission factor soil	0 %	0 %	
Receive Surf. Water (Flow Rate).	18.000 m3/d	18.000 m3/d	
Dilution factor river	10	10	
Dilution factor coast	100	100	
Risk Management Measures			
Type of STP		Municipal STP	
Assumed sewage treatment plant flow	(m3/d)	2.000 m3/d	
Exposure estimate and reference to its source			
Assessment method	EASY TRA v4.2, ECETOC TRA v3.0, Environment		
Risk Characterization Ratio (RCR)	0,181045		
	Risk from environmental exposure is driven by soil.		
	110,5		
Maximum amount of safe use	kg/d		
Risk from environmental exposure is driven by soil.			

Contributing exposure scenario	
Use descriptors covered	PROC1: Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions. As no toxicological hazard was identified no human related (worker/consumer) exposure assessment and risk characterization was performed.

Contributing exposure scenario	
Use descriptors covered	PROC3: Manufacture or formulation in the chemical

Page: 26/41

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according

to Regulation (EC) No 1907/2006.

Use descriptors covered

Version: 1.0 Previous version: none

Date / Revised: 09.09.2022
Date previous version: not applicable
Date / First version: 09.09.2022
Product: **CitronellyInitrile**

(ID no. 30035072/SDS_GEN_FR/EN)

Date of print 21.10.2025

	Date of print 21.10.2
	industry in closed batch processes with occasional controlled exposure or processes with equivalent containment condition As no toxicological hazard was identified no human related (worker/consumer) exposure assessment and risk characterization was performed.
Contributing exposure scenario	
Use descriptors covered	PROC5: Mixing or blending in batch processes As no toxicological hazard was identified no human related (worker/consumer) exposure assessment and risk characterization was performed.
Contributing exposure scenario	
Use descriptors covered	PROC8a: Transfer of substance or mixture (charging and discharging) at non-dedicated facilities As no toxicological hazard was identified no human related (worker/consumer) exposure assessment and risk characterization was performed.
Contributing exposure scenario	
Use descriptors covered	PROC8b: Transfer of substance or mixture (charging and discharging) at dedicated facilities As no toxicological hazard was identified no human related (worker/consumer) exposure assessment and risk characterization was performed.
Contributing exposure scenario	
Use descriptors covered	PROC9: Transfer of substance or preparation into small containers (dedicated filling line, including weighing). As no toxicological hazard was identified no human related (worker/consumer) exposure assessment and risk characterization was performed.
Contributing exposure scenario	
	PROC14: Tabletting, compression, extrusion, pelletisation, granulation

Contributing exposure scenario	
Use descriptors covered	PROC15: Use a laboratory reagent.

characterization was performed.

As no toxicological hazard was identified no human related

(worker/consumer) exposure assessment and risk

Page: 27/41

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according

to Regulation (EC) No 1907/2006.

Version: 1.0 Previous version: none

Date / Revised: 09.09.2022
Date previous version: not applicable
Date / First version: 09.09.2022
Product: **CitronellyInitrile**

(ID no. 30035072/SDS_GEN_FR/EN)

Date of print 21.10.2025

As no toxicological hazard was identified no human related (worker/consumer) exposure assessment and risk characterization was performed.

* * * * * * * * * * * * * * * *

3. Short title of exposure scenario

Use in washing and cleaning products, (use in industrial settings) ERC4; PROC1, PROC2, PROC4, PROC7, PROC8b, PROC10, PROC13

Contributing exposure scenario	
Use descriptors covered	ERC4: Use of non-reactive processing aid at industrial site (no inclusion into or onto article)
Operational conditions	

Contributing exposure scenario	
Use descriptors covered	PROC1: Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions. As no toxicological hazard was identified no human related (worker/consumer) exposure assessment and risk characterization was performed.

Contributing exposure scenario	
Use descriptors covered	PROC2: Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions. As no toxicological hazard was identified no human related (worker/consumer) exposure assessment and risk characterization was performed.

Contributing exposure scenario	
Use descriptors covered	PROC4: Chemical production where opportunity for exposure arises As no toxicological hazard was identified no human related (worker/consumer) exposure assessment and risk characterization was performed.

Contributing exposure scenario	
Use descriptors covered	PROC7: Industrial spraying

to Regulation (EC) No 1907/2006.

Version: 1.0 Previous version: none

Date / Revised: 09.09.2022
Date previous version: not applicable
Date / First version: 09.09.2022
Product: CitronellyInitrile

(ID no. 30035072/SDS_GEN_FR/EN)

Date of print 21.10.2025

Contributing exposure scenario	
Use descriptors covered	PROC8b: Transfer of substance or mixture (charging and discharging) at dedicated facilities As no toxicological hazard was identified no human related (worker/consumer) exposure assessment and risk characterization was performed.

Contributing exposure scenario	
Use descriptors covered	PROC10: Roller application or brushing As no toxicological hazard was identified no human related (worker/consumer) exposure assessment and risk characterization was performed.

Contributing exposure scenario	
Use descriptors covered	PROC13: Treatment of articles by dipping and pouring. As no toxicological hazard was identified no human related (worker/consumer) exposure assessment and risk characterization was performed.

4. Short title of exposure scenario

Use as an intermediate, (use in industrial settings) ERC6a; PROC1, PROC2, PROC3, PROC8b, PROC9, PROC15

Contributing exposure scenario	
Use descriptors covered	ERC6a: Use of intermediate No assessment required - Industrial use as intermediate under strictly controlled conditions
Operational conditions	

Contributing exposure scenario	
Use descriptors covered	PROC1: Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions. As no toxicological hazard was identified no human related

to Regulation (EC) No 1907/2006.

Version: 1.0 Previous version: none

Date / Revised: 09.09.2022
Date previous version: not applicable
Date / First version: 09.09.2022
Product: **CitronellyInitrile**

(ID no. 30035072/SDS_GEN_FR/EN)

Date of print 21.10.2025

	Date of print 21.10.2
	(worker/consumer) exposure assessment and risk characterization was performed.
Contributing exposure scenario	
Use descriptors covered	PROC2: Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions As no toxicological hazard was identified no human related (worker/consumer) exposure assessment and risk characterization was performed.
Contributing exposure scenario	
Use descriptors covered	PROC3: Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment condition As no toxicological hazard was identified no human related (worker/consumer) exposure assessment and risk characterization was performed.
Contributing exposure scenario	
Use descriptors covered	PROC8b: Transfer of substance or mixture (charging and discharging) at dedicated facilities As no toxicological hazard was identified no human related (worker/consumer) exposure assessment and risk characterization was performed.
Contribution	
Contributing exposure scenario Use descriptors covered	PROC9: Transfer of substance or preparation into small containers (dedicated filling line, including weighing). As no toxicological hazard was identified no human related (worker/consumer) exposure assessment and risk characterization was performed.
Contributing exposure scenario	
Use descriptors covered	PROC15: Use a laboratory reagent. As no toxicological hazard was identified no human related (worker/consumer) exposure assessment and risk characterization was performed.

* * * * * * * * * * * * * * *

to Regulation (EC) No 1907/2006.

Date / Revised: 09.09.2022 Version: 1.0
Date previous version: not applicable Previous version: none

Date / First version: 09.09.2022 Product: **CitronellyInitrile**

(ID no. 30035072/SDS_GEN_FR/EN)

Date of print 21.10.2025

5. Short title of exposure scenario

Use in washing and cleaning products, (use in industrial settings) ERC8a, ERC8d; PROC1, PROC2, PROC4, PROC7, PROC8b, PROC10, PROC13

Contributing exposure scenario		
Use descriptors covered	ERC8a: Widespread use of non-reactive processing aid (no inclusion into or onto article, indoor)	
Operational conditions		
Annual amount used in the EU	270.000 kg	
Minimum emission days per year	365	
Emission factor air	100 %	
Emission factor water	100 %	
Emission factor soil	0 %	
Receive Surf. Water (Flow Rate).	18.000 m3/d	
Dilution factor river	10	
Dilution factor coast	100	
Risk Management Measures		
		Municipal STP
Assumed sewage treatment plant flow (m3/d)		2.000 m3/d
Exposure estimate and reference to	its source	
Assessment method	EASY TRA v4.2, ECETOC TRA v3.0, Environment	
Risk Characterization Ratio (RCR)	0,067018	
	Risk from environmental exposure is driven by soil.	
2,2		
Maximum amount of safe use	kg/d	
Risk from environmental exposure is o	riven by soil.	

Contributing exposure scenario	
Use descriptors covered	ERC8d: Widespread use of non-reactive processing aid (no inclusion into or onto article, outdoor)
Operational conditions	
Annual amount used in the EU	270.000 kg
Minimum emission days per year	365

Version: 1.0

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according

to Regulation (EC) No 1907/2006.

Date / Revised: 09.09.2022 Date previous version: not applicable Previous version: none Date / First version: 09.09.2022 Product: **CitronellyInitrile**

(ID no. 30035072/SDS_GEN_FR/EN)

Emission factor air	100 %	
Emission factor water	100 %	
Emission factor soil	20 %	
Receive Surf. Water (Flow Rate).	18.000 m3/d	
Dilution factor river	10	
Dilution factor coast	100	
Risk Management Measures		
Type of STP		Municipal STP
Assumed sewage treatment plant flow (Assumed sewage treatment plant flow (m3/d)	
Exposure estimate and reference to its source		
Assessment method	EASY TRA v4.2, ECETOC TRA v3.0, Environment	
Risk Characterization Ratio (RCR)	0,067018	
	Risk from environmental exposure is driven by soil.	
	2,2	
Maximum amount of safe use	kg/d	
Risk from environmental exposure is driven by soil.		

Contributing exposure scenario	
Use descriptors covered	PROC1: Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions. As no toxicological hazard was identified no human related (worker/consumer) exposure assessment and risk characterization was performed.

Contributing exposure scenario	
Use descriptors covered	PROC2: Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions. As no toxicological hazard was identified no human related (worker/consumer) exposure assessment and risk characterization was performed.

Contributing exposure scenario	
Use descriptors covered	PROC4: Chemical production where opportunity for exposure arises As no toxicological hazard was identified no human related (worker/consumer) exposure assessment and risk characterization was performed.

to Regulation (EC) No 1907/2006. Date / Revised: 09.09.2022

Version: 1.0 Date previous version: not applicable Previous version: none

Date / First version: 09.09.2022 Product: CitronellyInitrile

(ID no. 30035072/SDS_GEN_FR/EN)

Date of print 21.10.2025

Contributing exposure scenario	
Use descriptors covered	PROC7: Industrial spraying As no toxicological hazard was identified no human related (worker/consumer) exposure assessment and risk characterization was performed.
Contributing exposure scenario	
Use descriptors covered	PROC8b: Transfer of substance or mixture (charging and discharging) at dedicated facilities As no toxicological hazard was identified no human related (worker/consumer) exposure assessment and risk characterization was performed.
Contributing exposure scenario	
Use descriptors covered	PROC10: Roller application or brushing As no toxicological hazard was identified no human related (worker/consumer) exposure assessment and risk characterization was performed.
Contributing exposure scenario	
Use descriptors covered	PROC13: Treatment of articles by dipping and pouring. As no toxicological hazard was identified no human related (worker/consumer) exposure assessment and risk characterization was performed.

6. Short title of exposure scenario

Use in polishes, wax blends, washing and cleaning products, (consumer use) ERC8a, ERC8d; PC31, PC35

Contributing exposure scenario	
Use descriptors covered	ERC8a: Widespread use of non-reactive processing aid (no inclusion into or onto article, indoor)
Operational conditions	
Annual amount used in the EU	270.000 kg
Minimum emission days per year	365

to Regulation (EC) No 1907/2006.

Date / Revised: 09.09.2022 Version: 1.0
Date previous version: not applicable Previous version: none
Date / First version: 09.09.2022

Product: CitronellyInitrile

(ID no. 30035072/SDS_GEN_FR/EN)

Emission factor air	100 %	
Emission factor water	100 %	
Emission factor soil	0 %	
Receive Surf. Water (Flow Rate).	18.000 m3/d	
Dilution factor river	10	
Dilution factor coast	100	
Risk Management Measures		
Type of STP		Municipal STP
Assumed sewage treatment plant flow (m3/d)	2.000 m3/d
Exposure estimate and reference to it	its source	
Assessment method	EASY TRA v4.2, ECETOC TRA v3.0, Environment	
Risk Characterization Ratio (RCR)	0,067018	
	Risk from environmental exposure is driven by soil.	
Maximum amount of safe use	2,2 kg/d	
Risk from environmental exposure is driven by soil.		

Contributing exposure scenario		
Use descriptors covered	ERC8d: Widespread use (no inclusion into or onto	of non-reactive processing aid article, outdoor)
Operational conditions		
Annual amount used in the EU	270.000 kg	
Minimum emission days per year	365	
Emission factor air	100 %	
Emission factor water	100 %	
Emission factor soil	20 %	
Receive Surf. Water (Flow Rate).	18.000 m3/d	
Dilution factor river	10	
Dilution factor coast	100	
Risk Management Measures		
Type of STP		Municipal STP

to Regulation (EC) No 1907/2006.

Date / Revised: 09.09.2022 Version: 1.0
Date previous version: not applicable Previous version: none

Date / First version: 09.09.2022 Product: **CitronellyInitrile**

(ID no. 30035072/SDS_GEN_FR/EN)

Date of print 21.10.2025

Assumed sewage treatment plant flow	(m3/d)	2.000 m3/d
Exposure estimate and reference to its source		·
Assessment method	EASY TRA	v4.2, ECETOC TRA v3.0, Environment
Risk Characterization Ratio (RCR)	0,067018	
	Risk from e	nvironmental exposure is driven by soil.
	2,2	
Maximum amount of safe use	kg/d	
	_	
Risk from environmental exposure is driven by soil.		

Contributing exposure scenario	
Use descriptors covered	PC31: Polishes and Wax Blends. As no toxicological hazard was identified no human related (worker/consumer) exposure assessment and risk characterization was performed.
Operational conditions	
Vapour pressure of the substance	4,81 Pa
during use	

Contributing exposure scenario	
Use descriptors covered	PC35: Washing and Cleaning Products (including solvent based products). As no toxicological hazard was identified no human related (worker/consumer) exposure assessment and risk characterization was performed.
Operational conditions	
Vapour pressure of the substance during use	4,81 Pa

* * * * * * * * * * * * * * * *

7. Short title of exposure scenario

Use in polishes, wax blends, washing and cleaning products, (use in professional settings) ERC8a, ERC8d; PROC1, PROC2, PROC4, PROC8a, PROC8b, PROC10, PROC11, PROC13

Contributing exposure scenario	
Use descriptors covered	ERC8a: Widespread use of non-reactive processing aid (no inclusion into or onto article, indoor)
Operational conditions	•
Annual amount used in the EU	270.000 kg
Minimum emission days per year	365

to Regulation (EC) No 1907/2006.

Date / Revised: 09.09.2022 Version: 1.0
Date previous version: not applicable Previous version: none
Date / First version: 09.09.2022

Product: CitronellyInitrile

(ID no. 30035072/SDS_GEN_FR/EN)

Emission factor air	100 %	
Emission factor water	100 %	
Emission factor soil	0 %	
Receive Surf. Water (Flow Rate).	18.000 m3/d	
Dilution factor river	10	
Dilution factor coast	100	
Risk Management Measures		
Type of STP		Municipal STP
Assumed sewage treatment plant flow (m3/d)	2.000 m3/d
Exposure estimate and reference to it	ts source	
Assessment method	EASY TRA v4.2, ECETOC TRA v3.0, Environment	
Risk Characterization Ratio (RCR)	0,067018	
	Risk from environmental exposure is driven by soil.	
Maximum amount of safe use	2,2 kg/d	
Risk from environmental exposure is driven by soil.		

Contributing exposure scenario		
Use descriptors covered	ERC8d: Widespread use of non-reactive processing aid (no inclusion into or onto article, outdoor)	
Operational conditions		
Annual amount used in the EU	270.000 kg	
Minimum emission days per year	365	
Emission factor air	100 %	
Emission factor water	100 %	
Emission factor soil	20 %	
Receive Surf. Water (Flow Rate).	18.000 m3/d	
Dilution factor river	10	
Dilution factor coast	100	
Risk Management Measures	•	
Type of STP	Municipal STP	

Date / Revised: 09.09.2022
Date previous version: not applicable

Date / First version: 09.09.2022 Product: CitronellyInitrile Version: 1.0 Previous version: none

(ID no. 30035072/SDS_GEN_FR/EN)

Assumed sewage treatment plant flow	(m3/d)	2.000 m3/d
Exposure estimate and reference to its source		·
Assessment method	EASY TRA v4.2, ECE	TOC TRA v3.0, Environment
Risk Characterization Ratio (RCR)	0,067018	
	Risk from environmen	tal exposure is driven by soil.
	2,2	
Maximum amount of safe use	kg/d	
Risk from environmental exposure is driven by soil.		

Contributing exposure scenario	
Use descriptors covered	PROC1: Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions. As no toxicological hazard was identified no human related (worker/consumer) exposure assessment and risk characterization was performed.

Contributing exposure scenario	
Use descriptors covered	PROC2: Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions. As no toxicological hazard was identified no human related (worker/consumer) exposure assessment and risk characterization was performed.

Contributing exposure scenario	
Use descriptors covered	PROC4: Chemical production where opportunity for exposure arises As no toxicological hazard was identified no human related (worker/consumer) exposure assessment and risk characterization was performed.

Contributing exposure scenario	
Use descriptors covered	PROC8a: Transfer of substance or mixture (charging and discharging) at non-dedicated facilities As no toxicological hazard was identified no human related (worker/consumer) exposure assessment and risk characterization was performed.

Contributing exposure scenario	
Use descriptors covered	PROC8b: Transfer of substance or mixture (charging and discharging) at dedicated facilities As no toxicological hazard was identified no human related (worker/consumer) exposure assessment and risk

to Regulation (EC) No 1907/2006.

Version: 1.0 Previous version: none

Date / Revised: 09.09.2022 Date previous version: not applicable Date / First version: 09.09.2022

Product: CitronellyInitrile

(ID no. 30035072/SDS_GEN_FR/EN)

Date of print 21.10.2025

	characterization was performed.
Contributing exposure scenario	
Use descriptors covered	PROC10: Roller application or brushing As no toxicological hazard was identified no human related (worker/consumer) exposure assessment and risk characterization was performed.
Contributing exposure scenario)
Use descriptors covered	PROC11: Non industrial spraying As no toxicological hazard was identified no human related (worker/consumer) exposure assessment and risk characterization was performed.
Contributing exposure scenario)
<u> </u>	PROC13: Treatment of articles by dipping and pouring. As no toxicological hazard was identified no human related

* * * * * * * * * * * * * * *

characterization was performed.

(worker/consumer) exposure assessment and risk

8. Short title of exposure scenario

Use descriptors covered

Use in/as Air care products, (consumer use) ERC8a; PC3

Contributing exposure scenario		
Use descriptors covered	ERC8a: Widespread use of non-reactive processing aid (no inclusion into or onto article, indoor)	
Operational conditions		
Annual amount used in the EU	270.000 kg	
Minimum emission days per year	365	
Emission factor air	100 %	
Emission factor water	100 %	
Emission factor soil	0 %	

to Regulation (EC) No 1907/2006.

Date / Revised: 09.09.2022 Version: 1.0
Date previous version: not applicable Previous version: none

Date / First version: 09.09.2022 Product: **CitronellyInitrile**

(ID no. 30035072/SDS_GEN_FR/EN)

Date of print 21.10.2025

Receive Surf. Water (Flow Rate).	18.000 m3/d	
Dilution factor river	10	
Dilution factor coast	100	
Risk Management Measures		
Type of STP		
Assumed sewage treatment plant flow (m3/d)		2.000 m3/d
Exposure estimate and reference to its source		
Assessment method	EASY TRA v4.2, ECETOC TRA v3.0, Environment	
Risk Characterization Ratio (RCR)	0,067018	
	Risk from environmental exposure is driven by soil.	
	2,2	
Maximum amount of safe use	kg/d	
Risk from environmental exposure is driven by soil.		

Contributing exposure scenario	
Use descriptors covered	PC3: Air care products. As no toxicological hazard was identified no human related (worker/consumer) exposure assessment and risk characterization was performed.
Operational conditions	
Vapour pressure of the substance	4,81 Pa
during use	

* * * * * * * * * * * * * * * *

9. Short title of exposure scenario

Use in cosmetics, (consumer use) ERC8a; PC28, PC39

Contributing exposure scenario		
Use descriptors covered	ERC8a: Widespread use of non-reactive processing aid (no inclusion into or onto article, indoor)	
Operational conditions		
Annual amount used in the EU	270.000 kg	
Minimum emission days per year	365	
Emission factor air	100 %	

to Regulation (EC) No 1907/2006.

Date / Revised: 09.09.2022 Version: 1.0
Date previous version: not applicable Previous version: none

Date / First version: 09.09.2022 Product: **CitronellyInitrile**

(ID no. 30035072/SDS_GEN_FR/EN)

Date of print 21.10.2025

Emission factor water	100 %	
Emission factor soil	0 %	
Receive Surf. Water (Flow Rate).	18.000 m3/d	
Dilution factor river	10	
Dilution factor coast	100	
Risk Management Measures		
Type of STP		Municipal STP
Assumed sewage treatment plant flow (m3/d)		2.000 m3/d
Exposure estimate and reference to its source		
Assessment method	EASY TRA v4.2, ECETOC TRA v3.0, Environment	
Risk Characterization Ratio (RCR)	0,067018	
	Risk from environmental exposure is driven by soil.	
	2,2	
Maximum amount of safe use	kg/d	
Risk from environmental exposure is driven by soil.		

Contributing exposure scenario	
Use descriptors covered	PC28: Perfumes, Fragrances. As no toxicological hazard was identified no human related (worker/consumer) exposure assessment and risk characterization was performed.
Operational conditions	
Vapour pressure of the substance	4,81 Pa
during use	

Contributing exposure scenario	
Use descriptors covered	PC39: Cosmetics, personal care products. As no toxicological hazard was identified no human related (worker/consumer) exposure assessment and risk characterization was performed.
Operational conditions	
Vapour pressure of the substance during use	4,81 Pa

10. Short title of exposure scenario

Use as fragrance in biocidal products, (consumer use) ERC8a, ERC8d; PC8

to Regulation (EC) No 1907/2006.

Date / Revised: 09.09.2022 Version: 1.0
Date previous version: not applicable Previous version: none

Date / First version: 09.09.2022 Product: **CitronellyInitrile**

(ID no. 30035072/SDS_GEN_FR/EN)

Date of print 21.10.2025

Contributing exposure scenario			
Use descriptors covered	ERC8a: Widespread use of non-reactive processing aid (no inclusion into or onto article, indoor)		
Operational conditions			
Annual amount used in the EU	270.000 kg		
Minimum emission days per year	365		
Emission factor air	100 %	100 %	
Emission factor water	100 %	100 %	
Emission factor soil	0 %		
Receive Surf. Water (Flow Rate).	18.000 m3/d		
Dilution factor river	10		
Dilution factor coast	100		
Risk Management Measures	-		
Type of STP		Municipal STP	
Assumed sewage treatment plant flow	/ (m3/d)	2.000 m3/d	
Exposure estimate and reference to			
Assessment method	EASY TRA v4.2, ECETO	EASY TRA v4.2, ECETOC TRA v3.0, Environment	
Risk Characterization Ratio (RCR)	0,067018		
	Risk from environmental exposure is driven by soil.		
	2,2		
Maximum amount of safe use	kg/d		
Risk from environmental exposure is	driven by soil.		

Contributing exposure scenario	
Use descriptors covered	ERC8d: Widespread use of non-reactive processing aid (no inclusion into or onto article, outdoor)
Operational conditions	•
Annual amount used in the EU	270.000 kg
Minimum emission days per year	365
Emission factor air	100 %
Emission factor water	100 %

to Regulation (EC) No 1907/2006.

Version: 1.0 Previous version: none

Date / Revised: 09.09.2022 Date previous version: not applicable Date / First version: 09.09.2022 Product: **CitronellyInitrile**

(ID no. 30035072/SDS_GEN_FR/EN)

Date of print 21.10.2025

Emission factor soil	20 %		
Receive Surf. Water (Flow Rate).	18.000 m3/d		
Dilution factor river	10		
Dilution factor coast	100		
Risk Management Measures			
Type of STP		Municipal STP	
Assumed sewage treatment plant flow (m3/d)		2.000 m3/d	
Exposure estimate and reference to its source			
Assessment method	EASY TRA v4.2, ECETOC TRA v3.0, Environment		
Risk Characterization Ratio (RCR)	0,067018		
	Risk from environmental exposure is driven by soil.		
	2,2		
Maximum amount of safe use	kg/d		
Risk from environmental exposure is dr	iven by soil.		

Contributing exposure scenario		
Use descriptors covered	PC8: Biocidal Products. As no toxicological hazard was identified no human related (worker/consumer) exposure assessment and risk characterization was performed.	
Operational conditions		
Vapour pressure of the substance during use	4,81 Pa	

* * * * * * * * * * * * * * * *