

# Safety Data Sheet Sodium Metabisulfite photo, non food grade

Revision date: 2025/08/15 Page: 1/12 Version: 9.0 (30042379/SDS GEN US/EN)

#### 1. Identification

#### Product identifier used on the label

# Sodium Metabisulfite photo, non food grade

#### Recommended use of the chemical and restriction on use

Recommended use\*: Chemical

Recommended use\*: inorganic reducing agents; initial product for chemical syntheses; process

chemical; Textile chemical

Unsuitable for use: Not intended for sale to or use by the general public.

### Details of the supplier of the safety data sheet

Company:

BASF CORPORATION 100 Park Avenue Florham Park, NJ 07932, USA

Telephone: +1 973 245-6000

## **Emergency telephone number**

24 Hour Emergency Response Information

CHEMTREC: 1-800-424-9300

BASF HOTLINE: 1-800-832-HELP (4357)

Other means of identification

Chemical family: salt of inorganic acids synonyms: sodium metabisulphite

#### 2. Hazards Identification

#### According to Regulation 2024 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

## Classification of the product

Acute Tox. 4 (oral) Acute toxicity
Eye Dam. 1 Serious eye damage

Aquatic Acute 3 Hazardous to the aquatic environment - acute

<sup>\*</sup> The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

# Sodium Metabisulfite photo, non food grade

Revision date: 2025/08/15 Page: 2/12 Version: 9.0 (30042379/SDS GEN US/EN)

#### Label elements

#### Pictogram:



# Signal Word:

Danger

#### Hazard Statement:

H318 Causes serious eye damage. H302 Harmful if swallowed. H402 Harmful to aquatic life.

#### Precautionary Statements (Prevention):

P280 Wear eye and face protection.
P273 Avoid release to the environment.

P270 Do not eat, drink or smoke when using this product.
P264 Wash contaminated body parts thoroughly after handling.

#### Precautionary Statements (Response):

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER or physician.

P330 Rinse mouth.

#### Precautionary Statements (Disposal):

P501 Dispose of contents and container to hazardous or special waste

collection point.

#### Hazards not otherwise classified

No specific dangers known, if the regulations/notes for storage and handling are considered. If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

# Labeling of special preparations (GHS):

Contact with acids liberates toxic gas.

# 3. Composition / Information on Ingredients

#### According to Regulation 2024 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

Sodium metabisulfite

CAS Number: 7681-57-4

Content (W/W): >= 80.0 - <= 100.0%

Synonym: Disulfurous acid disodium salt; Disodium disulfite

sodium sulphite

CAS Number: 7757-83-7

Content (W/W): >= 0.1 - <= 1.0%

# Sodium Metabisulfite photo, non food grade

Revision date: 2025/08/15 Page: 3/12 Version: 9.0 (30042379/SDS GEN US/EN)

Synonym: Sodium sulfite

The actual concentration is withheld as a trade secret.

#### 4. First-Aid Measures

#### Description of first aid measures

#### General advice:

Remove contaminated clothing.

#### If inhaled:

If difficulties occur after dust has been inhaled, remove to fresh air and seek medical attention. After inhalation of decomposition products: Immediately administer a corticosteroid from a controlled/metered dose inhaler. Seek medical attention.

#### If on skin:

Wash thoroughly with soap and water

#### If in eyes:

Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing. Seek medical attention.

#### If swallowed:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

#### Most important symptoms and effects, both acute and delayed

Symptoms: Overexposure may cause:, vomiting, asthmatic complaints, abdominal cramps, dyspnea, nausea, diarrhea, coughing

#### Indication of any immediate medical attention and special treatment needed

#### Note to physician

Treatment:

Treat according to symptoms (decontamination, vital functions), no known specific antidote.

## 5. Fire-Fighting Measures

#### **Extinguishing media**

Suitable extinguishing media: water spray, carbon dioxide, foam, dry powder

Unsuitable extinguishing media for safety reasons: water jet

Additional information:

Product will not burn.

Use extinguishing measures to suit surroundings.

# Safety Data Sheet Sodium Metabisulfite photo, non food grade

Revision date: 2025/08/15 Page: 4/12 Version: 9.0 (30042379/SDS GEN US/EN)

#### Special hazards arising from the substance or mixture

Hazards during fire-fighting:

Sulphur dioxide.

The substances/groups of substances mentioned can be released if the product is involved in a fire.

#### Advice for fire-fighters

Protective equipment for fire-fighting:

Wear self-contained breathing apparatus and chemical-protective clothing.

#### Further information:

Product itself is non-combustible; fire extinguishing method of surrounding areas must be considered. Contaminated extinguishing water must be disposed of in accordance with official regulations. In case of fire and/or explosion do not breathe fumes.

#### **Impact Sensitivity:**

Remarks: Based on the chemical structure there is no shock-sensitivity.

#### 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

Avoid contact with the skin, eyes and clothing. Use personal protective clothing. Ensure adequate ventilation. Avoid dust formation.

#### **Environmental precautions**

Do not discharge into drains/surface waters/groundwater. Do not discharge into the subsoil/soil. Retain and dispose of contaminated wash water.

#### Methods and material for containment and cleaning up

Spills should be contained and placed in suitable containers for disposal.

# 7. Handling and Storage

### Precautions for safe handling

Use only in well-ventilated areas. Avoid dust formation. Avoid contact with skin and eyes.

Protection against fire and explosion:

The substance/product is non-combustible. No special precautions necessary.

# Conditions for safe storage, including any incompatibilities

Segregate from acids and acid forming substances. Segregate from oxidants.

Suitable materials for containers: rubberized, Polyester resin, glass reinforced (Palatal A410), Stainless steel 1.4541, Stainless steel 1.4571, High density polyethylene (HDPE), Low density polyethylene (LDPE)

Further information on storage conditions: Keep away from heat. Keep container tightly closed in a cool, well-ventilated place. Keep container dry. The product consumes oxygen. Danger of lack of oxygen in containers and tanks.

# Sodium Metabisulfite photo, non food grade

Revision date: 2025/08/15 Page: 5/12 Version: 9.0 (30042379/SDS GEN US/EN)

## 8. Exposure Controls/Personal Protection

<u>Components with occupational exposure limits</u> The substance mentioned develops if the regulation/notes for storage and handling are not observed.

Sulphur dioxide ACGIH, US: STEL value 0.25 ppm;

OSHA Z1: PEL 5 ppm 13 mg/m3;

NIO ID, US: IDLH 100 ppm; IDLH values based on the

1994 Revised Criteria

#### Advice on system design:

Provide local exhaust ventilation to control dust.

## Personal protective equipment

#### Respiratory protection:

Wear a NIOSH-certified (or equivalent) particulate respirator.

#### Hand protection:

Chemical resistant protective gloves should be worn to prevent all skin contact., Suitable materials may include, nitrile rubber (Buna N), chloroprene rubber (Neoprene), polyvinylchloride (Pylox), Consult with glove manufacturer for testing data., Protective glove selection must be based on the user's assessment of the workplace hazards.

#### Eve protection:

Tightly fitting safety goggles (chemical goggles).

#### **Body protection:**

Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

# General safety and hygiene measures:

Hands and/or face should be washed before breaks and at the end of the shift.

## 9. Physical and Chemical Properties

Physical state: solid

Form: powder, crystalline

Odour: faint odour, of sulfur dioxide

Odour threshold: Not determined due to potential health hazard by inhalation.

Colour: white to slightly yellow

pH value: 4.0 - 4.8 (OECD Guideline

( 5 %(m), 20 °C) 122)

decomposition point: > 150 °C The substance / product (other)

decomposes.

Melting point:

Freezing point:

Boiling point:

No data available.

No data available.

(1,013 hPa)

The substance / product decomposes therefore not

determined.

Sublimation point: No data available.

Flash point: not applicable, the product is a solid

# Sodium Metabisulfite photo, non food grade

Revision date: 2025/08/15 Page: 6/12 Version: 9.0 (30042379/SDS GEN US/EN)

Flammability: not flammable (other)

Lower explosion limit: For solids not relevant for

classification and labelling.

Upper explosion limit: For solids not relevant for

classification and labelling.

Autoignition: not applicable

Vapour pressure: The vapour pressure of the aqueous

solution consists of the partial pressure for water and the partial pressure for sulphur dioxide.

Density: 2.36 g/cm3 (OECD Guideline

(20 °C) 109)

Relative density: No data available. Bulk density: 1,000 - 1,200 kg/m3

Relative vapour density: The product is a non-volatile solid.

Partitioning coefficient n- not applicable

octanol/water (log Pow):

Self-ignition No data available.

temperature:

Thermal decomposition: 150 °C

To avoid thermal decomposition, do not overheat.

Viscosity, dynamic: not determined

Viscosity, kinematic: not applicable, the product is a solid

Solubility in water: 667 g/l

(25 °C)

Solubility (quantitative):
Solubility (qualitative):
No data available.
No data available.
No data available.
No data available.

Evaporation rate: The product is a non-volatile solid.

Particle characteristics

Particle size distribution: 95 µm (D50, ISO 13320-1)

Test substance: other TS

fine particles

# 10. Stability and Reactivity

## Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Oxidizing properties:

Based on its structural properties the product is not classified as oxidizing.

#### Chemical stability

The product is stable if stored and handled as prescribed/indicated.

## Possibility of hazardous reactions

Reacts with nitrites. Reacts with nitrates. Reacts with oxidizing agents. Generation of sulphur dioxide upon exposure to acids. (or conditions.) The product consumes oxygen.

#### Conditions to avoid

Avoid humidity.

# Sodium Metabisulfite photo, non food grade

Revision date: 2025/08/15 Page: 7/12 Version: 9.0 (30042379/SDS GEN US/EN)

#### Incompatible materials

nitrites, nitrates, oxidizing agents, acids

## **Hazardous decomposition products**

Decomposition products:

Hazardous decomposition products: Sulphur dioxide

Thermal decomposition:

150 °C

To avoid thermal decomposition, do not overheat.

# 11. Toxicological information

#### Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

#### **Acute Toxicity/Effects**

#### Acute toxicity

Assessment of acute toxicity: Of moderate toxicity after single ingestion. Virtually nontoxic by inhalation. Virtually nontoxic after a single skin contact. The product has not been fully tested. The statements have been derived in parts from products of a similar structure or composition.

Information on: Sodium metabisulfite

Assessment of acute toxicity:Of moderate toxicity after single ingestion. Virtually nontoxic by inhalation. Virtually nontoxic after a single skin contact. The product has not been fully tested. The statements have been derived in parts from products of a similar structure or composition.

-----

#### Oral

Type of value: LD50 Species: rat (male/female)

Value: 1,540 mg/kg (OECD Guideline 401)

#### **Inhalation**

Type of value: LC50 Species: rat (male/female) Value: > 5.5 mg/l (IRT) Exposure time: 4 h Tested as dust aerosol.

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

#### Dermal

Type of value: LD50 Species: rat (male/female)

Value: > 2,000 mg/kg (OECD Guideline 402)

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

### Assessment other acute effects

# Sodium Metabisulfite photo, non food grade

Revision date: 2025/08/15 Page: 8/12 Version: 9.0 (30042379/SDS GEN US/EN)

#### Assessment of STOT single:

Apart from effects causing lethality, no specific target organ toxicity was observed in experimental studies.

#### Irritation / corrosion

Assessment of irritating effects: Risk of serious damage to eyes. Not irritating to the skin.

#### Information on: Sodium metabisulfite

Assessment of irritating effects: Not irritating to the skin. May cause severe damage to the eyes.

-----

<u>Skin</u>

Species: rabbit Result: non-irritant

Method: OECD Guideline 404

<u>Eye</u>

Species: rabbit

Result: irreversible damage Method: OECD Guideline 405

#### Sensitization

Assessment of sensitization: Skin sensitizing effects were not observed in animal studies. A sensitizing effect on particularly sensitive individuals cannot be excluded.

Mouse Local Lymph Node Assay (LLNA)

Species: mouse

Result: Non-sensitizing. Method: OECD Guideline 429

#### **Aspiration Hazard**

not applicable

#### **Chronic Toxicity/Effects**

#### Repeated dose toxicity

Assessment of repeated dose toxicity: No substance-specific organioxicity was observed after repeated administration to animals.

#### Genetic toxicity

Assessment of mutagenicity: No mutagenic effect was found in various tests with bacteria and mammalian cell culture. The substance was not mutagenic in studies with mammals.

## Carcinogenicity

Assessment of carcinogenicity: In long-term studies in rats in which the substance was given by feed, a carcinogenic effect was not observed.

# Reproductive toxicity

Assessment of reproduction toxicity: The results of animal studies gave no indication of a fertility impairing effect.

#### Teratogenicity

Assessment of teratogenicity: No indications of a developmental toxic / teratogenic effect were seen in animal studies.

# Sodium Metabisulfite photo, non food grade

Revision date: 2025/08/15 Page: 9/12 Version: 9.0 (30042379/SDS GEN US/EN)

# 12. Ecological Information

## **Toxicity**

#### Aquatic toxicity

Assessment of aquatic toxicity:

Acutely harmful for aquatic organisms. The inhibition of the degradation activity of activated sludge is not anticipated when introduced to biological treatment plants in appropriate low concentrations.

### Toxicity to fish

LC50 (96 h) 316 mg/l, Leuciscus idus (DIN 38412 Part 15, static)

The details of the toxic effect relate to the nominal concentration. The product has not been tested.

The statement has been derived from substances/products of a similar structure or composition.

#### Aquatic invertebrates

EC50 (48 h) 89 mg/l, Daphnia magna (Directive 79/831/EEC, static)

Nominal concentration.

#### Aquatic plants

EC50 (72 h) 43.8 mg/l (growth rate), algae (other, static)

Nominal concentration.

## Chronic toxicity to fish

No observed effect concentration (34 d) > 316 mg/l, Brachydanio rerio (OECD Guideline 210, Flow through.)

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

#### Chronic toxicity to aquatic invertebrates

No observed effect concentration (21 d) > 10 mg/l, Daphnia magna (OECD Guideline 202, part 2, semistatic)

Nominal concentration.

#### Assessment of terrestrial toxicity

Study scientifically not justified.

## Microorganisms/Effect on activated sludge

#### Toxicity to microorganisms

OECD Guideline 209 aquatic

activated sludge of a predominantly domestic sewage/No observed effect concentration (3 h): > 1.000 mg/l

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

#### Persistence and degradability

#### Assessment biodegradation and elimination (H2O)

Inorganic product which cannot be eliminated from water by biological purification processes.

#### Assessment of stability in water

According to structural properties, hydrolysis is not expected/probable.

Study scientifically not justified.

# Sodium Metabisulfite photo, non food grade

Revision date: 2025/08/15 Page: 10/12 Version: 9.0 (30042379/SDS\_GEN\_US/EN)

#### Bioaccumulative potential

#### Assessment bioaccumulation potential

Accumulation in organisms is not to be expected.

#### Bioaccumulation potential

Study scientifically not justified.

#### Mobility in soil

#### Assessment transport between environmental compartments

The substance will not evaporate into the atmosphere from the water surface.

Adsorption to solid soil phase is not expected.

#### **Additional information**

#### Sum parameter

Chemical oxygen demand (COD): (calculated) 165 mg/g

#### Other ecotoxicological advice:

Higher concentrations of the substance may cause a strong chemical oxygen consumption in biological sewage-treatment plants and/or waterways.

### 13. Disposal considerations

## Waste disposal of substance:

Dispose of in accordance with national, state and local regulations. This material and its container must be disposed of in a safe way.

#### Container disposal:

Empty containers with less than 1 inch of residue may be landfilled at a licensed facility.

### 14. Transport Information

#### Land transport

**USDOT** 

Not classified as a dangerous good under transport regulations

#### Sea transport

**IMDG** 

Not classified as a dangerous good under transport regulations

# Air transport

IATA/ICAO

Not classified as a dangerous good under transport regulations

### 15. Regulatory Information

#### **Federal Regulations**

#### Registration status:

# Sodium Metabisulfite photo, non food grade

Revision date: 2025/08/15 Page: 11/12 Version: 9.0 (30042379/SDS GEN US/EN)

Chemical TSCA, US released / listed

Food TSCA, US released / exempt

**EPCRA 311/312 (Hazard categories):** Refer to SDS section 2 for GHS hazard classes applicable for this product.

#### **State regulations**

State RTKCAS NumberChemical namePA7681-57-4Sodium metabisulfite7757-82-6Sodium sulfateNJ7681-57-4Sodium metabisulfite

**NFPA Hazard codes:** 

Health: 3 Fire: 0 Reactivity: 0 Special:

#### Assessment of the hazard classes according to UN GHS criteria (most recent version):

Acute Tox. 4 (oral) Acute toxicity

Eye Dam./Irrit. 1 Serious eye damage/eye irritation

Aquatic Acute 3 Hazardous to the aquatic environment - acute

#### 16. Other Information

#### SDS Prepared by:

BASF NA Product Regulations SDS Prepared on: 2025/08/15

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE, IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO

# Safety Data Sheet Sodium Metabisulfite photo, non food grade

Revision date: 2025/08/15 Page: 12/12 Version: 9.0 (30042379/SDS\_GEN\_US/EN)

OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK. chemical industry

Date / Revised: 2025/08/15 Version: 9.0
Date / Previous version: 2025/04/14 Previous version: 8.0

**END OF DATA SHEET**