

# Safety data sheet

Page: 1/10

BASF Safety data sheet  
Date / Revised: 30.04.2025  
Product: **Luphen® 3685**

Version: 5.0

(30626974/SDS\_GEN\_NZ/EN)

Date of print: 17.10.2025

## 1. Substance/preparation and manufacturer/supplier identification

**Product name:**  
**Luphen® 3685**

Use: Raw material, for industrial use only

Manufacturer/supplier:  
BASF New Zealand Ltd.  
5E City Works Depot  
77 Cook Street  
Auckland Central, Auckland 1010  
NEW ZEALAND  
Telephone: +64 9 255-4300  
Telefax number: +64 9 255-4307

Emergency information:  
National Poisons Centre: 0800 764 766  
BASF Emergency Advice Number: 0800 944 955 (24 hour advice in an emergency only)  
BASF Emergency Advice Number: +61 3 8855 6666 (If calling from outside New Zealand)

## 2. Hazard identification

Classification of the substance and mixture:  
Skin sensitization: Cat.1

Label elements and precautionary statement:

Pictogram:



Signal Word:

BASF Safety data sheet  
Date / Revised: 30.04.2025  
Product: **Luphen® 3685**

Version: 5.0

(30626974/SDS\_GEN\_NZ/EN)

Date of print: 17.10.2025

#### Warning

##### Hazard Statement:

H317 May cause an allergic skin reaction.

##### Precautionary Statements (Prevention):

P280 Wear protective gloves.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P272 Contaminated work clothing should not be allowed out of the workplace.

##### Precautionary Statements (Response):

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P333 + P313 If skin irritation or rash occurs: Get medical attention.

P362 + P364 Take off contaminated clothing and wash it before reuse.

##### Precautionary Statements (Disposal):

P501 Dispose of contents and container to hazardous or special waste collection point.

---

### 3. Composition/information on ingredients

#### Chemical nature

Substance nature: mixture

Aqueous dispersion of a polymer based on: polyurethane

#### Hazardous ingredients

mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

Content (W/W): > 0 PPM - < 25

PPM

CAS Number: 55965-84-9

Acute Tox.: Cat. 3 (oral)

Acute Tox.: Cat. 2 (Inhalation - mist)

Acute Tox.: Cat. 2 (dermal)

Skin Corr.: Cat. 1C

Eye Dam.: Cat. 1

Skin Sens.: Cat. 1A

Aquatic Acute: Cat. 1

Aquatic Chronic: Cat. 1

M-factor acute: 100

M-factor chronic: 100

---

### 4. First-Aid Measures

#### General advice:

Remove contaminated clothing.

#### If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

#### On skin contact:

Wash thoroughly with soap and water

BASF Safety data sheet  
Date / Revised: 30.04.2025  
Product: **Luphen® 3685**

Version: 5.0

(30626974/SDS\_GEN\_NZ/EN)

Date of print: 17.10.2025

On contact with eyes:

Immediately wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion:

Rinse mouth and then drink 200-300 ml of water. Do not induce vomiting unless told to by a poison control center or doctor.

Note to physician:

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far

Hazards: No hazards anticipated.

Treatment: Symptomatic treatment (decontamination, vital functions).

---

## 5. Fire-Fighting Measures

Suitable extinguishing media:

water spray, dry powder, foam, carbon dioxide

Specific hazards:

No particular hazards known.

Special protective equipment:

No data available.

Further information:

Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

Product itself is non-combustible; fire extinguishing method of surrounding areas must be considered.

---

## 6. Accidental Release Measures

Personal precautions:

Use personal protective clothing. Avoid contact with skin and eyes.

Environmental precautions:

Do not release untreated into natural waters.

Methods for cleaning up or taking up:

For small amounts: Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr). Dispose of absorbed material in accordance with regulations.

For large amounts: Pump off product.

---

## 7. Handling and Storage

Handling

Handle in accordance with good industrial hygiene and safety practice. After long storage, slight quantities of carbon monoxide may be formed. To our best knowledge, the occupational exposure

BASF Safety data sheet  
Date / Revised: 30.04.2025  
Product: **Luphen® 3685**

Version: 5.0

(30626974/SDS\_GEN\_NZ/EN)

Date of print: 17.10.2025

limit (OEL) is not exceeded during use. Entering of tanks must only be performed after intensive cleaning and when it is ensured that residual vapours have been removed. Consideration of national laws and international standards for confined space entry should be taken in to account. In case of doubt, the concentration of Carbon monoxide must be determined.

#### Storage

Further information on storage conditions: Store protected against freezing.

Protect from temperatures below: 5 °C

Protect from temperatures above: 60 °C

---

## 8. Exposure controls and personal protection

### Components with occupational exposure limits

No substance specific occupational exposure limits known.

### Personal protective equipment

Hand protection:

Suitable chemical resistant safety gloves (EN ISO 374-1) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc. Supplementary note: The specifications are based on tests, literature data and information of glove manufacturers or are derived from similar substances by analogy. Due to many conditions (e.g. temperature) it must be considered, that the practical usage of a chemical-protective glove in practice may be much shorter than the permeation time determined through testing.

Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

General safety and hygiene measures:

Handle in accordance with good industrial hygiene and safety practice. Wearing of closed work clothing is required additionally to the stated personal protection equipment. Hands and/or face should be washed before breaks and at the end of the shift. Avoid contact with skin and eyes.

---

## 9. Physical and Chemical Properties

Form:	liquid, dispersion
Colour:	white
Odour:	almost odourless
Odour threshold:	not determined

pH value:	7.2 - 8.5	(DIN ISO 976)
-----------	-----------	---------------

Information on: water

Melting point:	0 °C
----------------	------

-----

Information on: water

Boiling point:	100 °C
----------------	--------

-----

BASF Safety data sheet  
 Date / Revised: 30.04.2025  
 Product: **Luphen® 3685**

Version: 5.0

(30626974/SDS\_GEN\_NZ/EN)

Date of print: 17.10.2025

Flash point:	not applicable	
Flammability (solid/gas):	not flammable	(derived from flash - and boiling point)
Lower explosion limit:	For liquids not relevant for classification and labelling.	
Upper explosion limit:	For liquids not relevant for classification and labelling.	
Ignition temperature:	not applicable	
Thermal decomposition:	No decomposition if used correctly.	
Self ignition:	not self-igniting	
Self heating ability:	It is not a substance capable of spontaneous heating.	
Explosion hazard:	not explosive	
Fire promoting properties:	not fire-propagating	
Information on: water		
Vapour pressure:	23.4 hPa (20 °C) Literature data.	
Density:	approx. 1.04 g/cm <sup>3</sup> (20 °C)	(ISO 2811-1)
Relative density:	No data available.	
Relative vapour density (air):	not applicable	
Solubility in water:	partly soluble (15 °C)	
Miscibility with water:	miscible	
Partitioning coefficient n-octanol/water (log Pow):	not applicable	
Viscosity, dynamic:	20 - 120 mPa.s (23 °C, 250 1/s)	(DIN EN ISO 3219, Annex A)
Solids content:	38.0 - 41.0 %	(DIN EN ISO 3251)
Other Information:		
Range of particle size:	< 0,1 µm - 10 µm	

## 10. Stability and Reactivity

BASF Safety data sheet  
Date / Revised: 30.04.2025  
Product: **Luphen® 3685**

Version: 5.0

(30626974/SDS\_GEN\_NZ/EN)

Date of print: 17.10.2025

Conditions to avoid:  
Avoid extreme temperatures.

Thermal decomposition: No decomposition if used correctly.

Substances to avoid:  
No substances known that should be avoided.

Hazardous reactions:  
No hazardous reactions when stored and handled according to instructions. After long storage, slight quantities of carbon monoxide may be formed.

No hazardous decomposition products if stored and handled as prescribed/indicated.

Chemical stability:  
The product is stable if stored and handled as prescribed/indicated.

Reactivity:  
No hazardous reactions if stored and handled as prescribed/indicated.

---

## 11. Toxicological Information

### Routes of exposure

#### Acute oral toxicity

Experimental/calculated data:  
LD50rat (oral): > 2,000 - 10,000 mg/kg

#### Assessment of acute toxicity

Virtually nontoxic after a single ingestion. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

#### Symptoms

Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11.  
(Further) symptoms and / or effects are not known so far

#### Irritation

Assessment of irritating effects:  
If the product adheres to skin, irritation may occur when it dries.

Not irritating to the eyes. Not irritating to the skin. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Experimental/calculated data:  
Skin corrosion/irritation rabbit: non-irritant (OECD Guideline 404)

Serious eye damage/irritation rabbit: non-irritant (OECD Guideline 405)

#### Respiratory/Skin sensitization

Assessment of sensitization:

Skin sensitizing effects were not observed in animal studies. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

### **Germ cell mutagenicity**

Assessment of mutagenicity:

The substance was not mutagenic in bacteria. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

### **Carcinogenicity**

Assessment of carcinogenicity:

The whole of the information assessable provides no indication of a carcinogenic effect.

### **Reproductive toxicity**

Assessment of reproduction toxicity:

Not expected to cause reproductive toxicity (based on composition).

### **Developmental toxicity**

Assessment of teratogenicity:

The data available for an assessment of the effect of the substance on developmental toxicity are not sufficient for a proper evaluation.

### **Specific target organ toxicity (single exposure)**

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

### **Repeated dose toxicity and Specific target organ toxicity (repeated exposure)**

Assessment of repeated dose toxicity:

No adverse effects were observed after repeated inhalative exposure in animal studies. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

### **Aspiration hazard**

not applicable

### **Other relevant toxicity information**

Based on our experience and the information available, no adverse health effects are expected if handled as recommended with suitable precautions for designated uses. The statement was derived from products of similar composition.

---

## **12. Ecological Information**

### **Ecotoxicity**

BASF Safety data sheet  
Date / Revised: 30.04.2025  
Product: **Luphen® 3685**

Version: 5.0

(30626974/SDS\_GEN\_NZ/EN)

Date of print: 17.10.2025

Toxicity to fish:

LC50 (96 h) > 100 mg/l, Brachydanio rerio (OECD Guideline 203, static)

Aquatic invertebrates:

EC50 (48 h) > 100 mg/l, Daphnia magna (OECD Guideline 202, part 1, static)

Aquatic plants:

EC50 (72 h) > 100 mg/l, Scenedesmus subspicatus (OECD Guideline 201)

Nominal concentration.

Microorganisms/Effect on activated sludge:

EC20 (0.5 h) > 100 mg/l, activated sludge, domestic (DIN EN ISO 8192-OECD 209-88/302/EEC, P. C)

The inhibition of the degradation activity of activated sludge is not anticipated when introduced to biological treatment plants in appropriate low concentrations.

### **Mobility**

Assessment transport between environmental compartments:

No data available.

### **Persistence and degradability**

Elimination information:

> 70 % DOC reduction (OECD 302B; ISO 9888; 88/302/EEC, Teil C) Easily eliminated from water.

### **Bioaccumulation potential**

Bioaccumulation potential:

Based on its structural properties, the polymer is not biologically available. Accumulation in organisms is not to be expected.

### **Other adverse effects**

Adsorbable organically-bound halogen (AOX):

No data available.

### **Additional information**

Other ecotoxicological advice:

Do not release untreated into natural waters. At the present state of knowledge, no negative ecological effects are expected.

Ecological data are determined by analogy.

---

## **13. Disposal Considerations**

Must be disposed of or incinerated in accordance with local regulations.

A waste code in accordance with the European waste catalog (EWC) cannot be specified, due to dependence on the usage.

Observe national and local legal requirements.



---

## 14. Transport Information

### Domestic transport:

	Not classified as a dangerous good under transport regulations
UN number or ID number	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user	None known

### Sea transport

#### IMDG

	Not classified as a dangerous good under transport regulations
UN number or ID number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
	Marine pollutant: no
Special precautions for user	None known

### Air transport

#### IATA/ICAO

	Not classified as a dangerous good under transport regulations
UN number or ID number	Not applicable
Proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user	None known

### Maritime transport in bulk according to IMO instruments

Maritime transport in bulk is not intended.

---

## 15. Regulatory Information

BASF Safety data sheet  
Date / Revised: 30.04.2025  
Product: **Luphen® 3685**

Version: 5.0

(30626974/SDS\_GEN\_NZ/EN)

Date of print: 17.10.2025

### **Other regulations**

A certified handler is not required for the handling of this substance.  
Tracking requirements do not apply to this substance.

HSNO Approval Number HSR002503  
Additives, Process Chemicals and Raw Materials (Subsidiary Hazard) Group Standard 2020

---

## **16. Other Information**

Any other intended applications should be discussed with the manufacturer.

---

Vertical lines in the left hand margin indicate an amendment from the previous version.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.