

## Safety Data Sheet Linalool

Revision date: 2025/08/12 Page: 1/11
Version: 7.0 (30034999/SDS\_GEN\_MX/EN)

#### 1. Identification

#### Product identifier used on the label

#### Linalool

#### Recommended use of the chemical and restriction on use

Recommended use\*: Chemical, Chemical for detergents, Cosmetic and oral care chemical, flavoring substance

Unsuitable for use: Not intended for sale to or use by the general public.

#### Details of the supplier of the safety data sheet

#### Company:

BASF Mexicana S.A. de C.V. Av. Insurgentes Sur 975 Col. CD. De Los Deportes, C.P. 03710 Ciudad de México MÉXICO

Telephone: +52 55 5325 2600

#### **Emergency telephone number**

24 Hour Emergency Response Information

SETIQ: 1800-00-214-(Rep. Mexicana) or 55-59-15-88 (CDMX)

Telephone: +1-800-849-5204 or +1-833-229-1000

Other means of identification
Synonyms: Linalool

#### 2. Hazards Identification

#### According to Regulation NOM-018-STPS-2015

#### Classification of the product

Flam. Liq. 4 Flammable liquids Skin Irrit. 2 Skin irritation Eye Irrit. 2A Eye irritation

<sup>\*</sup> The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

#### Linalool

Revision date: 2025/08/12 Page: 2/11 Version: 7.0 (30034999/SDS GEN MX/EN)

Skin Sens. 1 Skin sensitization

Aquatic Acute 3 Hazardous to the aquatic environment - acute

#### Label elements

#### Pictogram:



#### Signal Word: Warning

#### Hazard Statement:

H227 Combustible liquid.

H319 Causes serious eye irritation.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H402 Harmful to aquatic life.

#### Precautionary Statements (Prevention):

P280 Wear protective gloves and eye protection or face protection.

P261 Avoid breathing mist or vapour or spray.

P210 Keep away from heat, hot surfaces, sparks, open flames and other

ignition sources. No smoking.

P273 Avoid release to the environment.

P272 Contaminated work clothing should not be allowed out of the workplace.

P264 Wash contaminated body parts thoroughly after handling.

#### Precautionary Statements (Response):

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.
P333 + P313 If skin irritation or rash occurs: Get medical attention.

P332 + P313 If skin irritation occurs: Get medical attention.

P362 + P364 Take off contaminated clothing and wash it before reuse.

P337 + P313 If eye irritation persists: Get medical attention.

P370 + P378 In case of fire: Use alcohol-resistant foam, carbon dioxide, dry powder

or water spray for extinction.

#### Precautionary Statements (Storage):

P403 Store in a well-ventilated place.

#### Precautionary Statements (Disposal):

P501 Dispose of contents/container in accordance with local regulations.

#### Hazards not otherwise classified

No data available.

Linalool

Page: 3/11 Revision date: 2025/08/12

Version: 7.0 (30034999/SDS GEN MX/EN)

#### 3. Composition / Information on Ingredients

#### According to Regulation NOM-018-STPS-2015

Linalool

CAS Number: 78-70-6

Content (W/W): 80.0 - 100.0%

Synonym: 3,7-Dimethyl-1,6-octadien-3-ol; .beta.-Linalool

The actual concentration is withheld as a trade secret.

#### 4. First-Aid Measures

#### **Description of first aid measures**

#### **General advice:**

Remove contaminated clothing immediately and clean before re-use or dispose it if necessary.

Keep patient calm, remove to fresh air, seek medical attention.

#### If on skin:

Remove contaminated clothing. Wash skin with soap and water, rinse abundantly. Seek medical attention.

#### If in eyes:

Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing. If irritation develops, seek medical attention.

#### If swallowed:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

#### Most important symptoms and effects, both acute and delayed

Symptoms: Overexposure may cause:, Eye irritation, skin irritation, erythema, allergic contact dermatitis, nausea, headache, vomiting, dizziness, diarrhea, abdominal cramps

#### Indication of any immediate medical attention and special treatment needed

Note to physician

Treatment: Treat according to symptoms (decontamination, vital functions), no

known specific antidote.

#### 5. Fire-Fighting Measures

#### **Extinguishing media**

Suitable extinguishing media: water spray, carbon dioxide, dry powder, alcohol-resistant foam

#### Linalool

Revision date: 2025/08/12 Page: 4/11 Version: 7.0 (30034999/SDS GEN MX/EN)

Unsuitable extinguishing media for safety reasons: water jet

#### Special hazards arising from the substance or mixture

Hazards during fire-fighting: carbon oxides, harmful vapours

The substances/groups of substances mentioned can be released in case of fire. Combustible Liquid

#### Advice for fire-fighters

Protective equipment for fire-fighting:

Wear a self-contained breathing apparatus.

#### Further information:

Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations. Cool endangered containers with water-spray.

#### 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

Use personal protective clothing. Information regarding personal protective measures, see section 8. Ensure adequate ventilation. Do not breathe vapour/spray. Avoid contact with the skin, eyes and clothing.

#### **Environmental precautions**

Do not discharge into drains/surface waters/groundwater.

#### Methods and material for containment and cleaning up

For large amounts: Dike spillage. Cover with blanket of foam (alcohol-resistant foam). Pump off product.

For residues: Contain with absorbent material (e.g. sand, silica gel, acid binder, general purpose binder, sawdust).

Dispose of absorbed material in accordance with regulations.

#### 7. Handling and Storage

#### Precautions for safe handling

Ensure thorough ventilation of stores and work areas. Wear suitable protective clothing and eye/face protection. Avoid contact with the skin, eyes and clothing. Keep container tightly sealed. This product may cause irritations; wash your hands after every contact.

Protection against fire and explosion:

The product is combustible. Avoid all sources of ignition: heat, sparks, open flame. Take precautionary measures against static discharges. If exposed to fire, keep containers cool by spraying with water. Vapours may form explosive mixture with air.

#### Conditions for safe storage, including any incompatibilities

Odour-sensitive: Segregate from products releasing odours.

Further information on storage conditions: Keep container tightly closed and dry; store in a cool place. Protect containers from physical damage.

# Safety Data Sheet Linalool

Revision date: 2025/08/12 Page: 5/11 Version: 7.0 (30034999/SDS GEN MX/EN)

#### 8. Exposure Controls/Personal Protection

No substance specific occupational exposure limits known.

#### Advice on system design:

Ensure adequate ventilation.

#### Personal protective equipment

#### Respiratory protection:

Wear respiratory protection if ventilation is inadequate. Wear a NIOSH-certified (or equivalent) organic vapour/particulate respirator.

#### Hand protection:

Wear chemical resistant protective gloves.

#### Eye protection:

Wear face shield or tightly fitting safety goggles (chemical goggles) if splashing hazard exists.

#### **Body protection:**

Body protection must be chosen based on level of activity and exposure.

#### General safety and hygiene measures:

Handle in accordance with good industrial hygiene and safety practice. Wearing of closed work clothing is required additionally to the stated personal protection equipment. Avoid contact with the skin, eyes and clothing. No eating, drinking, smoking or tobacco use at the place of work. Hands and/or face should be washed before breaks and at the end of the shift. Store work clothing separately.

#### 9. Physical and Chemical Properties

Physical state: liquid
Form: liquid
Odour: flowery
Odour threshold: < 100 ppm
Colour: colourless

pH value: 4.5

(1.45 g/l, 25 °C)

Melting point: < -100 °C (OECD Guideline

102)

glass transition -99 °C

temperature:

Freezing point: No data available.

Boiling point: 196.3 °C (OECD Guideline

(1,013.25 hPa) 103)

Flash point: 77.2 °C (ISO 2719, closed

cup)

Flammability: Combustible liquid. (derived from flash

point)

Lower explosion limit: For liquids not relevant for

classification and labelling. The lower explosion point may be 5 - 15 °C

below the flash point.

### Safety Data Sheet Linalool

Revision date: 2025/08/12 Page: 6/11 Version: 7.0 (30034999/SDS GEN MX/EN)

Upper explosion limit: For liquids not relevant for

classification and labelling.

Autoignition: 260 °C (Directive

92/69/EEC. A.15) (measured)

Vapour pressure: 0.3 hPa

(20°C)

dynamic

Density: 0.862 g/cm3 (pyknometer)

(20 °C, 1,013 hPa)

Relative density: 0.862

(20 °C)

Relative vapour density: > 1

(calculated) (20°C)

Heavier than air.

Partitioning coefficient n-2.7

(OECD Guideline (25°C) octanol/water (log Pow): 107)

Self-ignition Based on its structural properties the

temperature: product is not classified as self-

igniting.

approx. >= 260 °C (DSC (DIN 51007)) Thermal decomposition:

Viscosity, dynamic: 4.46 mPa.s

(25 °C)

Literature data.

Viscosity, kinematic: approx. 5.19 mm2/s (calculated (from dynamic viscosity))

(25°C)

Solubility in water: 1.45 g/l

( 25 °C, 1,013 hPa)

Solubility (qualitative): soluble

solvent(s): organic solvents,

154.25 g/mol Molecular weight:

Evaporation rate: Value can be approximated from

Henry's Law Constant or vapor

pressure.

Particle characteristics

Particle size distribution: The substance / product is marketed or used in a non solid or granular

#### 10. Stability and Reactivity

#### Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Corrosion to metals:

Corrosive effects to metal are not anticipated.

Oxidizing properties:

Based on its structural properties the product is not classified as oxidizing.

Formation of Remarks: Forms no flammable gases in the

flammable gases: presence of water.

#### **Chemical stability**

The product is stable if stored and handled as prescribed/indicated.

### Linalool

Revision date: 2025/08/12 Page: 7/11 Version: 7.0 (30034999/SDS GEN MX/EN)

#### Possibility of hazardous reactions

Generation of heat upon exposure to acidic substances.

#### Conditions to avoid

Avoid electro-static discharge. Avoid all sources of ignition: heat, sparks, open flame.

#### Incompatible materials

acids

#### Hazardous decomposition products

Decomposition products:

Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

Thermal decomposition:

approx. >= 260 °C (DSC (DIN 51007))

#### 11. Toxicological information

#### Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

#### **Acute Toxicity/Effects**

#### Acute toxicity

Assessment of acute toxicity: Of low toxicity after single ingestion. Virtually nontoxic after a single skin contact.

Oral

Type of value: LD50 Species: rat

Value: 2,790 mg/kg Literature data.

#### **Inhalation**

No data available.

**Dermal** 

Type of value: LD50 Species: rabbit Value: 5,610 mg/kg Literature data.

#### Assessment other acute effects

Assessment of STOT single:

Based on available data, the classification criteria are not met.

#### Irritation / corrosion

### Linalool

Revision date: 2025/08/12 Page: 8/11 Version: 7.0 (30034999/SDS GEN MX/EN)

Assessment of irritating effects: Skin contact causes irritation. Eye contact causes irritation.

Skin

Species: rabbit Result: Irritant.

Method: OECD Guideline 404

Literature data.

#### Sensitization

Assessment of sensitization: Caused skin sensitization in animal studies.

Mouse Local Lymph Node Assay (LLNA)

Species: mouse Result: skin sensitizing

Method: OECD Guideline 429

## Aspiration Hazard No data available.

#### **Chronic Toxicity/Effects**

#### Repeated dose toxicity

Assessment of repeated dose toxicity: Effects on the kidney of male rats were detected after repeated exposure. These effects are specific for the male rat and are known to be of no relevance to humans.

#### Genetic toxicity

Assessment of mutagenicity: Results from a number of mutagenicity studies with microorganisms, mammalian cell culture and mammals are available. Taking into account all of the information, there is no indication that the substance is mutagenic.

#### Carcinogenicity

Assessment of carcinogenicity: The whole of the information assessable provides no indication of a carcinogenic effect.

#### Reproductive toxicity

Assessment of reproduction toxicity: The results of animal studies gave no indication of a fertility impairing effect.

#### **Teratogenicity**

Assessment of teratogenicity: Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals.

#### 12. Ecological Information

#### **Toxicity**

#### Aquatic toxicity

Assessment of aquatic toxicity:

Acutely harmful for aquatic organisms. The inhibition of the degradation activity of activated sludge is not anticipated when introduced to biological treatment plants in appropriate low concentrations.

#### Toxicity to fish

LC50 (96 h) 27.8 mg/l, Oncorhynchus mykiss (OECD Guideline 203, static)

The statement of the toxic effect relates to the analytically determined concentration.

### Linalool

Revision date: 2025/08/12 Page: 9/11 Version: 7.0 (30034999/SDS GEN MX/EN)

#### Aquatic invertebrates

EC50 (48 h) 59 mg/l, Daphnia magna (OECD Guideline 202, part 1, static)

#### Aquatic plants

EC50 (72 h) 156.6 mg/l (growth rate), Desmodesmus subspicatus (DIN 38412 Part 9, static)

#### Chronic toxicity to fish

Study does not need to be conducted.

#### Chronic toxicity to aquatic invertebrates

Study does not need to be conducted.

#### Assessment of terrestrial toxicity

Study scientifically not justified.

#### Microorganisms/Effect on activated sludge

#### Toxicity to microorganisms

OECD Guideline 209 static

activated sludge of a predominantly domestic sewage/EC10 (3 h): > 100 mg/l

#### Persistence and degradability

#### Assessment biodegradation and elimination (H2O)

Readily biodegradable (according to OECD criteria).

#### Elimination information

60 - 70 % BOD of the ThOD (28 d) (OECD 301D; 92/69/EWG, C.4-E) (aerobic, municipal sewage treatment plant effluent)

#### Assessment of stability in water

Study does not need to be conducted.

#### **Bioaccumulative potential**

#### Assessment bioaccumulation potential

Because of the n-octanol/water distribution coefficient (log Pow) accumulation in organisms is not to be expected.

#### Mobility in soil

#### Assessment transport between environmental compartments

The substance will not evaporate into the atmosphere from the water surface.

Adsorption to solid soil phase is not expected.

#### 13. Disposal considerations

#### Waste disposal of substance:

Do not discharge into waterways or sewer systems without proper authorization. Dispose of in accordance with national, state and local regulations.

#### Container disposal:

Dispose of in accordance with national, state and local regulations.

Linalool

Revision date: 2025/08/12 Page: 10/11 Version: 7.0 (30034999/SDS GEN MX/EN)

#### 14. Transport Information

Land transport

**TDG** 

Not classified as a dangerous good under transport regulations

Sea transport

**IMDG** 

Not classified as a dangerous good under transport regulations

Air transport

IATA/ICAO

Not classified as a dangerous good under transport regulations

**Further information** 

The following classification applies when exceeding 119 gallons.

Land Transport USDOT: NA 1993 COMBUSTIBLE LIQUID, N.O.S., (3,7-DIMETHYLOCTADIEN-1,6-OL-3), PG III.

#### 15. Regulatory Information

#### **Federal Regulations**

Not applicable

**NFPA Hazard codes:** 

Health: 2 Fire: 2 Reactivity: 0 Special:

**HMIS III rating** 

Health: 2 Flammability: 2 Physical hazard: 0

#### Assessment of the hazard classes according to UN GHS criteria (most recent version):

Acute Tox. 5 (oral) Acute toxicity

Skin Corr./Irrit. 2 Skin corrosion/irritation

Eye Dam./Irrit. 2A Serious eye damage/eye irritation

Aquatic Acute 3 Hazardous to the aquatic environment - acute

Flam. Liq. 4 Flammable liquids Skin Sens. 1B Skin sensitization

#### 16. Other Information

#### SDS Prepared by:

BASF NA Product Regulations SDS Prepared on: 2025/08/12

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our

# Safety Data Sheet Linalool

Revision date: 2025/08/12 Page: 11/11 Version: 7.0 (30034999/SDS\_GEN\_MX/EN)

commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

This information is considered accurate but is not exhaustive and shall only be used as a guideline based on current knowledge of the chemical substance or mixture. Safety precautions suitable for the product must be applied.

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE, IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK. Date / Revised: 2025/08/12 Version: 7.0

Date / Previous version: 2023/04/28 Previous version: 6.1

**END OF DATA SHEET**