

Safety data sheet

Page: 1/18

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 09.01.2023 Version: 2.0
Date previous version: 20.04.2021 Previous version: 1.0

Date / First version: 20.04.2021
Product: Ferric Chloride Anhydrous

(ID no. 30042332/SDS_GEN_UA/EN)

Date of print 09.10.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Ferric Chloride Anhydrous

Chemical name: iron trichloride CAS Number: 7705-08-0

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Chemical

Recommended use: Intermediate, process chemical, catalyst

1.3. Details of the supplier of the safety data sheet

Company:
«BASF T.O.V.» LLC
139, Velyka Vasylkivska str
Kyiv
UKRAINE
03150

Telephone: +38 044 591 55 95 (96) E-mail address: basf.ukraine@basf.com

1.4. Emergency telephone number

Telephone: +49 180 22 73 11 20

0 800 30 72 72 (valid from Ukraine only !!)

Telefax number: +38 044 591 55 97

Date / Revised: 09.01.2023 Version: 2.0
Date previous version: 20.04.2021 Previous version: 1.0

Date previous version: 20.04.2021 Date / First version: 20.04.2021

Product: Ferric Chloride Anhydrous

(ID no. 30042332/SDS_GEN_UA/EN)

Date of print 09.10.2025

SECTION 2: Hazards Identification

2.1. Classification of the substance or mixture

According to Regulation (EC) No 1272/2008 [CLP]

Acute Tox. 4 (oral)

Skin Corr./Irrit. 2

H302 Harmful if swallowed.

H315 Causes skin irritation.

H318 Causes serious eye damage.

Skin Sens. 1

H317 May cause an allergic skin reaction.

For the classifications not written out in full in this section the full text can be found in section 16.

2.2. Label elements

According to Regulation (EC) No 1272/2008 [CLP]

Pictogram:





Signal Word:

Danger

Hazard Statement:

H318 Causes serious eye damage.

H315 Causes skin irritation. H302 Harmful if swallowed.

H317 May cause an allergic skin reaction.

Precautionary Statements (Prevention):

P280 Wear protective gloves and eye protection or face protection.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P272 Contaminated work clothing should not be allowed out of the workplace.

P270 Do not eat, drink or smoke when using this product.
P264 Wash contaminated body parts thoroughly after handling.

Precautionary Statements (Response):

P310 Immediately call a POISON CENTER or physician.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P303 + P352 IF ON SKIN (or hair): Wash with plenty of soap and water.

P301 IF SWALLOWED: P330 Rinse mouth

P332 + P313 If skin irritation occurs: Get medical attention.

P362 + P364 Take off contaminated clothing and wash it before reuse.

Precautionary Statements (Disposal):

P501 Dispose of contents and container to hazardous or special waste

collection point.

Labeling of special preparations (GHS):

EUH208: May produce an allergic reaction. Contains: nickel dichloride

Date / Revised: 09.01.2023 Version: 2.0
Date previous version: 20.04.2021 Previous version: 1.0

Date / First version: 20.04.2021 Product: **Ferric Chloride Anhydrous**

(ID no. 30042332/SDS_GEN_UA/EN)

Date of print 09.10.2025

Hazard determining component(s) for labelling: Iron trichloride, nickel dichloride

2.3. Other hazards

According to Regulation (EC) No 1272/2008 [CLP]

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture. Corrodes metals in the presence of water or moisture.

The product does not contain a substance above legal limits fulfilling the PBT (persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria.

SECTION 3: Composition/Information on Ingredients

3.1. Substances

Chemical nature

FeCl3

Iron trichloride

Acute Tox. 4 (oral)
CAS Number: 7705-08-0
EC-Number: 231-729-4
Eye Dam./Irrit. 1
H318, H315, H302

technical

Regulatory relevant ingredients

Iron trichloride

CAS Number: 7705-08-0 Eye Dam./Irrit. 1 EC-Number: 231-729-4 H318, H315, H302

Chromium trichloride

Content (W/W): >= 0 % - < 0,15 % Acute Tox. 4 (oral) CAS Number: 10025-73-7 Skin Sens. 1 EC-Number: 233-038-3 Aquatic Chronic 2 H302, H317, H411

zinc chloride

Date / Revised: 09.01.2023 Version: 2.0 Date previous version: 20.04.2021 Previous version: 1.0

Date / First version: 20.04.2021 Product: Ferric Chloride Anhydrous

(ID no. 30042332/SDS_GEN_UA/EN)

Date of print 09.10.2025

Content (W/W): >= 0 % - < 0.15 %Acute Tox. 4 (oral) CAS Number: 7646-85-7 Skin Corr./Irrit. 1B EC-Number: 231-592-0 Eve Dam./Irrit. 1 Aquatic Acute 1 INDEX-Number: 030-003-00-2

Aquatic Chronic 1 M-factor acute: 1 M-factor chronic: 1 H302, H314, H400, H410 Specific concentration limit:

STOT SE 3, irr. to respiratory syst.: >= 5 %

nickel dichloride

Content (W/W): >= 0 % - < 0.1 %Acute Tox. 3 (Inhalation - dust)

CAS Number: 7718-54-9 Acute Tox. 3 (oral) Skin Corr./Irrit. 2 EC-Number: 231-743-0 Resp. Sens. 1 Skin Sens. 1

Muta. 2

Carc. 1A (by inhalation) Repr. 1B (unborn child)

STOT RE (Respiratory system) 1 (by inhalation)

Aquatic Acute 1 Aquatic Chronic 1 M-factor acute: 10 M-factor chronic: 1

H315, H334, H317, H341, H350i, H360D, H301

+ H331, H372, H400, H410

Specific concentration limit: STOT RE 2: 0,1 - < 1 % STOT RE 1: >= 1 % Skin Sens. 1: >= 0.01 % Skin Corr./Irrit. 2: >= 20 %

For the classifications not written out in full in this section, including the hazard classes and the hazard statements, the full text is listed in section 16.

3.2. Mixtures

Not applicable

SECTION 4: First-Aid Measures

4.1. Description of first aid measures

If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

Date / Revised: 09.01.2023 Version: 2.0
Date previous version: 20.04.2021 Previous version: 1.0

Date / First version: 20.04.2021 Product: **Ferric Chloride Anhydrous**

(ID no. 30042332/SDS_GEN_UA/EN)

Date of print 09.10.2025

On skin contact:

Immediately wash thoroughly with soap and water, seek medical attention.

On contact with eyes:

Immediately wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11.

irritates the eyes and respiratory tract, skin irritation, allergic symptoms

Hazards: No hazard is expected under intended use and appropriate handling.

4.3. Indication of any immediate medical attention and special treatment needed

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

SECTION 5: Fire-Fighting Measures

5.1. Extinguishing media

Suitable extinguishing media: dry powder

Unsuitable extinguishing media for safety reasons: water

5.2. Special hazards arising from the substance or mixture

Temperature limit: > 200 °C Endangering substances: chlorine

Advice: The substances/groups of substances mentioned can be released in case of fire.

5.3. Advice for fire-fighters

Special protective equipment:

Wear a self-contained breathing apparatus.

Further information:

Contaminated extinguishing water must be disposed of in accordance with official regulations. Avoid direct contact with water. Product itself is non-combustible; fire extinguishing method of surrounding areas must be considered.

Date / Revised: 09.01.2023 Version: 2.0
Date previous version: 20.04.2021 Previous version: 1.0

Date / First version: 20.04.2021 Product: **Ferric Chloride Anhydrous**

(ID no. 30042332/SDS_GEN_UA/EN)

Date of print 09.10.2025

SECTION 6: Accidental Release Measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid contact with the skin, eyes and clothing. Avoid dust formation.

6.2. Environmental precautions

Due to the pH-value of the product, neutralization is generally required before discharging sewage into treatment plants.

6.3. Methods and material for containment and cleaning up

For small amounts: Neutralize with lime.

For large amounts: Pick up in dry form. Dispose of contaminated material as prescribed.

For residues: Rinse away with water.

6.4. Reference to other sections

Information regarding exposure controls/personal protection and disposal considerations can be found in section 8 and 13.

SECTION 7: Handling and Storage

7.1. Precautions for safe handling

Keep container tightly sealed. Processing machines must be fitted with local exhaust ventilation.

Protection against fire and explosion:

The substance/product is non-combustible. Product is not explosive.

7.2. Conditions for safe storage, including any incompatibilities

Suitable materials for containers: High density polyethylene (HDPE), Low density polyethylene (LDPE), Polyester resin, glass reinforced (Palatal A410), enamelled, rubberized, Carbon steel (Iron), glass

Further information on storage conditions: Protect against moisture.

7.3. Specific end use(s)

See exposure scenario(s) in the attachment to this safety data sheet.

Date / Revised: 09.01.2023 Version: 2.0
Date previous version: 20.04.2021 Previous version: 1.0

Date / First version: 20.04.2021 Product: **Ferric Chloride Anhydrous**

(ID no. 30042332/SDS_GEN_UA/EN)

Date of print 09.10.2025

SECTION 8: Exposure Controls/Personal Protection

8.1. Control parameters

Components with occupational exposure limits No occupational exposure limits known.

PNEC

A PNEC could not be derived as the substance showed no toxic effects in studies performed in the range of its solubility. At the present state of knowledge, no negative ecological effects are expected.

No PNEC oral derived, as accumulation in organisms is not to be expected.

DNEL

worker:

Long-term exposure- systemic effects, dermal: 2,8 mg/kg

worker:

Long- and short-term exposure - systemic effects, Inhalation No DNELs have been derived.

consumer:

Long-term exposure- systemic effects, dermal: 1,4 mg/kg

consumer:

Long- and short-term exposure - systemic effects, Inhalation No DNELs have been derived.

consumer:

Long-term exposure- systemic effects, oral: 0,28 mg/kg

consumer:

Short-term exposure - systemic effects, oral: 20 mg/kg

8.2. Exposure controls

Personal protective equipment

Respiratory protection:

Breathing protection if breathable aerosols/dust are formed. Suitable respiratory protection for lower concentrations or short-term effect: Gas filter for gases/vapours of inorganic compounds (e.g. EN 14387 Type B) Suitable respiratory protection for higher concentrations or long-term effect: Self-contained breathing apparatus.

Hand protection:

Chemical resistant protective gloves (EN ISO 374-1)

Date / Revised: 09.01.2023 Version: 2.0 Date previous version: 20.04.2021 Previous version: 1.0

Date / First version: 20.04.2021

Product: Ferric Chloride Anhydrous

(ID no. 30042332/SDS_GEN_UA/EN)

Date of print 09.10.2025

Suitable materials also with prolonged, direct contact (Recommended: Protective index 6. corresponding > 480 minutes of permeation time according to EN ISO 374-1): polyvinylchloride (PVC) - 0.7 mm coating thickness

Supplementary note: The specifications are based on tests, literature data and information of glove manufacturers or are derived from similar substances by analogy. Due to many conditions (e.g. temperature) it must be considered, that the practical usage of a chemical-protective glove in practice may be much shorter than the permeation time determined through testing. Manufacturer's directions for use should be observed because of great diversity of types.

Eye protection:

Tightly fitting safety goggles (splash goggles) (e.g. EN 166)

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures

Hands and/or face should be washed before breaks and at the end of the shift. Take off immediately all contaminated clothing.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

State of matter:

Form: crystalline, powder Colour: green to black Odour: pungent odour

Odour threshold:

Not determined due to potential health hazard by inhalation.

Melting point:

dropped Sublimation temperature: 304 °C (1 bar)

Literature data.

Flammability: not highly flammable (Directive 92/69/EEC, A.10)

Lower explosion limit:

For solids not relevant for classification and labelling.

Upper explosion limit:

For solids not relevant for classification and labelling.

Flash point:

not applicable, the product is a solid

Thermal decomposition: > 200 °C

chlorine

(OECD Guideline 122) pH value:

(200 g/l, 20 °C)

Date / Revised: 09.01.2023 Version: 2.0

Date previous version: 20.04.2021 Previous version: 1.0

Date / First version: 20.04.2021 Product: Ferric Chloride Anhydrous

(ID no. 30042332/SDS_GEN_UA/EN)

Date of print 09.10.2025

Viscosity, kinematic:

not applicable, the product is a solid

Viscosity, dynamic:

not applicable, the product is a solid

Solubility in water: Literature data.

> 744 g/l (0 °C)

Solubility (quantitative):

480 g/kg (20 °C)

Partitioning coefficient n-octanol/water (log Kow): -4

(24 °C)

Vapour pressure: 1 mbar

(20 °C)

2,89 g/cm3 Density:

(25 °C)

Literature data.

Relative vapour density (air):

The product is a non-volatile solid.

Particle characteristics

Particle size distribution: 3,3 µm (D10, ISO 13320-1)

> (D90, ISO 13320-1) 35,3 µm 11,7 µm (D50, ISO 13320-1)

9.2. Other information

Information with regard to physical hazard classes

Explosives

Explosion hazard: Based on the chemical structure

there is no indication of explosive

properties.

Impact sensitivity:

Based on the chemical structure there is no shock-sensitivity.

Oxidizing properties

Fire promoting properties: (UN Test O.1 (oxidizing solids)) not fire-propagating

Self-heating substances and mixtures

Self heating ability: It is not a substance capable of

spontaneous heating.

Corrosion to metals

Corrodes metals in the presence of water or moisture.

Other safety characteristics

Bulk density: approx. 1.000 kg/m3

pKA:

Study scientifically not justified.

Hygroscopy: hygroscopic

Date / Revised: 09.01.2023 Version: 2.0
Date previous version: 20.04.2021 Previous version: 1.0

Date / First version: 20.04.2021 Product: **Ferric Chloride Anhydrous**

(ID no. 30042332/SDS_GEN_UA/EN)

Date of print 09.10.2025

Adsorption/water - soil:

Study scientifically not justified.

Surface tension:

Based on chemical structure, surface

activity is not to be expected.

Angle of repose: 64°

(trickle test (lab for material

testing))

Evaporation rate:

The product is a non-volatile solid.

SECTION 10: Stability and Reactivity

10.1. Reactivity

Corrosion to metals: Corrodes metals in the presence of water or moisture.

10.2. Chemical stability

10.3. Possibility of hazardous reactions

Develops hydrochloric acid (HCL) on contact with water.

10.4. Conditions to avoid

Avoid moisture.

10.5. Incompatible materials

Substances to avoid: water, strong bases

10.6. Hazardous decomposition products

Hazardous decomposition products: Hydrogen chloride metal compounds, Acid fumes, chlorides

SECTION 11: Toxicological Information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Assessment of acute toxicity: Harmful if swallowed.

Date / Revised: 09.01.2023 Version: 2.0
Date previous version: 20.04.2021 Previous version: 1.0

Date / First version: 20.04.2021 Product: **Ferric Chloride Anhydrous**

(ID no. 30042332/SDS_GEN_UA/EN)

Date of print 09.10.2025

Experimental/calculated data:

LD50 mouse (oral): > 300 - < 630 mg/kg

(by inhalation): Study does not need to be conducted.

LD50 rat (dermal): > 2.000 mg/kg (OECD Guideline 402)

No mortality was observed. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Irritation

Assessment of irritating effects:

Irritating to skin. Risk of serious damage to eyes.

Experimental/calculated data:

Skin corrosion/irritation

rabbit: Irritant. (BASF-Test)

Data refer to a diluted aqueous solution of the substance.

Serious eye damage/irritation

rabbit: irreversible damage (BASF-Test)

Data refer to a diluted aqueous solution of the substance.

Respiratory/Skin sensitization

Information on: nickel dichloride Assessment of sensitization:

The substance may cause sensitization of the respiratory tract. Sensitization after skin contact

possible.

, _____

Germ cell mutagenicity

Assessment of mutagenicity:

The substance was not mutagenic in bacteria. The substance was not mutagenic in mammalian cell culture. The substance was not mutagenic in studies with mammals.

Carcinogenicity

Assessment of carcinogenicity:

The whole of the information assessable provides no indication of a carcinogenic effect.

Reproductive toxicity

Assessment of reproduction toxicity:

Page: 12/18

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 09.01.2023 Version: 2.0
Date previous version: 20.04.2021 Previous version: 1.0

Date / First version: 20.04.2021 Product: **Ferric Chloride Anhydrous**

(ID no. 30042332/SDS_GEN_UA/EN)

Date of print 09.10.2025

No reliable data are available concerning reproduction toxicity. The chemical structure does not suggest a specific alert for such an effect.

Developmental toxicity

Assessment of teratogenicity:

No indications of a developmental toxic / teratogenic effect were seen in animal studies.

Specific target organ toxicity (single exposure)

No data available.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

The substance may cause damage to the kidney after repeated ingestion of high doses, as shown in animal studies. The substance may cause damage to the liver after repeated ingestion of high doses, as shown in animal studies.

Aspiration hazard

Study does not need to be conducted.

Interactive effects

No data available.

11.2. Information on other hazards

Endocrine disrupting properties

The substance is not identified to have endocrine disrupting properties according to Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 nor is included in the Candidate List of substances of very high concern according to EU REACh Article 59 for having endocrine disrupting properties.

SECTION 12: Ecological Information

12.1. Toxicity

Date / Revised: 09.01.2023 Version: 2.0
Date previous version: 20.04.2021 Previous version: 1.0

Date / First version: 20.04.2021 Product: **Ferric Chloride Anhydrous**

(ID no. 30042332/SDS_GEN_UA/EN)

Date of print 09.10.2025

Assessment of aquatic toxicity:

At the present state of knowledge, no negative ecological effects are expected. The inhibition of the degradation activity of activated sludge is not anticipated when introduced to biological treatment plants in appropriate low concentrations.

The product gives rise to pH shifts.

Toxicity to fish:

Study scientifically not justified.

Aquatic invertebrates:

Study scientifically not justified.

Microorganisms/Effect on activated sludge:

EC50 (5 min) 500 mg/l, activated sludge (other, aquatic)

Chronic toxicity to fish:

Study scientifically not justified.

Chronic toxicity to aquatic invertebrates:

Study scientifically not justified.

Assessment of terrestrial toxicity:

No data available.

12.2. Persistence and degradability

Assessment biodegradation and elimination (H2O):

Not applicable for inorganic substances.

Elimination information:

not applicable

Assessment of stability in water:

In contact with water the substance will hydrolyse rapidly.

Information on Stability in Water (Hydrolysis):

 $t_{1/2}$ 4,15 - 34 min, (calculated, pH 7)

The product has not been fully tested. The statements have been derived in parts from products of a similar structure or composition.

12.3. Bioaccumulative potential

Assessment bioaccumulation potential:

Does not significantly accumulate in organisms.

Bioaccumulation potential:

Bioconcentration factor(BCF): < 20 (28 d), Cyprinus carpio (OECD-Guideline 305)

Date / Revised: 09.01.2023 Version: 2.0
Date previous version: 20.04.2021 Previous version: 1.0

Date / First version: 20.04.2021 Product: **Ferric Chloride Anhydrous**

(ID no. 30042332/SDS_GEN_UA/EN)

Date of print 09.10.2025

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

12.4. Mobility in soil

Assessment transport between environmental compartments:

Volatility: The substance will not evaporate into the atmosphere from the water surface.

Adsorption in soil: No data available. Study scientifically not justified.

12.5. Results of PBT and vPvB assessment

According to Annex XIII of Regulation (EC) No.1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH): The product does not fulfill the criteria for PBT (Persistent/bioaccumulative/toxic) and vPvB (very persistent/very bioaccumulative). Self classification

12.6. Endocrine disrupting properties

The substance is not identified to have endocrine disrupting properties according to Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 nor is included in the Candidate List of substances of very high concern according to EU REACh Article 59 for having endocrine disrupting properties.

12.7. Other adverse effects

The substance is not listed in Regulation (EC) 1005/2009 on substances that deplete the ozone layer.

12.8. Additional information

Adsorbable organically-bound halogen (AOX):

The Substance/product may have a halogenizing effect and therefore contribute to the OBH.

Other ecotoxicological advice:

Inhibition of degradation activity in activated sludge is not to be anticipated during correct introduction of low concentrations. Due to the pH-value of the product, neutralization is generally required before discharging sewage into treatment plants.

SECTION 13: Disposal Considerations

13.1. Waste treatment methods

May be fed into a biological purification plant.

The local regulations on waste-water treatment must be followed.

Contaminated packaging:

Date / Revised: 09.01.2023 Version: 2.0
Date previous version: 20.04.2021 Previous version: 1.0

Date / First version: 20.04.2021 Product: **Ferric Chloride Anhydrous**

(ID no. 30042332/SDS_GEN_UA/EN)

Date of print 09.10.2025

Contaminated packaging should be emptied as far as possible; then it can be passed on for recycling after being thoroughly cleaned.

SECTION 14: Transport Information

Land transport

ADR

UN number or ID number: UN1773

UN proper shipping name: FERRIC CHLORIDE, ANHYDROUS

Transport hazard class(es): 8
Packing group: III
Environmental hazards: no

Special precautions for Tunnel code: E

user:

RID

UN number or ID number: UN1773

UN proper shipping name: FERRIC CHLORIDE, ANHYDROUS

Transport hazard class(es): 8
Packing group: III
Environmental hazards: no

Special precautions for

user:

None known

Inland waterway transport

ADN

UN number or ID number: UN1773

UN proper shipping name: FERRIC CHLORIDE, ANHYDROUS

Transport hazard class(es): 8
Packing group: III
Environmental hazards: no

Special precautions for

None known

user:

Transport in inland waterway vessel

Not evaluated

Sea transport

Date / Revised: 09.01.2023 Version: 2.0
Date previous version: 20.04.2021 Previous version: 1.0

Date / First version: 20.04.2021 Product: **Ferric Chloride Anhydrous**

(ID no. 30042332/SDS_GEN_UA/EN)

Date of print 09.10.2025

IMDG

UN number or ID number: UN 1773

UN proper shipping name: FERRIC CHLORIDE, ANHYDROUS

Transport hazard class(es): 8
Packing group: III
Environmental hazards: no

Marine pollutant: NO

Special precautions for EmS: F-A; S-B

user:

Air transport

IATA/ICAO

UN number or ID number: UN 1773

UN proper shipping name: FERRIC CHLORIDE, ANHYDROUS

Transport hazard class(es): 8 Packing group: III

Environmental hazards: No Mark as dangerous for the environment is needed

Special precautions for None known

user:

14.1. UN number or ID number

See corresponding entries for "UN number or ID number" for the respective regulations in the tables above.

14.2. UN proper shipping name

See corresponding entries for "UN proper shipping name" for the respective regulations in the tables above.

14.3. Transport hazard class(es)

See corresponding entries for "Transport hazard class(es)" for the respective regulations in the tables above.

14.4. Packing group

See corresponding entries for "Packing group" for the respective regulations in the tables above.

14.5. Environmental hazards

See corresponding entries for "Environmental hazards" for the respective regulations in the tables above.

14.6. Special precautions for user

See corresponding entries for "Special precautions for user" for the respective regulations in the tables above.

Date / Revised: 09.01.2023 Version: 2.0 Date previous version: 20.04.2021 Previous version: 1.0

Date / First version: 20.04.2021

Product: Ferric Chloride Anhydrous

(ID no. 30042332/SDS_GEN_UA/EN)

Date of print 09.10.2025

14.7. Maritime transport in bulk according to IMO instruments

Maritime transport in bulk is not intended.

SECTION 15: Regulatory Information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

SECTION 16: Other Information

Assessment of the hazard classes according to UN GHS criteria (most recent version)

Acute Tox. 4 (oral) Skin Corr./Irrit. 2 Eve Dam./Irrit. 1 Skin Sens. 1

Acute Tox. Acute toxicity

Skin Corr./Irrit. Skin corrosion/irritation

Eve Dam./Irrit. Serious eye damage/eye irritation

Skin Sens. Skin sensitization

Aquatic Chronic Hazardous to the aquatic environment - chronic Aquatic Acute Hazardous to the aquatic environment - acute

Resp. Sens. Respiratory sensitization Muta. Germ cell mutagenicity Carcinogenicity Carc. Reproductive toxicity Repr.

Specific target organ toxicity — repeated exposure STOT RE Specific target organ toxicity — single exposure STOT SE

Causes serious eve damage. H318

Causes skin irritation. H315 H302 Harmful if swallowed.

H317 May cause an allergic skin reaction. H411 Toxic to aquatic life with long lasting effects. Causes severe skin burns and eye damage. H314

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

May cause allergy or asthma symptoms or breathing difficulties if inhaled. H334

Suspected of causing genetic defects. H341 H350i May cause cancer by inhalation. H360D May damage the unborn child. Toxic if swallowed or if inhaled H301 + H331

Causes damage to organs (Respiratory system) through prolonged or H372

repeated exposure (inhalation).

Date / Revised: 09.01.2023 Version: 2.0
Date previous version: 20.04.2021 Previous version: 1.0

Date / First version: 20.04.2021 Product: **Ferric Chloride Anhydrous**

(ID no. 30042332/SDS_GEN_UA/EN)

Date of print 09.10.2025

Abbreviations

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road. ADN = The European Agreement concerning the International Carriage of Dangerous Goods by Inland waterways. ATE = Acute Toxicity Estimates. CAO = Cargo Aircraft Only. CAS = Chemical Abstract Service. CLP = Classification, Labelling and Packaging of substances and mixtures. DIN = German national organization for standardization. DNEL = Derived No Effect Level. EC50 = Effective concentration median for 50% of the population. EC = European Community. EN = European Standards. IARC = International Agency for Research on Cancer. IATA = International Air Transport Association. IBC-Code = Intermediate Bulk Container code. IMDG = International Maritime Dangerous Goods Code. ISO = International Organization for Standardization. STEL = Short-Term Exposure Limit. LC50 = Lethal concentration median for 50% of the population. LD50 = Lethal dose median for 50% of the population. TLV = Threshold Limit Value. MARPOL = The International Convention for the Prevention of Pollution from Ships. NEN = Dutch Norm. NOEC = No Observed Effect Concentration. OEL = Occupational Exposure Limit. OECD = Organization for Economic Cooperation and Development. PBT = Persistent, Bioaccumulative and Toxic. PNEC = Predicted No Effect Level. PPM = Parts per million. RID = The European Agreement concerning the International Carriage of Dangerous Goods by Rail. TWA = Time Weight Average. UN-number = UN number at transport. vPvB = very Persistent and very Bioaccumulative.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Vertical lines in the left hand margin indicate an amendment from the previous version.