

Safety data sheet

Page: 1/17

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 25.08.2025 Version: 3.0
Date / Previous version: 24.04.2025 Previous version: 2.0

Product: FoamStar® ED 2528 EL

(ID no. 30833616/SDS_GEN_DE/EN)

Date of print 25.10.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

FoamStar® ED 2528 EL

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: additives for inks, varnishes or coatings, Paint additive, defoamer

1.3. Details of the supplier of the safety data sheet

Company:
BASF SE
67056 Ludwigshafen
GERMANY
Global Business Unit Resins and Additives

Telephone: +49 621 60-0

E-mail address: ed-psr@basf.com

1.4. Emergency telephone number

International emergency number: Telephone: +49 180 2273-112

SECTION 2: Hazards Identification

2.1. Classification of the substance or mixture

For the classification of the mixture the following methods have been applied: extrapolation on the concentration levels of the hazardous substances, on basis of test results and after evaluation of experts. The methodologies used are mentioned at the respective test results.

According to Regulation (EC) No 1272/2008 [CLP]

No need for classification according to GHS criteria for this product.

Date / Revised: 25.08.2025 Version: 3.0
Date / Previous version: 24.04.2025 Previous version: 2.0

Product: FoamStar® ED 2528 EL

(ID no. 30833616/SDS_GEN_DE/EN)

Date of print 25.10.2025

2.2. Label elements

According to Regulation (EC) No 1272/2008 [CLP]

The product does not require a hazard warning label in accordance with GHS criteria.

Labeling of special preparations (GHS):

EUH208: May produce an allergic reaction. Contains: 1,2-benzisothiazol-3(2H)-one, reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H -isothiazol-3- one [EC no. 220-239-6] (3:1)

2.3. Other hazards

According to Regulation (EC) No 1272/2008 [CLP]

No specific dangers known, if the regulations/notes for storage and handling are considered. Product does not contain a substance above legal limits included in the list established in accordance with Article 59(1) of Regulation (EC) No 1907/2006 for having endocrine disrupting properties or is identified to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. The product does not contain a substance above legal limits fulfilling the PBT (persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria.

SECTION 3: Composition/Information on Ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Chemical nature

Emulsion based on:polyether-modified polysiloxane

Regulatory relevant ingredients

1,2-benzisothiazol-3(2H)-one

to Regulation (EC) No 1907/2006.

Date / Revised: 25.08.2025 Version: 3.0 Date / Previous version: 24.04.2025 Previous version: 2.0

Product: FoamStar® ED 2528 EL

(ID no. 30833616/SDS_GEN_DE/EN)

Date of print 25.10.2025

Content (W/W): > 0 % - < 0,036 % Acute Tox. 2 (Inhalation - dust)

CAS Number: 2634-33-5 Acute Tox. 4 (oral)

EC-Number: 220-120-9 Skin Irrit. 2 REACH registration number: 01-Eve Dam. 1

2120761540-60 Skin Sens. 1A Aquatic Acute 1 Aquatic Chronic 1 M-factor acute: 1

M-factor chronic: 1

H318, H315, H330, H302, H317, H400, H410

Specific concentration limit: Skin Sens. 1A: >= 0,036 %

Acute toxicity estimate:

oral: 450 mg/kg

Inhalation: 0,21 mg/l (dust/mist)

reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H isothiazol-3- one [EC no. 220-239-6] (3:1)

> Content (W/W): > 0 % - < 0,0015Acute Tox. 3 (oral)

CAS Number: 55965-84-9

REACH registration number: 01-

2120764691-48

INDEX-Number: 613-167-00-5

Acute Tox. 2 (Inhalation - mist)

Acute Tox. 2 (dermal)

Skin Corr. 1C Eve Dam. 1

Skin Sens. 1A Aquatic Acute 1 Aquatic Chronic 1 M-factor acute: 100 M-factor chronic: 100

H314, H301, H317, H310 + H330, H400, H410

EUH071

Specific concentration limit:

Eye Dam. 1: >= 0,6 % Eye Irrit. 2: 0,06 - < 0,6 % Skin Irrit. 2: 0,06 - < 0,6 % Skin Corr. 1C: >= 0.6 % Skin Sens. 1A: >= 0,0015 %

For the classifications not written out in full in this section, including the hazard classes and the hazard statements, the full text is listed in section 16.

SECTION 4: First-Aid Measures

4.1. Description of first aid measures

Remove contaminated clothing.

Date / Revised: 25.08.2025 Version: 3.0
Date / Previous version: 24.04.2025 Previous version: 2.0

Product: FoamStar® ED 2528 EL

(ID no. 30833616/SDS_GEN_DE/EN)

Date of print 25.10.2025

If inhaled:

If difficulties occur after vapour/aerosol has been inhaled, remove to fresh air and seek medical attention.

On skin contact:

Wash thoroughly with soap and water

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open.

On ingestion:

Rinse mouth and then drink 200-300 ml of water. Do not induce vomiting unless told to by a poison control center or doctor.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms: (Further) symptoms and / or effects are not known so far

4.3. Indication of any immediate medical attention and special treatment needed

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

SECTION 5: Fire-Fighting Measures

5.1. Extinguishing media

Suitable extinguishing media: water spray, dry powder, foam

5.2. Special hazards arising from the substance or mixture

Endangering substances: harmful vapours

Advice: Generation of fumes/fog. The substances/groups of substances mentioned can be released in case of fire.

5.3. Advice for fire-fighters

Further information:

Contaminated extinguishing water must be disposed of in accordance with official regulations.

SECTION 6: Accidental Release Measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective clothing.

to Regulation (EC) No 1907/2006.

Version: 3.0 Previous version: 2.0

Date / Revised: 25.08.2025 Date / Previous version: 24.04.2025 Product: **FoamStar® ED 2528 EL**

(ID no. 30833616/SDS_GEN_DE/EN)

Date of print 25.10.2025

6.2. Environmental precautions

Contain contaminated water/firefighting water. Do not discharge into drains/surface waters/groundwater.

6.3. Methods and material for containment and cleaning up

For large amounts: Pump off product.

For residues: Pick up with suitable absorbent material. Dispose of absorbed material in accordance with regulations.

6.4. Reference to other sections

Information regarding exposure controls/personal protection and disposal considerations can be found in section 8 and 13.

SECTION 7: Handling and Storage

7.1. Precautions for safe handling

No special measures necessary provided product is used correctly.

Implement proper technical protective measures to prevent product release during handling and processing.

Protection against fire and explosion:

No special precautions necessary.

7.2. Conditions for safe storage, including any incompatibilities

Segregate from foods and animal feeds. Odour-releasing: Segregate from products sensitive to odours.

Further information on storage conditions: Keep container tightly closed and in a cool place.

Storage class according to TRGS 510 (originally VCI, Germany): (12) Non-combustible liquids

Protect from temperatures below:5 °C Protect from temperatures above:50 °C

7.3. Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

to Regulation (EC) No 1907/2006.

Date / Revised: 25.08.2025 Version: 3.0 Date / Previous version: 24.04.2025 Previous version: 2.0

Product: FoamStar® ED 2528 EL

(ID no. 30833616/SDS_GEN_DE/EN)

Date of print 25.10.2025

SECTION 8: Exposure Controls/Personal Protection

8.1. Control parameters

Components with occupational exposure limits

The surveillance of the workplace by exposure measurements may be necessary, in order to prove the efficiency of safety measures, for example ventilation or the need of respiratory protection. Since this requires a specific competency, only accredited laboratories should be contracted. Regarding suitable methods to assess inhalation exposure, the European Standards EN 482, 689 and 14042 are to be considered. In addition, the TRGS 402 has to be observed in Germany.

25322-68-3: Polyethylene glycol

OEL 200 mg/m3 (TRGS 900 (DE)), Inhalable fraction

Ceiling limit value/factor: 2

If the occupational exposure limit value (AGW) and the biological limit value (BGW) are complied with, there should be no risk of damage for the unborn child (see TRGS 900, Number 2.7)

Short Term Exposure Classification: (TRGS 900 (DE)), Inhalable fraction

Category II: Substances with a resorptive effect

Components with PNEC

55965-84-9: reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3- one [EC no. 220-239-6] (3:1)

freshwater: 3,39 µg/l marine water: 3,39 µg/l

STP: 0,23 mg/l

sediment (freshwater): 0,027 mg/kg sediment (marine water): 0,027 mg/kg

soil: 0,01 mg/kg

soil

2634-33-5: 1,2-benzisothiazol-3(2H)-one

freshwater: 4,03 µg/l marine water: 0,403 µg/l

STP: 1,03 mg/l

sediment (freshwater): 0,0499 mg/kg sediment (marine water): 0,00499 mg/kg

soil: 3 mg/kg

soil

Components with DNEL

55965-84-9: reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3- one [EC no. 220-239-6] (3:1)

worker: Long-term exposure - local effects, Inhalation: 0,02 mg/m3 worker: Short-term exposure - local effects, Inhalation: 0,04 mg/m3 consumer: Long-term exposure - local effects, Inhalation: 0,02 mg/m3 consumer: Short-term exposure - local effects, Inhalation: 0,04 mg/m3 consumer: Long-term exposure- systemic effects, oral: 0,09 mg/kg consumer: Short-term exposure - systemic effects, oral: 0,11 mg/kg

Date / Revised: 25.08.2025 Version: 3.0
Date / Previous version: 24.04.2025 Previous version: 2.0

Product: FoamStar® ED 2528 EL

(ID no. 30833616/SDS_GEN_DE/EN)

Date of print 25.10.2025

2634-33-5: 1,2-benzisothiazol-3(2H)-one

worker: Long-term exposure- systemic effects, Inhalation: 6,81 mg/m3

Repeated dose toxicity

worker: Long-term exposure- systemic effects, dermal: 0,966 mg/kg

Repeated dose toxicity

worker: Long- and short-term exposure - local effects, dermal

High hazard (no threshold derived)

worker: Long- and short-term exposure - local effects, Eye

Medium hazard (no threshold derived)

consumer: Long-term exposure- systemic effects, Inhalation: 1,2 mg/m3

Repeated dose toxicity

consumer: Long-term exposure- systemic effects, dermal: 0,345 mg/kg

Repeated dose toxicity

consumer: Long- and short-term exposure - local effects, dermal

High hazard (no threshold derived)

consumer: Long- and short-term exposure - local effects, Eye

Medium hazard (no threshold derived)

8.2. Exposure controls

Personal protective equipment

Respiratory protection:

Respiratory protection not required.

Hand protection:

Chemical resistant protective gloves (EN ISO 374-1)

Suitable materials for short-term contact (recommended: At least protective index 2, corresponding > 30 minutes of permeation time according to EN ISO 374-1)

butyl rubber (butyl) - 0.7 mm coating thickness

nitrile rubber (NBR) - 0.4 mm coating thickness

Supplementary note: The specifications are based on tests, literature data and information of glove manufacturers or are derived from similar substances by analogy. Due to many conditions (e.g. temperature) it must be considered, that the practical usage of a chemical-protective glove in practice may be much shorter than the permeation time determined through testing. Manufacturer's directions for use should be observed because of great diversity of types.

Eve protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

General safety and hygiene measures

Handle in accordance with good industrial hygiene and safety practice. Wearing of closed work clothing is recommended.

to Regulation (EC) No 1907/2006.

Date / Revised: 25.08.2025 Version: 3.0 Date / Previous version: 24.04.2025 Previous version: 2.0

Product: FoamStar® ED 2528 EL

(ID no. 30833616/SDS_GEN_DE/EN)

Date of print 25.10.2025

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

State of matter: liquid

Form: emulsion, liquid

Colour: white

Odour: product specific

Odour threshold:

Not determined due to potential health hazard by inhalation.

0°C solidification temperature:

(1.013 hPa)

Information applies to the solvent.

100 °C boiling temperature: (other)

contains water

Flammability: not flammable (derived from flash - and boiling

point)

(DIN EN ISO 2555 (LV))

Lower explosion limit:

For liquids not relevant for classification and labelling., The lower explosion point may be 5 - 15

°C below the flash point.

Upper explosion limit:

For liquids not relevant for classification and labelling.

Flash point: > 100 °C (Unspecified)

Aqueous preparation

Auto-ignition temperature:

No data available. Thermal decomposition: No data available.

pH value:

1.500 - 3.000 mPa.s Viscosity, dynamic:

(23 °C)

Thixotropy: not thixotropic Solubility in water: dispersible Solubility (qualitative) solvent(s): alcohols Partitioning coefficient n-octanol/water (log Kow):

not applicable for mixtures

Vapour pressure:

not determined

Relative density:

No data available.

Density: 0,97 - 1,04 g/cm3 (ISO 2811-1)

(20 °C)

Relative vapour density (air):

No data available.

Particle characteristics

Particle size distribution: The substance / product is marketed or used in a non solid or granular

form. -

to Regulation (EC) No 1907/2006.

Date / Revised: 25.08.2025 Version: 3.0 Date / Previous version: 24.04.2025 Previous version: 2.0

Product: FoamStar® ED 2528 EL

(ID no. 30833616/SDS_GEN_DE/EN)

Date of print 25.10.2025

9.2. Other information

Information with regard to physical hazard classes

Explosives

Explosion hazard: not explosive

Oxidizing properties

Fire promoting properties: not fire-propagating

Self-heating substances and mixtures

Self heating ability: Study scientifically not justified.

Corrosion to metals

Corrosive effects to metal are not anticipated.

Other safety characteristics

Bulk density:

not applicable

Hygroscopy:

Non-hygroscopic

Surface tension:

No data available.

SAPT-Temperature:

Product does not fulfil criteria for polymerizing substances according to

transport regulations.

Evaporation rate:

No data available.

SECTION 10: Stability and Reactivity

10.1. Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Corrosion to metals: Corrosive effects to metal are not anticipated.

10.2. Chemical stability

The product is chemically stable.

10.3. Possibility of hazardous reactions

No hazardous reactions when stored and handled according to instructions.

10.4. Conditions to avoid

See SDS section 7 - Handling and storage.

Date / Revised: 25.08.2025 Version: 3.0
Date / Previous version: 24.04.2025 Previous version: 2.0

Product: FoamStar® ED 2528 EL

(ID no. 30833616/SDS_GEN_DE/EN)

Date of print 25.10.2025

10.5. Incompatible materials

Substances to avoid: strong oxidizing agents, strong reducing agents

10.6. Hazardous decomposition products

Hazardous decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated.

SECTION 11: Toxicological Information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Assessment of acute toxicity:

Virtually nontoxic after a single skin contact. Virtually nontoxic after a single ingestion. The product has not been tested. The statement has been derived from the properties of the individual components.

Experimental/calculated data:

ATE (oral): > 5.000 mg/kg (calculated)

The product has not been tested. The statement has been derived from the properties of the individual components.

ATE (dermal): > 5.000 mg/kg (calculated)

The product has not been tested. The statement has been derived from the properties of the individual components.

Irritation

Assessment of irritating effects:

Not irritating to eyes and skin.

Experimental/calculated data:

Skin corrosion/irritation

rabbit: non-irritant

The product has not been tested. The statement has been derived from the properties of the individual components.

Serious eye damage/irritation

rabbit: non-irritant

The product has not been tested. The statement has been derived from the properties of the individual components.

Respiratory/Skin sensitization

Assessment of sensitization:

A sensitizing effect on particularly sensitive individuals cannot be excluded. The product has not been tested. The statement has been derived from the properties of the individual components.

to Regulation (EC) No 1907/2006. Date / Revised: 25.08.2025

Date / Revised: 25.08.2025 Version: 3.0 Date / Previous version: 24.04.2025 Previous version: 2.0

Product: FoamStar® ED 2528 EL

(ID no. 30833616/SDS_GEN_DE/EN)

Date of print 25.10.2025

Germ cell mutagenicity

Assessment of mutagenicity:

Based on the ingredients, there is no suspicion of a mutagenic effect.

Carcinogenicity

Assessment of carcinogenicity:

The whole of the information assessable provides no indication of a carcinogenic effect.

Reproductive toxicity

Assessment of reproduction toxicity:

Based on the ingredients, there is no suspicion of a toxic effect on reproduction.

Developmental toxicity

Assessment of teratogenicity:

Based on the ingredients, there is no suspicion of a teratogenic effect.

Specific target organ toxicity (single exposure)

Remarks: No data available.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

The information available on the product provides no indication of toxicity on target organs after repeated exposure.

Aspiration hazard

No aspiration hazard expected.

Interactive effects

No data available.

11.2. Information on other hazards

Endocrine disrupting properties

Product does not contain a substance above legal limits included in the list established in accordance with Article 59(1) of Regulation (EC) No 1907/2006 for having endocrine disrupting properties or is identified to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

Date / Revised: 25.08.2025 Version: 3.0
Date / Previous version: 24.04.2025 Previous version: 2.0

Product: FoamStar® ED 2528 EL

(ID no. 30833616/SDS_GEN_DE/EN)

Date of print 25.10.2025

SECTION 12: Ecological Information

12.1. Toxicity

Toxicity to fish:

LC50 (96 h) > 100 mg/l, Fish (other)

The product has not been tested. The statement has been derived from the properties of the individual components.

Aquatic invertebrates: LC50 (48 h), daphnia (other) not determined

Aquatic plants:

EC50 (72 h), algae (other)

not determined

Microorganisms/Effect on activated sludge:

EC0 > 100 mg/l

The product has not been tested. The statement has been derived from the properties of the individual components.

Chronic toxicity to fish:

No data available.

Chronic toxicity to aquatic invertebrates:

No data available.

Assessment of terrestrial toxicity:

No data available concerning terrestrial toxicity.

12.2. Persistence and degradability

Assessment biodegradation and elimination (H2O):

Not readily biodegradable (by OECD criteria).

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

12.3. Bioaccumulative potential

Assessment bioaccumulation potential:

The product has not been tested.

Date / Revised: 25.08.2025 Version: 3.0
Date / Previous version: 24.04.2025 Previous version: 2.0

Product: FoamStar® ED 2528 EL

(ID no. 30833616/SDS_GEN_DE/EN)

Date of print 25.10.2025

12.4. Mobility in soil

Assessment transport between environmental compartments: Volatility: No data available.

12.5. Results of PBT and vPvB assessment

According to Annex XIII of Regulation (EC) No.1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH): The product does not contain a substance fulfilling the PBT (persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria.

12.6. Endocrine disrupting properties

Product does not contain a substance above legal limits included in the list established in accordance with Article 59(1) of Regulation (EC) No 1907/2006 for having endocrine disrupting properties or is identified to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

12.7. Other adverse effects

The product does not contain substances that are listed in Regulation (EU) 2024/590 on substances that deplete the ozone layer.

Additional information

Add. remarks environm. fate & pathway:

Treatment in biological waste water treatment plants has to be performed according to local and administrative regulations.

Other ecotoxicological advice:

Do not discharge product into the environment without control. The product has not been tested. The statement has been derived from the properties of the individual components.

SECTION 13: Disposal Considerations

13.1. Waste treatment methods

Must be disposed of or incinerated in accordance with local regulations.

Do not discharge into drains/surface waters/groundwater.

Contaminated packaging:

Uncontaminated packaging can be re-used. Packs that cannot be cleaned should be disposed of in the same manner as the contents.

to Regulation (EC) No 1907/2006.

Date / Revised: 25.08.2025 Version: 3.0 Date / Previous version: 24.04.2025 Previous version: 2.0

Product: FoamStar® ED 2528 EL

(ID no. 30833616/SDS_GEN_DE/EN)

Date of print 25.10.2025

SECTION 14: Transport Information

Land transport

ADR

Not classified as a dangerous good under transport regulations

UN number or ID number: Not applicable Not applicable UN proper shipping name: Transport hazard class(es): Not applicable Packing group: Not applicable Environmental hazards: Not applicable

Special precautions for

None known

user

RID

Not classified as a dangerous good under transport regulations

UN number or ID number: Not applicable UN proper shipping name: Not applicable Transport hazard class(es): Not applicable Packing group: Not applicable Environmental hazards: Not applicable None known Special precautions for

user

Inland waterway transport

ADN

Not classified as a dangerous good under transport regulations

UN number or ID number: Not applicable UN proper shipping name: Not applicable Transport hazard class(es): Not applicable Not applicable Packing group: Not applicable Environmental hazards: None known Special precautions for

user:

Transport in inland waterway vessel

Not evaluated

Sea transport

IMDG

Not classified as a dangerous good under transport regulations

UN number or ID number: Not applicable

to Regulation (EC) No 1907/2006.

Date / Revised: 25.08.2025 Version: 3.0 Date / Previous version: 24.04.2025 Previous version: 2.0

Product: FoamStar® ED 2528 EL

(ID no. 30833616/SDS_GEN_DE/EN)

Date of print 25.10.2025

UN proper shipping name:
Transport hazard class(es):
Packing group:
Environmental hazards:
Special precautions for

Not applicable
Not applicable
Not applicable
Not applicable
Not applicable

user

Air transport

IATA/ICAO

Not classified as a dangerous good under transport regulations

UN number or ID number:
UN proper shipping name:
Transport hazard class(es):
Packing group:
Environmental hazards:
Special precautions for

Not applicable
Not applicable
Not applicable
Not applicable
Not applicable
Not applicable

user

14.1. UN number or ID number

See corresponding entries for "UN number or ID number" for the respective regulations in the tables above.

14.2. UN proper shipping name

See corresponding entries for "UN proper shipping name" for the respective regulations in the tables above.

14.3. Transport hazard class(es)

See corresponding entries for "Transport hazard class(es)" for the respective regulations in the tables above.

14.4. Packing group

See corresponding entries for "Packing group" for the respective regulations in the tables above.

14.5. Environmental hazards

See corresponding entries for "Environmental hazards" for the respective regulations in the tables above.

14.6. Special precautions for user

See corresponding entries for "Special precautions for user" for the respective regulations in the tables above.

14.7. Maritime transport in bulk according to IMO instruments

Maritime transport in bulk is not intended.

Date / Revised: 25.08.2025 Version: 3.0
Date / Previous version: 24.04.2025 Previous version: 2.0

Product: FoamStar® ED 2528 EL

(ID no. 30833616/SDS_GEN_DE/EN)

Date of print 25.10.2025

SECTION 15: Regulatory Information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Prohibitions, Restrictions and Authorizations

Annex XVII of Regulation (EC) No 1907/2006: Number on List: 75

Hazardous Incident Ordinance (Germany):

Listed in above regulation: no

Classification applies for standard conditions of temperature and pressure.

Directive 2012/18/EU - Control of Major Accident Hazards involving dangerous substances (EU):

Listed in above regulation: no

Classification applies for standard conditions of temperature and pressure.

Classification according to 'TA-Luft' (Germany):

5.2.5 class I: Organic gases class I

0.10 %

reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H - isothiazol-3- one [EC no. 220-239-6] (3:1)

Water hazard class (§8/§10 AwSV (Self-classification of the mixture according to calculation method)): (1) Weakly water polluting.

German Regulation TA Luft (Technical Instruction on Air Quality Control, i.e. first Directive to the Federal Immission Control Ordinance)
Law on the Protection of Working Youth

15.2. Chemical Safety Assessment

Chemical Safety Assessment not required

SECTION 16: Other Information

Full text of the classifications, including the hazard classes and the hazard statements, if mentioned

in section 2 or 3:

Acute Tox. Acute toxicity
Skin Irrit. Skin irritation
Eye Dam. Serious eye damage

Skin Sens.

Aquatic Acute

Aquatic Chronic

Skin sensitization

Hazardous to the aquatic environment - acute

Hazardous to the aquatic environment - chronic

Skin Corr. Skin corrosion Eye Irrit. Eye irritation

H318 Causes serious eye damage.

H315 Causes skin irritation.

Date / Revised: 25.08.2025 Version: 3.0 Date / Previous version: 24.04.2025 Previous version: 2.0

Product: FoamStar® ED 2528 EL

(ID no. 30833616/SDS_GEN_DE/EN)

Date of print 25.10.2025

H330	Fatal if inhaled.
H302	Harmful if swallowed.
H317	May cause an allergic skin reaction.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H314	Causes severe skin burns and eye damage.
H301	Toxic if swallowed.
H310 + H330	Fatal in contact with skin or if inhaled.
EUH071	Corrosive to the respiratory tract.

Abbreviations

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road. ADN = The European Agreement concerning the International Carriage of Dangerous Goods by Inland waterways. ATE = Acute Toxicity Estimates. CAO = Cargo Aircraft Only. CAS = Chemical Abstract Service. CLP = Classification, Labelling and Packaging of substances and mixtures. DIN = German national organization for standardization. DNEL = Derived No Effect Level. EC50 = Effective concentration median for 50% of the population. EC = European Community. EN = European Standards. IARC = International Agency for Research on Cancer. IATA = International Air Transport Association. IBC-Code = Intermediate Bulk Container code. IMDG = International Maritime Dangerous Goods Code. ISO = International Organization for Standardization. STEL = Short-Term Exposure Limit, LC50 = Lethal concentration median for 50% of the population. LD50 = Lethal dose median for 50% of the population. TLV = Threshold Limit Value. MARPOL = The International Convention for the Prevention of Pollution from Ships. NEN = Dutch Norm. NOEC = No Observed Effect Concentration. OEL = Occupational Exposure Limit. OECD = Organization for Economic Cooperation and Development. PBT = Persistent, Bioaccumulative and Toxic. PNEC = Predicted No Effect Level. PPM = Parts per million. RID = The European Agreement concerning the International Carriage of Dangerous Goods by Rail. TWA = Time Weight Average. UN-number = UN number at transport. vPvB = very Persistent and very Bioaccumulative.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Vertical lines in the left hand margin indicate an amendment from the previous version.