

# Safety data sheet

Page: 1/13

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time.

Date / Revised: 06.11.2023

Version: 10.0

Date previous version: 08.01.2023

Previous version: 9.0

Date / First version: 20.05.2003

Product: **Kollidon® 90 F**

(ID no. 30034978/SDS\_GEN\_GB/EN)

Date of print 07.10.2025

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

#### **Kollidon® 90 F**

Chemical name: Polyvinylpyrrolidone

CAS Number: 9003-39-8

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: pharmaceutical excipient

### 1.3. Details of the supplier of the safety data sheet

Company:

BASF SE  
67056 Ludwigshafen  
GERMANY

Contact address:

BASF plc  
4th and 5th Floors, 2 Stockport Exchange  
Railway Road, Stockport, SK1 3GG  
UNITED KINGDOM

Telephone: +44 161 475 3000

E-mail address: product-safety-uk-and-ireland@basf.com

### 1.4. Emergency telephone number

International emergency number:

Telephone: +49 180 2273-112

## SECTION 2: Hazards Identification

### 2.1. Classification of the substance or mixture

According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time.

Date / Revised: 06.11.2023

Version: 10.0

Date previous version: 08.01.2023

Previous version: 9.0

Date / First version: 20.05.2003

Product: **Kollidon® 90 F**

(ID no. 30034978/SDS\_GEN\_GB/EN)

Date of print 07.10.2025

No need for classification according to GHS criteria for this product.

## 2.2. Label elements

According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

The product does not require a hazard warning label in accordance with GHS criteria.

## 2.3. Other hazards

According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

The product is under certain conditions capable of dust explosion.

The product does not contain a substance fulfilling the PBT (persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria.

---

## SECTION 3: Composition/Information on Ingredients

### 3.1. Substances

Chemical nature

2-Pyrrolidinone, 1-ethenyl-, homopolymer  
CAS Number: 9003-39-8

### 3.2. Mixtures

Not applicable

---

## SECTION 4: First-Aid Measures

### 4.1. Description of first aid measures

Remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air.

On skin contact:

Wash thoroughly with soap and water

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open.

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time.

Date / Revised: 06.11.2023

Version: 10.0

Date previous version: 08.01.2023

Previous version: 9.0

Date / First version: 20.05.2003

Product: **Kollidon® 90 F**

(ID no. 30034978/SDS\_GEN\_GB/EN)

Date of print 07.10.2025

On ingestion:

Rinse mouth and then drink 200-300 ml of water.

#### **4.2. Most important symptoms and effects, both acute and delayed**

Symptoms: (Further) symptoms and / or effects are not known so far

Hazards: No hazards anticipated.

#### **4.3. Indication of any immediate medical attention and special treatment needed**

Treatment: Symptomatic treatment (decontamination, vital functions).

---

## **SECTION 5: Fire-Fighting Measures**

### **5.1. Extinguishing media**

Suitable extinguishing media:

foam, water spray, dry powder

### **5.2. Special hazards arising from the substance or mixture**

Endangering substances: harmful vapours, carbon oxides, nitrogen oxides

Advice: The substances/groups of substances mentioned can be released in case of fire. Dust explosion hazard.

### **5.3. Advice for fire-fighters**

Special protective equipment:

Wear a self-contained breathing apparatus.

Further information:

Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

---

## **SECTION 6: Accidental Release Measures**

Avoid the formation and build-up of dust - danger of dust explosion.

### **6.1. Personal precautions, protective equipment and emergency procedures**

Avoid dust formation. Use personal protective clothing. Information regarding personal protective measures, see section 8.

### **6.2. Environmental precautions**

Do not discharge into drains/surface waters/groundwater.

### **6.3. Methods and material for containment and cleaning up**

For small amounts: Pick up with suitable appliance and dispose of.

For large amounts: Sweep/shovel up.

Dispose of absorbed material in accordance with regulations. Avoid raising dust.

### **6.4. Reference to other sections**

Information regarding exposure controls/personal protection and disposal considerations can be found in section 8 and 13.

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time.

Date / Revised: 06.11.2023

Version: 10.0

Date previous version: 08.01.2023

Previous version: 9.0

Date / First version: 20.05.2003

Product: **Kollidon® 90 F**

(ID no. 30034978/SDS\_GEN\_GB/EN)

Date of print 07.10.2025

---

## SECTION 7: Handling and Storage

### 7.1. Precautions for safe handling

Avoid dust formation. Provide exhaust ventilation if dust is formed.

Protection against fire and explosion:

The product is capable of dust explosion. Avoid dust formation. Prevent electrostatic charge - sources of ignition should be kept well clear - fire extinguishers should be kept handy. Use explosion-proof apparatus and fittings.

### 7.2. Conditions for safe storage, including any incompatibilities

Further information on storage conditions: Containers should be stored tightly sealed in a dry place. Protect against heat.

Storage stability:

No specific storage temperature necessary.

### 7.3. Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

---

## SECTION 8: Exposure Controls/Personal Protection

### 8.1. Control parameters

Components with occupational exposure limits

| No substance specific occupational exposure limits known.

### 8.2. Exposure controls

Personal protective equipment

Respiratory protection:

Breathing protection if breathable aerosols/dust are formed. Particle filter with low efficiency for solid particles (e.g. EN 143 or 149, Type P1 or FFP1)

Hand protection:

Wear chemical resistant protective gloves.

Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:

Body protection must be chosen based on level of activity and exposure.

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time.

Date / Revised: 06.11.2023

Version: 10.0

Date previous version: 08.01.2023

Previous version: 9.0

Date / First version: 20.05.2003

Product: **Kollidon® 90 F**

(ID no. 30034978/SDS\_GEN\_GB/EN)

Date of print 07.10.2025

#### General safety and hygiene measures

Handle in accordance with good industrial hygiene and safety practice. Wearing of closed work clothing is recommended. No eating, drinking, smoking or tobacco use at the place of work. Hands and/or face should be washed before breaks and at the end of the shift. Store work clothing separately.

## SECTION 9: Physical and Chemical Properties

### 9.1. Information on basic physical and chemical properties

Form:	powder	
Colour:	white to cream	
Odour:	almost odourless	
Odour threshold:	not determined	
pH value:	5.0 - 9.0 (water, 10 %(m), 20 °C)	(Ph. Eur. 2.2.3)
melting range:	>= 130 °C The substance / product decomposes.	
Boiling point:	The product is a non-volatile solid.	
Flash point:	not applicable	
Evaporation rate:	The product is a non-volatile solid.	
Flammability:	not highly flammable	(other)
Lower explosion limit:	50 g/m3 For solids not relevant for classification and labelling.	(air)
Upper explosion limit:	For solids not relevant for classification and labelling.	
Ignition temperature:	425 °C	(DIN 51794)
Vapour pressure:	not applicable	
Density:	1.2 g/cm3 (20 °C)	
Relative density:	No data available.	
Relative vapour density (air):	The product is a non-volatile solid.	
Solubility in water:	> 270 g/l (23 °C)	
Solubility (qualitative) solvent(s):	organic solvents soluble	
Partitioning coefficient n-octanol/water (log Kow):	not determined	

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time.

Date / Revised: 06.11.2023

Version: 10.0

Date previous version: 08.01.2023

Previous version: 9.0

Date / First version: 20.05.2003

Product: **Kollidon® 90 F**

(ID no. 30034978/SDS\_GEN\_GB/EN)

Date of print 07.10.2025

*Information on: Polyvinylpyrrolidone*

*Partitioning coefficient n-octanol/water (log Kow): -3.4*

Self ignition: not self-igniting

Thermal decomposition: 425 °C

It is not a self-decompositionable substance.

Viscosity, dynamic: 10,000 - 30,000 mPa.s (DIN EN ISO 2555 (RVT))  
(20 %(m), 23 °C)

Explosion hazard: Product is not explosive, however a dust explosion could result from an air / dust mixture.

Fire promoting properties: not fire-propagating

## 9.2. Other information

Self heating ability: It is a substance capable of spontaneous heating according to UN transport regulations class 4.2. Based on test results packaging < 3m³ are exempted from the classification. (UN Test N.4 (self heating substances))

SADT: Not a substance liable to self-decomposition according to UN transport regulations, class 4.1.

Bulk density: approx. 400 - 600 kg/m³ (DIN EN ISO 60)

Miscibility with water: soluble

## SECTION 10: Stability and Reactivity

### 10.1. Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Corrosion to metals: Corrosive effects to metal are not anticipated.

### 10.2. Chemical stability

The product is stable if stored and handled as prescribed/indicated.

### 10.3. Possibility of hazardous reactions

Dust explosion hazard.

### 10.4. Conditions to avoid

Avoid dust formation. Avoid electro-static charge. Avoid all sources of ignition: heat, sparks, open flame. See SDS section 7 - Handling and storage.

### 10.5. Incompatible materials

Substances to avoid:

No substances known that should be avoided.

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time.

Date / Revised: 06.11.2023

Version: 10.0

Date previous version: 08.01.2023

Previous version: 9.0

Date / First version: 20.05.2003

Product: **Kollidon® 90 F**

(ID no. 30034978/SDS\_GEN\_GB/EN)

Date of print 07.10.2025

## 10.6. Hazardous decomposition products

Hazardous decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated.

---

## SECTION 11: Toxicological Information

### 11.1. Information on toxicological effects

#### Acute toxicity

Assessment of acute toxicity:

Virtually nontoxic after a single ingestion. Virtually nontoxic by inhalation.

Experimental/calculated data:

LD50 rat (oral): > 2,000 mg/kg (BASF-Test)

LC50 rat (by inhalation): > 5.2 mg/l 4 h (OECD Guideline 403)

#### Irritation

Assessment of irritating effects:

Not irritating to eyes and skin.

Experimental/calculated data:

Skin corrosion/irritation

rabbit: non-irritant (Draize test)

Serious eye damage/irritation

rabbit: non-irritant (Draize test)

#### Respiratory/Skin sensitization

No data available.

#### Germ cell mutagenicity

Assessment of mutagenicity:

The substance was not mutagenic in studies with mammals.

#### Carcinogenicity

Assessment of carcinogenicity:

In long-term animal studies in which the substance was given in high doses by feed, a carcinogenic effect was not observed.

#### Reproductive toxicity

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time.

Date / Revised: 06.11.2023

Version: 10.0

Date previous version: 08.01.2023

Previous version: 9.0

Date / First version: 20.05.2003

Product: **Kollidon® 90 F**

(ID no. 30034978/SDS\_GEN\_GB/EN)

Date of print 07.10.2025

Assessment of reproduction toxicity:

Not expected to cause reproductive toxicity (based on composition).

#### Developmental toxicity

Assessment of teratogenicity:

No indications of a developmental toxic / teratogenic effect were seen in animal studies.

#### Specific target organ toxicity (single exposure)

Assessment of STOT single:

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

#### Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

None known

#### Aspiration hazard

No aspiration hazard expected.

---

## SECTION 12: Ecological Information

### 12.1. Toxicity

Assessment of aquatic toxicity:

There is a high probability that the product is not acutely harmful to aquatic organisms. The inhibition of the degradation activity of activated sludge is not anticipated when introduced to biological treatment plants in appropriate low concentrations.

Toxicity to fish:

LC50 (96 h) > 10,000 mg/l, *Leuciscus idus* (DIN 38412 Part 15, static)

Microorganisms/Effect on activated sludge:

EC20 (0.5 h) > 1,995 mg/l, activated sludge, industrial (OECD Guideline 209, aerobic)

### 12.2. Persistence and degradability

Assessment biodegradation and elimination (H<sub>2</sub>O):

Poorly eliminated from water.

*Information on: 2-Pyrrolidinone, 1-ethenyl-, homopolymer*

*Elimination information:*

*< 10 % DOC reduction (15 d) (OECD Guideline 302 B) (aerobic, activated sludge, industrial) Poorly eliminated from water.*



BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time.

Date / Revised: 06.11.2023

Version: 10.0

Date previous version: 08.01.2023

Previous version: 9.0

Date / First version: 20.05.2003

Product: **Kollidon® 90 F**

(ID no. 30034978/SDS\_GEN\_GB/EN)

Date of print 07.10.2025

---

### 12.3. Bioaccumulative potential

Bioaccumulation potential:

Based on its structural properties, the polymer is not biologically available. Accumulation in organisms is not to be expected.

### 12.4. Mobility in soil

Assessment transport between environmental compartments:

Adsorption in soil: No data available.

### 12.5. Results of PBT and vPvB assessment

According to Regulation (EC) No.453/2010: The product does not fulfill the criteria for PBT (Persistent/bioaccumulative/toxic) and vPvB (very persistent/very bioaccumulative).

### 12.6. Other adverse effects

The substance is not listed in Regulation (EC) 1005/2009 on substances that deplete the ozone layer.

### 12.7. Additional information

Other ecotoxicological advice:

Ecological data are determined by analogy.

---

## SECTION 13: Disposal Considerations

### 13.1. Waste treatment methods

The UK Environmental Protection (Duty of Care) Regulations (EP) and amendments should be noted (United Kingdom).

Must be sent to a suitable incineration plant, observing local regulations.

A waste code in accordance with the European waste catalog (EWC) cannot be specified, due to dependence on the usage.

Observe national and local legal requirements.

Contaminated packaging:

Uncontaminated packaging can be re-used.

Packs that cannot be cleaned should be disposed of in the same manner as the contents.

---

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time.

Date / Revised: 06.11.2023

Version: 10.0

Date previous version: 08.01.2023

Previous version: 9.0

Date / First version: 20.05.2003

Product: **Kollidon® 90 F**

(ID no. 30034978/SDS\_GEN\_GB/EN)

Date of print 07.10.2025

## SECTION 14: Transport Information

### Land transport

#### ADR

UN number or ID number: UN3088  
UN proper shipping name: SELF-HEATING SOLID, ORGANIC, N.O.S. (contains 1-ETHENYL-2-PYRROLIDINONE, HOMOPOLYMER)  
Transport hazard class(es): 4.2  
Packing group: III  
Environmental hazards: no  
Special precautions for user: Tunnel code: E  
Not dangerous goods of class 4.2 in packages up to 3000 litres capacity.

#### RID

UN number or ID number: UN3088  
UN proper shipping name: SELF-HEATING SOLID, ORGANIC, N.O.S. (contains 1-ETHENYL-2-PYRROLIDINONE, HOMOPOLYMER)  
Transport hazard class(es): 4.2  
Packing group: III  
Environmental hazards: no  
Special precautions for user: Not dangerous goods of class 4.2 in packages up to 3000 litres capacity.

### Inland waterway transport

#### ADN

UN number or ID number: UN3088  
UN proper shipping name: SELF-HEATING SOLID, ORGANIC, N.O.S. (contains 1-ETHENYL-2-PYRROLIDINONE, HOMOPOLYMER)  
Transport hazard class(es): 4.2  
Packing group: III  
Environmental hazards: no  
Special precautions for user: Not dangerous goods of class 4.2 in packages up to 3000 litres capacity.

### Transport in inland waterway vessel

Not evaluated

### Sea transport

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time.

Date / Revised: 06.11.2023

Version: 10.0

Date previous version: 08.01.2023

Previous version: 9.0

Date / First version: 20.05.2003

Product: **Kollidon® 90 F**

(ID no. 30034978/SDS\_GEN\_GB/EN)

Date of print 07.10.2025

## IMDG

UN number or ID number:	UN 3088
UN proper shipping name:	SELF-HEATING SOLID, ORGANIC, N.O.S. (contains 1-ETHENYL-2-PYRROLIDINONE, HOMOPOLYMER)
Transport hazard class(es):	4.2
Packing group:	III
Environmental hazards:	no
	Marine pollutant: NO
Special precautions for user:	Not dangerous goods of class 4.2 in packages up to 3000 litres capacity.

## Air transport

### IATA/ICAO

UN number or ID number:	UN 3088
UN proper shipping name:	SELF-HEATING SOLID, ORGANIC, N.O.S. (contains 1-ETHENYL-2-PYRROLIDINONE, HOMOPOLYMER)
Transport hazard class(es):	4.2
Packing group:	III
Environmental hazards:	No Mark as dangerous for the environment is needed
Special precautions for user:	Not dangerous goods of class 4.2 in packages up to 3000 litres capacity.

### 14.1. UN number or ID number

See corresponding entries for "UN number or ID number" for the respective regulations in the tables above.

### 14.2. UN proper shipping name

See corresponding entries for "UN proper shipping name" for the respective regulations in the tables above.

### 14.3. Transport hazard class(es)

See corresponding entries for "Transport hazard class(es)" for the respective regulations in the tables above.

### 14.4. Packing group

See corresponding entries for "Packing group" for the respective regulations in the tables above.

### 14.5. Environmental hazards

See corresponding entries for "Environmental hazards" for the respective regulations in the tables above.

### 14.6. Special precautions for user

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time.

Date / Revised: 06.11.2023

Version: 10.0

Date previous version: 08.01.2023

Previous version: 9.0

Date / First version: 20.05.2003

Product: **Kollidon® 90 F**

(ID no. 30034978/SDS\_GEN\_GB/EN)

Date of print 07.10.2025

See corresponding entries for "Special precautions for user" for the respective regulations in the tables above.

#### **14.7. Maritime transport in bulk according to IMO instruments**

Maritime transport in bulk is not intended.

#### **Further information**

Not dangerous goods of class 4.2 in packages up to 3000 litres capacity.

This product is subject to the most recent edition of "The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations" and their amendments (United Kingdom).

---

### **SECTION 15: Regulatory Information**

#### **15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

Directive 2012/18/EU - Control of Major Accident Hazards involving dangerous substances (EU):  
Listed in above regulation: no

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

The data should be considered when making any assessment under the Control of Substances Hazardous to Health Regulations (COSHH), and related guidance, for example, 'COSHH Essentials' (United Kingdom).

The product contains a substance (Schedule 1A) regulated under United Kingdom Poisons Act 1972. This may result in obligations for your company according to the statutory requirements of the aforementioned regulation and the respective national implementing regulations.

#### **15.2. Chemical Safety Assessment**

Chemical Safety Assessment not required

---

### **SECTION 16: Other Information**

Any other intended applications should be discussed with the manufacturer. Corresponding occupational protection measurements must be followed.

#### **Abbreviations**

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road.  
ADN = The European Agreement concerning the International Carriage of Dangerous Goods by Inland waterways. ATE = Acute Toxicity Estimates. CAO = Cargo Aircraft Only. CAS = Chemical Abstract Service. CLP = Classification, Labelling and Packaging of substances and mixtures. DIN = German national organization for standardization. DNEL = Derived No Effect Level. EC50 = Effective concentration median for 50% of the population. EC = European Community. EN = European Standards.

---

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time.

Date / Revised: 06.11.2023

Version: 10.0

Date previous version: 08.01.2023

Previous version: 9.0

Date / First version: 20.05.2003

Product: **Kollidon® 90 F**

(ID no. 30034978/SDS\_GEN\_GB/EN)

Date of print 07.10.2025

---

IARC = International Agency for Research on Cancer. IATA = International Air Transport Association. IBC-Code = Intermediate Bulk Container code. IMDG = International Maritime Dangerous Goods Code. ISO = International Organization for Standardization. STEL = Short-Term Exposure Limit. LC50 = Lethal concentration median for 50% of the population. LD50 = Lethal dose median for 50% of the population. TLV = Threshold Limit Value. MARPOL = The International Convention for the Prevention of Pollution from Ships. NEN = Dutch Norm. NOEC = No Observed Effect Concentration. OEL = Occupational Exposure Limit. OECD = Organization for Economic Cooperation and Development. PBT = Persistent, Bioaccumulative and Toxic. PNEC = Predicted No Effect Level. PPM = Parts per million. RID = The European Agreement concerning the International Carriage of Dangerous Goods by Rail. TWA = Time Weight Average. UN-number = UN number at transport. vPvB = very Persistent and very Bioaccumulative.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

---

Vertical lines in the left hand margin indicate an amendment from the previous version.