

# Safety data sheet

Page: 1/12

BASF Safety data sheet according to the United Nations' Globally Harmonized System (UN GHS)

Date / Revised: 25.08.2025 Version: 3.0

Product: Styrofan® D 422

(ID no. 30041944/SDS\_GEN\_00/EN)

Date of print 12.10.2025

### 1. Identification

**Product identifier** 

## Styrofan® D 422

### Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Raw material, for industrial use only

### Details of the supplier of the safety data sheet

Company:
BASF SE
67056 Ludwigshafen
GERMANY
Regional Business Unit Dispersions Europe

Telephone: +49 621 60-0

E-mail address: ed-psr@basf.com

### **Emergency telephone number**

International emergency number: Telephone: +49 180 2273-112

### 2. Hazards Identification

### Classification of the substance or mixture

According to UN GHS criteria

Date / Revised: 25.08.2025 Version: 3.0

Product: Styrofan® D 422

(ID no. 30041944/SDS\_GEN\_00/EN)

Date of print 12.10.2025

No need for classification according to GHS criteria for this product.

### **Label elements**

Globally Harmonized System (GHS)

The product does not require a hazard warning label in accordance with GHS criteria.

### 3. Composition/Information on Ingredients

#### **Substances**

Not applicable

### **Mixtures**

### Chemical nature

Aqueous dispersion of a polymer based on: Styrene, Buta-1,3-diene

#### Hazardous ingredients (GHS)

According to UN GHS criteria

Phenol, 4-methyl-, reaction products with dicyclopentadiene and isobutylene

Content (W/W): <= 0,5 % Skin Sens. 1B
CAS Number: 68610-51-5 Repr. 2 (unborn child)
EC-Number: 271-867-2 Aquatic Chronic 4
H317, H361, H413

<u>Hazardous ingredients (GHS)</u> According to UN GHS criteria

mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one

Date / Revised: 25.08.2025 Version: 3.0

Product: Styrofan® D 422

(ID no. 30041944/SDS\_GEN\_00/EN)

Date of print 12.10.2025

Content (W/W): < 15 PPM CAS Number: 55965-84-9 INDEX-Number: 613-167-00-5 Acute Tox. 3 (oral)

Acute Tox. 2 (Inhalation - mist)

Acute Tox. 2 (dermal) Skin Corr./Irrit. 1C Eye Dam./Irrit. 1 Skin Sens. 1A Aquatic Acute 1 Aquatic Chronic 1 M-factor acute: 100

M-factor chronic: 100

H301, H317, H314, H310 + H330, H400, H410

EUH071

Specific concentration limit: Skin Corr./Irrit. 1C: >= 0,6 % Skin Sens. 1A: >= 0,0015 % Eye Dam./Irrit. 1: >= 0,6 % Skin Corr./Irrit. 2: 0,06 - < 0,6 % Eye Dam./Irrit. 2: 0,06 - < 0,6 %

For the classifications not written out in full in this section the full text can be found in section 16.

### 4. First-Aid Measures

### **Description of first aid measures**

Remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

On skin contact:

Wash thoroughly with soap and water

On contact with eyes:

Immediately wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion:

Rinse mouth and then drink 200-300 ml of water. Do not induce vomiting unless told to by a poison control center or doctor.

### Most important symptoms and effects, both acute and delayed

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11.

Hazards: No hazards anticipated.

Date / Revised: 25.08.2025 Version: 3.0

Product: Styrofan® D 422

(ID no. 30041944/SDS\_GEN\_00/EN)

Date of print 12.10.2025

### Indication of any immediate medical attention and special treatment needed

Treatment: Symptomatic treatment (decontamination, vital functions).

### 5. Fire-Fighting Measures

### **Extinguishing media**

Suitable extinguishing media: water spray, dry powder, foam, carbon dioxide

### Special hazards arising from the substance or mixture

No particular hazards known.

### Advice for fire-fighters

Special protective equipment:

No data available.

Further information:

Dispose of fire debris and contaminated extinguishing water in accordance with official regulations. Product itself is non-combustible; fire extinguishing method of surrounding areas must be considered.

### 6. Accidental Release Measures

### Personal precautions, protective equipment and emergency procedures

Use personal protective clothing. Avoid contact with skin and eyes.

#### **Environmental precautions**

Do not release untreated into natural waters.

### Methods and material for containment and cleaning up

For small amounts: Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose

binder, kieselguhr). Dispose of absorbed material in accordance with regulations.

For large amounts: Pump off product.

### 7. Handling and Storage

### Precautions for safe handling

Handle in accordance with good industrial hygiene and safety practice. After long storage, slight quantities of carbon monoxide may be formed. To our best knowledge, the occupational exposure limit (OEL) is not exceeded during use. Entering of tanks must only be performed after intensive cleaning and when it is ensured that residual vapours have been removed. Consideration of national laws and international standards for confined space entry should be taken in to account. In case of doubt, the concentration of Carbon monoxide must be determined.

Date / Revised: 25.08.2025 Version: 3.0

Product: Styrofan® D 422

(ID no. 30041944/SDS\_GEN\_00/EN)

Date of print 12.10.2025

### Conditions for safe storage, including any incompatibilities

Further information on storage conditions: Store protected against freezing.

Protect from temperatures below: 5 °C Protect from temperatures above: 60 °C

### Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

### 8. Exposure Controls/Personal Protection

### **Control parameters**

Components with occupational exposure limits

55965-84-9: mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one

### **Exposure controls**

### Personal protective equipment

#### Hand protection:

Suitable chemical resistant safety gloves (EN ISO 374-1) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc. Supplementary note: The specifications are based on tests, literature data and information of glove manufacturers or are derived from similar substances by analogy. Due to many conditions (e.g. temperature) it must be considered, that the practical usage of a chemical-protective glove in practice may be much shorter than the permeation time determined through testing.

### Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

### General safety and hygiene measures

Hands and/or face should be washed before breaks and at the end of the shift. Avoid contact with skin and eyes.

### 9. Physical and Chemical Properties

### 9.1. Information on basic physical and chemical properties

State of matter: liquid

Form: liquid, dispersion

Colour: white Odour: aromatic

Odour threshold:

No data available.

Information on: Water

Date / Revised: 25.08.2025 Version: 3.0

Product: Styrofan® D 422

(ID no. 30041944/SDS\_GEN\_00/EN)

Date of print 12.10.2025

0°C Melting point:

Information on: Water

100 °C Boiling point:

Flammability: not flammable (derived from flash - and boiling

point)

Lower explosion limit:

For liquids not relevant for classification and labelling.

Upper explosion limit:

For liquids not relevant for classification and labelling.

Flash point:

not applicable

Auto-ignition temperature:

No data available.

Thermal decomposition: No decomposition if used correctly.

pH value: 7,3 - 8,3(DIN ISO 976) Viscosity, dynamic: 30 - 150 mPa.s (DIN EN ISO 3219)

(23 °C, 100 1/s)

60 - 300 mPa.s (DIN EN ISO 2555 (RVT))

(23 °C)

Solubility in water: partly soluble

(15 °C)

Solubility (qualitative):

No data available.

Partitioning coefficient n-octanol/water (log Kow):

No data available.

Information on: Water

23,4 hPa Vapour pressure:

(20 °C)

Literature data.

Relative density:

No data available.

Density: approx. 1,01 g/cm3 (ISO 2811-1)

(20 °C)

Relative vapour density (air):

Water content greater than 10%.

### 9.2. Other information

### Information with regard to physical hazard classes

**Explosives** 

Explosion hazard: not explosive

Oxidizing properties

Fire promoting properties: not fire-propagating

Self-heating substances and mixtures

Self heating ability: It is not a substance capable of

spontaneous heating.

#### Other safety characteristics

Miscibility with water:

miscible

Solids content: 49,0 - 51,0 % (DIN EN ISO 3251)

Date / Revised: 25.08.2025 Version: 3.0

Product: **Styrofan® D 422** 

(ID no. 30041944/SDS\_GEN\_00/EN)

Date of print 12.10.2025

Other Information:

SAPT-Temperature:

Range of particle size: < 0,1 μm - 10 μm

Product does not fulfil criteria for polymerizing substances according to

transport regulations.

### 10. Stability and Reactivity

### Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Reactions with water/air:	Reaction with:	air
	Flammable gases:	no
	Toxic gases:	no
	Corrosive gases:	no
	Smoke or fog:	no
	Peroxides:	no

### **Chemical stability**

The product is stable if stored and handled as prescribed/indicated.

Peroxides: The product does not contain peroxides. The product/the substance has

not a tendency towards the formation of peroxide.

### Possibility of hazardous reactions

No hazardous reactions when stored and handled according to instructions. After long storage, slight quantities of carbon monoxide may be formed.

### **Conditions to avoid**

Avoid extreme temperatures.

### Incompatible materials

Substances to avoid:

No substances known that should be avoided.

### **Hazardous decomposition products**

.

No hazardous decomposition products if stored and handled as prescribed/indicated.

### 11. Toxicological Information

### Information on toxicological effects

Acute toxicity

Date / Revised: 25.08.2025 Version: 3.0

Product: Styrofan® D 422

(ID no. 30041944/SDS\_GEN\_00/EN)

Date of print 12.10.2025

#### Assessment of acute toxicity:

Virtually nontoxic after a single ingestion. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

#### Experimental/calculated data:

LD50 rat (oral): > 2.000 - 10.000 mg/kg

#### Irritation

#### Assessment of irritating effects:

If the product adheres to skin, irritation may occur when it dries.

Not irritating to the eyes. Not irritating to the skin. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

### Experimental/calculated data:

Skin corrosion/irritation rabbit: non-irritant (OECD Guideline 404)

Serious eye damage/irritation rabbit: non-irritant (OECD Guideline 405)

#### Respiratory/Skin sensitization

#### Assessment of sensitization:

Skin sensitizing effects were not observed in animal studies. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

#### Germ cell mutagenicity

#### Assessment of mutagenicity:

The substance was not mutagenic in bacteria. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

### Carcinogenicity

### Assessment of carcinogenicity:

The whole of the information assessable provides no indication of a carcinogenic effect.

### Developmental toxicity

#### Assessment of teratogenicity:

The data available for an assessment of the effect of the substance on developmental toxicity are not sufficient for a proper evaluation.

### Specific target organ toxicity (single exposure)

#### Assessment of STOT single:

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

#### Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

Date / Revised: 25.08.2025 Version: 3.0

Product: Styrofan® D 422

(ID no. 30041944/SDS\_GEN\_00/EN)

Date of print 12.10.2025

No adverse effects were observed after repeated inhalative exposure in animal studies. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

### **Aspiration hazard**

not applicable

#### Other relevant toxicity information

Based on our experience and the information available, no adverse health effects are expected if handled as recommended with suitable precautions for designated uses. The statement was derived from products of similar composition.

### 12. Ecological Information

### **Toxicity**

Toxicity to fish:

LC50 (96 h) > 100 mg/l, Brachydanio rerio (OECD Guideline 203, static)

Aquatic invertebrates:

EC50 (48 h) > 100 mg/l, Daphnia magna (OECD Guideline 202, part 1, static)

Aquatic plants:

EC50 (72 h) > 100 mg/l, Scenedesmus subspicatus (OECD Guideline 201)

Nominal concentration.

Microorganisms/Effect on activated sludge:

EC20 (0,5 h) > 100 mg/l, activated sludge, domestic (DIN EN ISO 8192-OECD 209-88/302/EEC,P. C)

The inhibition of the degradation activity of activated sludge is not anticipated when introduced to biological treatment plants in appropriate low concentrations.

### Persistence and degradability

Assessment biodegradation and elimination (H2O):

The product can be virtually eliminated from water by abiotic processes e.g. adsorption onto activated sludge.

Elimination information:

> 70 % DOC reduction (OECD 302B; ISO 9888; 88/302/EWG, Teil C) Easily eliminated from water.

#### **Bioaccumulative potential**

Bioaccumulation potential:

Based on its structural properties, the polymer is not biologically available. Accumulation in organisms is not to be expected.

Page: 10/12

Safety data sheet according to the United Nations' Globally Harmonized System (UN GHS)

Date / Revised: 25.08.2025 Version: 3.0

Product: Styrofan® D 422

(ID no. 30041944/SDS\_GEN\_00/EN)

Date of print 12.10.2025

### Mobility in soil

Assessment transport between environmental compartments: Volatility: No data available.

### Other adverse effects

The product does not contain substances that are listed in the Montreal Protocol on substances that deplete the ozone layer.

#### **Additional information**

Adsorbable organically-bound halogen (AOX):

No data available.

Other ecotoxicological advice:

Do not release untreated into natural waters. At the present state of knowledge, no negative ecological effects are expected.

Ecological data are determined by analogy.

### 13. Disposal Considerations

#### Waste treatment methods

Must be disposed of or incinerated in accordance with local regulations.

Do not discharge into drains/surface waters/groundwater.

A waste code in accordance with the European waste catalog (EWC) cannot be specified, due to dependence on the usage.

Observe national and local legal requirements.

### 14. Transport Information

### **Land transport**

**ADR** 

Not classified as a dangerous good under transport regulations

UN number or ID number:
UN proper shipping name:
Transport hazard class(es):
Packing group:
Environmental hazards:
Special precautions for

Not applicable
Not applicable
Not applicable
Not applicable
Not applicable

user

RID

Date / Revised: 25.08.2025 Version: 3.0

Product: Styrofan® D 422

(ID no. 30041944/SDS\_GEN\_00/EN)

Date of print 12.10.2025

Not classified as a dangerous good under transport regulations

UN number or ID number:
UN proper shipping name:
Transport hazard class(es):
Packing group:
Not applicable
Not applicable
Not applicable
Not applicable
Not applicable

Special precautions for

user

Not applicable None known

#### **Inland waterway transport**

ADN

Not classified as a dangerous good under transport regulations

UN number or ID number:
UN proper shipping name:
Transport hazard class(es):
Packing group:
Not applicable
Not applicable
Not applicable
Not applicable
Not applicable

Special precautions for

user:

Not applicable None known

### Transport in inland waterway vessel

Not evaluated

### Sea transport

**IMDG** 

Not classified as a dangerous good under transport regulations

UN number or ID number:
UN proper shipping name:
Transport hazard class(es):
Packing group:
Environmental hazards:
Special precautions for

Not applicable
Not applicable
Not applicable
Not applicable
Not applicable

user

### Air transport

#### IATA/ICAO

Not classified as a dangerous good under transport regulations

UN number or ID number
UN proper shipping name:
Transport hazard class(es):
Packing group:
Environmental hazards:
Special precautions for

Not applicable
Not applicable
Not applicable
Not applicable
Not applicable
Not applicable

user

Date / Revised: 25.08.2025 Version: 3.0

Product: Styrofan® D 422

(ID no. 30041944/SDS\_GEN\_00/EN)

Date of print 12.10.2025

### Maritime transport in bulk according to IMO instruments

Maritime transport in bulk is not intended.

### 15. Regulatory Information

# Safety, health and environmental regulations/legislation specific for the substance or mixture

Not applicable

#### 16. Other Information

Any other intended applications should be discussed with the manufacturer.

Full text of classifications, hazard symbols and hazard statements, if mentioned in section 2 or 3:

Skin Sens. Skin sensitization
Repr. Reproductive toxicity

Aquatic Chronic Hazardous to the aquatic environment - chronic

Acute Tox. Acute toxicity

Skin Corr./Irrit. Skin corrosion/irritation

Eye Dam./Irrit. Serious eye damage/eye irritation

Aquatic Acute Hazardous to the aquatic environment - acute

H317 May cause an allergic skin reaction.
H361 Suspected of damaging the unborn child.

H413 May cause long lasting harmful effects to aquatic life.

H301 Toxic if swallowed.

H314 Causes severe skin burns and eye damage.
H310 + H330 Fatal in contact with skin or if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

EUH071 Corrosive to the respiratory tract.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Vertical lines in the left hand margin indicate an amendment from the previous version.