

Safety data sheet

Page: 1/15

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 20.01.2023 Version: 2.0
Date previous version: 25.06.2019 Previous version: 1.0

Date / First version: 25.06.2019 Product: **Rheovis® AS 1180**

(ID no. 30041264/SDS_GEN_IE/EN)

Date of print 21.10.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Rheovis® AS 1180

UFI: WCFE-G0XT-800U-A90K

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Raw material, for industrial use only

1.3. Details of the supplier of the safety data sheet

Company: BASF SE 67056 Ludwigshafen GERMANY Contact address:
BASF Ireland DAC
Asgard House, 19-20 City Quay
Dublin, D02 K744
Ireland

Telephone: +353 21 451-7100

E-mail address: product-safety-uk-and-ireland@basf.com

1.4. Emergency telephone number

For products classified as hazardous in accordance with CLP: National Poisons Information Centre, Beaumont Hospital, Dublin 9 Emergency medical information: 8am-10pm (seven days)

Tel.: 01 8092566

International emergency number: Telephone: +49 180 2273-112

Date / Revised: 20.01.2023 Version: 2.0
Date previous version: 25.06.2019 Previous version: 1.0

Date / First version: 25.06.2019 Product: **Rheovis® AS 1180**

(ID no. 30041264/SDS_GEN_IE/EN)

Date of print 21.10.2025

SECTION 2: Hazards Identification

2.1. Classification of the substance or mixture

For the classification of the mixture the following methods have been applied: extrapolation on the concentration levels of the hazardous substances, on basis of test results and after evaluation of experts. The methodologies used are mentioned at the respective test results.

According to Regulation (EC) No 1272/2008 [CLP]

Eye Dam./Irrit. 2 H319 Causes serious eye irritation.

For the classifications not written out in full in this section the full text can be found in section 16.

2.2. Label elements

According to Regulation (EC) No 1272/2008 [CLP]

Pictogram:



Signal Word:

Warning

Hazard Statement:

H319 Causes serious eye irritation.

Precautionary Statements (Prevention):

P280 Wear eve protection.

P264 Wash contaminated body parts thoroughly after handling.

Precautionary Statements (Response):

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical attention.

Hazard determining component(s) for labelling: Alcohols, C12-15 branched and linear, ethoxylated, propoxylated, Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics

2.3. Other hazards

According to Regulation (EC) No 1272/2008 [CLP]

No specific dangers known, if the regulations/notes for storage and handling are considered. Product does not contain a substance above legal limits included in the list established in accordance with Article 59(1) of Regulation (EC) No 1907/2006 for having endocrine disrupting properties or is identified to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. The product does not contain a substance fulfilling the PBT (persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria.

Date / Revised: 20.01.2023 Version: 2.0
Date previous version: 25.06.2019 Previous version: 1.0

Date / First version: 25.06.2019 Product: **Rheovis® AS 1180**

(ID no. 30041264/SDS_GEN_IE/EN)

Date of print 21.10.2025

SECTION 3: Composition/Information on Ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Chemical nature

polyacrylate, mineral oil, in water

Regulatory relevant ingredients

Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics

Content (W/W): >= 20 % - < 25 % Asp. Tox. 1 CAS Number: 64742-47-8 H304 REACH registration number: 01- EUH066

2119456620-43

Alcohols, C12-15-branched and linear, ethoxylated propoxylated

Content (W/W): >= 1 % - < 3 % Skin Corr./Irrit. 2

CAS Number: 120313-48-6 Eye Dam./Irrit. 1

Aquatic Acute 1

Aquatic Chronic 3

H318, H315, H412, H400

ammonia%

Content (W/W): >= 0 % - < 0.2 % Skin Corr./Irrit. 1B CAS Number: 1336-21-6 Eye Dam./Irrit. 1

EC-Number: 215-647-6 STOT SE 3 (irr. to respiratory syst.)

REACH registration number: 01- Aquatic Acute 1 2119488876-14 Aquatic Chronic 2

INDEX-Number: 007-001-01-2 H335, H314, H411, H400

Specific concentration limit:

STOT SE 3, irr. to respiratory syst.: >= 5 %

For the classifications not written out in full in this section, including the hazard classes and the hazard statements, the full text is listed in section 16.

SECTION 4: First-Aid Measures

4.1. Description of first aid measures

Remove contaminated clothing.

If inhaled:

If difficulties occur after vapour/aerosol has been inhaled, remove to fresh air and seek medical attention.

Date / Revised: 20.01.2023 Version: 2.0
Date previous version: 25.06.2019 Previous version: 1.0

Date / First version: 25.06.2019 Product: **Rheovis® AS 1180**

(ID no. 30041264/SDS_GEN_IE/EN)

Date of print 21.10.2025

On skin contact:

Wash thoroughly with soap and water

On contact with eyes:

Immediately wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion:

Rinse mouth and then drink 200-300 ml of water. Do not induce vomiting unless told to by a poison control center or doctor.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms: (Further) symptoms and / or effects are not known so far

Hazards: When inhaled (e.g. during vomiting) risk of pulmonary oedema and/or pneumonia.

4.3. Indication of any immediate medical attention and special treatment needed

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

SECTION 5: Fire-Fighting Measures

5.1. Extinguishing media

Suitable extinguishing media: water spray, dry powder, foam

5.2. Special hazards arising from the substance or mixture

Endangering substances: harmful vapours

Advice: Evolution of fumes/fog. The substances/groups of substances mentioned can be released in case of fire.

5.3. Advice for fire-fighters

Further information:

Contaminated extinguishing water must be disposed of in accordance with official regulations.

SECTION 6: Accidental Release Measures

High risk of slipping due to leakage/spillage of product.

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective clothing.

Date / Revised: 20.01.2023 Version: 2.0
Date previous version: 25.06.2019 Previous version: 1.0

Date / First version: 25.06.2019 Product: **Rheovis® AS 1180**

(ID no. 30041264/SDS_GEN_IE/EN)

Date of print 21.10.2025

6.2. Environmental precautions

Contain contaminated water/firefighting water. Do not discharge into drains/surface waters/groundwater.

6.3. Methods and material for containment and cleaning up

For large amounts: Pump off product.

For residues: Pick up with suitable absorbent material. Dispose of absorbed material in accordance

with regulations.

6.4. Reference to other sections

Information regarding exposure controls/personal protection and disposal considerations can be found in section 8 and 13.

SECTION 7: Handling and Storage

7.1. Precautions for safe handling

Use suitable eye protection.

Protection against fire and explosion:

No special precautions necessary.

7.2. Conditions for safe storage, including any incompatibilities

Further information on storage conditions: Keep container tightly closed and dry; store in a cool place.

Storage stability:

Storage temperature: -10 - 35 °C

7.3. Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

SECTION 8: Exposure Controls/Personal Protection

8.1. Control parameters

Components with occupational exposure limits

1336-21-6: ammonia%

STEL value 36 mg/m3; 50 ppm (OEL (EU))

indicative

TWA value 14 mg/m3; 20 ppm (OEL (EU))

indicative

Date / Revised: 20.01.2023 Version: 2.0
Date previous version: 25.06.2019 Previous version: 1.0

Date / First version: 25.06.2019 Product: **Rheovis® AS 1180**

(ID no. 30041264/SDS_GEN_IE/EN)

Date of print 21.10.2025

STEL value 36 mg/m3; 50 ppm (OEL (IE))

Ceiling limit value/factor: 15 min

Indicative OELV

TWA value 14 mg/m3; 20 ppm (OEL (IE))

Indicative OELV

8.2. Exposure controls

Personal protective equipment

Respiratory protection:

Respiratory protection in case of vapour/aerosol release. Particle filter with medium efficiency for solid and liquid particles (e.g. EN 143 or 149, Type P2 or FFP2)

Hand protection:

Chemical resistant protective gloves (EN ISO 374-1)

Suitable materials for short-term contact (recommended: At least protective index 2, corresponding > 30 minutes of permeation time according to EN ISO 374-1)

butyl rubber (butyl) - 0.7 mm coating thickness nitrile rubber (NBR) - 0.4 mm coating thickness

Supplementary note: The specifications are based on tests, literature data and information of glove manufacturers or are derived from similar substances by analogy. Due to many conditions (e.g. temperature) it must be considered, that the practical usage of a chemical-protective glove in practice may be much shorter than the permeation time determined through testing. Manufacturer's directions for use should be observed because of great diversity of types.

Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

General safety and hygiene measures

Handle in accordance with good industrial hygiene and safety practice. Wearing of closed work clothing is recommended.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

State of matter: liquid Form: liquid Colour: white

Odour: ammonia-like

Odour threshold:

No data available.

Freezing point:

not determined

Flammability: not flammable (derived from flash point)

Lower explosion limit: 34.9 %(V) Upper explosion limit: 90.5 %(V)

Flash point: 74 °C (DIN 51758) Auto-ignition temperature: 455 °C (DIN 51794)

Thermal decomposition: No decomposition if used as directed.

Date / Revised: 20.01.2023 Version: 2.0 Date previous version: 25.06.2019 Previous version: 1.0

Date / First version: 25.06.2019

Product: Rheovis® AS 1180

(ID no. 30041264/SDS_GEN_IE/EN)

(ISO 2811-1)

Date of print 21.10.2025

pH value: 7.5 - 9.0(DIN ISO 976) Viscosity, dynamic: 100 - 300 mPa.s (DIN EN ISO 3219)

(23 °C, 250 1/s)

Thixotropy: not thixotropic Solubility in water: dispersible

(20°C)

Partitioning coefficient n-octanol/water (log Kow):

not applicable for mixtures

123 mbar Vapour pressure:

(50 °C)

approx. 1.0 g/cm3 Density:

(20 °C)

Relative vapour density (air):

not determined

Particle characteristics

Particle size distribution: The substance / product is marketed or used in a non solid or granular

form. -

9.2. Other information

Information with regard to physical hazard classes

Explosives

Explosion hazard: not explosive

Oxidizing properties

Fire promoting properties: not fire-propagating

Self-heating substances and mixtures

Self heating ability: Study scientifically not justified.

Other safety characteristics

Miscibility with water:

miscible

Surface tension:

No data available.

Flow time: (DIN 53211) 28 s

(20 °C)

26.0 - 32.0 % Solids content: (DIN EN ISO 3251)

SAPT-Temperature:

Product does not fulfil criteria for polymerizing substances according to

transport regulations.

Evaporation rate:

not determined

SECTION 10: Stability and Reactivity

10.1. Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Date / Revised: 20.01.2023 Version: 2.0
Date previous version: 25.06.2019 Previous version: 1.0

Date / First version: 25.06.2019 Product: **Rheovis® AS 1180**

(ID no. 30041264/SDS_GEN_IE/EN)

Date of print 21.10.2025

10.2. Chemical stability

The product is stable if stored and handled as prescribed/indicated.

10.3. Possibility of hazardous reactions

No hazardous reactions when stored and handled according to instructions.

10.4. Conditions to avoid

Avoid extreme temperatures.

10.5. Incompatible materials

Substances to avoid: strong oxidizing agents, strong acids, strong bases

10.6. Hazardous decomposition products

Hazardous decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated.

SECTION 11: Toxicological Information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Assessment of acute toxicity:

Virtually nontoxic after a single ingestion.

Experimental/calculated data:

LD50 rat (oral): > 5,000 mg/kg (BASF-Test)

LC50 rat (by inhalation):

not determined

LD50 rat (dermal):

not determined

Irritation

Experimental/calculated data:

Skin corrosion/irritation

rabbit: Slightly irritating. (OECD Guideline 404)

Date / Revised: 20.01.2023 Version: 2.0
Date previous version: 25.06.2019 Previous version: 1.0

Date / First version: 25.06.2019 Product: **Rheovis® AS 1180**

(ID no. 30041264/SDS_GEN_IE/EN)

Date of print 21.10.2025

The product has not been tested. The statement has been derived from the properties of the individual components.

Serious eye damage/irritation

rabbit: Irritant. (OECD Guideline 405)

The product has not been tested. The statement has been derived from the properties of the individual components.

Respiratory/Skin sensitization

Assessment of sensitization:

No sensitizing effect. The product has not been tested. The statement has been derived from the properties of the individual components.

Experimental/calculated data:

not determined

Germ cell mutagenicity

Assessment of mutagenicity:

The substance was not mutagenic in bacteria.

Carcinogenicity

Assessment of carcinogenicity:

The whole of the information assessable provides no indication of a carcinogenic effect.

Reproductive toxicity

Assessment of reproduction toxicity:

Based on the ingredients, there is no suspicion of a toxic effect on reproduction.

Developmental toxicity

Assessment of teratogenicity:

Based on the ingredients, there is no suspicion of a teratogenic effect.

Specific target organ toxicity (single exposure)

Remarks: No data available.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

Date / Revised: 20.01.2023 Version: 2.0
Date previous version: 25.06.2019 Previous version: 1.0

Date / First version: 25.06.2019 Product: **Rheovis® AS 1180**

(ID no. 30041264/SDS_GEN_IE/EN)

Date of print 21.10.2025

The information available on the product provides no indication of toxicity on target organs after repeated exposure.

Aspiration hazard

No aspiration hazard expected.

Interactive effects

No data available.

11.2. Information on other hazards

Endocrine disrupting properties

Product does not contain a substance above legal limits included in the list established in accordance with Article 59(1) of Regulation (EC) No 1907/2006 for having endocrine disrupting properties or is identified to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

SECTION 12: Ecological Information

12.1. Toxicity

Assessment of aquatic toxicity:

Acutely toxic for aquatic organisms.

Toxicity to fish:

LC50 (96 h) 71 mg/l, Brachydanio rerio (OECD 203; ISO 7346; 92/69/EEC, C.1, semistatic)

Aquatic invertebrates:

EC50 (48 h) 3 mg/l, Daphnia magna (OECD Guideline 202, part 1, static)

Aquatic plants:

EC50 (72 h) 4.5 mg/l (growth rate), Scenedesmus subspicatus (OECD Guideline 201, static)

Microorganisms/Effect on activated sludge:

> 1,000 mg/l, Bacillus subtilis (DEV-L2)

Inhibition of degradation activity in activated sludge is not to be anticipated during correct introduction of low concentrations.

Chronic toxicity to fish:

No data available.

Date / Revised: 20.01.2023 Version: 2.0
Date previous version: 25.06.2019 Previous version: 1.0

Date / First version: 25.06.2019 Product: **Rheovis® AS 1180**

(ID no. 30041264/SDS_GEN_IE/EN)

Date of print 21.10.2025

Chronic toxicity to aquatic invertebrates:

No data available.

Assessment of terrestrial toxicity:

No data available concerning terrestrial toxicity.

12.2. Persistence and degradability

Elimination information:

> 70 % COD reduction (OECD 302B; ISO 9888; 88/302/EEC,part C) Easily eliminated from water.

12.3. Bioaccumulative potential

Assessment bioaccumulation potential:

The product has not been tested.

Bioaccumulation potential:

No data available.

12.4. Mobility in soil

Assessment transport between environmental compartments:

Volatility: No data available.

12.5. Results of PBT and vPvB assessment

According to Annex XIII of Regulation (EC) No.1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH): The product does not contain a substance fulfilling the PBT (persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria.

12.6. Endocrine disrupting properties

Product does not contain a substance above legal limits included in the list established in accordance with Article 59(1) of Regulation (EC) No 1907/2006 for having endocrine disrupting properties or is identified to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

12.7. Other adverse effects

The product does not contain substances that are listed in Regulation (EC) 1005/2009 on substances that deplete the ozone layer.

Date / Revised: 20.01.2023 Version: 2.0
Date previous version: 25.06.2019 Previous version: 1.0

Date / First version: 25.06.2019 Product: **Rheovis® AS 1180**

(ID no. 30041264/SDS_GEN_IE/EN)

Date of print 21.10.2025

12.8. Additional information

Sum parameter

Chemical oxygen demand (COD): 635 mg/g

Biochemical oxygen demand (BOD) Incubation period5 d: 235 mg/g

Biochemical oxygen demand (BOD) Incubation period30 d: 605 mg/g

Add. remarks environm. fate & pathway:

Treatment in biological waste water treatment plants has to be performed according to local and administrative regulations.

Other ecotoxicological advice:

Do not release untreated into natural waters.

SECTION 13: Disposal Considerations

13.1. Waste treatment methods

Must be disposed of or incinerated in accordance with local regulations.

Contaminated packaging:

Uncontaminated packaging can be re-used.

Packs that cannot be cleaned should be disposed of in the same manner as the contents.

SECTION 14: Transport Information

Land transport

ADR

Not classified as a dangerous good under transport regulations

UN number or ID number:
UN proper shipping name:
Transport hazard class(es):
Packing group:
Environmental hazards:
Special precautions for

Not applicable
Not applicable
Not applicable
Not applicable
Not applicable

user

RID

Not classified as a dangerous good under transport regulations

UN number or ID number: Not applicable UN proper shipping name: Not applicable

Date / Revised: 20.01.2023 Version: 2.0
Date previous version: 25.06.2019 Previous version: 1.0

Date / First version: 25.06.2019 Product: **Rheovis® AS 1180**

(ID no. 30041264/SDS_GEN_IE/EN)

Date of print 21.10.2025

Transport hazard class(es): Not applicable Packing group: Not applicable Not applicable Environmental hazards: Not applicable Special precautions for None known

user

Inland waterway transport

ADN

Not classified as a dangerous good under transport regulations

UN number or ID number:
UN proper shipping name:
Transport hazard class(es):
Packing group:
Environmental hazards:
Special precautions for

Not applicable
Not applicable
Not applicable
Not applicable
Not applicable

user:

Transport in inland waterway vessel

Not evaluated

Sea transport

IMDG

Not classified as a dangerous good under transport regulations

UN number or ID number:
UN proper shipping name:
Transport hazard class(es):
Packing group:
Environmental hazards:
Special precautions for

Not applicable
Not applicable
Not applicable
Not applicable
Not applicable
Not applicable

user

Air transport

IATA/ICAO

Not classified as a dangerous good under transport regulations

UN number or ID number:
UN proper shipping name:
Transport hazard class(es):
Packing group:
Environmental hazards:
Special precautions for

Not applicable
Not applicable
Not applicable
Not applicable
Not applicable

user

Date / Revised: 20.01.2023 Version: 2.0
Date previous version: 25.06.2019 Previous version: 1.0

Date / First version: 25.06.2019 Product: **Rheovis® AS 1180**

(ID no. 30041264/SDS_GEN_IE/EN)

Date of print 21.10.2025

14.1. UN number or ID number

See corresponding entries for "UN number or ID number" for the respective regulations in the tables above.

14.2. UN proper shipping name

See corresponding entries for "UN proper shipping name" for the respective regulations in the tables above.

14.3. Transport hazard class(es)

See corresponding entries for "Transport hazard class(es)" for the respective regulations in the tables above.

14.4. Packing group

See corresponding entries for "Packing group" for the respective regulations in the tables above.

14.5. Environmental hazards

See corresponding entries for "Environmental hazards" for the respective regulations in the tables above.

14.6. Special precautions for user

See corresponding entries for "Special precautions for user" for the respective regulations in the tables above.

14.7. Maritime transport in bulk according to IMO instruments

Maritime transport in bulk is not intended.

SECTION 15: Regulatory Information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Prohibitions, Restrictions and Authorizations

Annex XVII of Regulation (EC) No 1907/2006: Number on List: 3, 75

Directive 2012/18/EU - Control of Major Accident Hazards involving dangerous substances (EU): Listed in above regulation: no

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

15.2. Chemical Safety Assessment

Assessment of safe use has been performed for the mixture and the result is documented in section 7 and 8 of the SDS

SECTION 16: Other Information

Date / Revised: 20.01.2023 Version: 2.0
Date previous version: 25.06.2019 Previous version: 1.0

Date / First version: 25.06.2019 Product: **Rheovis® AS 1180**

(ID no. 30041264/SDS_GEN_IE/EN)

Date of print 21.10.2025

Any other intended applications should be discussed with the manufacturer.

Eye Dam./Irrit. Serious eye damage/eye irritation

Asp. Tox. Aspiration hazard Skin Corr./Irrit. Skin corrosion/irritation

Aquatic Acute Hazardous to the aquatic environment - acute
Aquatic Chronic Hazardous to the aquatic environment - chronic
STOT SE Specific target organ toxicity — single exposure

H319 Causes serious eye irritation.

H304 May be fatal if swallowed and enters airways.

H318 Causes serious eye damage.

H315 Causes skin irritation.

H412 Harmful to aquatic life with long lasting effects.

H400 Very toxic to aquatic life.
H335 May cause respiratory irritation.

H314 Causes severe skin burns and eye damage.

H411 Toxic to aquatic life with long lasting effects.

EUH066 Repeated exposure may cause skin dryness or cracking.

Abbreviations

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road. ADN = The European Agreement concerning the International Carriage of Dangerous Goods by Inland waterways. ATE = Acute Toxicity Estimates. CAO = Cargo Aircraft Only. CAS = Chemical Abstract Service. CLP = Classification, Labelling and Packaging of substances and mixtures. DIN = German national organization for standardization. DNEL = Derived No Effect Level, EC50 = Effective concentration median for 50% of the population. EC = European Community. EN = European Standards. IARC = International Agency for Research on Cancer. IATA = International Air Transport Association. IBC-Code = Intermediate Bulk Container code. IMDG = International Maritime Dangerous Goods Code. ISO = International Organization for Standardization. STEL = Short-Term Exposure Limit. LC50 = Lethal concentration median for 50% of the population. LD50 = Lethal dose median for 50% of the population. TLV = Threshold Limit Value. MARPOL = The International Convention for the Prevention of Pollution from Ships. NEN = Dutch Norm. NOEC = No Observed Effect Concentration. OEL = Occupational Exposure Limit. OECD = Organization for Economic Cooperation and Development. PBT = Persistent, Bioaccumulative and Toxic. PNEC = Predicted No Effect Level. PPM = Parts per million. RID = The European Agreement concerning the International Carriage of Dangerous Goods by Rail. TWA = Time Weight Average. UN-number = UN number at transport. vPvB = very Persistent and very Bioaccumulative.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Vertical lines in the left hand margin indicate an amendment from the previous version.