

Safety data sheet

Page: 1/17

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 16.09.2023 Version: 1.0

Date previous version: not applicable Previous version: none

Date / First version: 16.09.2023
Product: **Solvenon® DPM**

(ID no. 30034801/SDS_GEN_BE/EN)

Date of print 21.10.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Solvenon® DPM

Chemical name: dipropylene glycol monomethylether

CAS Number: 34590-94-8

REACH registration number: 01-2119450011-60-0003, 01-2119450011-60

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Chemical

1.3. Details of the supplier of the safety data sheet

Company: Contact address:

BASF SE BASF Belgium Coordination Center Comm.

67056 Ludwigshafen

GERMANY Drève Richelle 161 E Bte 43 1410 WATERLOO, BELGIUM

Telephone: +31 26 371 71 71

E-mail address: product-safety-benelux@basf.com

1.4. Emergency telephone number

Centre Antipoisons / Antigifcentrum + 32 70 245 245

International emergency number: Telephone: +49 180 2273-112

to Regulation (EC) No 1907/2006.

Version: 1.0 Previous version: none

Date / Revised: 16.09.2023
Date previous version: not applicable

Date / First version: 16.09.2023 Product: **Solvenon® DPM**

(ID no. 30034801/SDS_GEN_BE/EN)

Date of print 21.10.2025

SECTION 2: Hazards Identification

2.1. Classification of the substance or mixture

According to Regulation (EC) No 1272/2008 [CLP]

No need for classification according to GHS criteria for this product.

2.2. Label elements

According to Regulation (EC) No 1272/2008 [CLP]

The product does not require a hazard warning label in accordance with GHS criteria.

2.3. Other hazards

According to Regulation (EC) No 1272/2008 [CLP]

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture. See section 12 - Results of PBT and vPvB assessment.

Product does not contain a substance above legal limits included in the list established in accordance with Article 59(1) of Regulation (EC) No 1907/2006 for having endocrine disrupting properties or is identified to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

SECTION 3: Composition/Information on Ingredients

3.1. Substances

Chemical nature

(2-Methoxymethylethoxy)propanol

Content (W/W): >= 98 % CAS Number: 34590-94-8 EC-Number: 252-104-2

Regulatory relevant ingredients

No particular hazards known.

3.2. Mixtures

Not applicable

to Regulation (EC) No 1907/2006.

Date / Revised: 16.09.2023 Version: 1.0

Date previous version: not applicable Previous version: none

Date / First version: 16.09.2023
Product: **Solvenon® DPM**

(ID no. 30034801/SDS_GEN_BE/EN)

Date of print 21.10.2025

SECTION 4: First-Aid Measures

4.1. Description of first aid measures

Remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air.

On skin contact:

Wash thoroughly with soap and water

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open.

On ingestion:

Rinse mouth and then drink 200-300 ml of water.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11.

Hazards: (Further) symptoms and / or effects are not known so far

4.3. Indication of any immediate medical attention and special treatment needed

Treatment: Symptomatic treatment (decontamination, vital functions).

SECTION 5: Fire-Fighting Measures

5.1. Extinguishing media

Suitable extinguishing media:

dry powder, water spray, carbon dioxide, alcohol-resistant foam

Unsuitable extinguishing media for safety reasons: water jet

Additional information:

Use extinguishing measures to suit surroundings.

5.2. Special hazards arising from the substance or mixture

Advice: Flammable liquid Cool endangered containers with water-spray. See SDS section 7 - Handling and storage.

to Regulation (EC) No 1907/2006.

Date / Revised: 16.09.2023 Version: 1.0

Date previous version: not applicable Previous version: none

Date / First version: 16.09.2023
Product: **Solvenon® DPM**

(ID no. 30034801/SDS_GEN_BE/EN)

Date of print 21.10.2025

5.3. Advice for fire-fighters

Special protective equipment:

Wear a self-contained breathing apparatus. Special protective equipment for firefighters

Further information:

Evacuate area of all unnecessary personnel. Fight fire from maximum distance.

Extend fire extinguishing measures to the surroundings. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

SECTION 6: Accidental Release Measures

High risk of slipping due to leakage/spillage of product.

Release of substance/product can cause fire or explosion. Shut off or stop source of leak. Shut off or stop released substance/product under safe conditions.

Pack in tightly closed containers for disposal.

6.1. Personal precautions, protective equipment and emergency procedures

Handle in accordance with good industrial hygiene and safety practice.

Avoid all sources of ignition: heat, sparks, open flame. Use antistatic tools.

6.2. Environmental precautions

Discharge into the environment must be avoided.

6.3. Methods and material for containment and cleaning up

Pick up with suitable appliance and dispose of. Spills should be contained, solidified, and placed in suitable containers for disposal. Dispose of absorbed material in accordance with regulations.

6.4. Reference to other sections

Information regarding exposure controls/personal protection and disposal considerations can be found in section 8 and 13.

SECTION 7: Handling and Storage

7.1. Precautions for safe handling

Handle in accordance with good industrial hygiene and safety practice.

Protection against fire and explosion:

to Regulation (EC) No 1907/2006.

Date / Revised: 16.09.2023 Version: 1.0

Date previous version: not applicable Previous version: none

Date / First version: 16.09.2023
Product: **Solvenon® DPM**

(ID no. 30034801/SDS_GEN_BE/EN)

Date of print 21.10.2025

Avoid all sources of ignition: heat, sparks, open flame. Ground all transfer equipment properly to prevent electrostatic discharge.

7.2. Conditions for safe storage, including any incompatibilities

Further information on storage conditions: Containers should be stored tightly sealed in a dry place.

7.3. Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

SECTION 8: Exposure Controls/Personal Protection

8.1. Control parameters

Components with occupational exposure limits

34590-94-8: (2-Methoxymethylethoxy)propanol

TWA value 308 mg/m3; 50 ppm (OEL (EU))

indicative

Skin Designation (OEL (EU))

The substance can be absorbed through the skin.

Skin Designation (TLV (BE))

The substance can be absorbed through the skin. TWA value 308 mg/m3 ; 50 ppm (TLV (BE))

PNEC

freshwater: 19 mg/l

marine water: 1,9 mg/l

intermittent release: 190 mg/l

STP: 4168 mg/l

sediment (freshwater): 70,2 mg/kg

sediment (marine water): 7,02 mg/kg

soil: 2,74 mg/kg

oral (secondary poisoning):

No PNEC oral derived, as accumulation in organisms is not to be expected.

DNEL

worker:

Date / Revised: 16.09.2023 Version: 1.0

Date previous version: not applicable Previous version: none

Date / First version: 16.09.2023
Product: **Solvenon® DPM**

(ID no. 30034801/SDS_GEN_BE/EN)

Date of print 21.10.2025

Long-term exposure- systemic effects, dermal: 65 mg/kg

worker:

Long-term exposure- systemic effects, Inhalation: 310 mg/m3

consumer:

Long-term exposure- systemic effects, dermal: 15 mg/kg

consumer:

Long-term exposure- systemic effects, Inhalation: 37,2 mg/m3

consumer:

Long-term exposure- systemic effects, oral: 1,67 mg/kg

8.2. Exposure controls

Personal protective equipment

Respiratory protection:

Wear respiratory protection if ventilation is inadequate. Gas filter for gases/vapours of organic compounds (boiling point >65 °C, e. g. EN 14387 Type A)

Hand protection:

Chemical resistant protective gloves (EN ISO 374-1)

Suitable materials also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1):

butyl rubber (butyl) - 0.7 mm coating thickness

Manufacturer's directions for use should be observed because of great diversity of types. Supplementary note: The specifications are based on tests, literature data and information of glove manufacturers or are derived from similar substances by analogy. Due to many conditions (e.g. temperature) it must be considered, that the practical usage of a chemical-protective glove in practice may be much shorter than the permeation time determined through testing.

Eve protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures

Handle in accordance with good industrial hygiene and safety practice. Wearing of closed work clothing is required additionally to the stated personal protection equipment.

Date / Revised: 16.09.2023 Version: 1.0 Date previous version: not applicable Previous version: none

Date / First version: 16.09.2023 Product: Solvenon® DPM

(ID no. 30034801/SDS_GEN_BE/EN)

Date of print 21.10.2025

Environmental exposure controls

All appropriate measures must be taken to prevent the release of this product to the environment and to limit the dispersion of any release when it occurs. Suitable risk management measures should be in place.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

State of matter: liquid Form: liquid Colour: colourless Odour: ether-like mild

Odour threshold:

not determined

Melting point: -80 °C

180 - 190 °C (DIN 53171) Boiling range:

(1.013 mbar)

Flammability: not readily ignited (derived from flash point)

Lower explosion limit:

For liquids not relevant for classification and labelling., The lower explosion point may be 5 - 15

°C below the flash point.

Upper explosion limit:

For liquids not relevant for classification and labelling.

75 °C Flash point: (closed cup)

Auto-ignition temperature: 207 °C (Directive 92/69/EEC, A.15) Thermal decomposition: No decomposition if stored and handled as prescribed/indicated.

pH value:

neutral

Viscosity, dynamic: 4.32 mPa.s (OECD 114)

(20 °C)

Thixotropy: not thixotropic Solubility in water: miscible (20 °C)

Solubility (qualitative) solvent(s): organic solvents

soluble

Partitioning coefficient n-octanol/water (log Kow): 0,004 (OECD Guideline 107)

(25 °C; pH value: 7,5 - 7,7)

Vapour pressure: 0,7 mbar

(20 °C) 2,6 mbar (40 °C)

Relative density: 0,95

(20 °C)

to Regulation (EC) No 1907/2006.

Date / Revised: 16.09.2023 Version: 1.0

Date previous version: not applicable Previous version: none

Date / First version: 16.09.2023 Product: **Solvenon® DPM**

(ID no. 30034801/SDS_GEN_BE/EN)

Date of print 21.10.2025

Density: 0,95 g/cm3 (DIN 51757)

(20 °C)

Relative vapour density (air):5,11 (calculated)

(20 °C)

Heavier than air.

Particle characteristics

Particle size distribution: The substance / product is marketed or used in a non solid or granular

form. -

9.2. Other information

Information with regard to physical hazard classes

Explosives

Explosion hazard: Based on the chemical structure

there is no indication of explosive

properties.

Impact sensitivity:

Based on the chemical structure there is no shock-sensitivity.

Oxidizing properties

Fire promoting properties: Based on its structural properties

the product is not classified as

oxidizing.

Pyrophoric properties

Self-ignition temperature: Temperature: 20 °C Test type: Spontaneous self-

ignition at room-temperature.

not self-igniting

Self-heating substances and mixtures

Self heating ability: It is not a substance capable of

spontaneous heating.

Substances and mixtures, which emit flammable gases in contact with water

Formation of flammable gases:

Forms no flammable gases in the presence of water.

Corrosion to metals

No corrosive effect on metal.

Other safety characteristics

pKA:

The substance does not dissociate.

Surface tension: 68,7 mN/m (OECD-Guideline 115)

(20 °C; 1 g/l)

Molar mass: 148,20 g/mol

SAPT-Temperature:

to Regulation (EC) No 1907/2006.

Version: 1.0 Previous version: none

Date / Revised: 16.09.2023
Date previous version: not applicable
Date / First version: 16.09.2023
Product: **Solvenon® DPM**

(ID no. 30034801/SDS_GEN_BE/EN)

Date of print 21.10.2025

Study scientifically not justified.

Evaporation rate:

Value can be approximated from Henry's Law Constant or vapor

pressure.

SECTION 10: Stability and Reactivity

10.1. Reactivity

When heated can give off ignitable vapours.

Corrosion to metals: No corrosive effect on metal.

Formation of Remarks: Forms no flammable gases in the

flammable gases: presence of water.

10.2. Chemical stability

The product is stable if stored and handled as prescribed/indicated.

10.3. Possibility of hazardous reactions

Reacts with strong oxidizing agents.

10.4. Conditions to avoid

No special precautions other than good housekeeping of chemicals.

10.5. Incompatible materials

Substances to avoid: strong oxidizing agents

10.6. Hazardous decomposition products

Hazardous decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated.

Date / Revised: 16.09.2023 Version: 1.0 Date previous version: not applicable Previous version: none

Date / First version: 16.09.2023 Product: Solvenon® DPM

(ID no. 30034801/SDS_GEN_BE/EN)

Date of print 21.10.2025

SECTION 11: Toxicological Information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Assessment of acute toxicity:

Virtually nontoxic after a single ingestion. Virtually nontoxic after a single skin contact. The inhalation of a highly enriched/saturated vapor-air-mixture represents an unlikely acute hazard.

Experimental/calculated data:

LD50 rat (oral): > 5.000 mg/kg rat (by inhalation): 7 h (IRT)

No mortality within the stated exposition time as shown in animal studies.

LD50 rabbit (dermal): > 19.020 mg/kg

Irritation

Assessment of irritating effects:

Not irritating to the skin. Not irritating to the eyes.

Experimental/calculated data:

Skin corrosion/irritation

rabbit: non-irritant (BASF-Test) Serious eye damage/irritation rabbit: non-irritant (Draize test) Respiratory/Skin sensitization

Assessment of sensitization:

The substance did not cause skin sensitization in humans.

Germ cell mutagenicity

Assessment of mutagenicity:

The substance was not mutagenic in bacteria. The substance was not mutagenic in mammalian cell culture.

Carcinogenicity

Assessment of carcinogenicity:

The chemical structure does not suggest a specific alert for such an effect. In long-term animal studies in which the substance was given by inhalation in high concentrations, a carcinogenic effect was not observed. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Reproductive toxicity

Assessment of reproduction toxicity:

The results of animal studies gave no indication of a fertility impairing effect. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

to Regulation (EC) No 1907/2006.

Version: 1.0 Previous version: none

Date / Revised: 16.09.2023
Date previous version: not applicable
Date / First version: 16.09.2023
Product: **Solvenon® DPM**

(ID no. 30034801/SDS_GEN_BE/EN)

Date of print 21.10.2025

Developmental toxicity

Assessment of teratogenicity:

No indications of a developmental toxic / teratogenic effect were seen in animal studies.

Specific target organ toxicity (single exposure)

Assessment of STOT single:

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

Repeated oral uptake of the substance did not cause substance-related effects. Repeated inhalative uptake of the substance did not cause substance-related effects. Repeated dermal uptake of the substance did not cause substance-related effects.

Aspiration hazard

not applicable

Interactive effects

No data available.

11.2. Information on other hazards

Endocrine disrupting properties

The substance is not identified to have endocrine disrupting properties according to Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 nor is included in the Candidate List of substances of very high concern according to EU REACh Article 59 for having endocrine disrupting properties.

SECTION 12: Ecological Information

12.1. Toxicity

Assessment of aquatic toxicity:

There is a high probability that the product is not acutely harmful to aquatic organisms. The inhibition of the degradation activity of activated sludge is not anticipated when introduced to biological treatment plants in appropriate low concentrations.

Toxicity to fish:

LC50 (96 h) > 1.000 mg/l, Poecilia reticulata (OECD 203; ISO 7346; 84/449/EEC, C.1, static) The details of the toxic effect relate to the nominal concentration.

Date / Revised: 16.09.2023 Version: 1.0

Date previous version: not applicable Previous version: none

Date / First version: 16.09.2023
Product: **Solvenon® DPM**

(ID no. 30034801/SDS_GEN_BE/EN)

Date of print 21.10.2025

Aquatic invertebrates:

LC50 (48 h) 1.919 mg/l, Daphnia magna (OPP 72-2 (EPA-guideline), static)

The details of the toxic effect relate to the nominal concentration.

Aquatic plants:

EC50 (96 h) > 969 mg/l (growth rate), Pseudokirchneriella subcapitata (OECD Guideline 201, static) The statement of the toxic effect relates to the analytically determined concentration.

Microorganisms/Effect on activated sludge:

EC10 (18 h) 4.168 mg/l, Pseudomonas putida (DIN 38412 Part 8, aquatic)

Chronic toxicity to fish:

Study does not need to be conducted.

Chronic toxicity to aquatic invertebrates:

No observed effect concentration (22 d) > 0,5 mg/l, Daphnia magna (OECD Guideline 211, Flow through.)

The details of the toxic effect relate to the nominal concentration. No effects at the highest test concentration.

Assessment of terrestrial toxicity:

No toxic effects have been observed in studies with terrestric plants.

Soil living organisms:

Study does not need to be conducted.

Terrestrial plants:

No observed effect concentration 250 g/l, (OECD Guideline 227)

Other terrestrial non-mammals:

Study does not need to be conducted.

12.2. Persistence and degradability

Assessment biodegradation and elimination (H2O):

Readily biodegradable (according to OECD criteria). Easily eliminated from water.

Elimination information:

96 % DOC reduction (28 d) (OECD 301F; ISO 9408; 92/69/EEC, C.4-D) (aerobic, activated sludge, domestic)

94 % DOC reduction (13 d) (OECD Guideline 302 B) (aerobic, activated sludge, industrial)

Assessment of stability in water:

Study does not need to be conducted.

Date / Revised: 16.09.2023

Version: 1.0 Previous version: none

Date previous version: not applicable Date / First version: 16.09.2023 Product: **Solvenon® DPM**

(ID no. 30034801/SDS_GEN_BE/EN)

Date of print 21.10.2025

12.3. Bioaccumulative potential

Assessment bioaccumulation potential:

Because of the n-octanol/water distribution coefficient (log Pow) accumulation in organisms is not to be expected.

12.4. Mobility in soil

Assessment transport between environmental compartments: Adsorption in soil: Study does not need to be conducted.

12.5. Results of PBT and vPvB assessment

According to Annex XIII of Regulation (EC) No.1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH): The product does not fulfill the criteria for PBT (Persistent/bioaccumulative/toxic) and vPvB (very persistent/very bioaccumulative). Self classification

12.6. Endocrine disrupting properties

The substance is not identified to have endocrine disrupting properties according to Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 nor is included in the Candidate List of substances of very high concern according to EU REACh Article 59 for having endocrine disrupting properties.

12.7. Other adverse effects

The substance is not listed in Regulation (EC) 1005/2009 on substances that deplete the ozone layer.

12.8. Additional information

Adsorbable organically-bound halogen (AOX): This product contains no organically-bound halogen.

SECTION 13: Disposal Considerations

13.1. Waste treatment methods

Dispose of in accordance with national, state and local regulations.

Contaminated packaging:

to Regulation (EC) No 1907/2006.

Date / Revised: 16.09.2023 Version: 1.0 Date previous version: not applicable Previous version: none

Date / First version: 16.09.2023 Product: Solvenon® DPM

(ID no. 30034801/SDS_GEN_BE/EN)

Date of print 21.10.2025

Disposal must be made according to official regulations.

SECTION 14: Transport Information

Land transport

ADR

Not classified as a dangerous good under transport regulations

UN number or ID number: Not applicable UN proper shipping name: Not applicable Transport hazard class(es): Not applicable Packing group: Not applicable Environmental hazards: Not applicable

Special precautions for

user

None known

RID

Not classified as a dangerous good under transport regulations

Not applicable UN number or ID number: Not applicable UN proper shipping name: Transport hazard class(es): Not applicable Packing group: Not applicable Environmental hazards: Special precautions for

user

Not applicable None known

Inland waterway transport

ADN

Not classified as a dangerous good under transport regulations

UN number or ID number: Not applicable UN proper shipping name: Not applicable Not applicable Transport hazard class(es): Packing group: Not applicable Environmental hazards: Not applicable Special precautions for None known

user:

Transport in inland waterway vessel

Not evaluated

Sea transport

Date / Revised: 16.09.2023 Version: 1.0

Date previous version: not applicable Previous version: none

Date / First version: 16.09.2023
Product: **Solvenon® DPM**

(ID no. 30034801/SDS_GEN_BE/EN)

Date of print 21.10.2025

IMDG

Not classified as a dangerous good under transport regulations

UN number or ID number:
UN proper shipping name:
Transport hazard class(es):
Packing group:
Environmental hazards:
Special precautions for

Not applicable
Not applicable
Not applicable
Not applicable
Not applicable
Not applicable

user

Air transport

IATA/ICAO

Not classified as a dangerous good under transport regulations

UN number or ID number:
UN proper shipping name:
Transport hazard class(es):
Packing group:
Environmental hazards:
Special precautions for

Not applicable
Not applicable
Not applicable
Not applicable
Not applicable

user

14.1. UN number or ID number

See corresponding entries for "UN number or ID number" for the respective regulations in the tables above.

14.2. UN proper shipping name

See corresponding entries for "UN proper shipping name" for the respective regulations in the tables above.

14.3. Transport hazard class(es)

See corresponding entries for "Transport hazard class(es)" for the respective regulations in the tables above.

14.4. Packing group

See corresponding entries for "Packing group" for the respective regulations in the tables above.

14.5. Environmental hazards

See corresponding entries for "Environmental hazards" for the respective regulations in the tables above.

14.6. Special precautions for user

to Regulation (EC) No 1907/2006.

Date / Revised: 16.09.2023 Version: 1.0

Date previous version: not applicable Previous version: none

Date / First version: 16.09.2023 Product: **Solvenon® DPM**

(ID no. 30034801/SDS_GEN_BE/EN)

Date of print 21.10.2025

See corresponding entries for "Special precautions for user" for the respective regulations in the tables above.

14.7. Maritime transport in bulk according to IMO instruments

Maritime transport in bulk is not intended.

SECTION 15: Regulatory Information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Directive 2012/18/EU - Control of Major Accident Hazards involving dangerous substances (EU): Listed in above regulation: no

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

15.2. Chemical Safety Assessment

Product is not classified as hazardous.

SECTION 16: Other Information

Assessment of the hazard classes according to UN GHS criteria (most recent version)

Flam. Liq. 4

Abbreviations

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road. ADN = The European Agreement concerning the International Carriage of Dangerous Goods by Inland waterways. ATE = Acute Toxicity Estimates. CAO = Cargo Aircraft Only. CAS = Chemical Abstract Service. CLP = Classification, Labelling and Packaging of substances and mixtures. DIN = German national organization for standardization. DNEL = Derived No Effect Level. EC50 = Effective concentration median for 50% of the population. EC = European Community. EN = European Standards. IARC = International Agency for Research on Cancer. IATA = International Air Transport Association. IBC-Code = Intermediate Bulk Container code. IMDG = International Maritime Dangerous Goods Code. ISO = International Organization for Standardization. STEL = Short-Term Exposure Limit. LC50 = Lethal concentration median for 50% of the population. LD50 = Lethal dose median for 50% of the population. TLV = Threshold Limit Value. MARPOL = The International Convention for the Prevention of Pollution from Ships. NEN = Dutch Norm. NOEC = No Observed Effect Concentration. OEL = Occupational Exposure Limit. OECD = Organization for Economic Cooperation and Development. PBT = Persistent, Bioaccumulative and Toxic. PNEC = Predicted No Effect Level. PPM = Parts per million. RID = The European Agreement concerning the International Carriage of Dangerous Goods by Rail. TWA = Time Weight Average. UN-number = UN number at transport. vPvB = very Persistent and very Bioaccumulative.

Page: 17/17

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Baguleti

to Regulation (EC) No 1907/2006.

Date / Revised: 16.09.2023 Version: 1.0
Date previous version: not applicable Previous version: none

Date / First version: 16.09.2023 Product: **Solvenon® DPM**

(ID no. 30034801/SDS_GEN_BE/EN)

Date of print 21.10.2025

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Vertical lines in the left hand margin indicate an amendment from the previous version.