

# Safety data sheet

Page: 1/13

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 11.12.2024 Version: 1.0

Date / Previous version: not applicable Previous version: none

Product: Luvitec® VA 6436 P

(ID no. 30856234/SDS\_GEN\_DE/EN)

Date of print 13.10.2025

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

## Luvitec® VA 6436 P

Chemical name: VINYLPYRROLIDONE - VINYLACETATE COPOLYMER

CAS Number: 25086-89-9

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: adhesive, binding agents

## 1.3. Details of the supplier of the safety data sheet

Company:
BASF SE
67056 Ludwigshafen
GERMANY

Regional Business Unit Dispersions Europe

Telephone: +49 621 60-0

E-mail address: ed-psr@basf.com

# 1.4. Emergency telephone number

International emergency number: Telephone: +49 180 2273-112

## **SECTION 2: Hazards Identification**

## 2.1. Classification of the substance or mixture

According to Regulation (EC) No 1272/2008 [CLP]

No need for classification according to GHS criteria for this product.

Date / Revised: 11.12.2024

Version: 1.0 Date / Previous version: not applicable Previous version: none

Product: Luvitec® VA 6436 P

(ID no. 30856234/SDS\_GEN\_DE/EN)

Date of print 13.10.2025

#### 2.2. Label elements

According to Regulation (EC) No 1272/2008 [CLP]

The product does not require a hazard warning label in accordance with GHS criteria.

#### 2.3. Other hazards

## According to Regulation (EC) No 1272/2008 [CLP]

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture. Product does not contain a substance above legal limits included in the list established in accordance with Article 59(1) of Regulation (EC) No 1907/2006 for having endocrine disrupting properties or is identified to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. The product does not contain a substance above legal limits fulfilling the PBT (persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria.

# **SECTION 3: Composition/Information on Ingredients**

#### 3.1. Substances

## Chemical nature

Copolymer based on:polyvinylpyrrolidone Acetic acid ethenyl ester, polymer with 1ethenyl-2-pyrrolidinone

CAS Number: 25086-89-9

#### 3.2. Mixtures

Not applicable

## **SECTION 4: First-Aid Measures**

## 4.1. Description of first aid measures

Remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air.

On skin contact:

Wash thoroughly with soap and water

On contact with eyes:

Date / Revised: 11.12.2024

Version: 1.0 Date / Previous version: not applicable Previous version: none

Product: Luvitec® VA 6436 P

(ID no. 30856234/SDS\_GEN\_DE/EN)

Date of print 13.10.2025

Wash affected eyes for at least 15 minutes under running water with eyelids held open.

On ingestion:

Rinse mouth and then drink 200-300 ml of water.

## 4.2. Most important symptoms and effects, both acute and delayed

Symptoms: (Further) symptoms and / or effects are not known so far

Hazards: No hazards anticipated.

## 4.3. Indication of any immediate medical attention and special treatment needed

Treatment: Symptomatic treatment (decontamination, vital functions).

## **SECTION 5: Fire-Fighting Measures**

## 5.1. Extinguishing media

Suitable extinguishing media: foam, water spray, dry powder

## 5.2. Special hazards arising from the substance or mixture

Endangering substances: Carbon dioxide, nitrous gases, cyanides

## 5.3. Advice for fire-fighters

Special protective equipment:

Wear a self-contained breathing apparatus.

Further information:

Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

## **SECTION 6: Accidental Release Measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Avoid dust formation.

## 6.2. Environmental precautions

Do not empty into drains.

## 6.3. Methods and material for containment and cleaning up

For large amounts: Pick up with suitable appliance and dispose of.

Date / Revised: 11.12.2024 Version: 1.0

Date / Previous version: not applicable Previous version: none

Product: Luvitec® VA 6436 P

(ID no. 30856234/SDS\_GEN\_DE/EN)

Date of print 13.10.2025

#### 6.4. Reference to other sections

Information regarding exposure controls/personal protection and disposal considerations can be found in section 8 and 13.

## **SECTION 7: Handling and Storage**

## 7.1. Precautions for safe handling

Avoid dust formation. Take precautionary measures against static discharges. Handle in accordance with good industrial hygiene and safety practice.

Protection against fire and explosion:

The relevant fire protection measures should be noted.

## 7.2. Conditions for safe storage, including any incompatibilities

Further information on storage conditions: Containers should be stored tightly sealed in a dry place. Protect against heat.

Storage class according to TRGS 510 (originally VCI, Germany): (13) Non-combustible solids

## 7.3. Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

## **SECTION 8: Exposure Controls/Personal Protection**

## 8.1. Control parameters

Components with occupational exposure limits

No substance specific occupational exposure limits known.

## 8.2. Exposure controls

#### Personal protective equipment

Respiratory protection:

Breathing protection if breathable aerosols/dust are formed. Particle filter with low efficiency for solid particles (e.g. EN 143 or 149, Type P1or FFP1)

## Hand protection:

Suitable chemical resistant safety gloves (EN ISO 374-1) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc. Supplementary note: The specifications are based on tests, literature data and information of glove manufacturers or are derived from similar substances by analogy. Due to many conditions (e.g. temperature) it must be considered, that the practical usage of a chemical-protective glove in practice may be much shorter than the permeation time determined through testing.

Eye protection:

Date / Revised: 11.12.2024 Date / Previous version: not applicable

Version: 1.0 Previous version: none

Product: Luvitec® VA 6436 P

(ID no. 30856234/SDS\_GEN\_DE/EN)

Date of print 13.10.2025

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

## General safety and hygiene measures

Handle in accordance with good industrial hygiene and safety practice.

## **SECTION 9: Physical and Chemical Properties**

## 9.1. Information on basic physical and chemical properties

State of matter: solid Form: powder Colour: white to cream Odour: almost odourless

Odour threshold:

not determined

melting point (decomposition): 140 °C

boiling temperature:

not applicable

not readily ignited Flammability:

Lower explosion limit:

For solids not relevant for classification and labelling.

Upper explosion limit:

For solids not relevant for

classification and labelling.

215 °C Flash point: (DIN 51755) Auto-ignition temperature: approx. 420 °C (DIN 51794)

Thermal decomposition: >= 140 °C

2,5 - 6,0pH value: (Ph. Eur. 2.2.3)

(10 %(m), 20 °C)

Viscosity, kinematic:

No data available.

Viscosity, dynamic:

not applicable, the product is a solid

Solubility in water:

> 300 g/l

(20 °C)

Solubility (qualitative) solvent(s): organic solvents

soluble

Partitioning coefficient n-octanol/water (log Kow): < -2,5

Vapour pressure:

not applicable

Density:

No data available.

Relative vapour density (air):

not applicable

Particle characteristics

Particle size distribution: 50 - 300 µm (Counted Distribution, SEM)

to Regulation (EC) No 1907/2006. Date / Revised: 11.12.2024

Date / Revised: 11.12.2024 Version: 1.0

Date / Previous version: not applicable Previous version: none

Product: Luvitec® VA 6436 P

(ID no. 30856234/SDS\_GEN\_DE/EN)

Date of print 13.10.2025

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition. -

## 9.2. Other information

## Information with regard to physical hazard classes

**Explosives** 

Explosion hazard: not explosive

Oxidizing properties

Fire promoting properties: not fire-propagating

Self-heating substances and mixtures

Self heating ability: It is not a substance capable of

spontaneous heating.

Other safety characteristics

Minimum ignition energy: 10 - 30 mJ (VDI 2263, sheet 1, 2.1.1 (May

Inductivity: 1 mH 1990))

The product is capable of dust

explosion.

Bulk density: approx. 150 - 400 kg/m3 (DIN EN ISO 60)

Miscibility with water:

soluble

Solids content: 95,0 - 100,0 % (Ph. Eur. 2.2.32)

Evaporation rate:

The product is a non-volatile solid.

## **SECTION 10: Stability and Reactivity**

#### 10.1. Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

## 10.2. Chemical stability

The product is stable if stored and handled as prescribed/indicated.

#### 10.3. Possibility of hazardous reactions

Dust explosion hazard.

#### 10.4. Conditions to avoid

Avoid dust formation.

#### 10.5. Incompatible materials

Substances to avoid:

Date / Revised: 11.12.2024

Version: 1.0 Previous version: none

Date / Previous version: not applicable Product: **Luvitec® VA 6436 P** 

(ID no. 30856234/SDS\_GEN\_DE/EN)

Date of print 13.10.2025

No substances known that should be avoided.

## 10.6. Hazardous decomposition products

No hazardous decomposition products if stored and handled as prescribed/indicated.

## **SECTION 11: Toxicological Information**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Assessment of acute toxicity:

Virtually nontoxic after a single ingestion.

Experimental/calculated data:

LD50 rat (oral): > 10.000 mg/kg (BASF-Test)

## **Irritation**

Assessment of irritating effects:

Not irritating to the skin. Not irritating to the eyes.

## Experimental/calculated data:

Skin corrosion/irritation

rabbit: non-irritant (BASF-Test) Serious eye damage/irritation rabbit: non-irritant (BASF-Test)

## Respiratory/Skin sensitization

Assessment of sensitization:

Skin sensitizing effects were not observed in animal studies.

Experimental/calculated data:

Guinea pig maximization test guinea pig: Non-sensitizing. (OECD Guideline 406)

## Germ cell mutagenicity

Assessment of mutagenicity:

No mutagenic effect was found in various tests with bacteria and mammalian cell culture. The substance was not mutagenic in studies with mammals.

#### Carcinogenicity

#### Assessment of carcinogenicity:

In long-term animal studies in which the substance was given in high doses by feed, a carcinogenic effect was not observed.

#### Reproductive toxicity

Assessment of reproduction toxicity:

Repeated oral uptake of the substance did not cause damage to the reproductive organs.

Date / Revised: 11.12.2024 Version: 1.0

Date / Previous version: not applicable Previous version: none

Product: Luvitec® VA 6436 P

(ID no. 30856234/SDS\_GEN\_DE/EN)

Date of print 13.10.2025

#### Developmental toxicity

Assessment of teratogenicity:

No indications of a developmental toxic / teratogenic effect were seen in animal studies.

Specific target organ toxicity (single exposure)

#### Assessment of STOT single:

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

## Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

None known

Aspiration hazard

No aspiration hazard expected.

#### Interactive effects

No data available.

#### 11.2. Information on other hazards

#### **Endocrine disrupting properties**

Product does not contain a substance above legal limits included in the list established in accordance with Article 59(1) of Regulation (EC) No 1907/2006 for having endocrine disrupting properties or is identified to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

## Other information

Other relevant toxicity information

Based on our experience and the information available, no adverse health effects are expected if handled as recommended with suitable precautions for designated uses. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

## **SECTION 12: Ecological Information**

## 12.1. Toxicity

Assessment of aquatic toxicity:

Date / Revised: 11.12.2024 Version: 1.0

Date / Previous version: not applicable Previous version: none

Product: Luvitec® VA 6436 P

(ID no. 30856234/SDS\_GEN\_DE/EN)

Date of print 13.10.2025

There is a high probability that the product is not acutely harmful to aquatic organisms. The inhibition of the degradation activity of activated sludge is not anticipated when introduced to biological treatment plants in appropriate low concentrations.

#### Toxicity to fish:

LC50 (96 h) > 10.000 mg/l, Brachydanio rerio (OECD Guideline 203, static)

#### Aquatic invertebrates:

EC50 (48 h) > 100 mg/l, Daphnia magna (Directive 79/831/EEC, static)

#### Aquatic plants:

EC50 (72 h) > 100 mg/l (biomass), Scenedesmus subspicatus (OECD Guideline 201, static)

## 12.2. Persistence and degradability

Assessment biodegradation and elimination (H2O):

Poorly eliminated from water.

#### Elimination information:

approx. 20 - 30 % DOC reduction (15 d) (OECD Guideline 302 B) (aerobic, activated sludge, adapted) Poorly eliminated from water.

## 12.3. Bioaccumulative potential

Bioaccumulation potential:

Based on its structural properties, the polymer is not biologically available. Accumulation in organisms is not to be expected.

## 12.4. Mobility in soil

Assessment transport between environmental compartments:

Adsorption in soil: No data available.

## 12.5. Results of PBT and vPvB assessment

According to Annex XIII of Regulation (EC) No.1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH): The product does not fulfill the criteria for PBT (Persistent/bioaccumulative/toxic) and vPvB (very persistent/very bioaccumulative).

## 12.6. Endocrine disrupting properties

Product does not contain a substance above legal limits included in the list established in accordance with Article 59(1) of Regulation (EC) No 1907/2006 for having endocrine disrupting properties or is identified to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

to Regulation (EC) No 1907/2006.

Date / Revised: 11.12.2024 Version: 1.0 Date / Previous version: not applicable Previous version: none

Product: Luvitec® VA 6436 P

(ID no. 30856234/SDS\_GEN\_DE/EN)

Date of print 13.10.2025

#### 12.7. Other adverse effects

No data available.

#### Additional information

Other ecotoxicological advice:

Ecological data are determined by analogy.

## **SECTION 13: Disposal Considerations**

#### 13.1. Waste treatment methods

Must be sent to a suitable incineration plant, observing local regulations.

A waste code in accordance with the European waste catalog (EWC) cannot be specified, due to dependence on the usage.

Observe national and local legal requirements.

## **SECTION 14: Transport Information**

#### Land transport

**ADR** 

Not classified as a dangerous good under transport regulations

UN number or ID number: Not applicable UN proper shipping name: Not applicable Transport hazard class(es): Not applicable Packing group: Not applicable Environmental hazards: Not applicable Special precautions for None known

user

RID

Not classified as a dangerous good under transport regulations

UN number or ID number: Not applicable UN proper shipping name: Not applicable Transport hazard class(es): Not applicable Not applicable Packing group: Environmental hazards: Not applicable Special precautions for

user

None known

## **Inland waterway transport**

ADN

to Regulation (EC) No 1907/2006.

Date / Revised: 11.12.2024 Version: 1.0
Date / Previous version: not applicable Previous version: none

Product: Luvitec® VA 6436 P

(ID no. 30856234/SDS\_GEN\_DE/EN)

Date of print 13.10.2025

Not classified as a dangerous good under transport regulations

UN number or ID number:
UN proper shipping name:
Transport hazard class(es):
Packing group:
Environmental hazards:
Special precautions for

Not applicable
Not applicable
Not applicable
Not applicable
Not applicable
Not applicable

user:

#### Transport in inland waterway vessel

Not evaluated

#### Sea transport

#### **IMDG**

Not classified as a dangerous good under transport regulations

UN number or ID number:
UN proper shipping name:
Transport hazard class(es):
Packing group:
Environmental hazards:
Special precautions for

Not applicable
Not applicable
Not applicable
Not applicable
Not applicable
Not applicable

user

## Air transport

## IATA/ICAO

Not classified as a dangerous good under transport regulations

UN number or ID number:
UN proper shipping name:
Transport hazard class(es):
Packing group:
Environmental hazards:
Special precautions for

Not applicable
Not applicable
Not applicable
Not applicable
Not applicable

user

#### 14.1. UN number or ID number

See corresponding entries for "UN number or ID number" for the respective regulations in the tables above.

## 14.2. UN proper shipping name

See corresponding entries for "UN proper shipping name" for the respective regulations in the tables above.

Date / Revised: 11.12.2024 Version: 1.0

Date / Previous version: not applicable Previous version: none

Product: Luvitec® VA 6436 P

(ID no. 30856234/SDS\_GEN\_DE/EN)

Date of print 13.10.2025

## 14.3. Transport hazard class(es)

See corresponding entries for "Transport hazard class(es)" for the respective regulations in the tables above.

# 14.4. Packing group

See corresponding entries for "Packing group" for the respective regulations in the tables above.

#### 14.5. Environmental hazards

See corresponding entries for "Environmental hazards" for the respective regulations in the tables above.

## 14.6. Special precautions for user

See corresponding entries for "Special precautions for user" for the respective regulations in the tables above.

## 14.7. Maritime transport in bulk according to IMO instruments

Maritime transport in bulk is not intended.

## **SECTION 15: Regulatory Information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Hazardous Incident Ordinance (Germany):

Listed in above regulation: no

Classification applies for standard conditions of temperature and pressure.

Directive 2012/18/EU - Control of Major Accident Hazards involving dangerous substances (EU):

Listed in above regulation: no

Classification applies for standard conditions of temperature and pressure.

Classification according to 'TA-Luft' (Germany):

5.2.1: total dust, including fine dust

Water hazard class (§4 AwSV para.3 (Provisional self-classification of the substance)): (1) Weakly water polluting.

Self classification

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

## 15.2. Chemical Safety Assessment

Chemical Safety Assessment not required

Date / Revised: 11.12.2024 Version: 1.0
Date / Previous version: not applicable Previous version: none

Product: Luvitec® VA 6436 P

(ID no. 30856234/SDS\_GEN\_DE/EN)

Date of print 13.10.2025

## **SECTION 16: Other Information**

Any other intended applications should be discussed with the manufacturer.

## **Abbreviations**

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road. ADN = The European Agreement concerning the International Carriage of Dangerous Goods by Inland waterways. ATE = Acute Toxicity Estimates. CAO = Cargo Aircraft Only. CAS = Chemical Abstract Service. CLP = Classification, Labelling and Packaging of substances and mixtures. DIN = German national organization for standardization. DNEL = Derived No Effect Level. EC50 = Effective concentration median for 50% of the population. EC = European Community. EN = European Standards. IARC = International Agency for Research on Cancer. IATA = International Air Transport Association. IBC-Code = Intermediate Bulk Container code. IMDG = International Maritime Dangerous Goods Code. ISO = International Organization for Standardization. STEL = Short-Term Exposure Limit. LC50 = Lethal concentration median for 50% of the population. LD50 = Lethal dose median for 50% of the population. TLV = Threshold Limit Value. MARPOL = The International Convention for the Prevention of Pollution from Ships. NEN = Dutch Norm. NOEC = No Observed Effect Concentration. OEL = Occupational Exposure Limit. OECD = Organization for Economic Cooperation and Development. PBT = Persistent, Bioaccumulative and Toxic. PNEC = Predicted No Effect Level. PPM = Parts per million. RID = The European Agreement concerning the International Carriage of Dangerous Goods by Rail. TWA = Time Weight Average. UN-number = UN number at transport. vPvB = very Persistent and very Bioaccumulative.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Vertical lines in the left hand margin indicate an amendment from the previous version.