

# Safety data sheet

Page: 1/15

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 09.03.2023

Version: 3.0

Date previous version: 23.12.2022

Previous version: 2.0

Date / First version: 14.04.2022

Product: **Kollidon® 30 Origin Germany**

(ID no. 30034974/SDS\_GEN\_BG/EN)

Date of print 21.10.2025

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

## Kollidon® 30 Origin Germany

Chemical name: 2-Pyrrolidinone, 1-ethenyl-, homopolymer

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Polymer, pharmaceutical excipient

### 1.3. Details of the supplier of the safety data sheet

Company:  
BASF SE  
67056 Ludwigshafen  
GERMANY

Contact address:  
BASF EOOD  
118 Bulgaria Blvd., fl. 1  
Abacus Business Center  
1608 Sofia  
BULGARIA

Telephone: +359 2 915 20 09  
E-mail address: product-safety-bulgaria@basf.com

### 1.4. Emergency telephone number

International emergency number:  
Telephone: +49 180 2273-112

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 09.03.2023

Version: 3.0

Date previous version: 23.12.2022

Previous version: 2.0

Date / First version: 14.04.2022

Product: **Kollidon® 30 Origin Germany**

(ID no. 30034974/SDS\_GEN\_BG/EN)

Date of print 21.10.2025

## SECTION 2: Hazards Identification

### 2.1. Classification of the substance or mixture

According to Regulation (EC) No 1272/2008 [CLP]

No need for classification according to GHS criteria for this product.

### 2.2. Label elements

According to Regulation (EC) No 1272/2008 [CLP]

The product does not require a hazard warning label in accordance with GHS criteria.

### 2.3. Other hazards

According to Regulation (EC) No 1272/2008 [CLP]

The product does not contain a substance fulfilling the PBT (persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria. Product does not contain a substance above legal limits included in the list established in accordance with Article 59(1) of Regulation (EC) No 1907/2006 for having endocrine disrupting properties or is identified to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

The product is under certain conditions capable of dust explosion.

## SECTION 3: Composition/Information on Ingredients

### 3.1. Substances

Chemical nature

2-Pyrrolidinone, 1-ethenyl-, homopolymer

CAS Number: 9003-39-8

### 3.2. Mixtures

Not applicable

## SECTION 4: First-Aid Measures

### 4.1. Description of first aid measures

Remove contaminated clothing.

If inhaled:

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 09.03.2023

Version: 3.0

Date previous version: 23.12.2022

Previous version: 2.0

Date / First version: 14.04.2022

Product: **Kollidon® 30 Origin Germany**

(ID no. 30034974/SDS\_GEN\_BG/EN)

Date of print 21.10.2025

Keep patient calm, remove to fresh air.

On skin contact:

Wash thoroughly with soap and water

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open.

On ingestion:

Rinse mouth and then drink 200-300 ml of water.

#### **4.2. Most important symptoms and effects, both acute and delayed**

| Symptoms: (Further) symptoms and / or effects are not known so far

#### **4.3. Indication of any immediate medical attention and special treatment needed**

Treatment: Symptomatic treatment (decontamination, vital functions).

---

## **SECTION 5: Fire-Fighting Measures**

### **5.1. Extinguishing media**

Suitable extinguishing media:

water spray, foam, dry powder, carbon dioxide

### **5.2. Special hazards arising from the substance or mixture**

Endangering substances: Carbon dioxide, nitrogen oxides

Advice: The substances/groups of substances mentioned can be released in case of fire.

### **5.3. Advice for fire-fighters**

Special protective equipment:

Wear a self-contained breathing apparatus.

Further information:

Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

---

## **SECTION 6: Accidental Release Measures**

Avoid the formation and build-up of dust - danger of dust explosion. Dust in sufficient concentration can result in an explosive mixture in air. Handle to minimize dusting and eliminate open flame and other sources of ignition. Avoid dispersal of dust in the air (e.g. by clearing dusty surfaces with compressed air).

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 09.03.2023

Version: 3.0

Date previous version: 23.12.2022

Previous version: 2.0

Date / First version: 14.04.2022

Product: **Kollidon® 30 Origin Germany**

(ID no. 30034974/SDS\_GEN\_BG/EN)

Date of print 21.10.2025

### **6.1. Personal precautions, protective equipment and emergency procedures**

Avoid dust formation. Use personal protective clothing. Information regarding personal protective measures, see section 8.

### **6.2. Environmental precautions**

Do not discharge into drains/surface waters/groundwater.

### **6.3. Methods and material for containment and cleaning up**

For small amounts: Sweep/shovel up.

For large amounts: Sweep/shovel up.

Dispose of absorbed material in accordance with regulations. Avoid raising dust.

### **6.4. Reference to other sections**

Information regarding exposure controls/personal protection and disposal considerations can be found in section 8 and 13.

---

## **SECTION 7: Handling and Storage**

### **7.1. Precautions for safe handling**

Handle in accordance with good industrial hygiene and safety practice. Avoid dust formation.

Protection against fire and explosion:

The product is capable of dust explosion. Avoid dust formation. Prevent electrostatic charge - sources of ignition should be kept well clear - fire extinguishers should be kept handy. Avoid all sources of ignition: heat, sparks, open flame.

### **7.2. Conditions for safe storage, including any incompatibilities**

Further information on storage conditions: Keep container tightly closed and dry.

### **7.3. Specific end use(s)**

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

---

## **SECTION 8: Exposure Controls/Personal Protection**

### **8.1. Control parameters**

Components with occupational exposure limits

No substance specific occupational exposure limits known.

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 09.03.2023

Version: 3.0

Date previous version: 23.12.2022

Previous version: 2.0

Date / First version: 14.04.2022

Product: **Kollidon® 30 Origin Germany**

(ID no. 30034974/SDS\_GEN\_BG/EN)

Date of print 21.10.2025

## 8.2. Exposure controls

### Personal protective equipment

Respiratory protection:

Breathing protection if breathable aerosols/dust are formed. Particle filter with low efficiency for solid particles (e.g. EN 143 or 149, Type P1 or FFP1)

Hand protection:

Suitable chemical resistant safety gloves (EN ISO 374-1) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc. Supplementary note: The specifications are based on tests, literature data and information of glove manufacturers or are derived from similar substances by analogy. Due to many conditions (e.g. temperature) it must be considered, that the practical usage of a chemical-protective glove in practice may be much shorter than the permeation time determined through testing.

Manufacturer's directions for use should be observed because of great diversity of types.

Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

### General safety and hygiene measures

Handle in accordance with good industrial hygiene and safety practice. Wearing of closed work clothing is recommended. Avoid contact with the skin, eyes and clothing. No eating, drinking, smoking or tobacco use at the place of work. Hands and/or face should be washed before breaks and at the end of the shift. Store work clothing separately.

---

## SECTION 9: Physical and Chemical Properties

### 9.1. Information on basic physical and chemical properties

State of matter:	solid
Form:	powder
Colour:	white to cream
Odour:	almost odourless
Odour threshold:	not determined
onset of melting:	131 °C
	The substance / product decomposes.
Boiling point:	not applicable
Flammability:	not highly flammable

(VDI 2263, sheet 1, 1.1)

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 09.03.2023

Version: 3.0

Date previous version: 23.12.2022

Previous version: 2.0

Date / First version: 14.04.2022

Product: **Kollidon® 30 Origin Germany**

(ID no. 30034974/SDS\_GEN\_BG/EN)

Date of print 21.10.2025

Lower explosion limit:

For solids not relevant for classification and labelling.

Upper explosion limit:

For solids not relevant for classification and labelling.

Flash point:

not applicable, the product is a solid

Thermal decomposition: 400 °C, > 210 kJ/kg (DSC (DIN 51007))

SADT: Not a substance liable to self-decomposition according to UN transport regulations, class 4.1.

pH value: 3 - 5  
(10 %(m), 20 °C)

Viscosity, kinematic:

not applicable, the product is a solid

Solubility in water: fully soluble

Solubility (qualitative) solvent(s): organic solvents  
soluble

Partitioning coefficient n-octanol/water (log Kow):  
not determined

Vapour pressure:

dropped

Density:

No information is available for the absolute density. Instead the bulk density was determined as a more relevant value.

Relative vapour density (air):

The product is a non-volatile solid.

#### Particle characteristics

Particle size distribution: typically > 30 µm

(D50, Volumetric Distribution, ISO 13320-1)

## **9.2. Other information**

### **Information with regard to physical hazard classes**

#### Explosives

Explosion hazard: Product is not explosive, however a dust explosion could result from an air / dust mixture.

#### Oxidizing properties

Fire promoting properties: not fire-propagating

#### Self-heating substances and mixtures

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 09.03.2023

Version: 3.0

Date previous version: 23.12.2022

Previous version: 2.0

Date / First version: 14.04.2022

Product: **Kollidon® 30 Origin Germany**

(ID no. 30034974/SDS\_GEN\_BG/EN)

Date of print 21.10.2025

Self heating ability: It is a substance capable of spontaneous heating according to UN transport regulations class 4.2. Based on test results packaging < 3m<sup>3</sup> are exempted from the classification.

#### Corrosion to metals

Corrosive effects to metal are not anticipated.

#### **Other safety characteristics**

Minimum ignition energy: 10 - 30 mJ (VDI 2263, sheet 1, 2.5)

(1.013 hPa, 20 °C)

Inductivity: 1 mH

The product is capable of dust explosion.

Bulk density: 400 - 600 kg/m<sup>3</sup>

Hygroscopy: hygroscopic

SAPT-Temperature: Study scientifically not justified.

Evaporation rate: The product is a non-volatile solid.

---

## **SECTION 10: Stability and Reactivity**

### **10.1. Reactivity**

No hazardous reactions if stored and handled as prescribed/indicated.

Corrosion to metals: Corrosive effects to metal are not anticipated.

### **10.2. Chemical stability**

The product is stable if stored and handled as prescribed/indicated.

### **10.3. Possibility of hazardous reactions**

Dust explosion hazard.

### **10.4. Conditions to avoid**

See SDS section 7 - Handling and storage. Avoid dust formation. Avoid electro-static charge.

### **10.5. Incompatible materials**

Substances to avoid:  
strong alkalis

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 09.03.2023

Version: 3.0

Date previous version: 23.12.2022

Previous version: 2.0

Date / First version: 14.04.2022

Product: **Kollidon® 30 Origin Germany**

(ID no. 30034974/SDS\_GEN\_BG/EN)

Date of print 21.10.2025

## 10.6. Hazardous decomposition products

Hazardous decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated.

---

## SECTION 11: Toxicological Information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Assessment of acute toxicity:

Virtually nontoxic after a single ingestion. Virtually nontoxic by inhalation.

Experimental/calculated data:

LD50 rat (oral): > 2.000 mg/kg (BASF-Test)

LC50 rat (by inhalation): > 5,2 mg/l 4 h (OECD Guideline 403)

#### Irritation

Assessment of irritating effects:

Not irritating to the skin. Not irritating to the eyes.

Experimental/calculated data:

Skin corrosion/irritation

rabbit: non-irritant (Draize test)

Serious eye damage/irritation

rabbit: non-irritant (Draize test)

#### Respiratory/Skin sensitization

Assessment of sensitization:

No data available.

#### Germ cell mutagenicity

Assessment of mutagenicity:

The substance was not mutagenic in studies with mammals.



BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 09.03.2023

Version: 3.0

Date previous version: 23.12.2022

Previous version: 2.0

Date / First version: 14.04.2022

Product: **Kollidon® 30 Origin Germany**

(ID no. 30034974/SDS\_GEN\_BG/EN)

Date of print 21.10.2025

### Carcinogenicity

Assessment of carcinogenicity:

In long-term animal studies in which the substance was given in high doses by feed, a carcinogenic effect was not observed.

### Reproductive toxicity

Assessment of reproduction toxicity:

No data available.

### Developmental toxicity

Assessment of teratogenicity:

No indications of a developmental toxic / teratogenic effect were seen in animal studies.

### Specific target organ toxicity (single exposure)

Remarks: No data available.

### Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

No data available.

### Aspiration hazard

not applicable

### Interactive effects

No data available.

## **11.2. Information on other hazards**

### Endocrine disrupting properties

Product does not contain a substance above legal limits included in the list established in accordance with Article 59(1) of Regulation (EC) No 1907/2006 for having endocrine disrupting

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 09.03.2023

Version: 3.0

Date previous version: 23.12.2022

Previous version: 2.0

Date / First version: 14.04.2022

Product: **Kollidon® 30 Origin Germany**

(ID no. 30034974/SDS\_GEN\_BG/EN)

Date of print 21.10.2025

properties or is identified to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

---

## SECTION 12: Ecological Information

### 12.1. Toxicity

Assessment of aquatic toxicity:

There is a high probability that the product is not acutely harmful to aquatic organisms. The inhibition of the degradation activity of activated sludge is not anticipated when introduced to biological treatment plants in appropriate low concentrations.

Toxicity to fish:

LC50 (96 h) > 10.000 mg/l, *Leuciscus idus* (DIN 38412 Part 15, static)

Microorganisms/Effect on activated sludge:

EC20 (0,5 h) > 1.995 mg/l, activated sludge, industrial (OECD Guideline 209, aerobic)

### 12.2. Persistence and degradability

Assessment biodegradation and elimination (H<sub>2</sub>O):

Poorly eliminated from water.

Elimination information:

< 10 % DOC reduction (15 d) (OECD Guideline 302 B) (aerobic, activated sludge, industrial) Poorly eliminated from water.

### 12.3. Bioaccumulative potential

Bioaccumulation potential:

Based on its structural properties, the polymer is not biologically available. Accumulation in organisms is not to be expected.

### 12.4. Mobility in soil

Assessment transport between environmental compartments:

Adsorption in soil: No data available.

### 12.5. Results of PBT and vPvB assessment

According to Annex XIII of Regulation (EC) No.1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH): The product does not contain a substance

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 09.03.2023

Version: 3.0

Date previous version: 23.12.2022

Previous version: 2.0

Date / First version: 14.04.2022

Product: **Kollidon® 30 Origin Germany**

(ID no. 30034974/SDS\_GEN\_BG/EN)

Date of print 21.10.2025

fulfilling the PBT (persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria. Self classification

## 12.6. Endocrine disrupting properties

Product does not contain a substance above legal limits included in the list established in accordance with Article 59(1) of Regulation (EC) No 1907/2006 for having endocrine disrupting properties or is identified to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

## 12.7. Other adverse effects

The substance is not listed in Regulation (EC) 1005/2009 on substances that deplete the ozone layer.

---

## SECTION 13: Disposal Considerations

### 13.1. Waste treatment methods

Observe national and local legal requirements.

Contaminated packaging:

Uncontaminated packaging can be re-used.

Packs that cannot be cleaned should be disposed of in the same manner as the contents.

---

## SECTION 14: Transport Information

### Land transport

ADR

UN number or ID number: UN3088

UN proper shipping name: SELF-HEATING SOLID, ORGANIC, N.O.S. (1-ETHENYL-2-PYRROLIDINONE, HOMOPOLYMER)

Transport hazard class(es): 4.2

Packing group: III

Environmental hazards: no

Special precautions for user: Tunnel code: E

Not dangerous goods of class 4.2 in packages up to 3000 litres capacity.

RID

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 09.03.2023

Version: 3.0

Date previous version: 23.12.2022

Previous version: 2.0

Date / First version: 14.04.2022

Product: **Kollidon® 30 Origin Germany**

(ID no. 30034974/SDS\_GEN\_BG/EN)

Date of print 21.10.2025

UN number or ID number: UN3088  
 UN proper shipping name: SELF-HEATING SOLID, ORGANIC, N.O.S. (1-ETHENYL-2-PYRROLIDINONE, HOMOPOLYMER)

Transport hazard class(es): 4.2  
 Packing group: III  
 Environmental hazards: no  
 Special precautions for user: Not dangerous goods of class 4.2 in packages up to 3000 litres capacity.

#### **Inland waterway transport**

ADN

UN number or ID number: UN3088  
 UN proper shipping name: SELF-HEATING SOLID, ORGANIC, N.O.S. (1-ETHENYL-2-PYRROLIDINONE, HOMOPOLYMER)

Transport hazard class(es): 4.2  
 Packing group: III  
 Environmental hazards: no  
 Special precautions for user: Not dangerous goods of class 4.2 in packages up to 3000 litres capacity.

#### **Transport in inland waterway vessel**

Not evaluated

#### **Sea transport**

IMDG

UN number or ID number: UN 3088  
 UN proper shipping name: SELF-HEATING SOLID, ORGANIC, N.O.S. (1-ETHENYL-2-PYRROLIDINONE, HOMOPOLYMER)

Transport hazard class(es): 4.2  
 Packing group: III  
 Environmental hazards: no  
 Marine pollutant: NO  
 Special precautions for user: EmS: F-A; S-J  
 Not dangerous goods of class 4.2 in packages up to 3000 litres capacity.

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 09.03.2023

Version: 3.0

Date previous version: 23.12.2022

Previous version: 2.0

Date / First version: 14.04.2022

Product: **Kollidon® 30 Origin Germany**

(ID no. 30034974/SDS\_GEN\_BG/EN)

Date of print 21.10.2025

### **Air transport**

IATA/ICAO

UN number or ID number: UN 3088

UN proper shipping name: SELF-HEATING SOLID, ORGANIC, N.O.S. (1-ETHENYL-2-PYRROLIDINONE, HOMOPOLYMER)

Transport hazard class(es): 4.2

Packing group: III

Environmental hazards: No Mark as dangerous for the environment is needed

Special precautions for user: Not dangerous goods of class 4.2 in packages up to 3000 litres capacity.

#### **14.1. UN number or ID number**

See corresponding entries for "UN number or ID number" for the respective regulations in the tables above.

#### **14.2. UN proper shipping name**

See corresponding entries for "UN proper shipping name" for the respective regulations in the tables above.

#### **14.3. Transport hazard class(es)**

See corresponding entries for "Transport hazard class(es)" for the respective regulations in the tables above.

#### **14.4. Packing group**

See corresponding entries for "Packing group" for the respective regulations in the tables above.

#### **14.5. Environmental hazards**

See corresponding entries for "Environmental hazards" for the respective regulations in the tables above.

#### **14.6. Special precautions for user**

See corresponding entries for "Special precautions for user" for the respective regulations in the tables above.

#### **14.7. Maritime transport in bulk according to IMO instruments**

Maritime transport in bulk is not intended.

### **Further information**

Not dangerous goods of class 4.2 in packages up to 3000 litres capacity.

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 09.03.2023

Version: 3.0

Date previous version: 23.12.2022

Previous version: 2.0

Date / First version: 14.04.2022

Product: **Kollidon® 30 Origin Germany**

(ID no. 30034974/SDS\_GEN\_BG/EN)

Date of print 21.10.2025

## SECTION 15: Regulatory Information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Prohibitions, Restrictions and Authorizations

Annex XVII of Regulation (EC) No 1907/2006: Number on List: 75

Directive 2012/18/EU - Control of Major Accident Hazards involving dangerous substances (EU):  
Listed in above regulation: no

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

### 15.2. Chemical Safety Assessment

Chemical Safety Assessment not required

---

## SECTION 16: Other Information

Any other intended applications should be discussed with the manufacturer. Corresponding occupational protection measurements must be followed.

#### Abbreviations

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road.  
ADN = The European Agreement concerning the International Carriage of Dangerous Goods by Inland waterways. ATE = Acute Toxicity Estimates. CAO = Cargo Aircraft Only. CAS = Chemical Abstract Service. CLP = Classification, Labelling and Packaging of substances and mixtures. DIN = German national organization for standardization. DNEL = Derived No Effect Level. EC50 = Effective concentration median for 50% of the population. EC = European Community. EN = European Standards. IARC = International Agency for Research on Cancer. IATA = International Air Transport Association. IBC-Code = Intermediate Bulk Container code. IMDG = International Maritime Dangerous Goods Code. ISO = International Organization for Standardization. STEL = Short-Term Exposure Limit. LC50 = Lethal concentration median for 50% of the population. LD50 = Lethal dose median for 50% of the population. TLV = Threshold Limit Value. MARPOL = The International Convention for the Prevention of Pollution from Ships. NEN = Dutch Norm. NOEC = No Observed Effect Concentration. OEL = Occupational Exposure Limit. OECD = Organization for Economic Cooperation and Development. PBT = Persistent, Bioaccumulative and Toxic. PNEC = Predicted No Effect Level. PPM = Parts per million. RID = The European Agreement concerning the International Carriage of Dangerous Goods by Rail. TWA = Time Weight Average. UN-number = UN number at transport. vPvB = very Persistent and very Bioaccumulative.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 09.03.2023

Version: 3.0

Date previous version: 23.12.2022

Previous version: 2.0

Date / First version: 14.04.2022

Product: **Kollidon® 30 Origin Germany**

(ID no. 30034974/SDS\_GEN\_BG/EN)

Date of print 21.10.2025

responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Vertical lines in the left hand margin indicate an amendment from the previous version.