

Safety data sheet

Page: 1/13

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from

time to time.

Date / Revised: 04.04.2023 Version: 6.0
Date previous version: 25.08.2020 Previous version: 5.0

Date / First version: 15.07.2003 Product: **Basorol® PE 10500**

(ID no. 30434551/SDS_GEN_GB/EN)

Date of print 30.10.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Basorol® PE 10500

Chemical name: Oxirane, methyl-, polymer with oxirane

CAS Number: 9003-11-6

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Performance Chemicals for Oilfield Applications

1.3. Details of the supplier of the safety data sheet

Company: BASF SE 67056 Ludwigshafen GERMANY Contact address: BASF plc

4th and 5th Floors, 2 Stockport Exchange Railway Road, Stockport, SK1 3GG

UNITED KINGDOM

Telephone: +44 161 475 3000

E-mail address: product-safety-uk-and-ireland@basf.com

1.4. Emergency telephone number

International emergency number: Telephone: +49 180 2273-112

SECTION 2: Hazards Identification

2.1. Classification of the substance or mixture

According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

time to time.

Date / Revised: 04.04.2023 Version: 6.0
Date previous version: 25.08.2020 Previous version: 5.0

Date previous version: 25.08.2020 Date / First version: 15.07.2003 Product: **Basorol® PE 10500**

(ID no. 30434551/SDS_GEN_GB/EN)

Date of print 30.10.2025

No need for classification according to GHS criteria for this product.

2.2. Label elements

According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

The product does not require a hazard warning label in accordance with GHS criteria.

Labeling of special preparations (GHS):

This surfactant does not comply with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents.

2.3. Other hazards

According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

No specific dangers known, if the regulations/notes for storage and handling are considered.

The product does not contain a substance fulfilling the PBT (persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria.

SECTION 3: Composition/Information on Ingredients

3.1. Substances

Chemical nature

Oxirane, methyl-, polymer with oxirane CAS Number: 9003-11-6

3.2. Mixtures

Not applicable

SECTION 4: First-Aid Measures

4.1. Description of first aid measures

Remove contaminated clothing. If adverse health effects develop seek medical attention.

If inhaled:

Keep patient calm, remove to fresh air.

On skin contact:

Wash thoroughly with soap and water

time to time.

Date / Revised: 04.04.2023 Version: 6.0
Date previous version: 25.08.2020 Previous version: 5.0

Date previous version: 25.08.2020
Date / First version: 15.07.2003
Product: **Basorol® PE 10500**

(ID no. 30434551/SDS_GEN_GB/EN)

Date of print 30.10.2025

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open.

On ingestion:

Rinse mouth and then drink 200-300 ml of water.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms: (Further) symptoms and / or effects are not known so far

4.3. Indication of any immediate medical attention and special treatment needed

Treatment: Symptomatic treatment (decontamination, vital functions).

SECTION 5: Fire-Fighting Measures

5.1. Extinguishing media

Suitable extinguishing media: water spray, dry powder, foam

5.2. Special hazards arising from the substance or mixture

Endangering substances: harmful vapours, carbon oxides

Advice: Evolution of fumes/fog. The substances/groups of substances mentioned can be released in case of fire.

5.3. Advice for fire-fighters

Special protective equipment:

Wear a self-contained breathing apparatus.

Further information:

The degree of risk is governed by the burning substance and the fire conditions. Contaminated extinguishing water must be disposed of in accordance with official regulations.

SECTION 6: Accidental Release Measures

Forms slippery surfaces with water.

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective clothing. Information regarding personal protective measures, see section 8.

6.2. Environmental precautions

Contain contaminated water/firefighting water. Do not discharge into drains/surface waters/groundwater.

6.3. Methods and material for containment and cleaning up

For small amounts: Pick up with suitable appliance and dispose of. For large amounts: Pick up with suitable appliance and dispose of.

Dispose of absorbed material in accordance with regulations.

time to time.

Date / Revised: 04.04.2023 Version: 6.0
Date previous version: 25.08.2020 Previous version: 5.0

Date previous version: 25.08.2020 Date / First version: 15.07.2003 Product: **Basorol® PE 10500**

(ID no. 30434551/SDS_GEN_GB/EN)

Date of print 30.10.2025

6.4. Reference to other sections

Information regarding exposure controls/personal protection and disposal considerations can be found in section 8 and 13.

SECTION 7: Handling and Storage

7.1. Precautions for safe handling

No eating, drinking, smoking or tobacco use at the place of work. Wash hands before breaks and at end of work. Remove contaminated clothing and protective equipment before entering eating areas.

Protection against fire and explosion:

No special precautions necessary.

7.2. Conditions for safe storage, including any incompatibilities

Suitable materials for containers: Low density polyethylene (LDPE), High density polyethylene (HDPE), Stove-lacquer RDL 50, Stainless steel 1.4301 (V2), Stainless steel 1.4306 (V2A), Stainless steel 1.4361, Stainless steel 1.4401, Stainless steel 1.4541, Stainless steel 1.4571, Stainless steel 1.4439, Stainless steel 1.4539

Further information on storage conditions: Keep container tightly closed and dry; store in a cool place.

The packed product is not damaged by low temperatures or by frost. Bulk must be protected from solidification.

Protect from temperatures above: 70 °C

Properties of the product change irreversibly on exceeding the limit temperature.

7.3. Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

SECTION 8: Exposure Controls/Personal Protection

8.1. Control parameters

Components with occupational exposure limits

No substance specific occupational exposure limits known.

8.2. Exposure controls

Personal protective equipment

Respiratory protection:

Suitable respiratory protection for higher concentrations or long-term effect: Particle filter with low efficiency for solid particles (e.g. EN 143 or 149, Type P1or FFP1)

time to time.

Date / Revised: 04.04.2023 Version: 6.0
Date previous version: 25.08.2020 Previous version: 5.0

Date previous version: 25.08.2020 Date / First version: 15.07.2003 Product: **Basorol**® **PE 10500**

(ID no. 30434551/SDS_GEN_GB/EN)

Date of print 30.10.2025

Hand protection:

Chemical resistant protective gloves (EN ISO 374-1)

Suitable materials also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1):

nitrile rubber (NBR) - 0.4 mm coating thickness

Supplementary note: The specifications are based on tests, literature data and information of glove manufacturers or are derived from similar substances by analogy. Due to many conditions (e.g. temperature) it must be considered, that the practical usage of a chemical-protective glove in practice may be much shorter than the permeation time determined through testing. Manufacturer's directions for use should be observed because of great diversity of types.

Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures

Wearing of closed work clothing is recommended. No eating, drinking, smoking or tobacco use at the place of work. Handle in accordance with good industrial hygiene and safety practice.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Form: waxy type

Colour: colourless to yellowish

Odour: product specific

Odour threshold:

not determined

pH value: approx. 7 (DIN EN 1262)

(50 g/l, 23 °C)

solidification temperature: approx. 44 °C (DIN ISO 2207) Boiling point: > 250 °C (estimated) Flash point: 280 °C (ISO 2719)

Evaporation rate:

The product is a non-volatile solid.

Flammability: Based on the structure or

composition there is no indication of

flammability

Lower explosion limit:

For solids not relevant for classification and labelling.

Upper explosion limit:

For solids not relevant for classification and labelling.

Ignition temperature: > 300 °C (other)

time to time.

Date / Revised: 04.04.2023 Version: 6.0
Date previous version: 25.08.2020 Previous version: 5.0

Date previous version: 25.08.2020 Date / First version: 15.07.2003 Product: **Basorol® PE 10500**

(ID no. 30434551/SDS_GEN_GB/EN)

Date of print 30.10.2025

Vapour pressure: < 0.1 hPa (estimated)

(20 °C)

Density: approx. 1.03 g/cm3 (DIN 51757)

(60 °C)

Relative vapour density (air):

not determined

Solubility in water: soluble

Solubility (qualitative) solvent(s): distilled water, aromatic hydrocarbons, ethanol, propan-2-ol

soluble

Partitioning coefficient n-octanol/water (log Kow):

not applicable

Self ignition: not self-igniting

Thermal decomposition: > 300 °C Viscosity, dynamic: > 800 mPa.s

(50 °C)

Viscosity, kinematic:

not applicable, the product is a solid

Explosion hazard: not explosive

Fire promoting properties: not fire-propagating

9.2. Other information

Self heating ability: It is not a substance capable of

spontaneous heating.

Bulk density:

not applicable

Miscibility with water:

miscible in all proportions

Hygroscopy: The product has not been tested.

Surface tension: 37.4 mN/m (DIN EN 14370)

(23 °C; 0.5 g/l)

Grain size distribution: The substance / product is marketed or used in a non solid or

granular form.

Other Information:

If necessary, information on other physical and chemical parameters is indicated in this section.

SECTION 10: Stability and Reactivity

10.1. Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Corrosion to metals: Corrosive effects to metal are not anticipated.

10.2. Chemical stability

The product is stable if stored and handled as prescribed/indicated.

10.3. Possibility of hazardous reactions

No hazardous reactions when stored and handled according to instructions.

time to time.

Date / Revised: 04.04.2023 Version: 6.0
Date previous version: 25.08.2020 Previous version: 5.0

Date previous version: 25.08.2020 Date / First version: 15.07.2003 Product: **Basorol® PE 10500**

(ID no. 30434551/SDS_GEN_GB/EN)

Date of print 30.10.2025

10.4. Conditions to avoid

See SDS section 7 - Handling and storage.

10.5. Incompatible materials

Substances to avoid:

caustics, halogens, Alkalines, acids, reactive chemicals, strong oxidizing agents

10.6. Hazardous decomposition products

Hazardous decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated.

SECTION 11: Toxicological Information

11.1. Information on toxicological effects

Acute toxicity

Assessment of acute toxicity:

Virtually nontoxic after a single ingestion.

Experimental/calculated data:

LD50 rat (oral): > 5,000 mg/kg (OECD Guideline 401)

LC50 rat (by inhalation): > 1,37 mg/l 4 h (OECD Guideline 403)

Highest concentration technically achievable. No mortality was observed.

LD50 rat (dermal):

not determined

Irritation

Assessment of irritating effects:

Not irritating to eyes and skin.

Experimental/calculated data:

Skin corrosion/irritation

rabbit: non-irritant (Draize test)

Serious eye damage/irritation rabbit: non-irritant (Draize test)

Respiratory/Skin sensitization

Assessment of sensitization:

No sensitizing effect.

time to time.

Date / Revised: 04.04.2023 Version: 6.0
Date previous version: 25.08.2020 Previous version: 5.0

Date previous version: 25.08.2020 Date / First version: 15.07.2003 Product: **Basorol® PE 10500**

(ID no. 30434551/SDS_GEN_GB/EN)

Date of print 30.10.2025

Experimental/calculated data:

In vitro assay: Non-sensitizing. (OECD Guideline 442D)

Germ cell mutagenicity

Assessment of mutagenicity:

The substance was not mutagenic in bacteria.

Experimental/calculated data:

Bacteria: negative (OECD Guideline 471)

Carcinogenicity

Assessment of carcinogenicity: Not classified, due to lack of data.

Reproductive toxicity

Assessment of reproduction toxicity: Not classified, due to lack of data.

Developmental toxicity

Assessment of teratogenicity: Not classified, due to lack of data.

Specific target organ toxicity (single exposure)

Remarks: No data available.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity: Not classified, due to lack of data.

Aspiration hazard

not applicable

SECTION 12: Ecological Information

12.1. Toxicity

Assessment of aquatic toxicity:

There is a high probability that the product is not acutely harmful to aquatic organisms.

Toxicity to fish:

time to time.

Date / Revised: 04.04.2023 Version: 6.0
Date previous version: 25.08.2020 Previous version: 5.0

Date previous version: 25.08.2020 Date / First version: 15.07.2003 Product: **Basorol® PE 10500**

(ID no. 30434551/SDS_GEN_GB/EN)

Date of print 30.10.2025

LC50 (96 h) > 100 mg/l, Oncorhynchus mykiss (OECD 203; ISO 7346; 92/69/EEC, C.1)

Aquatic invertebrates:

EC50 (48 h) > 100 mg/l, Daphnia magna

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Aquatic plants: EC50 (72 h), algae not determined

Microorganisms/Effect on activated sludge: EC50 (0.5 h), bacteria

not determined

Chronic toxicity to fish:

No data available.

Chronic toxicity to aquatic invertebrates:

No data available.

Assessment of terrestrial toxicity:

No data available concerning terrestrial toxicity.

12.2. Persistence and degradability

Assessment biodegradation and elimination (H2O):

Not readily biodegradable (by OECD criteria). is partially eliminated in sewage treatment plants

Elimination information:

10 - 20 % CO2 formation relative to the theoretical value (28 d) (OECD 301B; ISO 9439; 92/69/EEC, C.4-C) (aerobic)

12.3. Bioaccumulative potential

Assessment bioaccumulation potential:

Based on its structural properties, the polymer is not biologically available. Accumulation in organisms is not to be expected.

12.4. Mobility in soil

Assessment transport between environmental compartments:

Volatility: The substance will not evaporate into the atmosphere from the water surface. Adsorption in soil: Adsorption to solid soil phase is possible.

12.5. Results of PBT and vPvB assessment

time to time.

Date / Revised: 04.04.2023 Version: 6.0 Previous version: 5.0

Date previous version: 25.08.2020 Date / First version: 15.07.2003 Product: Basorol® PE 10500

(ID no. 30434551/SDS_GEN_GB/EN)

Date of print 30.10.2025

According to Annex XIII of Regulation (EC) No.1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH): The product does not fulfill the criteria for PBT (Persistent/bioaccumulative/toxic) and vPvB (very persistent/very bioaccumulative).

12.6. Other adverse effects

The product does not contain substances that are listed in Regulation (EC) 1005/2009 on substances that deplete the ozone layer.

12.7. Additional information

Add. remarks environm. fate & pathway:

Treatment in biological waste water treatment plants has to be performed according to local and administrative regulations.

Other ecotoxicological advice:

Do not discharge product into the environment without control.

SECTION 13: Disposal Considerations

13.1. Waste treatment methods

The UK Environmental Protection (Duty of Care) Regulations (EP) and amendments should be noted (United Kingdom).

Contaminated packaging:

Uncontaminated packaging can be re-used.

Packs that cannot be cleaned should be disposed of in the same manner as the contents.

SECTION 14: Transport Information

Land transport

ADR

Not classified as a dangerous good under transport regulations

UN number or ID number: Not applicable Not applicable UN proper shipping name: Not applicable Transport hazard class(es): Packing group: Not applicable Environmental hazards: Not applicable Special precautions for None known

user

RID

time to time.

Date / Revised: 04.04.2023 Version: 6.0
Date previous version: 25.08.2020 Previous version: 5.0

Date / First version: 15.07.2003 Product: **Basorol® PE 10500**

(ID no. 30434551/SDS_GEN_GB/EN)

Date of print 30.10.2025

Not classified as a dangerous good under transport regulations

UN number or ID number:
UN proper shipping name:
Transport hazard class(es):
Packing group:
Not applicable
Not applicable
Not applicable
Not applicable
Not applicable

Special precautions for

user

None known

Inland waterway transport

ADN

Not classified as a dangerous good under transport regulations

UN number or ID number:
UN proper shipping name:
Transport hazard class(es):
Packing group:
Environmental hazards:
Special precautions for

Not applicable
Not applicable
Not applicable
Not applicable
Not applicable
Not applicable

user:

Transport in inland waterway vessel

Not evaluated

Sea transport

IMDG

Not classified as a dangerous good under transport regulations

UN number or ID number:
UN proper shipping name:
Transport hazard class(es):
Packing group:
Environmental hazards:
Special precautions for

Not applicable
Not applicable
Not applicable
Not applicable
Not applicable

user

Air transport

IATA/ICAO

Not classified as a dangerous good under transport regulations

UN number or ID number: Not applicable UN proper shipping name: Not applicable Transport hazard class(es): Not applicable Packing group: Not applicable

time to time.

Date / Revised: 04.04.2023 Version: 6.0
Date previous version: 25.08.2020 Previous version: 5.0

Date previous version: 25.08.2020 Date / First version: 15.07.2003 Product: **Basorol® PE 10500**

(ID no. 30434551/SDS_GEN_GB/EN)

Date of print 30.10.2025

Environmental hazards: Special precautions for Not applicable None known

user

14.1. UN number or ID number

See corresponding entries for "UN number or ID number" for the respective regulations in the tables above.

14.2. UN proper shipping name

See corresponding entries for "UN proper shipping name" for the respective regulations in the tables above.

14.3. Transport hazard class(es)

See corresponding entries for "Transport hazard class(es)" for the respective regulations in the tables above.

14.4. Packing group

See corresponding entries for "Packing group" for the respective regulations in the tables above.

14.5. Environmental hazards

See corresponding entries for "Environmental hazards" for the respective regulations in the tables above.

14.6. Special precautions for user

See corresponding entries for "Special precautions for user" for the respective regulations in the tables above.

14.7. Maritime transport in bulk according to IMO instruments

Maritime transport in bulk is not intended.

SECTION 15: Regulatory Information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Directive 2012/18/EU - Control of Major Accident Hazards involving dangerous substances (EU): Listed in above regulation: no

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

The data should be considered when making any assessment under the Control of Substances Hazardous to Health Regulations (COSHH), and related guidance, for example, 'COSHH Essentials' (United Kingdom).

15.2. Chemical Safety Assessment

time to time.

Date / Revised: 04.04.2023 Version: 6.0
Date previous version: 25.08.2020 Previous version: 5.0

Date / First version: 15.07.2003
Product: **Basorol**® **PE 10500**

(ID no. 30434551/SDS_GEN_GB/EN)

Date of print 30.10.2025

Chemical Safety Assessment not required

SECTION 16: Other Information

Not to be used as an aerosol.

Information on intended use: This product is of industrial quality and unless otherwise specified or agreed intended exclusively for industrial use. This includes the mentioned and recommended usage. Any other intended applications should be discussed with the manufacturer. In particular this concerns the application for products that are the object of special standards and regulations.

Abbreviations

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road. ADN = The European Agreement concerning the International Carriage of Dangerous Goods by Inland waterways. ATE = Acute Toxicity Estimates. CAO = Cargo Aircraft Only. CAS = Chemical Abstract Service. CLP = Classification, Labelling and Packaging of substances and mixtures. DIN = German national organization for standardization. DNEL = Derived No Effect Level. EC50 = Effective concentration median for 50% of the population. EC = European Community. EN = European Standards. IARC = International Agency for Research on Cancer. IATA = International Air Transport Association. IBC-Code = Intermediate Bulk Container code. IMDG = International Maritime Dangerous Goods Code. ISO = International Organization for Standardization. STEL = Short-Term Exposure Limit. LC50 = Lethal concentration median for 50% of the population. LD50 = Lethal dose median for 50% of the population. TLV = Threshold Limit Value. MARPOL = The International Convention for the Prevention of Pollution from Ships, NEN = Dutch Norm, NOEC = No Observed Effect Concentration, OEL = Occupational Exposure Limit. OECD = Organization for Economic Cooperation and Development. PBT = Persistent, Bioaccumulative and Toxic. PNEC = Predicted No Effect Level. PPM = Parts per million. RID = The European Agreement concerning the International Carriage of Dangerous Goods by Rail. TWA = Time Weight Average. UN-number = UN number at transport. vPvB = very Persistent and very Bioaccumulative.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Vertical lines in the left hand margin indicate an amendment from the previous version.