We create chemistry

Safety data sheet

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 01.04.2025 Version: 12.0
Date / Previous version: 04.10.2022 Previous version: 11.0
Product: **Oscar Duo 112 EC**

(ID no. 30692510/SDS_CPA_EU/EN)

Date of print 07.07.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Oscar Duo 112 EC

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: crop protection product, fungicide

1.3. Details of the supplier of the safety data sheet

Company:
BASF SE
67056 Ludwigshafen
GERMANY
Operating Division Crop Protection

Telephone: +49 621 60-27777
E-mail address: Produktinformation-Pflanzenschutz@basf.com

1.4. Emergency telephone number

International emergency number:
Telephone: +49 180 2273-112

SECTION 2: Hazards Identification

2.1. Classification of the substance or mixture

For the classification of the mixture the following methods have been applied: extrapolation on the concentration levels of the hazardous substances, on basis of test results and after evaluation of experts. The methodologies used are mentioned at the respective test results.

According to Regulation (EC) No 1272/2008 [CLP]

Asp. Tox. 1	H304 May be fatal if swallowed and enters airways.

Acute Tox. 4 (oral)	H302 Harmful if swallowed.
Acute Tox. 4 (Inhalation - mist)	H332 Harmful if inhaled.
Skin Irrit. 2	H315 Causes skin irritation.
Repr. 1B	H360Fd May damage fertility. Suspected of damaging the unborn child.
Aquatic Acute 1	H400 Very toxic to aquatic life.
Aquatic Chronic 1	H410 Very toxic to aquatic life with long lasting effects.

For the classifications not written out in full in this section the full text can be found in section 16.

2.2. Label elements

According to Regulation (EC) No 1272/2008 [CLP]

Globally Harmonized System, EU (GHS)

Pictogram:

Signal Word:

Danger

Hazard Statement:

H315	Causes skin irritation.
H304	May be fatal if swallowed and enters airways.
H360Fd	May damage fertility. Suspected of damaging the unborn child.
H302 + H332	Harmful if swallowed or if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
EUH401	To avoid risks to human health and the environment, comply with the instructions for use.

Precautionary Statement:

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read carefully and follow all instructions.

Precautionary Statements (Prevention):

P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves, protective clothing and eye protection or face protection.
P261	Avoid breathing mist.
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P270	Do not eat, drink or smoke when using this product.
P264	Wash contaminated body parts thoroughly after handling.

Precautionary Statements (Response):

P312	Call a POISON CENTER or physician if you feel unwell.

P304 + P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P301 + P310	IF SWALLOWED: Immediately call a POISON CENTER or physician.
P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
P308 + P313	IF exposed or concerned: Get medical attention.
P330	Rinse mouth.
P391	Collect spillage.
P332 + P313	If skin irritation occurs: Get medical attention.
P331	Do NOT induce vomiting.
P362 + P364	Take off contaminated clothing and wash it before reuse.

Precautionary Statements (Storage):

P405	Store locked up.

Precautionary Statements (Disposal):

P501	Dispose of contents and container to hazardous or special waste collection point.

Labeling of special preparations (GHS):

EUH208: May produce an allergic reaction. Contains: benzyl alcohol
Restricted to professional users.

Hazard determining component(s) for labelling: pyraclostrobin (ISO); methyl N-{2-[1-(4-chlorophenyl)-1H-pyrazol-3-yloxymethyl]phenyl}(N-methoxy)carbamate, dimethomorph (ISO); 4-(3-(4-chlorophenyl)-3-(3,4-dimethoxyphenyl)acryloyl)morpholine, benzyl alcohol, Hydrocarbons, C10-C13, aromatics, < 1% naphthalen

2.3. Other hazards

According to Regulation (EC) No 1272/2008 [CLP]

The product does not fulfill the criteria for PBT (Persistent/bioaccumulative/toxic) and vPvB (very persistent/very bioaccumulative).
The product contains a substance that is identified to have endocrine disrupting properties according to Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 or is included in the Candidate List of substances of very high concern according to EU REACh Article 59 for having endocrine disrupting properties.

SECTION 3: Composition/Information on Ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Chemical nature

crop protection product, fungicide, Emulsifiable concentrate (EC)

Regulatory relevant ingredients

dimethomorph (ISO); 4-(3-(4-chlorophenyl)-3-(3,4-dimethoxyphenyl)acryloyl)morpholine

Content (W/W): 6.88 % CAS Number: 110488-70-5 EC-Number: 404-200-2 INDEX-Number: 613-102-00-0 Substance with EU occupational exposure limit Substance of concern regarding endocrine disruptive properties	Repr. 1B (fertility) Aquatic Chronic 2 H360F, H411

pyraclostrobin (ISO); methyl N-{2-[1-(4-chlorophenyl)-1H-pyrazol-3-yloxymethyl]phenyl}(N-methoxy)carbamate

Content (W/W): 3.81 % CAS Number: 175013-18-0 INDEX-Number: 613-272-00-6 Substance with EU occupational exposure limit	Acute Tox. 3 (Inhalation - mist) Acute Tox. 4 (oral) Skin Irrit. 2 Repr. 2 (unborn child) STOT SE 3 (irr. to respiratory syst.) STOT RE (Liver, Nasal cavity, Gastrointestinal tract) 2 Aquatic Acute 1 Aquatic Chronic 1 M-factor acute: 100 M-factor chronic: 100 H315, H331, H302, H335, H361d, H373, H400, H410 Acute toxicity estimate: oral: 450 mg/kg Inhalation: 0.58 mg/l

Hydrocarbons, C10-C13, aromatics, < 1% naphthalen

Content (W/W): < 50 % REACH registration number: 01-2119451097-39	Asp. Tox. 1 Aquatic Chronic 2 H304, H411 EUH066

benzyl alcohol

Content (W/W): < 30 % CAS Number: 100-51-6 EC-Number: 202-859-9 REACH registration number: 01-2119492630-38 INDEX-Number: 603-057-00-5	Acute Tox. 4 (oral) Eye Irrit. 2 Skin Sens. 1B H319, H302, H317 Acute toxicity estimate: oral: 1,200 mg/kg

Poly(oxy-1,2-ethanediyl), .alpha.-[tris(1-phenylethyl)phenyl]-.omega.-hydroxy-

Content (W/W): < 15 %	Aquatic Chronic 3
CAS Number: 99734-09-5	H412

For the classifications not written out in full in this section, including the hazard classes and the hazard statements, the full text is listed in section 16.

SECTION 4: First-Aid Measures

4.1. Description of first aid measures

First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing.

If inhaled:
Keep patient calm, remove to fresh air, seek medical attention.

On skin contact:
Immediately wash thoroughly with soap and water, seek medical attention.

On contact with eyes:
Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion:
Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention. Do not induce vomiting due to aspiration hazard.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far

Hazards: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11. (Further) symptoms and / or effects are not known so far

4.3. Indication of any immediate medical attention and special treatment needed

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

SECTION 5: Fire-Fighting Measures

5.1. Extinguishing media

Suitable extinguishing media:

water spray, carbon dioxide, foam, dry powder

Unsuitable extinguishing media for safety reasons:
water jet

5.2. Special hazards arising from the substance or mixture

Endangering substances: Carbon monoxide, hydrogen chloride, Carbon dioxide, nitrogen oxides, halogenated compounds, sulfur oxides
Advice: The substances/groups of substances mentioned can be released in case of fire.

5.3. Advice for fire-fighters

Special protective equipment:
Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:
In case of fire and/or explosion do not breathe fumes. Keep containers cool by spraying with water if exposed to fire. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

SECTION 6: Accidental Release Measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective clothing. Avoid contact with the skin, eyes and clothing. Do not breathe vapour/spray.

6.2. Environmental precautions

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater.

6.3. Methods and material for containment and cleaning up

For small amounts: Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr).
For large amounts: Dike spillage. Pump off product.
Dispose of absorbed material in accordance with regulations. Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations. Wear suitable protective equipment.

6.4. Reference to other sections

Information regarding exposure controls/personal protection and disposal considerations can be found in section 8 and 13.

SECTION 7: Handling and Storage

7.1. Precautions for safe handling

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift.

Protection against fire and explosion:
Vapours may form ignitable mixture with air. Prevent electrostatic charge - sources of ignition should be kept well clear - fire extinguishers should be kept handy.

7.2. Conditions for safe storage, including any incompatibilities

Segregate from foods and animal feeds.
Further information on storage conditions: Keep away from heat. Protect from direct sunlight.

Storage stability:
Storage duration: 48 Months

Protect from temperatures below:-5 °C
Changes in the properties of the product may occur if substance/product is stored below indicated temperature for extended periods of time.
Protect from temperatures above:40 °C
Changes in the properties of the product may occur if substance/product is stored above indicated temperature for extended periods of time.

7.3. Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

SECTION 8: Exposure Controls/Personal Protection

8.1. Control parameters

Components with occupational exposure limits

110488-70-5: dimethomorph (ISO)
TWA value 0.67 mg/m3 (BASF recomm. occupational exposure limit)
175013-18-0: pyraclostrobin (ISO)
TWA value 0.13 mg/m3 (BASF recomm. occupational exposure limit)

8.2. Exposure controls

Personal protective equipment

Respiratory protection:
Suitable respiratory protection for lower concentrations or short-term effect: Combination filter for gases/vapours of organic, inorganic, acid inorganic, alkaline compounds and toxic particles (e. g. EN 14387 Type ABEK-P3)

Hand protection:
Suitable chemical resistant safety gloves (EN ISO 374-1) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc.

Eye protection:
Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:
Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures

The statements on personal protective equipment in the instructions for use apply when handling crop-protection agents in final-consumer packing. Wearing of closed work clothing is recommended. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

State of matter:	liquid	
Form:	liquid	
Colour:	yellow to brown	
Odour:	aromatic	
Odour threshold:	Not determined since harmful by inhalation.	
Melting temperature:	approx. < -5 °C Information applies to the solvent.	
Boiling range:	approx. 244 - 292 °C Information applies to the solvent.	
Flammability:	Combustible liquid.	
Lower explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.	
Upper explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.	
Flash point:	93 °C	(ISO 2719)

Auto-ignition temperature:	approx. 435 °C	(Directive 92/69/EEC, A.15)
Thermal decomposition:	155 °C, 25 kJ/kg (DSC (OECD 113)) 315 °C, 320 kJ/kg (DSC (OECD 113)) Not a substance liable to self-decomposition according to UN transport regulations, class 4.1.	
SADT:	> 75 °C	
pH value:	approx. 6 - 8 (CIPAC standard water D, 1 %(m), 20 °C) (as an emulsion)	
Viscosity, kinematic:	7.3 mm2/s (40 °C)	
Viscosity, dynamic:	15.5 mPa.s (20 °C, 100 1/s)	(OECD Guideline 114)
Thixotropy:	not thixotropic	
Solubility in water:	emulsifiable	
Partitioning coefficient n-octanol/water (log Kow):	The statements are based on the properties of the individual components.	

Information on: dimethomorph (ISO); 4-(3-(4-chlorophenyl)-3-(3,4-dimethoxyphenyl)acryloyl)morpholine
Partitioning coefficient n-octanol/water (log Kow): 2.63 - 2.73
(20 °C)

Vapour pressure:	approx. 0.003 kPa (20 °C) Information applies to the solvent.	
Density:	approx. 1.05 g/cm3 (20 °C)	(OECD Guideline 109)
Relative vapour density (air):	not determined	

Particle characteristics

Particle size distribution:	The substance / product is marketed or used in a non solid or granular form. -

9.2. Other information

Information with regard to physical hazard classes

Explosives

Explosion hazard:	not explosive	(Directive 92/69/EEC, A.14)

Oxidizing properties

Fire promoting properties:	not fire-propagating	(UN Test O.2 (oxidizing liquids))

SECTION 10: Stability and Reactivity

10.1. Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

10.2. Chemical stability

The product is stable if stored and handled as prescribed/indicated.

10.3. Possibility of hazardous reactions

No hazardous reactions if stored and handled as prescribed/indicated.

10.4. Conditions to avoid

See SDS section 7 - Handling and storage.

10.5. Incompatible materials

Substances to avoid:
strong bases, strong acids, strong oxidizing agents

10.6. Hazardous decomposition products

Hazardous decomposition products:
No hazardous decomposition products if stored and handled as prescribed/indicated.

SECTION 11: Toxicological Information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Assessment of acute toxicity:

Of moderate toxicity after short-term inhalation. Of moderate toxicity after single ingestion. Virtually nontoxic after a single skin contact.

Experimental/calculated data:

LD50 rat (oral): > 500 - < 2,000 mg/kg
LC50 rat (by inhalation): approx. 3.45 mg/l 4 h
An aerosol was tested.
LD50 rat (dermal): > 5,000 mg/kg
No mortality was observed.

Irritation

Assessment of irritating effects:

Skin contact causes irritation. Not irritating to the eyes.

Experimental/calculated data:

Skin corrosion/irritation

rabbit: Irritant.

Serious eye damage/irritation

rabbit: non-irritant

Respiratory/Skin sensitization

Assessment of sensitization:

No sensitizing effect.

Experimental/calculated data:

Guinea pig maximization test guinea pig: Non-sensitizing. (OECD Guideline 406)

Germ cell mutagenicity

Assessment of mutagenicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: benzyl alcohol
Assessment of mutagenicity:
The substance was mutagenic in various cell culture test systems; however, these results could not be confirmed in tests with mammals.

Carcinogenicity

Assessment of carcinogenicity:
The results of various animal studies gave no indication of a carcinogenic effect. The product has not been tested. The statement has been derived from the properties of the individual components.

Reproductive toxicity

Assessment of reproduction toxicity:
The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: dimethomorph (ISO); 4-(3-(4-chlorophenyl)-3-(3,4-dimethoxyphenyl)acryloyl)morpholine
Assessment of reproduction toxicity:
EU-classification Causes impairment of fertility in laboratory animals.

Developmental toxicity

Assessment of teratogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: pyraclostrobin (ISO); methyl N-{2-[1-(4-chlorophenyl)-1H-pyrazol-3-yloxymethyl]phenyl}(N-methoxy)carbamate
Assessment of teratogenicity:
Indications of possible developmental toxicity/teratogenicity were seen in animal studies.

Specific target organ toxicity (single exposure)

Assessment of STOT single:
Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

Remarks: The product has not been tested. The statement has been derived from the properties of the individual components.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: dimethomorph (ISO); 4-(3-(4-chlorophenyl)-3-(3,4-dimethoxyphenyl)acryloyl)morpholine
Assessment of repeated dose toxicity:
The substance may cause damage to the prostate after repeated ingestion. Based on available data, the classification criteria are not met.

Information on: pyraclostrobin (ISO); methyl N-{2-[1-(4-chlorophenyl)-1H-pyrazol-3-yloxymethyl]phenyl}(N-methoxy)carbamate
Assessment of repeated dose toxicity:
Repeated exposure may affect certain organs. Target organs: Liver, gastrointestinal tract and nasal cavity

Information on: benzyl alcohol
Assessment of repeated dose toxicity:
The substance may cause damage to the central nervous system after repeated ingestion of high doses.

Aspiration hazard

May also damage the lung at swallowing (aspiration hazard).
The product has not been tested. The statement has been derived from the properties of the individual components.

Interactive effects

No data available.

11.2. Information on other hazards

Endocrine disrupting properties

The product contains a substance that is identified to have endocrine disrupting properties according to Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 or is included in the Candidate List of substances of very high concern according to EU REACh Article 59 for having endocrine disrupting properties.

Other information

Other relevant toxicity information

Misuse can be harmful to health.

SECTION 12: Ecological Information

12.1. Toxicity

Assessment of aquatic toxicity:
Very toxic to aquatic life with long lasting effects.

Toxicity to fish:
LC50 (96 h) 0.23 mg/l, Oncorhynchus mykiss

Aquatic invertebrates:
EC50 (48 h) 0.19 mg/l, Daphnia magna

Aquatic plants:
EC50 (72 h) 20.03 mg/l (growth rate), Pseudokirchneriella subcapitata

EC10 (72 h) 1.19 mg/l (growth rate), Pseudokirchneriella subcapitata

Information on:dimethomorph (ISO); 4-(3-(4-chlorophenyl)-3-(3,4-dimethoxyphenyl)acryloyl)morpholine
Chronic toxicity to fish:
EC10 (60 d) 0.116 mg/l, Oncorhynchus mykiss

No observed effect concentration (34 d) 0.107 mg/l, Pimephales promelas

Information on:pyraclostrobin (ISO); methyl N-{2-[1-(4-chlorophenyl)-1H-pyrazol-3-yloxymethyl]phenyl}(N-methoxy)carbamate
Chronic toxicity to fish:
No observed effect concentration (98 d) approx. 0.00235 mg/l, Oncorhynchus mykiss (OECD Guideline 210, Flow through.)

Information on:dimethomorph (ISO); 4-(3-(4-chlorophenyl)-3-(3,4-dimethoxyphenyl)acryloyl)morpholine
Chronic toxicity to aquatic invertebrates:
No observed effect concentration (21 d) 0.22 mg/l, Daphnia magna

EC10 (21 d) 0.421 mg/l, Daphnia magna

Information on:pyraclostrobin (ISO); methyl N-{2-[1-(4-chlorophenyl)-1H-pyrazol-3-yloxymethyl]phenyl}(N-methoxy)carbamate
Chronic toxicity to aquatic invertebrates:
No observed effect concentration (21 d) 0.004 mg/l, Daphnia magna (OECD Guideline 202, part 2, semistatic)
The details of the toxic effect relate to the nominal concentration.

No observed effect concentration (31 d) 0.000365 mg/l, Mysidopsis bahia
---

12.2. Persistence and degradability

Assessment biodegradation and elimination (H2O):
The product has not been tested. The statement has been derived from the properties of the individual components.

Information on:dimethomorph (ISO); 4-(3-(4-chlorophenyl)-3-(3,4-dimethoxyphenyl)acryloyl)morpholine
Assessment biodegradation and elimination (H2O):
Not readily biodegradable (by OECD criteria).

Information on:pyraclostrobin (ISO); methyl N-{2-[1-(4-chlorophenyl)-1H-pyrazol-3-yloxymethyl]phenyl}(N-methoxy)carbamate
Assessment biodegradation and elimination (H2O):
Not readily biodegradable (by OECD criteria).

12.3. Bioaccumulative potential

Assessment bioaccumulation potential:
The product has not been tested. The statement has been derived from the properties of the individual components.

Information on:dimethomorph (ISO); 4-(3-(4-chlorophenyl)-3-(3,4-dimethoxyphenyl)acryloyl)morpholine
Assessment bioaccumulation potential:
Because of the n-octanol/water distribution coefficient (log Pow) accumulation in organisms is not to be expected.

Information on:pyraclostrobin (ISO); methyl N-{2-[1-(4-chlorophenyl)-1H-pyrazol-3-yloxymethyl]phenyl}(N-methoxy)carbamate
Bioaccumulation potential:

Bioconcentration factor(BCF): 379 - 507, Oncorhynchus mykiss (OECD Guideline 305)

Accumulation in organisms is not to be expected.

12.4. Mobility in soil

Assessment transport between environmental compartments:
Adsorption in soil: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on:dimethomorph (ISO); 4-(3-(4-chlorophenyl)-3-(3,4-dimethoxyphenyl)acryloyl)morpholine
Assessment transport between environmental compartments:
Volatility: The substance will not evaporate into the atmosphere from the water surface.
Adsorption in soil: Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

Information on:pyraclostrobin (ISO); methyl N-{2-[1-(4-chlorophenyl)-1H-pyrazol-3-yloxymethyl]phenyl}(N-methoxy)carbamate
Assessment transport between environmental compartments:
Adsorption in soil: Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

12.5. Results of PBT and vPvB assessment

The product does not contain a substance fulfilling the PBT (persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria.

12.6. Endocrine disrupting properties

The product contains a substance that is identified to have endocrine disrupting properties according to Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 or is included in the Candidate List of substances of very high concern according to EU REACh Article 59 for having endocrine disrupting properties.

12.7. Other adverse effects

The product does not contain substances that are listed in Regulation (EC) 1005/2009 on substances that deplete the ozone layer.

Additional information

Other ecotoxicological advice:
Do not discharge product into the environment without control.

SECTION 13: Disposal Considerations

13.1. Waste treatment methods

Must be sent to a suitable incineration plant, observing local regulations.

Contaminated packaging:
Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

SECTION 14: Transport Information

Land transport

ADR

UN number or ID number:	UN3082
UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (PYRACLOSTROBIN, SOLVENT NAPHTHA)
Transport hazard class(es):	9, EHSM
Packing group:	III
Environmental hazards:	yes
Special precautions for user:	None known

RID

UN number or ID number:	UN3082
UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (PYRACLOSTROBIN, SOLVENT NAPHTHA)
Transport hazard class(es):	9, EHSM
Packing group:	III
Environmental hazards:	yes
Special precautions for user:	None known

Inland waterway transport
ADN

UN number or ID number:	UN3082
UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (PYRACLOSTROBIN, SOLVENT NAPHTHA)
Transport hazard class(es):	9, EHSM
Packing group:	III
Environmental hazards:	yes
Special precautions for	None known

user:

Transport in inland waterway vessel
Not evaluated

Sea transport

IMDG

UN number or ID number:	UN 3082
UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (PYRACLOSTROBIN, SOLVENT NAPHTHA)
Transport hazard class(es):	9, EHSM
Packing group:	III
Environmental hazards:	yes Marine pollutant: YES
Special precautions for user:	EmS: F-A; S-F

Air transport

IATA/ICAO

UN number or ID number:	UN 3082
UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (PYRACLOSTROBIN, SOLVENT NAPHTHA)
Transport hazard class(es):	9, EHSM
Packing group:	III
Environmental hazards:	yes
Special precautions for user:	None known

14.1. UN number or ID number
See corresponding entries for “UN number or ID number” for the respective regulations in the tables above.

14.2. UN proper shipping name
See corresponding entries for “UN proper shipping name” for the respective regulations in the tables above.

14.3. Transport hazard class(es)
See corresponding entries for “Transport hazard class(es)” for the respective regulations in the tables above.

14.4. Packing group
See corresponding entries for “Packing group” for the respective regulations in the tables above.

14.5. Environmental hazards
See corresponding entries for “Environmental hazards” for the respective regulations in the tables above.

14.6. Special precautions for user
See corresponding entries for “Special precautions for user” for the respective regulations in the tables above.

14.7. Maritime transport in bulk according to IMO instruments

Maritime transport in bulk is not intended.

Further information
Product may be shipped as non-hazardous in suitable packages containing a net quantity of 5 L or less under the provisions of various regulatory agencies: ADR, RID, ADN: Special Provision 375; IMDG: 2.10.2.7; IATA: A197; TDG: Special Provision 99(2); 49CFR: §171.4 (c) (2) and also the Special Provision 375 in Appendix B which is regulated in China "Regulations Concerning Road Transportation of Dangerous Goods Part 3: Index of dangerous goods name and transportation requirements" (JT/T 617.3)

SECTION 15: Regulatory Information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Prohibitions, Restrictions and Authorizations

Annex XVII of Regulation (EC) No 1907/2006: Number on List: 30, 75, 3

Directive 2012/18/EU - Control of Major Accident Hazards involving dangerous substances (EU):
List entry in regulation: E1
Classification applies for standard conditions of temperature and pressure.

To avoid risks to man and the environment, comply with the instructions for use.

15.2. Chemical Safety Assessment

Advice on product handling can be found in sections 7 and 8 of this safety data sheet.

SECTION 16: Other Information

For proper and safe use of this product, please refer to the approval conditions laid down on the product label.

Full text of the classifications, including the hazard classes and the hazard statements, if mentioned in section 2 or 3:

Asp. Tox.	Aspiration hazard
Acute Tox.	Acute toxicity
Skin Irrit.	Skin irritation
Repr.	Reproductive toxicity
Aquatic Acute	Hazardous to the aquatic environment - acute
Aquatic Chronic	Hazardous to the aquatic environment - chronic
STOT SE	Specific target organ toxicity — single exposure
STOT RE	Specific target organ toxicity — repeated exposure
Eye Irrit.	Eye irritation
Skin Sens.	Skin sensitization
H315	Causes skin irritation.
H304	May be fatal if swallowed and enters airways.
H360Fd	May damage fertility. Suspected of damaging the unborn child.
H302 + H332	Harmful if swallowed or if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
EUH401	To avoid risks to human health and the environment, comply with the instructions for use.
H360F	May damage fertility.
H411	Toxic to aquatic life with long lasting effects.
H331	Toxic if inhaled.
H302	Harmful if swallowed.
H335	May cause respiratory irritation.
H361d	Suspected of damaging the unborn child.
H373	May cause damage to organs (Liver, Nasal cavity, Gastrointestinal tract) through prolonged or repeated exposure.
H319	Causes serious eye irritation.
H317	May cause an allergic skin reaction.
H412	Harmful to aquatic life with long lasting effects.
EUH066	Repeated exposure may cause skin dryness or cracking.

Abbreviations
ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road. ADN = The European Agreement concerning the International Carriage of Dangerous Goods by Inland waterways. ATE = Acute Toxicity Estimates. CAO = Cargo Aircraft Only. CAS = Chemical Abstract Service. CLP = Classification, Labelling and Packaging of substances and mixtures. DIN = German national organization for standardization. DNEL = Derived No Effect Level. EC50 = Effective concentration median for 50% of the population. EC = European Community. EN = European Standards. IARC = International Agency for Research on Cancer. IATA = International Air Transport Association. IBC-Code = Intermediate Bulk Container code. IMDG = International Maritime Dangerous Goods Code. ISO = International Organization for Standardization. STEL = Short-Term Exposure Limit. LC50 = Lethal concentration median for 50% of the population. LD50 = Lethal dose median for 50% of the population. TLV = Threshold Limit Value. MARPOL = The International Convention for the Prevention of Pollution

from Ships. NEN = Dutch Norm. NOEC = No Observed Effect Concentration. OEL = Occupational Exposure Limit. OECD = Organization for Economic Cooperation and Development. PBT = Persistent, Bioaccumulative and Toxic. PNEC = Predicted No Effect Level. PPM = Parts per million. RID = The European Agreement concerning the International Carriage of Dangerous Goods by Rail. TWA = Time Weight Average. UN-number = UN number at transport. vPvB = very Persistent and very Bioaccumulative.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Vertical lines in the left hand margin indicate an amendment from the previous version.