We create chemistry

# Safety data sheet



BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.
Date / Revised: 30.06.2021 Version: 6.0
Date previous version: 03.12.2019 Previous version: 5.0
Product: **FoamStar® PB 2706**
(ID no. 30041448/SDS_GEN_GB/EN)
Date of print 13.07.2025

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

## FoamStar® PB 2706

UFI: RM8F-9H1Q-D00X-DF40

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Raw material, for industrial use only

### 1.3. Details of the supplier of the safety data sheet

Company:
BASF SE
67056 Ludwigshafen
GERMANY

Contact address:
BASF plc
4th and 5th Floors, 2 Stockport Exchange
Railway Road, Stockport, SK1 3GG
UNITED KINGDOM

Telephone: +44 161 475 3000
E-mail address: product-safety-uk-and-ireland@basf.com

### 1.4. Emergency telephone number

International emergency number:
Telephone: +49 180 2273-112

## SECTION 2: Hazards Identification

### 2.1. Classification of the substance or mixture

For the classification of the mixture the following methods have been applied: extrapolation on the concentration levels of the hazardous substances, on basis of test results and after evaluation of experts. The methodologies used are mentioned at the respective test results.

According to Regulation (EC) No 1272/2008 [CLP]

| | |
|---|---|
| Skin Sens. 1 | H317 May cause an allergic skin reaction. |

For the classifications not written out in full in this section the full text can be found in section 16.

## 2.2. Label elements

Globally Harmonized System, EU (GHS)

Pictogram:

Signal Word:
Warning

Hazard Statement:

| | |
|---|---|
| H317 | May cause an allergic skin reaction. |

Precautionary Statements (Prevention):

| | |
|---|---|
| P280 | Wear protective gloves. |
| P261 | Avoid breathing mist or vapour or spray. |

Precautionary Statements (Response):

| | |
|---|---|
| P302 + P352 | IF ON SKIN: Wash with plenty of soap and water. |
| P333 + P313 | If skin irritation or rash occurs: Get medical attention. |
| P362 + P364 | Take off contaminated clothing and wash it before reuse. |

Precautionary Statements (Disposal):

| | |
|---|---|
| P501 | Dispose of contents and container to hazardous or special waste collection point. |

According to Regulation (EC) No 1272/2008 [CLP]

Hazard determining component(s) for labelling: Triisobutyl phosphate

## 2.3. Other hazards

According to Regulation (EC) No 1272/2008 [CLP]

No specific dangers known, if the regulations/notes for storage and handling are considered.

## SECTION 3: Composition/Information on Ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Chemical nature

fatty acid condensate, non-ionic surfactants

Hazardous ingredients (GHS)
according to Regulation (EC) No. 1272/2008

Triisobutyl phosphate

| | |
|---|---|
| Content (W/W): >= 5 % - < 7 % | Skin Sens. 1B |
| CAS Number: 126-71-6 | H317 |
| EC-Number: 204-798-3 | |
| REACH registration number: 01-2119957118-32 | |

For the classifications not written out in full in this section, including the hazard classes and the hazard statements, the full text is listed in section 16.

## SECTION 4: First-Aid Measures

### 4.1. Description of first aid measures

Remove contaminated clothing.

If inhaled:
Keep patient calm, remove to fresh air, seek medical attention.

On skin contact:
Wash thoroughly with soap and water

On contact with eyes:
Wash affected eyes for at least 15 minutes under running water with eyelids held open.

On ingestion:
Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far

### 4.3. Indication of any immediate medical attention and special treatment needed

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

## SECTION 5: Fire-Fighting Measures

### 5.1. Extinguishing media
Suitable extinguishing media:
water spray, dry powder, foam

### 5.2. Special hazards arising from the substance or mixture
Endangering substances: harmful vapours, carbon oxides, phosphorus oxides
Advice: Evolution of fumes/fog. The substances/groups of substances mentioned can be released in case of fire.

### 5.3. Advice for fire-fighters
Special protective equipment:
Wear a self-contained breathing apparatus.

Further information:
The degree of risk is governed by the burning substance and the fire conditions. Contaminated extinguishing water must be disposed of in accordance with official regulations.

## SECTION 6: Accidental Release Measures

High risk of slipping due to leakage/spillage of product. Forms slippery surfaces with water.

### 6.1. Personal precautions, protective equipment and emergency procedures
Use personal protective clothing. Information regarding personal protective measures, see section 8.

### 6.2. Environmental precautions
Contain contaminated water/firefighting water. Do not discharge into drains/surface waters/groundwater.

Do not allow contamination of public drains or surface or ground waters. Inform local water plc if spillage enters drains and the Environment Agency (England & Wales), the Scottish Environmental Protection Agency (Scotland), or the Environment and Heritage Service (Northern Ireland) if it enters surface or ground waters. Keep people and animals away.

### 6.3. Methods and material for containment and cleaning up
For large amounts: Dike spillage. Pump off product.
For residues: Pick up with suitable absorbent material.
Dispose of absorbed material in accordance with regulations.

### 6.4. Reference to other sections
Information regarding exposure controls/personal protection and disposal considerations can be found in section 8 and 13.

## SECTION 7: Handling and Storage

### 7.1. Precautions for safe handling
Ensure thorough ventilation of stores and work areas. Avoid frequent and direct contact with substance. Wear chemically resistant gloves in combination with ‘basic’ employee training.

Protection against fire and explosion:
Take precautionary measures against static discharges.

### 7.2. Conditions for safe storage, including any incompatibilities

Suitable materials for containers: High density polyethylene (HDPE), Low density polyethylene (LDPE), Stainless steel 1.4301 (V2), Stainless steel 1.4306 (V2A), Stainless steel 1.4361, Stainless steel 1.4401, Stainless steel 1.4541, Stainless steel 1.4571, Stove-lacquer RDL 50, Stainless steel 1.4439
Further information on storage conditions: Containers should be stored tightly sealed in a dry place. Precipitation may occur at temperatures below room temperature. This will not affect the safety or efficacy. The property change is reversible by stirring and heating.

Storage stability:
Storage temperature: 10 - 30 °C

### 7.3. Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

## SECTION 8: Exposure Controls/Personal Protection

### 8.1. Control parameters

Components with occupational exposure limits

No substance specific occupational exposure limits known.

PNEC
Data refer to the lead substance

Components with PNEC

126-71-6: Triisobutyl phosphate
freshwater: 0.0143 mg/l
marine water: 0.00143 mg/l
intermittent release: 0.143 mg/l
STP: 3.72 mg/l
sediment (freshwater): 2.05 mg/kg
sediment (marine water): 0.205 mg/kg
soil: 0.426 mg/kg
oral (secondary poisoning):
No PNEC oral derived, as accumulation in organisms is not to be expected.

DNEL
Data refer to the lead substances

Components with DNEL

126-71-6: Triisobutyl phosphate
worker: Long-term exposure- systemic effects, Inhalation: 50 mg/m3
worker: Long-term exposure- systemic effects, dermal: 4.25 mg/kg

consumer: Long-term exposure- systemic effects, oral: 2.13 mg/kg
consumer: Long-term exposure- systemic effects, Inhalation: 8.89 mg/m3
consumer: Long-term exposure- systemic effects, dermal: 2.13 mg/kg

### 8.2. Exposure controls

Personal protective equipment

Respiratory protection:
Respiratory protection in case of vapour/aerosol release. Particle filter with medium efficiency for solid and liquid particles (e.g. EN 143 or 149, Type P2 or FFP2)

Hand protection:
Chemical resistant protective gloves (EN ISO 374-1)
Suitable materials for short-term contact (recommended: At least protective index 2, corresponding > 30 minutes of permeation time according to EN ISO 374-1)
butyl rubber (butyl) - 0.7 mm coating thickness
nitrile rubber (NBR) - 0.4 mm coating thickness
Supplementary note: The specifications are based on tests, literature data and information of glove manufacturers or are derived from similar substances by analogy. Due to many conditions (e.g. temperature) it must be considered, that the practical usage of a chemical-protective glove in practice may be much shorter than the permeation time determined through testing. Manufacturer's directions for use should be observed because of great diversity of types.

Eye protection:
Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:
Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures
Wearing of closed work clothing is required additionally to the stated personal protection equipment. No eating, drinking, smoking or tobacco use at the place of work. Handle in accordance with good industrial hygiene and safety practice.

## SECTION 9: Physical and Chemical Properties

### 9.1. Information on basic physical and chemical properties

| | | |
|---|---|---|
| Form: | liquid | |
| Colour: | yellowish | |
| Odour: | product specific | |
| Odour threshold: | Not determined due to potential health hazard by inhalation. | |
| pH value: | 3.5 - 4.5<br>(20 g/l, 20 °C)<br>(measured in a solution of alcohol and water) | (DIN 19268) |
| solidification temperature: | approx. -18 °C | |
| boiling temperature: | > 240 °C | |

| | | |
|---|---|---|
| Flash point: | > 100 °C | (ISO 2719) |
| Evaporation rate: | not determined | |
| Flammability: | hardly combustible | |
| Lower explosion limit: | For liquids not relevant for classification and labelling., The lower explosion point may be 5 - 15 °C below the flash point. | |
| Upper explosion limit: | For liquids not relevant for classification and labelling. | |
| Ignition temperature: | > 200 °C | (DIN 51794) |
| Vapour pressure: | < 0.1 hPa | |
| Density: | approx. 0.99 g/cm3 (20 °C) | |
| Relative density: | approx. 0.99 | |
| Relative vapour density (air): | not determined | |
| Solubility in water: | emulsifiable | |
| Partitioning coefficient n-octanol/water (log Kow): | Study does not need to be conducted. | |
| Self ignition: | not self-igniting | |
| Thermal decomposition: | not determined | |
| Viscosity, dynamic: | approx. 300 mPa.s (20 °C) | (DIN EN 12092) |
| | approx. 65 mPa.s (60 °C) | (DIN EN 12092) |
| Explosion hazard: | not explosive | |
| Fire promoting properties: | not fire-propagating | |

### 9.2. Other information

| | | |
|---|---|---|
| Self heating ability: | It is not a substance capable of spontaneous heating according to UN transport regulations class 4.2. | |
| Surface tension: | approx. 32 mN/m (20 °C; 0.5 %(V)) | (DIN EN 14370) |
| Flow time: | approx. 63 s (20 °C) | (DIN 53211) |
| Grain size distribution: | The substance / product is marketed or used in a non solid or granular form. | |

## SECTION 10: Stability and Reactivity

### 10.1. Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Corrosion to metals: No corrosive effect on metal.

### 10.2. Chemical stability

The product is stable if stored and handled as prescribed/indicated.

### 10.3. Possibility of hazardous reactions
No hazardous reactions when stored and handled according to instructions.

### 10.4. Conditions to avoid
See SDS section 7 - Handling and storage.

### 10.5. Incompatible materials

Substances to avoid:
strong acids, strong bases, strong oxidizing agents, reactive chemicals

### 10.6. Hazardous decomposition products

Hazardous decomposition products:
No hazardous decomposition products if stored and handled as prescribed/indicated.

## SECTION 11: Toxicological Information

### 11.1. Information on toxicological effects

Acute toxicity

Assessment of acute toxicity:
Virtually nontoxic after a single ingestion.

Experimental/calculated data:
LD50 rat (oral): > 5,000 mg/kg (BASF-Test)

LD50 rat (dermal):
No data available.

Irritation

Assessment of irritating effects:
Not irritating to eyes and skin.

Experimental/calculated data:
Skin corrosion/irritation rabbit: non-irritant (OECD Guideline 404)

Serious eye damage/irritation rabbit: non-irritant (OECD Guideline 405)

Respiratory/Skin sensitization

Assessment of sensitization:
May cause sensitization by skin contact.

*Information on: Triisobutyl phosphate*
*Experimental/calculated data:*
*Buehler test guinea pig: skin sensitizing (OECD Guideline 406)*
---

Germ cell mutagenicity

Assessment of mutagenicity:
The substance was not mutagenic in bacteria.

Carcinogenicity

Assessment of carcinogenicity:
No data available.

Reproductive toxicity

Assessment of reproduction toxicity:
Based on available data, the classification criteria are not met.

Developmental toxicity

Assessment of teratogenicity:
Based on available data, the classification criteria are not met.

Specific target organ toxicity (single exposure)

Assessment of STOT single:
Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:
The information available on the product provides no indication of toxicity on target organs after repeated exposure.

Aspiration hazard

No aspiration hazard expected.

Other relevant toxicity information

The product has not been tested. The statements on toxicology have been derived from the properties of the individual components.

## SECTION 12: Ecological Information

### 12.1. Toxicity

Assessment of aquatic toxicity:
There is a high probability that the product is not acutely harmful to aquatic organisms.

Toxicity to fish:
LC50 (96 h) > 100 mg/l, Oncorhynchus mykiss (DIN 38412 Part 15, static)
The details of the toxic effect relate to the nominal concentration. The LC50 is higher than the solubility limit.

Aquatic invertebrates:
No data available.

Aquatic plants:
No data available.

Chronic toxicity to fish:
No data available.

Chronic toxicity to aquatic invertebrates:
No data available.

Assessment of terrestrial toxicity:
No data available concerning terrestrial toxicity.

## 12.2. Persistence and degradability

Assessment biodegradation and elimination (H2O):
The product is biodegradable.

## 12.3. Bioaccumulative potential

Assessment bioaccumulation potential:
Significant accumulation in organisms is not to be expected.

## 12.4. Mobility in soil

Assessment transport between environmental compartments:
Volatility: The substance will not evaporate into the atmosphere from the water surface.
Adsorption in soil: Adsorption to solid soil phase is expected.

## 12.5. Results of PBT and vPvB assessment

According to Annex XIII of Regulation (EC) No.1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH): The product does not fulfill the criteria for PBT (Persistent/bioaccumulative/toxic) and vPvB (very persistent/very bioaccumulative).

## 12.6. Other adverse effects

The product does not contain substances that are listed in Regulation (EC) 1005/2009 on substances that deplete the ozone layer.

## 12.7. Additional information

Sum parameter

Chemical oxygen demand (COD): 6,862 mg/l
An aqueous solution was tested.

Add. remarks environm. fate & pathway:
Treatment in biological waste water treatment plants has to be performed according to local and administrative regulations.

Other ecotoxicological advice:
The product has not been tested. The statement has been derived from the properties of the individual components.

## SECTION 13: Disposal Considerations

### 13.1. Waste treatment methods

Must be disposed of or incinerated in accordance with local regulations.

Contaminated packaging:
Uncontaminated packaging can be re-used.
Packs that cannot be cleaned should be disposed of in the same manner as the contents.

## SECTION 14: Transport Information

**Land transport**

ADR

| | |
|---|---|
| | Not classified as a dangerous good under transport regulations |
| UN number: | Not applicable |
| UN proper shipping name: | Not applicable |
| Transport hazard class(es): | Not applicable |
| Packing group: | Not applicable |
| Environmental hazards: | Not applicable |
| Special precautions for user | None known |

RID

| | |
|---|---|
| | Not classified as a dangerous good under transport regulations |
| UN number: | Not applicable |
| UN proper shipping name: | Not applicable |
| Transport hazard class(es): | Not applicable |
| Packing group: | Not applicable |
| Environmental hazards: | Not applicable |
| Special precautions for user | None known |

**Inland waterway transport**
ADN

| | |
|---|---|
| | Not classified as a dangerous good under transport regulations |
| UN number: | Not applicable |
| UN proper shipping name: | Not applicable |
| Transport hazard class(es): | Not applicable |
| Packing group: | Not applicable |
| Environmental hazards: | Not applicable |

| | |
|---|---|
| Special precautions for user: | None known |

Transport in inland waterway vessel
Not evaluated

**Sea transport**

IMDG

| | |
|---|---|
| | Not classified as a dangerous good under transport regulations |
| UN number: | Not applicable |
| UN proper shipping name: | Not applicable |
| Transport hazard class(es): | Not applicable |
| Packing group: | Not applicable |
| Environmental hazards: | Not applicable |
| Special precautions for user | None known |

**Air transport**

IATA/ICAO

| | |
|---|---|
| | Not classified as a dangerous good under transport regulations |
| UN number: | Not applicable |
| UN proper shipping name: | Not applicable |
| Transport hazard class(es): | Not applicable |
| Packing group: | Not applicable |
| Environmental hazards: | Not applicable |
| Special precautions for user | None known |

### 14.1. UN number
See corresponding entries for “UN number” for the respective regulations in the tables above.

### 14.2. UN proper shipping name
See corresponding entries for “UN proper shipping name” for the respective regulations in the tables above.

### 14.3. Transport hazard class(es)
See corresponding entries for “Transport hazard class(es)” for the respective regulations in the tables above.

### 14.4. Packing group
See corresponding entries for “Packing group” for the respective regulations in the tables above.

### 14.5. Environmental hazards
See corresponding entries for “Environmental hazards” for the respective regulations in the tables above.

### 14.6. Special precautions for user

See corresponding entries for “Special precautions for user” for the respective regulations in the tables above.

### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

| | |
|---|---|
| Regulation: | Not evaluated |
| Shipment approved: | Not evaluated |
| Pollution name: | Not evaluated |
| Pollution category: | Not evaluated |
| Ship Type: | Not evaluated |

## SECTION 15: Regulatory Information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Prohibitions, Restrictions and Authorizations

Annex XVII of Regulation (EC) No 1907/2006: Number on List: 3

Directive 2012/18/EU - Control of Major Accident Hazards involving dangerous substances (EU): Listed in above regulation: no

### 15.2. Chemical Safety Assessment

Assessment of safe use has been performed for the mixture and the result is documented in section 7 and 8 of the SDS

## SECTION 16: Other Information

Information on intended use: This product is of industrial quality and unless otherwise specified or agreed intended exclusively for industrial use. This includes the mentioned and recommended usage. Any other intended applications should be discussed with the manufacturer. In particular this concerns the application for products that are the object of special standards and regulations.

Full text of the classifications, including the hazard classes and the hazard statements, if mentioned in section 2 or 3:

| | |
|---|---|
| Skin Sens. | Skin sensitization |
| H317 | May cause an allergic skin reaction. |

Abbreviations
ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road. ADN = The European Agreement concerning the International Carriage of Dangerous Goods by Inland waterways. ATE = Acute Toxicity Estimates. CAO = Cargo Aircraft Only. CAS = Chemical Abstract Service. CLP = Classification, Labelling and Packaging of substances and mixtures. DIN = German national organization for standardization. DNEL = Derived No Effect Level. EC50 = Effective concentration median for 50% of the population. EC = European Community. EN = European Standards. IARC = International Agency for Research on Cancer. IATA = International Air Transport Association. IBC-Code = Intermediate Bulk Container code. IMDG = International Maritime Dangerous Goods Code.

ISO = International Organization for Standardization. STEL = Short-Term Exposure Limit. LC50 = Lethal concentration median for 50% of the population. LD50 = Lethal dose median for 50% of the population. TLV = Threshold Limit Value. MARPOL = The International Convention for the Prevention of Pollution from Ships. NEN = Dutch Norm. NOEC = No Observed Effect Concentration. OEL = Occupational Exposure Limit. OECD = Organization for Economic Cooperation and Development. PBT = Persistent, Bioaccumulative and Toxic. PNEC = Predicted No Effect Level. PPM = Parts per million. RID = The European Agreement concerning the International Carriage of Dangerous Goods by Rail. TWA = Time Weight Average. UN-number = UN number at transport. vPvB = very Persistent and very Bioaccumulative.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Vertical lines in the left hand margin indicate an amendment from the previous version.