We create chemistry

Safety Data Sheet
Dry Vitamin A-Palmitate 500

1. Identification

Product identifier used on the label

Dry Vitamin A-Palmitate 500

Recommended use of the chemical and restriction on use

Recommended use*: Vitamin
Unsuitable for use: Not intended for sale to or use by the general public.

* The “Recommended use” identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

Details of the supplier of the safety data sheet

Company:
BASF Canada Inc.
5025 Creekbank Road
Building A, Floor 2
Mississauga, ON, L4W 0B6, CANADA

Telephone: +1 289 360-1300

Emergency telephone number
24 Hour Emergency Response Information
CHEMTREC: 1-800-424-9300
BASF HOTLINE: (800) 454-COPE (2673)

Other means of identification
Synonyms: Preparation based on: Retinyl palmitate 500 000 I.U./g, embedded in: carbohydrates, Gelatins, stabilized with: 2,6-di-tert-Butyl-p-cresol

2. Hazards Identification

According to Hazardous Products Regulations (HPR) (SOR/2015-17)

Classification of the product

Repr.	1B (unborn child)	Reproductive toxicity
Aquatic Acute	2	Hazardous to the aquatic environment - acute
Aquatic Chronic	2	Hazardous to the aquatic environment - chronic

Combustible Dust	Combustible Dust (1)	Combustible Dust

Label elements

Pictogram:



Signal Word:
Danger

Hazard Statement:

	May form combustible dust concentration in air.
H360	May damage the unborn child.
H401	Toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.

Precautionary Statements (Prevention):

P273	Avoid release to the environment.
P280	Wear protective gloves, protective clothing and eye protection or face protection.
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.

Precautionary Statements (Response):

P308 + P313	IF exposed or concerned: Get medical attention.
P391	Collect spillage.

Precautionary Statements (Storage):

P405	Store locked up.

Precautionary Statements (Disposal):

P501	Dispose of contents/container in accordance with local regulations.

Hazards not otherwise classified

The product is under certain conditions capable of dust explosion.

3. Composition / Information on Ingredients

According to Hazardous Products Regulations (HPR) (SOR/2015-17)

Vitamin A palmitate
CAS Number: 79-81-2
Content (W/W): 0.0 - 50.0%
Synonym: No data available.

Sucrose
CAS Number: 57-50-1
Content (W/W): 20.0 - 30.0%
Synonym: .alpha.-D-Glucopyranoside, .beta.-D-fructofuranosyl-

BHT
CAS Number: 128-37-0
Content (W/W): 1.0 - 3.0%
Synonym: 2,6-Bis(1,1-dimethylethyl)-4-methylphenol; BHT, Butylated hydroxytoluene, 2,6-Di-tert-butyl-p-cresol

EN - Isomers of Retinyl palmitate; SoR_JP; CAS unknown
Content (W/W): 0.0 - 3.0%
Synonym: No data available.

4. First-Aid Measures

Description of first aid measures

General advice:
First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing.

If inhaled:
Keep patient calm, remove to fresh air, seek medical attention.

If on skin:
Immediately wash thoroughly with soap and water, seek medical attention.

If in eyes:
Wash affected eyes for at least 15 minutes under running water with eyelids held open.

If swallowed:
Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

Most important symptoms and effects, both acute and delayed

Information on: Vitamin A palmitate
Symptoms: Overexposure may cause:, Eye irritation, skin irritation, erythema, nausea, headache, vomiting, dizziness, diarrhea, abdominal cramps
---

Indication of any immediate medical attention and special treatment needed

Note to physician
Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Suitable extinguishing media:
dry powder, carbon dioxide, water spray, foam

Unsuitable extinguishing media for safety reasons:
water spray

Additional information:
Avoid whirling up the material/product because of the danger of dust explosion.

Special hazards arising from the substance or mixture

Hazards during fire-fighting:
carbon oxides, harmful vapours
The substances/groups of substances mentioned can be released in case of fire. Evolution of fumes/fog. Dust explosion hazard.

Advice for fire-fighters

Protective equipment for fire-fighting:
Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:
Cool endangered containers with water-spray. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

Dusty conditions may ignite explosively in the presence of an ignition source causing flash fire.

6. Accidental release measures

Further accidental release measures:
Avoid dispersal of dust in the air (e.g. by clearing dusty surfaces with compressed air). Avoid the formation and build-up of dust - danger of dust explosion. Dust in sufficient concentration can result in an explosive mixture in air. Handle to minimize dusting and eliminate open flame and other sources of ignition.

Personal precautions, protective equipment and emergency procedures

Use personal protective clothing. Information regarding personal protective measures, see section 8. Ensure adequate ventilation. Avoid dust formation. Do not breathe dust.

Environmental precautions

Do not discharge into drains/surface waters/groundwater. Inform authorities in the event of product spillage to water courses or sewage systems.

Methods and material for containment and cleaning up

For small amounts: Contain with dust binding material and dispose of.
For large amounts: Sweep/shovel up. Collect waste in suitable containers, which can be labeled and sealed.
Dispose of absorbed material in accordance with regulations. Avoid raising dust. Cleaning operations should be carried out only while wearing breathing apparatus.

Nonsparking tools should be used.

7. Handling and Storage

Precautions for safe handling

Avoid dust formation. Provide exhaust ventilation. This product may cause irritations; wash your hands after every contact.

Protection against fire and explosion:
Avoid whirling up the material/product because of the danger of dust explosion. Avoid dust formation. Dust in sufficient concentration can result in an explosive mixture in air. Handle to minimize dusting and eliminate open flame and other sources of ignition. Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces. Dry powders can build static electricity charges when subjected to the friction of transfer and mixing operations. Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres. Refer to NFPA 654, Standard for the Prevention of Fire and Dust Explosions from the Manufacturing, Processing, and Handling of Combustible Particulate Solids (2013 Edition) for safe handling.

Conditions for safe storage, including any incompatibilities

Suitable materials for containers: High density polyethylene (HDPE), Low density polyethylene (LDPE), Aluminium

Further information on storage conditions: Keep container tightly closed and dry; store in a cool place. Protect from air. Protect from the effects of light.

8. Exposure Controls/Personal Protection

Components with occupational exposure limits

Sucrose	ACGIH, US:	TWA value 10 mg/m3 ;
	OSHA Z1:	PEL 15 mg/m3 Total dust ;
	OSHA Z1:	PEL 5 mg/m3 Respirable fraction ;
BHT	ACGIH, US:	TWA value 2 mg/m3 Inhalable fraction and vapor ;

Advice on system design:
Provide local exhaust ventilation to control dust. It is recommended that all dust control equipment such as local exhaust ventilation and material transport systems involved in handling of this product contain explosion relief vents or an explosion suppression system or an oxygen deficient environment. Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment). Use only appropriately classified electrical equipment and powered industrial trucks.

Personal protective equipment

Respiratory protection:
Wear a NIOSH-certified (or equivalent) particulate respirator.

Hand protection:
Wear chemical resistant protective gloves.

Eye protection:
Wear safety goggles (chemical goggles) if there is potential for airborne dust exposures.

Body protection:
Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

General safety and hygiene measures:
Under no circumstances should the product come into contact with the skin of pregnant women or be inhaled by them. Wearing of closed work clothing is required additionally to the stated personal protection equipment. Handle in accordance with good industrial hygiene and safety practice. Wash soiled clothing immediately. No eating, drinking, smoking or tobacco use at the place of work. Hands and/or face should be washed before breaks and at the end of the shift. Store work clothing separately.

9. Physical and Chemical Properties

Form:	free flowing fine granules	
Odour:	not applicable	
Odour threshold:	Not determined due to potential health hazard by inhalation.	
Colour:	light yellow	
pH value:	5.5 (10 %(m), 20 °C)	
melting range:	The substance / product decomposes therefore not determined.	
freezing range:	No data available.	
Boiling point:	not applicable	
Flash point:	not applicable, the product is a solid	
Flammability:	not highly flammable	(UN Test N.1 (ready combustible solids))
Lower explosion limit:	For solids not relevant for classification and labelling.	
Upper explosion limit:	For solids not relevant for classification and labelling.	
SADT:	Not a substance liable to self-decomposition according to UN transport regulations, class 4.1.	
Vapour pressure:	not applicable	
Density:	No information is available for the absolute density. Instead the bulk density was determined as a more relevant value.	
Bulk density:	approx. 600 kg/m3	
Vapour density:	not applicable, The product is a non-volatile solid.	
Partitioning coefficient n-octanol/water (log Pow):	not applicable for mixtures	
Thermal decomposition:	> 160 °C (DSC (DIN 51007)) self-accelerating reaction	
Viscosity, dynamic:	No data available.	
Viscosity, kinematic:	not applicable, the product is a solid	
Solubility in water:	(35 - 40 °C) dispersible	
Molar mass:	No data available.	
Evaporation rate:	The product is a non-volatile solid.	

10. Stability and Reactivity

Reactivity
No hazardous reactions if stored and handled as prescribed/indicated.

Corrosion to metals:
Corrosive effects to metal are not anticipated.

Oxidizing properties:
Based on its structural properties the product is not classified as oxidizing.

Minimum ignition energy:
(VDI 2263, sheet 1, 2.5)
The product is capable of dust explosion.

Chemical stability
The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions
Dust explosion hazard.

Conditions to avoid
Avoid heat. Avoid all sources of ignition: heat, sparks, open flame. Avoid light. Avoid dust formation.

Incompatible materials
atmospheric moisture, atmospheric oxygen

Hazardous decomposition products

Decomposition products:
Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

Thermal decomposition:
> 160 °C (DSC (DIN 51007))
self-accelerating reaction

11. Toxicological information

Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

Acute Toxicity/Effects

Acute toxicity
Assessment of acute toxicity: Virtually nontoxic after a single ingestion.

Oral

Information on: Vitamin A palmitate
Type of value: LD50
Species: rat (male/female)

Value: > 2,000 mg/kg (BASF-Test)
No mortality was observed. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Inhalation
No data available.

Dermal
No data available.

Assessment other acute effects
Assessment of STOT single:
Based on available data, the classification criteria are not met.

Irritation / corrosion
Assessment of irritating effects: Not irritating to the eyes. Skin contact causes slight irritation.

Skin

Information on: Vitamin A palmitate
Species: rabbit
Result: Irritant.
Method: BASF-Test

Species: rabbit
Result: moderately irritating
Method: OECD Guideline 404

Eye

Information on: Vitamin A palmitate
Species: rabbit
Result: non-irritant
Method: OECD Guideline 405

Sensitization
Assessment of sensitization: Based on available data, the classification criteria are not met.

Information on: Vitamin A palmitate
Assessment of sensitization:
Skin sensitizing effects were not observed in animal studies.

Aspiration Hazard
No aspiration hazard expected.

Chronic Toxicity/Effects

Repeated dose toxicity
Assessment of repeated dose toxicity: Based on available data, the classification criteria are not met.

Information on: Vitamin A palmitate

Assessment of repeated dose toxicity: Repeated exposure to large quantities may affect certain organs.

Information on: Phenol, 2,6-bis(1,1-dimethylethyl)-4-methyl-
Assessment of repeated dose toxicity: The information available on the product provides no indication of toxicity on target organs after repeated exposure.

Genetic toxicity
Assessment of mutagenicity: Based on the ingredients, there is no suspicion of a mutagenic effect.

Information on: Vitamin A palmitate
Assessment of mutagenicity: In the majority of tests performed (bacteria/microorganisms/cell cultures) a mutagenic effect was not found. A mutagenic effect was also not observed in in-vivo assays. The product has not been fully tested. The statements have been derived in parts from products of a similar structure or composition.

Carcinogenicity
Assessment of carcinogenicity: The whole of the information assessable provides no indication of a carcinogenic effect.

Information on: Vitamin A palmitate
Assessment of carcinogenicity: Results from a number of long-term carcinogenity studies and short-term tests are available. Taking into account all of the information, there is no indication that the substance itself is carcinogenic. Literature data.

Information on: BHT
Assessment of carcinogenicity: The substance caused cancer in animal studies. The International Agency for Research on Cancer (IARC) has classified this substance as group 3, not classifiable as to its carcinogenicity to humans.

Reproductive toxicity
Assessment of reproduction toxicity: Based on available data, the classification criteria are not met.

Teratogenicity
Assessment of teratogenicity: The substance caused malformations/developmental toxicity in laboratory animals.

Information on: Vitamin A palmitate
Assessment of teratogenicity: May cause harm to the unborn child.

Other Information
The product has not been tested. The statements on toxicology have been derived from the properties of the individual components.

12. Ecological Information

Toxicity

Aquatic toxicity
Assessment of aquatic toxicity:
Acutely toxic for aquatic organisms. May cause long-term adverse effects in the aquatic environment.

Toxicity to fish

Information on: BHT
LC0 (96 h) >= 0.57 mg/l, Brachydanio rerio (OECD 203; ISO 7346; 84/449/EEC, C.1, semistatic)
The statement of the toxic effect relates to the analytically determined concentration. Limit concentration test only (LIMIT test).

Aquatic invertebrates

Information on: BHT
EC0 (48 h) 0.48 mg/l, Daphnia magna (OECD Guideline 202, part 1, static)
The statement of the toxic effect relates to the analytically determined concentration.

Aquatic plants

Information on: BHT
EC50 (72 h) > 0.40 mg/l (growth rate), Scenedesmus subspicatus (Guideline 92/69/EEC, C.3, static)
The statement of the toxic effect relates to the analytically determined concentration.

Assessment of terrestrial toxicity
No data available.

Microorganisms/Effect on activated sludge

Toxicity to microorganisms

Information on: BHT
DIN EN ISO 8192-OECD 209-88/302/EEC,P. C aerobic activated sludge/EC0 (3 h): 1,000 mg/l
---

Persistence and degradability

Assessment biodegradation and elimination (H2O)
Product is not expected to be readily biodegradable.

Assessment biodegradation and elimination (H2O)

Information on: Vitamin A palmitate

Not readily biodegradable (by OECD criteria). Moderately/partially biodegradable.

Information on: BHT

Not readily biodegradable (by OECD criteria). Poorly biodegradable.

Elimination information

Information on: Vitamin A palmitate
40 - 50 % BOD of the ThOD (28 d) (OECD 301F; ISO 9408; 92/69/EEC, C.4-D) (aerobic, activated sludge, domestic)

Information on: BHT
4.5 % BOD of the ThOD (28 d) (OECD 301C; ISO 9408; 92/69/EEC, C.4-F) (aerobic, activated sludge)

Bioaccumulative potential

Assessment bioaccumulation potential
No data available.

Assessment bioaccumulation potential

Information on: Vitamin A palmitate

The product will not be readily bioavailable due to its consistency and insolubility in water. No significant accumulation in organisms is expected as a result of the distribution coefficient of n-octanol/water (log Pow).

Bioaccumulation potential

Information on: BHT

Bioconcentration factor: 330 - 1,800 (28 d), Cyprinus carpio (OECD Guideline 305 C)

Bioconcentration factor: 230 - 2,500 (56 d), Cyprinus carpio (OECD Guideline 305 C)

Mobility in soil

Assessment transport between environmental compartments
No data available.

Information on: Vitamin A palmitate

The substance will not evaporate into the atmosphere from the water surface.
Adsorption to solid soil phase is expected.

Additional information

Other ecotoxicological advice:
The product has not been tested. The statement has been derived from the properties of the individual components.

13. Disposal considerations

Waste disposal of substance:
Do not discharge into waterways or sewer systems without proper authorization. Dispose of in accordance with national, state and local regulations.

Container disposal:
Dispose of in accordance with national, state and local regulations.

14. Transport Information

Land transport
TDG

Hazard class:	9
Packing group:	III
ID number:	UN 3077
Hazard label:	9, EHSM
Proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (contains 2,6-DI-TERT-BUTYL-P-CRESOL)

Sea transport
IMDG

Hazard class:	9
Packing group:	III
ID number:	UN 3077
Hazard label:	9, EHSM
Marine pollutant:	YES
Proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (contains 2,6-DI-TERT-BUTYL-P-CRESOL)

Air transport
IATA/ICAO

Hazard class:	9
Packing group:	III
ID number:	UN 3077
Hazard label:	9, EHSM
Proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (contains 2,6-DI-TERT-BUTYL-P-CRESOL)

Further information
Product may be shipped as non-hazardous in suitable packages containing a net quantity of 5 kg or less under the provisions of various regulatory agencies: ADR, RID, ADN: Special Provision 375; IMDG: 2:10.2.7; IATA: A197; TDS: Special Provision 99(2); 49CFR: §171.4 (c) (2) and also the Special Provision 375 in Appendix B which is regulated in China "Regulations Concerning Road Transportation of Dangerous Goods Part 3: Index of dangerous goods name and transportation requirements" (JT/T 617.3)

15. Regulatory Information

Federal Regulations

Registration status:

Chemical	DSL, CA	released / listed
Food	DSL, CA	released / listed

NFPA Hazard codes:
Health: 1 Fire: 1 Reactivity: 0 Special:

Assessment of the hazard classes according to UN GHS criteria (most recent version):

Skin Corr./Irrit.	3	Skin corrosion/irritation
Repr.	1B (unborn child)	Reproductive toxicity
Aquatic Acute	2	Hazardous to the aquatic environment - acute
Aquatic Chronic	2	Hazardous to the aquatic environment - chronic

16. Other Information

SDS Prepared by:
BASF NA Product Regulations
SDS Prepared on: 2023/08/16

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

END OF DATA SHEET