We create chemistry

Safety data sheet

1. Identification

Product identifier

SKYTITE® C3-2.5 S RESIN

Recommended use: polyurethane component, industrial chemicals

Not recommended use: Uses other than recommended

Details of the supplier of the safety data sheet

Company:
BASF SE
67056 Ludwigshafen
GERMANY

Telephone: +49 621 60-0
E-mail address: global.info@basf.com

Emergency telephone number

International emergency number:
Telephone: +49 180 2273-112

2. Hazards Identification

Classification of the substance or mixture

According to UN GHS criteria

Acute Tox. 4 (oral)
Skin Irrit. 2

Eye Dam. 1
Aquatic Acute 2
Aquatic Chronic 2
Carc. 2

For the classifications not written out in full in this section the full text can be found in section 16.

Label elements

Globally Harmonized System (GHS)

Pictogram:

Signal Word:
Danger

Hazard Statement:

H318	Causes serious eye damage.
H315	Causes skin irritation.
H302	Harmful if swallowed.
H351	Suspected of causing cancer.
H401	Toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.

Precautionary Statements (Prevention):

P280	Wear protective gloves, protective clothing and eye protection or face protection.
P201	Obtain special instructions before use.
P273	Avoid release to the environment.
P202	Do not handle until all safety precautions have been read and understood.
P270	Do not eat, drink or smoke when using this product.
P264	Wash contaminated body parts thoroughly after handling.

Precautionary Statements (Response):

P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER or physician.
P308 + P313	IF exposed or concerned: Get medical attention.
P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
P330	Rinse mouth.
P391	Collect spillage.
P362 + P364	Take off contaminated clothing and wash it before reuse.

Precautionary Statements (Storage):

P405	Store locked up.

Precautionary Statements (Disposal):

P501	Dispose of contents and container to hazardous or special waste collection point.

Other hazards

According to UN GHS criteria

The product does not fulfill the criteria for PBT (Persistent/bioaccumulative/toxic) and vPvB (very persistent/very bioaccumulative).

3. Composition/Information on Ingredients

Substances

Not applicable

Mixtures

Chemical nature

Hazardous ingredients (GHS)
According to UN GHS criteria

Poly(oxy-1,2-ethanediyl), .alpha.-(4-nonylphenyl)-.omega.-hydroxy-,branched

Content (W/W): >= 0 % - < 5 %	Eye Irrit. 2B
CAS Number: 127087-87-0	Aquatic Chronic 2
EC-Number: 500-315-8	Aquatic Acute 2
	H319, H315, H401, H411

Oxirane, 2-methyl-, polymer with oxirane, ether with 2,6-bis[[bis(2-hydroxyethyl)amino]methyl]-4-branched nonylphenol

Content (W/W): >= 0 % - < 20 %	Acute Tox. 4 (oral)
CAS Number: 940912-28-7	Skin Corr./Irrit. 2
	Eye Dam./Irrit. 1
	H318, H315, H302

1-Propene, 1-chloro-3,3,3-trifluoro-, (1E)-

Content (W/W): >= 5 % - < 15 %	Press. Gas Liquef. Gas
CAS Number: 102687-65-0	Aquatic Acute 3
	Aquatic Chronic 3
	H280, H402, H412

Ethylene oxide, polymer with 2,2'-iminodiethanol and propylene oxide

Content (W/W): >= 0,1 % - < 5 %	Skin Corr./Irrit. 2
CAS Number: 34354-45-5	Eye Dam./Irrit. 1
	Acute Tox. 4 (oral)
	H318, H315, H302

Bismuth, 2,2',2'',2'''-(1,2-ethanediyldinitrilo)tetrakis[ethanol] neodecanoate polypropylene glycol complexes

Content (W/W): >= 0,1 % - < 5 %	Acute Tox. 5 (oral)
CAS Number: 2365490-81-7	Skin Irrit. 2
	Eye Dam. 1
	Skin Sens. 1
	Muta. 2
	H318, H315, H303, H317, H341

2,2'-Dimorpholinyldiethyl ether

Content (W/W): >= 0,1 % - < 5 %	Acute Tox. 5 (oral)
CAS Number: 6425-39-4	Acute Tox. 5 (dermal)
EC-Number: 229-194-7	Skin Corr./Irrit. 3
	Eye Dam./Irrit. 2B
	H320, H316, H303 + H313

Ixol M 125

Content (W/W): >= 1 % - < 7 %	Acute Tox. 4 (oral)
CAS Number: 86675-46-9	H302

Triethyl phosphate

Content (W/W): >= 0,1 % - < 5 %	Acute Tox. 4 (oral)
CAS Number: 78-40-0	Eye Irrit. 2A
EC-Number: 201-114-5	H319, H302
INDEX-Number: 015-013-00-7	

Aromatic Amino Polyol

Content (W/W): >= 0 % - < 20 %	Acute Tox. 4 (dermal)
CAS Number: 302933-85-3	Eye Dam./Irrit. 1
	Aquatic Acute 1
	Aquatic Chronic 1
	Acute Tox. 5 (oral)
	M-factor acute: 1
	M-factor chronic: 1
	H318, H312, H303, H400, H410

Cyclohexyldimethylamine

Content (W/W): >= 0,1 % - < 5 %	Flam. Liq. 3
CAS Number: 98-94-2	Acute Tox. 3 (Inhalation - vapour)
EC-Number: 202-715-5	Acute Tox. 3 (oral)
	Acute Tox. 3 (dermal)
	Skin Corr./Irrit. 1B
	Eye Dam./Irrit. 1
	Aquatic Acute 2
	Aquatic Chronic 3
	H226, H314, H301 + H311 + H331, H412, H401

2,2'-Oxydiethanol

Content (W/W): >= 3 % - < 10 %	Acute Tox. 4 (oral)
CAS Number: 111-46-6	H302
EC-Number: 203-872-2	
INDEX-Number: 603-140-00-6	

Polyetherpolyol, halogenated

Content (W/W): >= 1 % - < 7 %	
CAS Number: 68441-62-3	

Tris(2-chloro-1-methylethyl) phosphate

Content (W/W): >= 5 % - < 10 %	Acute Tox. 4 (oral)
CAS Number: 13674-84-5	Carc. 2
EC-Number: 237-158-7	Aquatic Acute 3
	Aquatic Chronic 3
	H302, H351, H402, H412

Ethane-1,2-diol

Content (W/W): >= 0 % - < 5 %	Acute Tox. 4 (oral)
CAS Number: 107-21-1	STOT RE (Kidney) 2
EC-Number: 203-473-3	H302, H373
INDEX-Number: 603-027-00-1	

1,2-Benzenedicarboxylic acid, 3,4,5,6-tetrabromo-, mixed esters with diethylene glycol and propylene glycol

Content (W/W): >= 3 % - < 5 %	
CAS Number: 77098-07-8	

Bismuth tris(2-ethylhexanoate)

Content (W/W): >= 0,1 % - <= 1 %	Acute Tox. 5 (oral)
CAS Number: 67874-71-9	Skin Corr./Irrit. 2
EC-Number: 267-499-7	Eye Dam./Irrit. 1
INDEX-Number: 607-230-00-6	Repr. 2 (unborn child)
	H318, H315, H303, H361

For the classifications not written out in full in this section the full text can be found in section 16.

4. First-Aid Measures

Description of first aid measures

Remove contaminated clothing.

If inhaled:
Keep patient calm, remove to fresh air, seek medical attention. Immediately administer a corticosteroid from a controlled/metered dose inhaler.

On skin contact:
If irritation develops, seek medical attention.

On contact with eyes:
Remove contact lenses, if present.

Most important symptoms and effects, both acute and delayed

Symptoms: (Further) symptoms and / or effects are not known so far

Hazards: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11. (Further) symptoms and / or effects are not known so far

Indication of any immediate medical attention and special treatment needed

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Extinguishing media

Suitable extinguishing media:
water spray, dry powder, foam, carbon dioxide

Special hazards arising from the substance or mixture

Carbon dioxide, Carbon monoxide, nitrogen oxides
The substances/groups of substances mentioned can be released in case of fire.

Advice for fire-fighters

Special protective equipment:
Wear a self-contained breathing apparatus.

Further information:
Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

6. Accidental Release Measures

High risk of slipping due to leakage/spillage of product.

Personal precautions, protective equipment and emergency procedures

Use personal protective clothing. Information regarding personal protective measures, see section 8.

Environmental precautions

Do not empty into drains. Do not discharge into the subsoil/soil.

Methods and material for containment and cleaning up

For large amounts: Pump off product.
For residues: Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr). Dispose of contaminated material as prescribed.

7. Handling and Storage

Precautions for safe handling

Ensure thorough ventilation of stores and work areas. Protect against moisture.

Protection against fire and explosion:
No special precautions necessary.

Conditions for safe storage, including any incompatibilities

Segregate from foods and animal feeds.

Suitable materials for containers: Carbon steel (Iron), High density polyethylene (HDPE), Low density polyethylene (LDPE), Stainless steel 1.4301 (V2)
Further information on storage conditions: From this information no suitability of the materials mentioned above for the design of installations, including containers for permanent storage, can be inferred. Special conditions apply to the selection of materials in this regard, which we can communicate on request.
Keep container tightly closed.

Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

8. Exposure Controls/Personal Protection

Control parameters

Components with occupational exposure limits

78-40-0: Triethyl phosphate
98-94-2: Cyclohexyldimethylamine
107-21-1: Ethane-1,2-diol
111-46-6: 2,2'-Oxydiethanol
112-60-7: 3,6,9-Trioxaundecane-1,11-diol

Exposure controls

Personal protective equipment

Respiratory protection:
Respiratory protection in case of vapour/aerosol release. Particle filter with medium efficiency for solid and liquid particles (e.g. EN 143 or 149, Type P2 or FFP2)

Hand protection:
Suitable chemical resistant safety gloves (EN ISO 374-1) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc.

Eye protection:
Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:
Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures
Wearing of closed work clothing is required additionally to the stated personal protection equipment. Avoid contact with the skin, eyes and clothing. When using, do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift. At the end of the shift the skin should be cleaned and skin-care agents applied.

9. Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

State of matter:	liquid	
Form:	liquid	
Colour:	amber	
Odour:	amine-like	
Odour threshold:	No applicable information available.	
Freezing point:	> 0,00 °C	
Melting point:	No data available.	
Boiling point:	> 100,00 °C	
Sublimation point:	No applicable information available.	
Flammability:	not flammable	(derived from flash point)
Lower explosion limit:	For liquids not relevant for classification and labelling., The lower explosion point may be 5 - 15 °C below the flash point.	
Upper explosion limit:	For liquids not relevant for classification and labelling.	
Flash point:	> 200,00 °F	(closed cup)
Auto-ignition temperature:	Unspecified	

Thermal decomposition:	No decomposition if stored and handled as prescribed/indicated.
pH value:	>= 7,0
Viscosity, kinematic:	not determined
Viscosity, dynamic:	320,000 mPa.s (22,00 °C)
Solubility in water:	slightly soluble
Solubility (qualitative) :	No applicable information available.
Solubility (quantitative):	No applicable information available.
Partitioning coefficient n-octanol/water (log Kow):	Unspecified
Vapour pressure:	< 0,1 hPa (25 °C)
Relative density:	No applicable information available.
Density:	2,25 - 2,45 lb/USg (23,88 °C)
Relative vapour density (air):	No applicable information available.

9.2. Other information

Information with regard to physical hazard classes

Explosives	
Explosion hazard:	not explosive
Oxidizing properties	
Fire promoting properties:	Not an oxidizer.
Self-heating substances and mixtures	
Self heating ability:	not applicable, the product is a liquid
Corrosion to metals	No corrosive effect on metal.

Other safety characteristics

Other Information:	If necessary, information on other physical and chemical parameters is indicated in this section.
Evaporation rate:	Value can be approximated from Henry's Law Constant or vapor pressure.

10. Stability and Reactivity

Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Corrosion to metals: No corrosive effect on metal.

Chemical stability

The product is chemically stable.

Possibility of hazardous reactions

No hazardous reactions if stored and handled as prescribed/indicated.

Conditions to avoid

Temperature: < 0 °C

See SDS section 7 - Handling and storage.

Incompatible materials

Substances to avoid:
acids, oxidizing agents, isocyanates

Hazardous decomposition products

:
No hazardous decomposition products if stored and handled as prescribed/indicated.

11. Toxicological Information

Information on toxicological effects

Acute toxicity

Assessment of acute toxicity:
Of moderate toxicity after single ingestion.

Experimental/calculated data:
ATE (oral): 1.855 mg/kg

(by inhalation):No applicable information available.

(dermal):No applicable information available.

Information on: 2,2'-Oxydiethanol
Assessment of acute toxicity:
Of moderate toxicity after single ingestion. Virtually nontoxic after a single skin contact. Virtually nontoxic by inhalation.

Information on: Tris(2-chloro-1-methylethyl) phosphate
Assessment of acute toxicity:
Of moderate toxicity after single ingestion. Virtually nontoxic by inhalation. Virtually nontoxic after a single skin contact. The product has not been fully tested. The statements have been derived in parts from products of a similar structure or composition.

Information on: Triethyl phosphate
Assessment of acute toxicity:
Of moderate toxicity after single ingestion. Virtually nontoxic after a single skin contact. Virtually nontoxic by inhalation.

Information on: Oxirane, 2-methyl-, polymer with oxirane, ether with 2,6-bis[[bis(2-hydroxyethyl)amino]methyl]-4-branched nonylphenol
Assessment of acute toxicity:
Of moderate toxicity after single ingestion.

Information on: Cyclohexyldimethylamine
Assessment of acute toxicity:
Of pronounced toxicity after short-term skin contact. Of pronounced toxicity after short-term inhalation. Of pronounced toxicity after single ingestion.

Information on: Ixol M 125
Assessment of acute toxicity:
Of moderate toxicity after single ingestion. Virtually nontoxic by inhalation.

Information on: Polyetherpolyol, halogenated
Information on: Aromatic Amino Polyol
Assessment of acute toxicity:
Of moderate toxicity after short-term skin contact. Of low toxicity after single ingestion.

Information on: Poly(oxy-1,2-ethanediyl), .alpha.-(4-nonylphenyl)-.omega.-hydroxy-,branched
Information on: 2,2'-Dimorpholinyldiethyl ether
Assessment of acute toxicity:
Of low toxicity after single ingestion. Of low toxicity after short-term skin contact.

Information on: Ethane-1,2-diol
Assessment of acute toxicity:
Of moderate toxicity after single ingestion. Classification according to the effects on man. Virtually nontoxic after a single skin contact. Virtually nontoxic by inhalation.

Irritation

Assessment of irritating effects:
Skin contact causes irritation. May cause severe damage to the eyes.

Information on: Triethyl phosphate
Assessment of irritating effects:
Not irritating to the skin. Eye contact causes irritation.

Information on: 2,2'-Dimorpholinyldiethyl ether
Assessment of irritating effects:
Eye contact causes irritation. Skin contact causes slight irritation.

Information on: Oxirane, 2-methyl-, polymer with oxirane, ether with 2,6-bis[[bis(2-hydroxyethyl)amino]methyl]-4-branched nonylphenol
Assessment of irritating effects:
Skin contact causes irritation. May cause severe damage to the eyes.

Information on: Cyclohexyldimethylamine
Assessment of irritating effects:
Corrosive! Damages skin and eyes.

Information on: Bismuth, 2,2',2'',2'''-(1,2-ethanediyldinitrilo)tetrakis[ethanol] neodecanoate polypropylene glycol complexes
Information on: Poly(oxy-1,2-ethanediyl), .alpha.-(4-nonylphenyl)-.omega.-hydroxy-,branched
Information on: Ethylene oxide, polymer with 2,2'-iminodiethanol and propylene oxide
Assessment of irritating effects:
Skin contact causes irritation. May cause severe damage to the eyes.

Information on: Aromatic Amino Polyol
Assessment of irritating effects:
May cause severe damage to the eyes.

Information on: Poly(oxy-1,2-ethanediyl), .alpha.-(4-nonylphenyl)-.omega.-hydroxy-,branched
Information on: Bismuth tris(2-ethylhexanoate)
Assessment of irritating effects:
Skin contact causes irritation. May cause severe damage to the eyes.

Germ cell mutagenicity

Assessment of mutagenicity:
The chemical structure does not suggest a specific alert for such an effect. No applicable information available.

Carcinogenicity

Assessment of carcinogenicity:
Indication of possible carcinogenic effect in animal tests.

Information on: Tris(2-chloro-1-methylethyl) phosphate
Assessment of carcinogenicity:
Indication of possible carcinogenic effect in animal tests.

Reproductive toxicity

Assessment of reproduction toxicity:
The chemical structure does not suggest a specific alert for such an effect. No applicable information available.

Developmental toxicity

Information on: Bismuth tris(2-ethylhexanoate)
Assessment of teratogenicity:
Indications of possible developmental toxicity/teratogenicity were seen in animal studies. The product has not been tested. The statement has been derived from the properties of the individual components.

Specific target organ toxicity (single exposure)

Assessment of STOT single:
Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

Origin of data: expert judgement

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:
Repeated oral uptake of the substance did not cause substance-related effects. Repeated inhalative uptake of the substance did not cause substance-related effects. Repeated dermal uptake of the substance did not cause substance-related effects.

Aspiration hazard

No aspiration hazard expected.

Other relevant toxicity information

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

12. Ecological Information

Toxicity

Assessment of aquatic toxicity:
The product has not been tested. The statement has been derived from the properties of the individual components. Acutely toxic for aquatic organisms. Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Information on: Tris(2-chloro-1-methylethyl) phosphate
Toxicity to fish:
LC50 (96 h) 51 mg/l, Pimephales promelas (OECD Guideline 203, static)
The statement of the toxic effect relates to the analytically determined concentration.

Information on: Cyclohexyldimethylamine
Toxicity to fish:
LC50 (96 h) 28 mg/l, Oncorhynchus mykiss (OECD 203; ISO 7346; 84/449/EWG, C.1, static)

Information on: 1-Propene, 1-chloro-3,3,3-trifluoro-, (1E)-
Toxicity to fish:
LC50 (96 h) 38 mg/l, Oncorhynchus mykiss (OECD 203; ISO 7346; 92/69/EWG, C.1, static)

Information on: Aromatic Amino Polyol
Toxicity to fish:
LC50 (96 h) 1,07 mg/l (Flow through.)

Information on: Poly(oxy-1,2-ethanediyl), .alpha.-(4-nonylphenyl)-.omega.-hydroxy-,branched

Information on: 1,2-Benzenedicarboxylic acid, 3,4,5,6-tetrabromo-, mixed esters with diethylene glycol and propylene glycol
Toxicity to fish:
LC50 (96 h) 12 mg/l, Lepomis macrochirus (EPA 72-3, static)
The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Tris(2-chloro-1-methylethyl) phosphate
Aquatic invertebrates:
EC50 (48 h) 131 mg/l, Daphnia magna (OECD Guideline 202, part 1, static)
The statement of the toxic effect relates to the analytically determined concentration.

Information on: Cyclohexyldimethylamine
Aquatic invertebrates:
LC50 (48 h) 75 mg/l, Daphnia magna (OECD Guideline 202, part 1, static)
The statement of the toxic effect relates to the analytically determined concentration.

Information on: 1-Propene, 1-chloro-3,3,3-trifluoro-, (1E)-
Aquatic invertebrates:
EC50 (48 h) 82 mg/l, Daphnia magna (OECD Guideline 202, part 1, static)

Information on: Aromatic Amino Polyol
Aquatic invertebrates:
EC50 (48 h) 8,35 mg/l (Flow through.)

Information on: 1,2-Benzenedicarboxylic acid, 3,4,5,6-tetrabromo-, mixed esters with diethylene glycol and propylene glycol
Aquatic invertebrates:
EC50 (48 h) 1,27 - 4,95 mg/l, daphnia (calculated, other)

Information on: Tris(2-chloro-1-methylethyl) phosphate
Aquatic plants:
EC50 (72 h) 82 mg/l (growth rate), Pseudokirchneriella subcapitata (OECD Guideline 201, static)
Nominal concentration.

No observed effect concentration (72 h) 42 mg/l (growth rate), Pseudokirchneriella subcapitata (OECD Guideline 201, static)
Nominal concentration.

Information on: Cyclohexyldimethylamine
Aquatic plants:
EC50 (72 h) 3,5 mg/l (growth rate), Pseudokirchneriella subcapitata (OECD Guideline 201, static)
Nominal values (confirmed by concentration control analytics)

EC10 (72 h) 0,6 mg/l (growth rate), Pseudokirchneriella subcapitata (OECD Guideline 201, static)
Nominal values (confirmed by concentration control analytics)

Information on: 1-Propene, 1-chloro-3,3,3-trifluoro-, (1E)-
Aquatic plants:
EC50 (72 h) > 215 mg/l (growth rate), Pseudokirchneriella subcapitata (OECD Guideline 201, static)

No observed effect concentration (72 h) 115 mg/l (growth rate), Pseudokirchneriella subcapitata (OECD Guideline 201, static)

Information on: Aromatic Amino Polyol
Aquatic plants:
No observed effect concentration (96 h) 0,0986 mg/l (static)

EC50 (96 h) 0,59 mg/l (static)

Information on: 1,2-Benzenedicarboxylic acid, 3,4,5,6-tetrabromo-, mixed esters with diethylene glycol and propylene glycol
Aquatic plants:
EC50 (96 h) 4,391 mg/l, algae (calculated)
The product has not been tested. The statement has been derived from the structure of the product.

Information on: Tris(2-chloro-1-methylethyl) phosphate
Microorganisms/Effect on activated sludge:
EC50 (3 h) 784 mg/l, activated sludge (DIN EN ISO 8192, aquatic)
Nominal concentration.

Information on: Cyclohexyldimethylamine
Microorganisms/Effect on activated sludge:
EC10 (17 h) 137 mg/l, Pseudomonas putida (DIN 38412 Part 8, static)
Nominal concentration.

Information on: Tris(2-chloro-1-methylethyl) phosphate
Chronic toxicity to aquatic invertebrates:
No observed effect concentration (21 d) 32 mg/l, Daphnia magna (OECD Guideline 202, part 2, semistatic)
Nominal concentration.

Information on: Cyclohexyldimethylamine
Chronic toxicity to aquatic invertebrates:
No observed effect concentration (21 d) 0,754 mg/l, Daphnia magna (other, static)

Persistence and degradability

Assessment biodegradation and elimination (H2O):
Poorly biodegradable.

Elimination information:
Poorly biodegradable.

Bioaccumulative potential

Assessment bioaccumulation potential:
Does not significantly accumulate in organisms.

Mobility in soil

Assessment transport between environmental compartments:
Adsorption in soil: Adsorption to solid soil phase is not expected.

Other adverse effects

The product does not contain substances that are listed in Regulation (EC) 1005/2009 on substances that deplete the ozone layer.

Additional information

Adsorbable organically-bound halogen (AOX):
This product contains no organically-bound halogen.

Other ecotoxicological advice:
Do not allow to enter soil, waterways or waste water channels. Inhibition of degradation activity in activated sludge is not to be anticipated during correct introduction of low concentrations. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

13. Disposal Considerations

Waste treatment methods

Incinerate in suitable incineration plant, observing local authority regulations.

Waste key:
07 02 08¤ other still bottoms and reaction residues

Contaminated packaging:
Contaminated packaging should be emptied as far as possible; then it can be passed on for recycling after being thoroughly cleaned.

14. Transport Information

Land transport

ADR

	Not classified as a dangerous good under transport regulations
UN number or ID number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user	None known

RID

	Not classified as a dangerous good under transport regulations
UN number or ID number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user	None known

Inland waterway transport

ADN

	Not classified as a dangerous good under transport regulations
UN number or ID number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user:	None known

Transport in inland waterway vessel

Not evaluated

Sea transport

IMDG

	Not classified as a dangerous good under transport regulations
UN number or ID number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user	None known

Air transport

IATA/ICAO

	Not classified as a dangerous good under transport regulations
UN number or ID number	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user	None known

Maritime transport in bulk according to IMO instruments

Maritime transport in bulk is not intended.

15. Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

16. Other Information

Full text of classifications, hazard symbols and hazard statements, if mentioned in section 2 or 3:

Acute Tox.	Acute toxicity
Skin Irrit.	Skin irritation
Eye Dam.	Serious eye damage
Aquatic Acute	Hazardous to the aquatic environment - acute
Aquatic Chronic	Hazardous to the aquatic environment - chronic
Carc.	Carcinogenicity
Eye Irrit.	Eye irritation
Skin Corr./Irrit.	Skin corrosion/irritation
Eye Dam./Irrit.	Serious eye damage/eye irritation
Press. Gas	Gases under pressure
Skin Sens.	Skin sensitization
Muta.	Germ cell mutagenicity
Flam. Liq.	Flammable liquids
STOT RE	Specific target organ toxicity — repeated exposure
Repr.	Reproductive toxicity
H319	Causes serious eye irritation.
H315	Causes skin irritation.
H401	Toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.
H318	Causes serious eye damage.
H302	Harmful if swallowed.
H280	Contains gas under pressure; may explode if heated.
H402	Harmful to aquatic life.
H412	Harmful to aquatic life with long lasting effects.
H303	May be harmful if swallowed.
H317	May cause an allergic skin reaction.
H341	Suspected of causing genetic defects.
H320	Causes eye irritation.
H316	Causes mild skin irritation.
H303 + H313	May be harmful if swallowed or in contact with skin.
H312	Harmful in contact with skin.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H226	Flammable liquid and vapour.
H314	Causes severe skin burns and eye damage.
H301 + H311 + H331	Toxic if swallowed, in contact with skin or if inhaled.
H351	Suspected of causing cancer.
H373	May cause damage to organs (Kidney) through prolonged or repeated exposure.
H361	Suspected of damaging the unborn child.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Vertical lines in the left hand margin indicate an amendment from the previous version.