Safety Data Sheet
Zidua Pro

1. Identification

Product identifier used on the label

Zidua Pro

Recommended use of the chemical and restriction on use

Recommended use*: crop protection product, herbicide
Unsuitable for use: Uses other than recommended

* The “Recommended use” identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

Details of the supplier of the safety data sheet

Company:
BASF Canada Inc.
5025 Creekbank Road
Building A, Floor 2
Mississauga, ON, L4W 0B6, CANADA

Telephone: +1 289 360-1300

Emergency telephone number
24 Hour Emergency Response Information
CHEMTREC: 1-800-424-9300
BASF HOTLINE: (800) 454-COPE (2673)

Other means of identification
PCP # 33355
Synonyms: Saflufenacil + Imazethapyr + Pyroxasulfone

2. Hazards Identification

According to Hazardous Products Regulations (HPR) (SOR/2015-17)

Classification of the product

Repr.	2 (unborn child)	Reproductive toxicity
STOT RE	2 (oral)	Specific target organ toxicity — repeated exposure

Aquatic Acute	1	Hazardous to the aquatic environment - acute
Aquatic Chronic	1	Hazardous to the aquatic environment - chronic

Label elements

Pictogram:

Signal Word:
Warning

Hazard Statement:

H361	Suspected of damaging the unborn child.
H373	May cause damage to organs (Kidney, Liver, Heart, Nervous system) through prolonged or repeated exposure (oral).
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Precautionary Statements (Prevention):

P273	Avoid release to the environment.
P280	Wear protective gloves, protective clothing and eye protection or face protection.
P260	Do not breathe mist or vapour.
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.

Precautionary Statements (Response):

P308 + P313	IF exposed or concerned: Get medical attention.
P391	Collect spillage.

Precautionary Statements (Storage):

P405	Store locked up.

Precautionary Statements (Disposal):

P501	Dispose of contents/container in accordance with local regulations.

Hazards not otherwise classified

Labeling of special preparations (GHS):
May produce an allergic reaction. Contains: mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

3. Composition / Information on Ingredients

According to Hazardous Products Regulations (HPR) (SOR/2015-17)

saflufenacil
CAS Number: 372137-35-4
Content (W/W): 4.81 %
Synonym: Saflufenacil

Imazethapyr
CAS Number: 81335-77-5
Content (W/W): 13.45 %
Synonym: 3-Pyridinecarboxylic acid, 2-[4,5-dihydro-4-methyl-4-(1-methylethyl)-5-oxo- 1H-imidazol-2-yl]-5-ethyl-

Pyroxasulfone
CAS Number: 447399-55-5
Content (W/W): 23.06 %
Synonym: pyroxasulfone technical

Residues (petroleum), catalytic reformer fractionator, sulfonated,polymers with formaldehyde, sodium salts
CAS Number: 68425-94-5
Content (W/W): >= 1.0 - < 5.0%
Synonym: Residues (petroleum), catalytic reformer fractionator, sulfonated,polymers with formaldehyde, sodium salts

Benzenesulfonic acid, hydroxy-, polymer with formaldehyde, phenol and urea, sodium salt
Content (W/W): >= 1.0 - < 3.0%
Synonym: No data available.

mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)
CAS Number: 55965-84-9
Content (W/W): > 0.0 - < 0.1%
Synonym: 5-Chloro-2-methyl-3(2H)-isothiazolone mixt. with 2-methyl-3(2H)-isothiazolone

4. First-Aid Measures

Description of first aid measures

General advice:
Remove contaminated clothing.

If inhaled:
Keep patient calm, remove to fresh air, seek medical attention.

If on skin:
Wash thoroughly with soap and water

If in eyes:
Wash affected eyes for at least 15 minutes under running water with eyelids held open.

If swallowed:
Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

Most important symptoms and effects, both acute and delayed

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far

Indication of any immediate medical attention and special treatment needed

Note to physician
Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Suitable extinguishing media:
water spray, dry powder, foam, carbon dioxide

Special hazards arising from the substance or mixture

Hazards during fire-fighting:
carbon monoxide, carbon dioxide, hydrogen fluoride, Hydrogen chloride, hydrogen bromide, nitrogen oxides, sulfur oxides, halogenated compounds, silica compounds
The substances/groups of substances mentioned can be released in case of fire.

Advice for fire-fighters

Protective equipment for fire-fighting:
Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:
Keep containers cool by spraying with water if exposed to fire. In case of fire and/or explosion do not breathe fumes. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Do not breathe vapour/spray. Use personal protective clothing. Avoid contact with the skin, eyes and clothing.

Environmental precautions

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater.

Methods and material for containment and cleaning up

Dike spillage. Pick up with suitable absorbent material. Place into suitable containers for reuse or disposal in a licensed facility. Spilled substance/product should be recovered and applied according to label rates whenever possible. If application of spilled substance/product is not possible, then spills should be contained, solidified, and placed in suitable containers for disposal. After decontamination, spill area can be washed with water. Collect wash water for approved disposal.

7. Handling and Storage

Precautions for safe handling

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift.

Protection against fire and explosion:
No special precautions necessary. The substance/product is non-combustible. Product is not explosive.

Conditions for safe storage, including any incompatibilities

Segregate from foods and animal feeds.

Further information on storage conditions: Keep away from heat. Protect from direct sunlight.
Protect from temperatures below: -5 °C
Characteristics of the product are irreversibly changed below the limit temperature.
Protect from temperatures above: 40 °C
Damage by exceeding the maximum temperature is reversible.

8. Exposure Controls/Personal Protection

Users of a pesticidal product should refer to the product label for personal protective equipment requirements.

Components with occupational exposure limits

Saflufenacil	TWA value	0.824 mg/m3 ;
Pyroxasulfone	TWA value	0.138 mg/m3 ;

Advice on system design:
Whenever possible, engineering controls should be used to minimize the need for personal protective equipment.

Personal protective equipment

Respiratory protection:
Wear respiratory protection if ventilation is inadequate. Wear a NIOSH-certified (or equivalent) TC23C Chemical/Mechanical type filter system to remove a combination of particles, gas and vapours. For situations where the airborne concentrations may exceed the level for which an air purifying respirator is effective, or where the levels are unknown or Immediately Dangerous to Life or Health (IDLH), use NIOSH-certified full facepiece pressure demand self-contained breathing apparatus (SCBA) or a full facepiece pressure demand supplied-air respirator (SAR) with escape provisions.

Hand protection:
Chemical resistant protective gloves, Protective glove selection must be based on the user's assessment of the workplace hazards.

Eye protection:
Safety glasses with side-shields. Wear face shield or tightly fitting safety goggles (chemical goggles) if splashing hazard exists.

Body protection:
Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

General safety and hygiene measures:
The statements on personal protective equipment in the instructions for use apply when handling crop-protection agents in final-consumer packing. Wearing of closed work clothing is recommended. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

9. Physical and Chemical Properties

Form:	liquid, suspension	
Odour:	odourless	
Odour threshold:	not applicable, odour not perceivable	
Colour:	cream, almost white	
pH value:	approx. 2 - 4 (1 %(m), 20 °C)	
Melting point:	approx. 0 °C Information applies to the solvent.	
Boiling point:	approx. 100 °C Information applies to the solvent.	
Flash point:	> 100 °C No flash point - Measurement made up to the indicated temperature, pilot light extinguishes.	
Flammability:	not applicable	
Lower explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.	
Upper explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.	
Autoignition:	approx. 390 °C	(Regulation 440/2008/EC, A.15)
SADT:	> 75 °C	
Vapour pressure:	approx. 23.4 hPa (20 °C) Information applies to the solvent.	
Density:	approx. 1.19 g/cm3 (20 °C)	
Vapour density:	not applicable	
Partitioning coefficient n-octanol/water (log Pow):	The statements are based on the properties of the individual components.	
Thermal decomposition:	170 °C, 300 kJ/kg (onset temperature) Not a substance liable to self-decomposition according to UN transport regulations, class 4.1.	
Viscosity, dynamic:	approx. 159 mPa.s (20 °C) approx. 156 mPa.s (40 °C)	
Viscosity, kinematic:	approx. 133 mm2/s (40 °C)	

Solubility in water:	emulsifiable
Evaporation rate:	not applicable
Other Information:	If necessary, information on other physical and chemical parameters is indicated in this section.

10. Stability and Reactivity

Reactivity
No hazardous reactions if stored and handled as prescribed/indicated.

Oxidizing properties:
not fire-propagating (Regulation 440/2008/EC, A.21)

Chemical stability
The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions
No hazardous reactions if stored and handled as prescribed/indicated.

Conditions to avoid
See SDS section 7 - Handling and storage.

Incompatible materials
strong acids, strong bases, strong oxidizing agents

Hazardous decomposition products

Decomposition products:
Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

Thermal decomposition:
170 °C
(onset temperature)
Not a substance liable to self-decomposition according to UN transport regulations, class 4.1.

11. Toxicological information

Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

Acute Toxicity/Effects

Acute toxicity
Assessment of acute toxicity: Virtually nontoxic after a single ingestion. Virtually nontoxic by inhalation. Virtually nontoxic after a single skin contact.

Oral
Type of value: LD50
Species: rat
Value: > 2,000 mg/kg (OECD Guideline 423)

No mortality was observed.

Inhalation
Type of value: LC50
Species: rat
Value: > 3.5 mg/l (OECD Guideline 403)
Exposure time: 4 h
An aerosol was tested.
No mortality was observed. Highest concentration technically achievable.

Dermal
Type of value: LD50
Species: rat
Value: > 5,000 mg/kg (OECD Guideline 402)

Assessment other acute effects
Assessment of STOT single:
Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

The product has not been tested. The statement has been derived from the properties of the individual components.

Irritation / corrosion
Assessment of irritating effects: Not irritating to eyes and skin.

Skin
Species: rabbit
Result: non-irritant
Method: OECD Guideline 404

Eye
Species: rabbit
Result: non-irritant
Method: OECD Guideline 405

Sensitization
Assessment of sensitization: No sensitizing effect.

Buehler test
Species: guinea pig
Result: Non-sensitizing.
Method: OECD Guideline 406

Chronic Toxicity/Effects

Repeated dose toxicity
Assessment of repeated dose toxicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Pyroxasulfone
Assessment of repeated dose toxicity: Repeated oral exposure to small quantities may affect certain organs.

Information on: mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

Assessment of repeated dose toxicity: After repeated exposure the prominent effect is local irritation. Based on available data, the classification criteria are not met.

Genetic toxicity
Assessment of mutagenicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Carcinogenicity
Assessment of carcinogenicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Pyroxasulfone
Assessment of carcinogenicity: When given in high doses, the substance was carcinogenic in animal studies. Based on its mechanism of action, a carcinogenic potential is not expected after exposure to low doses.

Reproductive toxicity
Assessment of reproduction toxicity: The product has not been tested. The statement has been derived from the properties of the individual components. The results of animal studies gave no indication of a fertility impairing effect.

Teratogenicity
Assessment of teratogenicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: saflufenacil
Assessment of teratogenicity: Indications of possible developmental toxicity/teratogenicity were seen in animal studies.

Other Information
Misuse can be harmful to health.

12. Ecological Information

Toxicity

Aquatic toxicity
Assessment of aquatic toxicity:
Very toxic to aquatic life with long lasting effects.

Toxicity to fish
LC50 (96 h) > 100 mg/l, Pimephales promelas (OECD Guideline 203)

Aquatic invertebrates
EC50 (48 h) > 100 mg/l, Daphnia magna (OECD Guideline 202, part 1)

Aquatic plants
EC50 (72 h) 0.0119 mg/l, Pseudokirchneriella subcapitata (OECD Guideline 201)

EC10 (72 h) 0.00502 mg/l, Pseudokirchneriella subcapitata (OECD Guideline 201)

Persistence and degradability

Assessment biodegradation and elimination (H2O)
The product has not been tested. The statement has been derived from the properties of the individual components.

Assessment biodegradation and elimination (H2O)

Information on: Pyroxasulfone

Not readily biodegradable (by OECD criteria).

Information on: Imazethapyr

Not readily biodegradable (by OECD criteria).

Information on: saflufenacil

Not readily biodegradable (by OECD criteria).

Bioaccumulative potential

Assessment bioaccumulation potential
The product has not been tested. The statement has been derived from the properties of the individual components.

Assessment bioaccumulation potential

Information on: Pyroxasulfone

Information on: Imazethapyr

Because of the n-octanol/water distribution coefficient (log Pow) accumulation in organisms is not to be expected.

Information on: saflufenacil

Because of the n-octanol/water distribution coefficient (log Pow) accumulation in organisms is not to be expected.

Mobility in soil

Assessment transport between environmental compartments
The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Imazethapyr

Following exposure to soil, the product trickles away and can - dependant on degradation - be transported to deeper soil areas with larger water loads.

Information on: saflufenacil

Following exposure to soil, the product trickles away and can - dependant on degradation - be transported to deeper soil areas with larger water loads.

Additional information

Other ecotoxicological advice:
Do not discharge product into the environment without control.

13. Disposal considerations

Waste disposal of substance:
See product label for disposal and recycling instructions.

Container disposal:
Rinse the container or liner as needed for disposal. Add rinsate to spray tank. Recommend crushing, puncturing or other means to prevent unauthorized use of used containers. Consult the product label for additional details.

14. Transport Information

Land transport
TDG

Not classified as a dangerous good under transport regulations

Sea transport
IMDG

Hazard class:	9
Packing group:	III
ID number:	UN 3082
Hazard label:	9, EHSM
Marine pollutant:	YES
Proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains PYROXASULFONE, IMAZETHAPYR)

Air transport
IATA/ICAO

Hazard class:	9
Packing group:	III
ID number:	UN 3082
Hazard label:	9, EHSM
Proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains PYROXASULFONE, IMAZETHAPYR)

Further information
Product may be shipped as non-hazardous in suitable packages containing a net quantity of 5 L or less under the provisions of various regulatory agencies: ADR, RID, ADN: Special Provision 375; IMDG: 2.10.2.7; IATA: A197; TDG: Special Provision 99(2); 49CFR: §171.4 (c) (2) and also the Special Provision 375 in Appendix B which is regulated in China "Regulations Concerning Road Transportation of Dangerous Goods Part 3: Index of dangerous goods name and transportation requirements" (JT/T 617.3)

15. Regulatory Information

Federal Regulations

Registration status:
Crop Protection DSL, CA released / exempt

NFPA Hazard codes:
Health: 1 Fire: 1 Reactivity: 0 Special:

Labeling requirements under Pest Control Products Act

Read the label, authorized under the Pest Control Products Act, prior to using or handling the pest control product.

This chemical is a pest control product regulated by Health Canada Pest Management Regulatory Agency and is subject to certain labelling requirements under the Pest Control Products Act. These requirements differ from the classification criteria and hazard information required for GHS-consistent safety data sheets. The following is the hazard information required on the pest control product label:
CAUTION:
KEEP OUT OF REACH OF CHILDREN.
Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.
Remove contaminated clothing and wash before reuse.
Follow manufacturer's instructions for cleaning/maintaining personal protective equipment. If no such instructions for washables exists, use detergent and hot water.

There are Canada-specific environmental requirements for handling, use, and disposal of this pest control product that are indicated on the label.

16. Other Information

SDS Prepared by:
BASF NA Product Regulations
SDS Prepared on: 2023/06/26

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

END OF DATA SHEET