We create chemistry

Safety data sheet

1. Identification

Product identifier

Zidua Pro

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: crop protection product, herbicide

Details of the supplier of the safety data sheet

Company:
BASF SE
67056 Ludwigshafen
GERMANY
Operating Division Crop Protection

Telephone: +49 621 60-27777
E-mail address: Produktinformation-Pflanzenschutz@basf.com

Emergency telephone number

International emergency number:
Telephone: +49 180 2273-112

2. Hazards Identification

Classification of the substance or mixture

According to UN GHS criteria

Repr. 2 (unborn child)
STOT RE (Kidney, Liver, Heart, Nervous system) 2 (oral)
Aquatic Acute 1
Aquatic Chronic 1

For the classifications not written out in full in this section the full text can be found in section 16.

Label elements

Globally Harmonized System (GHS)

Pictogram:



Signal Word:
Warning

Hazard Statement:

H361	Suspected of damaging the unborn child.
H373	May cause damage to organs (Kidney, Liver, Heart, Nervous system) through prolonged or repeated exposure (oral).
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Precautionary Statement:

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read carefully and follow all instructions.

Precautionary Statements (Prevention):

P280	Wear protective gloves, protective clothing and eye protection or face protection.
P260	Do not breathe mist or vapour.
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.

Precautionary Statements (Response):

P308 + P313	IF exposed or concerned: Get medical attention.
P391	Collect spillage.

Precautionary Statements (Storage):

P405	Store locked up.

Precautionary Statements (Disposal):

P501	Dispose of contents and container to hazardous or special waste collection point.

Labeling of special preparations (GHS):
May produce an allergic reaction. Contains: mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

According to UN GHS criteria

Hazard determining component(s) for labelling: Pyroxasulfone, saflufenacil (ISO); N´-{2-chloro-4fluoro-5-[1,2,3,6-tetrahydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)pyrimedin-1-yl]benzoyl}-N-isopropyl-N-methylsulfamide

Other hazards

According to UN GHS criteria

See section 12 - Results of PBT and vPvB assessment.

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

3. Composition/Information on Ingredients

Substances

Not applicable

Mixtures

Chemical nature

crop protection product, herbicide, suspension concentrate (SC)

Hazardous ingredients (GHS)
According to UN GHS criteria

Pyroxasulfone

Content (W/W): 22,9 %	STOT RE (Kidney, Liver, Heart, Nervous system, Urinary organs) 2 (oral)
CAS Number: 447399-55-5	Aquatic Acute 1
	Aquatic Chronic 1
	M-factor acute: 1000
	M-factor chronic: 10
	H373, H400, H410

3-Pyridinecarboxylic acid, 2-[4,5-dihydro-4-methyl-4-(1-methylethyl)-5-oxo- 1H-imidazol-2-yl]-5-ethyl-

Content (W/W): 13,48 %	Aquatic Acute 1
CAS Number: 81335-77-5	Aquatic Chronic 1
	M-factor acute: 10
	M-factor chronic: 10
	H400, H410

saflufenacil (ISO); N´-{2-chloro-4fluoro-5-[1,2,3,6-tetrahydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)pyrimedin-1-yl]benzoyl}-N-isopropyl-N-methylsulfamide

Content (W/W): 4,81 %	Repr. 2 (unborn child)
CAS Number: 372137-35-4	Aquatic Acute 1
	Aquatic Chronic 1
	H361, H400, H410

Residues (petroleum), catalytic reformer fractionator, sulfonated,polymers with formaldehyde, sodium salts

Content (W/W): < 5 %	Eye Dam./Irrit. 2A
CAS Number: 68425-94-5	Aquatic Acute 3
	Aquatic Chronic 3
	H319, H402, H412

Benzenesulfonic acid, hydroxy-, polymer with formaldehyde, phenol and urea, sodium salt

Content (W/W): < 3 %	Eye Dam./Irrit. 2A
CAS Number: 102980-04-1	Aquatic Acute 3
	Aquatic Chronic 3
	H319, H402, H412

Bronopol

Content (W/W): < 0,05 %	Acute Tox. 3 (Inhalation - dust)
CAS Number: 52-51-7	Acute Tox. 3 (oral)
EC-Number: 200-143-0	Acute Tox. 4 (dermal)
INDEX-Number: 603-085-00-8	Skin Corr./Irrit. 2
	Eye Dam./Irrit. 1
	STOT SE 3 (irr. to respiratory syst.)
	Aquatic Acute 1
	Aquatic Chronic 1
	M-factor acute: 10
	M-factor chronic: 1
	H318, H315, H312, H335, H301 + H331, H400, H410

mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

Content (W/W): < 0,005 %
CAS Number: 55965-84-9
INDEX-Number: 613-167-00-5

Acute Tox. 3 (oral)
Acute Tox. 2 (Inhalation - mist)
Acute Tox. 2 (dermal)
Skin Corr./Irrit. 1C
Eye Dam./Irrit. 1
Skin Sens. 1A
Aquatic Acute 1
Aquatic Chronic 1
M-factor acute: 100
M-factor chronic: 100
H301, H317, H314, H310 + H330, H400, H410
EUH071

Specific concentration limit:
Skin Sens. 1A: >= 0,0015 %
Eye Dam./Irrit. 1: >= 0,6 %
Eye Dam./Irrit. 2: 0,06 - < 0,6 %
Skin Corr./Irrit. 1C: >= 0,6 %
Skin Corr./Irrit. 2: 0,06 - < 0,6 %

Propane-1,2-diol
Content (W/W): < 10 %
CAS Number: 57-55-6
EC-Number: 200-338-0

For the classifications not written out in full in this section the full text can be found in section 16.

4. First-Aid Measures

Description of first aid measures

Remove contaminated clothing.

If inhaled:
Keep patient calm, remove to fresh air, seek medical attention.

On skin contact:
Wash thoroughly with soap and water

On contact with eyes:
Wash affected eyes for at least 15 minutes under running water with eyelids held open.

On ingestion:
Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

Most important symptoms and effects, both acute and delayed

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far

Indication of any immediate medical attention and special treatment needed

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Extinguishing media

Suitable extinguishing media:
water spray, dry powder, foam, carbon dioxide

Special hazards arising from the substance or mixture

Carbon monoxide, Carbon dioxide, Hydrogen fluoride, hydrogen chloride, Hydrogen bromide, nitrogen oxides, sulfur oxides, halogenated compounds, silica compounds
The substances/groups of substances mentioned can be released in case of fire.

Advice for fire-fighters

Special protective equipment:
Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:
Keep containers cool by spraying with water if exposed to fire. In case of fire and/or explosion do not breathe fumes. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Do not breathe vapour/spray. Use personal protective clothing. Avoid contact with the skin, eyes and clothing.

Environmental precautions

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater.

Methods and material for containment and cleaning up

For small amounts: Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr).
For large amounts: Dike spillage. Pump off product.
Dispose of absorbed material in accordance with regulations. Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations. Wear suitable protective equipment.

7. Handling and Storage

Precautions for safe handling

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift.

Protection against fire and explosion:
No special precautions necessary. The substance/product is non-combustible. Product is not explosive.

Conditions for safe storage, including any incompatibilities

Segregate from foods and animal feeds.
Further information on storage conditions: Keep away from heat. Protect from direct sunlight.

Storage stability:
Storage duration: 24 Months

Protect from temperatures below: -5 °C
Characteristics of the product are irreversibly changed below the limit temperature.
Protect from temperatures above: 40 °C
Damage by exceeding the maximum temperature is reversible.

Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

8. Exposure Controls/Personal Protection

Control parameters

Components with occupational exposure limits

57-55-6: Propane-1,2-diol
372137-35-4: Benzamide, 2-chloro-5-[3,6-dihydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)-1(2H)-pyrimidinyl]-4-fluoro-N-[[methyl(1-methylethyl)amino]sulfonyl]-
TWA value 0,824 mg/m3 (BASF recomm. occupational exposure limit)
447399-55-5: Pyroxasulfone
TWA value 0,138 mg/m3 (BASF recomm. occupational exposure limit)

Exposure controls

Personal protective equipment

Respiratory protection:
Suitable respiratory protection for higher concentrations or long-term effect: Combination filter for gases/vapours of organic, inorganic, acid inorganic and alkaline compounds (e.g. EN 14387 Type ABEK).

Hand protection:
Suitable chemical resistant safety gloves (EN ISO 374-1) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc.

Eye protection:
Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:
Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures

The statements on personal protective equipment in the instructions for use apply when handling crop-protection agents in final-consumer packing. Wearing of closed work clothing is recommended. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

9. Physical and Chemical Properties

Information on basic physical and chemical properties

Form:	liquid, suspension	
Colour:	cream, almost white	
Odour:	odourless	
Odour threshold:	not applicable, odour not perceivable	
pH value:	approx. 2 - 4 (1 %(m), 20 °C)	
Melting point:	approx. 0 °C Information applies to the solvent.	
Boiling point:	approx. 100 °C Information applies to the solvent.	
Flash point:	> 100 °C No flash point - Measurement made up to the indicated temperature, pilot light extinguishes.	
Evaporation rate:	not applicable	
Flammability:	not applicable	
Lower explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.	
Upper explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.	
Ignition temperature:	approx. 390 °C	(Regulation 440/2008/EC, A.15)
Vapour pressure:	approx. 23,4 hPa (20 °C) Information applies to the solvent.	
Density:	approx. 1,19 g/cm3 (20 °C)	
Relative vapour density (air):	not applicable	
Solubility in water:	emulsifiable	
Partitioning coefficient n-octanol/water (log Kow):	The statements are based on the properties of the individual components.	

Information on: Pyroxasulfone
Partitioning coefficient n-octanol/water (log Kow): 2,39
(25 °C)
Information on: 3-Pyridinecarboxylic acid, 2-[4,5-dihydro-4-methyl-4-(1-methylethyl)-5-oxo- 1H-imidazol-2-yl]-5-ethyl-
Partitioning coefficient n-octanol/water (log Kow): 1,49
(25 °C; pH value: 7)
Information on: saflufenacil (ISO); N´-{2-chloro-4fluoro-5-[1,2,3,6-tetrahydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)pyrimedin-1-yl]benzoyl}-N-isopropyl-N-methylsulfamide
Partitioning coefficient n-octanol/water (log Kow): 2,6
(20 °C; pH value: 1,7)

Thermal decomposition:	170 °C, 300 kJ/kg (onset temperature) Not a substance liable to self-decomposition according to UN transport regulations, class 4.1.	
Viscosity, dynamic:	approx. 159 mPa.s (20 °C, 100 1/s) approx. 156 mPa.s (40 °C, 100 1/s)	
Viscosity, kinematic:	approx. 133 mm2/s (40 °C)	
Explosion hazard:	not explosive	
Fire promoting properties:	not fire-propagating	(Regulation 440/2008/EC, A.21)
SADT:	> 75 °C	

Other information

Other Information:
If necessary, information on other physical and chemical parameters is indicated in this section.

10. Stability and Reactivity

Reactivity
No hazardous reactions if stored and handled as prescribed/indicated.

Chemical stability
The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions
No hazardous reactions if stored and handled as prescribed/indicated.

Conditions to avoid
See SDS section 7 - Handling and storage.

Incompatible materials

Substances to avoid:
strong acids, strong bases, strong oxidizing agents

Hazardous decomposition products

Hazardous decomposition products:
No hazardous decomposition products if stored and handled as prescribed/indicated.

11. Toxicological Information

Information on toxicological effects

Acute toxicity

Assessment of acute toxicity:
Virtually nontoxic after a single ingestion. Virtually nontoxic by inhalation. Virtually nontoxic after a single skin contact.

Experimental/calculated data:
LD50 rat (oral): > 2.000 mg/kg (OECD Guideline 423)
No mortality was observed.

LC50 rat (by inhalation): > 3,5 mg/l 4 h (OECD Guideline 403)
No mortality was observed. Highest concentration technically achievable. An aerosol was tested.

LD50 rat (dermal): > 5.000 mg/kg (OECD Guideline 402)

Irritation

Assessment of irritating effects:
Not irritating to eyes and skin.

Experimental/calculated data:
Skin corrosion/irritation rabbit: non-irritant (OECD Guideline 404)

Serious eye damage/irritation rabbit: non-irritant (OECD Guideline 405)

Respiratory/Skin sensitization

Assessment of sensitization:
No sensitizing effect.

Experimental/calculated data:
Buehler test guinea pig: Non-sensitizing. (OECD Guideline 406)

Germ cell mutagenicity

Assessment of mutagenicity:
The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Bronopol
Assessment of mutagenicity:
The substance was not mutagenic in bacteria. The substance was mutagenic in various cell culture test systems; however, these results could not be confirmed in tests with mammals.

Carcinogenicity

Assessment of carcinogenicity:
The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Pyroxasulfone
Assessment of carcinogenicity:
When given in high doses, the substance was carcinogenic in animal studies. Based on its mechanism of action, a carcinogenic potential is not expected after exposure to low doses.

Reproductive toxicity

Assessment of reproduction toxicity:
The product has not been tested. The statement has been derived from the properties of the individual components. The results of animal studies gave no indication of a fertility impairing effect.

Developmental toxicity

Assessment of teratogenicity:
The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: saflufenacil (ISO); N´-{2-chloro-4fluoro-5-[1,2,3,6-tetrahydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)pyrimedin-1-yl]benzoyl}-N-isopropyl-N-methylsulfamide
Assessment of teratogenicity:
Indications of possible developmental toxicity/teratogenicity were seen in animal studies.

Specific target organ toxicity (single exposure)

Assessment of STOT single:
Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

Remarks: The product has not been tested. The statement has been derived from the properties of the individual components.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:
The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Pyroxasulfone
Assessment of repeated dose toxicity:
Repeated oral exposure to small quantities may affect certain organs.

Information on: Bronopol
Assessment of repeated dose toxicity:
After repeated exposure the prominent effect is local irritation.

Information on: mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)
Assessment of repeated dose toxicity:

After repeated exposure the prominent effect is local irritation. Based on available data, the classification criteria are not met.

Aspiration hazard

No aspiration hazard expected.
The product has not been tested. The statement has been derived from the properties of the individual components.

Other relevant toxicity information

Misuse can be harmful to health.

12. Ecological Information

Toxicity

Assessment of aquatic toxicity:
Very toxic to aquatic life with long lasting effects.

Toxicity to fish:
LC50 (96 h) > 100 mg/l, Pimephales promelas (OECD Guideline 203)

Aquatic invertebrates:
EC50 (48 h) > 100 mg/l, Daphnia magna (OECD Guideline 202, part 1)

Aquatic plants:
EC50 (72 h) 0,0119 mg/l, Pseudokirchneriella subcapitata (OECD Guideline 201)

EC10 (72 h) 0,00502 mg/l, Pseudokirchneriella subcapitata (OECD Guideline 201)

Persistence and degradability

Assessment biodegradation and elimination (H2O):
The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Pyroxasulfone
Assessment biodegradation and elimination (H2O):
Not readily biodegradable (by OECD criteria).

Information on: 3-Pyridinecarboxylic acid, 2-[4,5-dihydro-4-methyl-4-(1-methylethyl)-5-oxo- 1H-imidazol-2-yl]-5-ethyl-
Assessment biodegradation and elimination (H2O):
Not readily biodegradable (by OECD criteria).

Information on: saflufenacil (ISO); N´-{2-chloro-4fluoro-5-[1,2,3,6-tetrahydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)pyrimedin-1-yl]benzoyl}-N-isopropyl-N-methylsulfamide
Assessment biodegradation and elimination (H2O):
Not readily biodegradable (by OECD criteria).

Bioaccumulative potential

Assessment bioaccumulation potential:
The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Pyroxasulfone
Assessment bioaccumulation potential:
Because of the n-octanol/water distribution coefficient (log Pow) accumulation in organisms is not to be expected.

Information on: 3-Pyridinecarboxylic acid, 2-[4,5-dihydro-4-methyl-4-(1-methylethyl)-5-oxo- 1H-imidazol-2-yl]-5-ethyl-
Assessment bioaccumulation potential:
Because of the n-octanol/water distribution coefficient (log Pow) accumulation in organisms is not to be expected.

Information on: saflufenacil (ISO); N´-{2-chloro-4fluoro-5-[1,2,3,6-tetrahydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)pyrimedin-1-yl]benzoyl}-N-isopropyl-N-methylsulfamide
Assessment bioaccumulation potential:
Because of the n-octanol/water distribution coefficient (log Pow) accumulation in organisms is not to be expected.

Mobility in soil

Assessment transport between environmental compartments:
Adsorption in soil: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: 3-Pyridinecarboxylic acid, 2-[4,5-dihydro-4-methyl-4-(1-methylethyl)-5-oxo- 1H-imidazol-2-yl]-5-ethyl-
Assessment transport between environmental compartments:
Adsorption in soil: Following exposure to soil, the product trickles away and can - dependant on degradation - be transported to deeper soil areas with larger water loads.

Information on: saflufenacil (ISO); N´-{2-chloro-4fluoro-5-[1,2,3,6-tetrahydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)pyrimedin-1-yl]benzoyl}-N-isopropyl-N-methylsulfamide
Assessment transport between environmental compartments:
Adsorption in soil: Following exposure to soil, the product trickles away and can - dependant on degradation - be transported to deeper soil areas with larger water loads.

Results of PBT and vPvB assessment

The product does not contain a substance fulfilling the PBT (persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria.

Other adverse effects

The product does not contain substances that are listed in the Montreal Protocol on substances that deplete the ozone layer.

Additional information

Other ecotoxicological advice:

Do not discharge product into the environment without control.

13. Disposal Considerations

Waste treatment methods

Must be sent to a suitable incineration plant, observing local regulations.

Contaminated packaging:
Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

14. Transport Information

Land transport

ADR

UN number or ID number:	UN3082
UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (PYROXASULFONE, IMAZETHAPYR)
Transport hazard class(es):	9, EHSM
Packing group:	III
Environmental hazards:	yes
Special precautions for user:	None known

RID

UN number or ID number:	UN3082
UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (PYROXASULFONE, IMAZETHAPYR)
Transport hazard class(es):	9, EHSM
Packing group:	III
Environmental hazards:	yes
Special precautions for user:	None known

Inland waterway transport
ADN

UN number or ID number:	UN3082
UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (PYROXASULFONE, IMAZETHAPYR)
Transport hazard class(es):	9, EHSM
Packing group:	III
Environmental hazards:	yes

Special precautions for user:	None known

Transport in inland waterway vessel
Not evaluated

Sea transport

IMDG

UN number or ID number:	UN 3082
UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (PYROXASULFONE, IMAZETHAPYR)
Transport hazard class(es):	9, EHSM
Packing group:	III
Environmental hazards:	yes Marine pollutant: YES
Special precautions for user:	EmS: F-A; S-F

Air transport

IATA/ICAO

UN number or ID number:	UN 3082
UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (PYROXASULFONE, IMAZETHAPYR)
Transport hazard class(es):	9, EHSM
Packing group:	III
Environmental hazards:	yes
Special precautions for user:	None known

Maritime transport in bulk according to IMO instruments

Maritime transport in bulk is not intended.

Further information
Product may be shipped as non-hazardous in suitable packages containing a net quantity of 5 L or less under the provisions of various regulatory agencies: ADR, RID, ADN: Special Provision 375; IMDG: 2.10.2.7; IATA: A197; TDG: Special Provision 99(2); 49CFR: §171.4 (c) (2) and also the Special Provision 375 in Appendix B which is regulated in China "Regulations Concerning Road Transportation of Dangerous Goods Part 3: Index of dangerous goods name and transportation requirements" (JT/T 617.3)

15. Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

To avoid risks to man and the environment, comply with the instructions for use.

16. Other Information

Full text of classifications, hazard symbols and hazard statements, if mentioned in section 2 or 3:

Repr.	Reproductive toxicity
STOT RE	Specific target organ toxicity — repeated exposure
Aquatic Acute	Hazardous to the aquatic environment - acute
Aquatic Chronic	Hazardous to the aquatic environment - chronic
Eye Dam./Irrit.	Serious eye damage/eye irritation
Acute Tox.	Acute toxicity
Skin Corr./Irrit.	Skin corrosion/irritation
STOT SE	Specific target organ toxicity — single exposure
Skin Sens.	Skin sensitization
H373	May cause damage to organs (Kidney, Liver, Heart, Nervous system, Urinary organs) through prolonged or repeated exposure (oral).
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H361	Suspected of damaging the unborn child.
H319	Causes serious eye irritation.
H402	Harmful to aquatic life.
H412	Harmful to aquatic life with long lasting effects.
H318	Causes serious eye damage.
H315	Causes skin irritation.
H312	Harmful in contact with skin.
H335	May cause respiratory irritation.
H301 + H331	Toxic if swallowed or if inhaled.
H301	Toxic if swallowed.
H317	May cause an allergic skin reaction.
H314	Causes severe skin burns and eye damage.
H310 + H330	Fatal in contact with skin or if inhaled.
EUH071	Corrosive to the respiratory tract.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.