We create chemistry

Safety data sheet

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time.
Date / Revised: 02.02.2024 Version: 15.0
Date / Previous version: 14.09.2023 Previous version: 14.0
Product: **Kauramin® Powder 773**
(ID no. 30034945/SDS_GEN_GB/EN)
Date of print 06.07.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Kauramin® Powder 773

UFI: R1J8-QFKN-500K-P1J8

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Chemical
Recommended use: Chemical, for industrial and professional users

1.3. Details of the supplier of the safety data sheet

Company:
BASF SE
67056 Ludwigshafen
GERMANY

Contact address:
BASF plc
4th and 5th Floors, 2 Stockport Exchange
Railway Road, Stockport, SK1 3GG
UNITED KINGDOM

Telephone: +44 161 475 3000
E-mail address: product-safety-uk-and-ireland@basf.com

1.4. Emergency telephone number

International emergency number:
Telephone: +49 180 2273-112

SECTION 2: Hazards Identification

2.1. Classification of the substance or mixture

For the classification of the mixture the following methods have been applied: extrapolation on the concentration levels of the hazardous substances, on basis of test results and after evaluation of experts. The methodologies used are mentioned at the respective test results.

According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

Carc. 2	H351 Suspected of causing cancer.
Repr. 2	H361f Suspected of damaging fertility.

For the classifications not written out in full in this section the full text can be found in section 16.

2.2. Label elements

According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

Pictogram:

Signal Word:
Warning

Hazard Statement:

H351	Suspected of causing cancer.
H361f	Suspected of damaging fertility.

Precautionary Statements (Prevention):

P280	Wear protective gloves, protective clothing and eye protection or face protection.
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.

Precautionary Statements (Response):

P308 + P313	IF exposed or concerned: Get medical attention.

Precautionary Statements (Storage):

P405	Store locked up.

Precautionary Statements (Disposal):

P501	Dispose of contents and container to hazardous or special waste collection point.

Labeling of special preparations (GHS):
Product contains the following components and may cause an allergic skin reaction: Formaldehyde

Hazard determining component(s) for labelling: 1,3,5-triazine-2,4,6-triamine; melamine

2.3. Other hazards

According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

No specific dangers known, if the regulations/notes for storage and handling are considered.

The product does not contain a substance above legal limits fulfilling the PBT (persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria.

SECTION 3: Composition/Information on Ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Chemical nature

Condensate based on: 1,3,5-triazine-2,4,6-triamine; melamine, Formaldehyde

modified

Hazardous ingredients (GHS)

1,3,5-triazine-2,4,6-triamine; melamine

Content (W/W): >= 5 % - < 10 %	Carc. 2
CAS Number: 108-78-1	Repr. 2 (fertility)
EC-Number: 203-615-4	STOT RE (Urinary tract.) 2
REACH registration number: 01-2119485947-16	H351, H361f, H373
INDEX-Number: 613-345-00-2	

ε-caprolactam

Content (W/W): >= 1 % - < 3 %	Acute Tox. 4 (Inhalation - dust)
CAS Number: 105-60-2	Acute Tox. 4 (oral)
EC-Number: 203-313-2	Skin Corr./Irrit. 2
REACH registration number: 01-2119457029-36	Eye Dam./Irrit. 2
	STOT SE 3 (irr. to respiratory syst.)
INDEX-Number: 613-069-00-2	H319, H315, H335, H302 + H332

Butane-1,4-diol

Content (W/W): >= 1 % - < 3 % CAS Number: 110-63-4 EC-Number: 203-786-5 REACH registration number: 01-2119471849-20	Acute Tox. 4 (oral) STOT SE 3 (drowsiness and dizziness) H302, H336

2-diethylaminoethanol

Content (W/W): >= 0.3 % - < 1 % CAS Number: 100-37-8 EC-Number: 202-845-2 REACH registration number: 01-2119488937-14 INDEX-Number: 603-048-00-6	Flam. Liq. 3 Acute Tox. 3 (Inhalation - vapour) Acute Tox. 4 (oral) Acute Tox. 3 (dermal) Skin Corr./Irrit. 1B Eye Dam./Irrit. 1 STOT SE 3 (irr. to respiratory syst.) H226, H302, H335, H314, H311 + H331 <u>Specific concentration limit:</u> STOT SE 3, irr. to respiratory syst.: >= 5 %

For the classifications not written out in full in this section, including the hazard classes and the hazard statements, the full text is listed in section 16.

SECTION 4: First-Aid Measures

4.1. Description of first aid measures

Remove contaminated clothing.

If inhaled:
If difficulties occur after dust has been inhaled, remove to fresh air and seek medical attention.

On skin contact:
Wash thoroughly with soap and water

On contact with eyes:
Immediately wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion:
Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11.

Hazards: No hazard is expected under intended use and appropriate handling.

4.3. Indication of any immediate medical attention and special treatment needed

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

SECTION 5: Fire-Fighting Measures

5.1. Extinguishing media
Suitable extinguishing media:
water spray, foam, carbon dioxide, dry powder

5.2. Special hazards arising from the substance or mixture
Endangering substances: Formaldehyde, harmful vapours

5.3. Advice for fire-fighters
Further information:
Fire debris must be disposed of in accordance with offical regulations. In case of combustion evolution of toxic gases/vapours possible. Do not allow to enter drains or waterways. Forms slippery surfaces with water.

SECTION 6: Accidental Release Measures

6.1. Personal precautions, protective equipment and emergency procedures
Take appropriate protective measures. Information regarding personal protective measures, see section 8. Use personal protective clothing.

6.2. Environmental precautions
Do not allow to enter soil, waterways or waste water channels. Prevent entry into drains and surface waters. Ensure compliance with local regulations before discharging into effluent treatment plants.

6.3. Methods and material for containment and cleaning up
For small amounts: Sweep/shovel up.
For large amounts: Sweep/shovel up.

6.4. Reference to other sections
Information regarding exposure controls/personal protection and disposal considerations can be found in section 8 and 13.

SECTION 7: Handling and Storage

7.1. Precautions for safe handling
Handle in accordance with good industrial hygiene and safety practice. Inform workers about possible hazards caused by the release of formaldehyde during processing.

Protection against fire and explosion:
Avoid dust formation. The product is capable of dust explosion. Sources of ignition should be kept well clear. Take precautionary measures against static discharges.

7.2. Conditions for safe storage, including any incompatibilities

Suitable materials for containers: Low density polyethylene (LDPE), High density polyethylene (HDPE), Aluminium, glass, Stainless steel 1.4306 (V2A), Stainless steel 1.4402 (V4A)
Further information on storage conditions: Keep in a cool place.

7.3. Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

SECTION 8: Exposure Controls/Personal Protection

8.1. Control parameters

Components with occupational exposure limits

50-00-0: Formaldehyde
TWA value 2.5 mg/m3 ; 2 ppm (WEL/EH 40 (UK))
STEL value 0.74 mg/m3 (Directive 2004/37/EC)
TWA value 0.62 mg/m3 ; 0.5 ppm (Directive 2004/37/EC)
TWA value 0.37 mg/m3 ; 0.3 ppm (Directive 2004/37/EC)
STEL value 0.6 ppm (Directive 2004/37/EC)
STEL value 2.5 mg/m3 ; 2 ppm (WEL/EH 40 (UK))
Ceiling limit value/factor: 15 min

57-50-1: Sucrose
STEL value 20 mg/m3 (WEL/EH 40 (UK))
TWA value 10 mg/m3 (WEL/EH 40 (UK))
STEL value 20 mg/m3 (WEL/EH 40 (UK))
Ceiling limit value/factor: 15 min

105-60-2: ε-caprolactam
TWA value 10 mg/m3 (WEL/EH 40 (UK)), Vapor and dust
TWA value 1 mg/m3 (WEL/EH 40 (UK)), Inhalable dust
TWA value 10 mg/m3 (OEL (EU)), Vapor and dust
indicative
STEL value 40 mg/m3 (OEL (EU)), Vapor and dust
indicative
STEL value 3 mg/m3 (WEL/EH 40 (UK)), Inhalable dust
Ceiling limit value/factor: 15 min
STEL value 20 mg/m3 (WEL/EH 40 (UK)), Vapor and dust
Ceiling limit value/factor: 15 min

Components with PNEC

50-00-0: Formaldehyde
freshwater: 0.132 mg/l
marine water: 0.132 mg/l
intermittent release: 0.49 mg/l
sediment (freshwater): 0.686 mg/l
sediment (marine water): 0.686 mg/l
soil: 0.059 mg/l

STP: 0.19 mg/l
air:
No PNEC value available.

105-60-2: ε-caprolactam
marine water: 0.2 mg/l
intermittent release: 1 mg/l
sediment (freshwater): 18.7 mg/kg
sediment (marine water): 1.87 mg/kg
soil: 2.55 mg/kg
STP: 1737 mg/l
freshwater: 2 mg/l

100-37-8: 2-diethylaminoethanol
freshwater: 0.0623 mg/l
marine water: 0.00623 mg/l
intermittent release: 0.34 mg/l
sediment (freshwater): 0.673 mg/kg
sediment (marine water): 0.0673 mg/kg
soil: 0.0977 mg/kg
STP: 10 mg/l
oral (secondary poisoning):
According to EU risk assessment risks are negligible

108-78-1: 1,3,5-triazine-2,4,6-triamine; melamine
freshwater: 0.51 mg/l
marine water: 0.051 mg/l
intermittent release: 2 mg/l
STP: 100 mg/l
sediment (freshwater): 13.06 mg/kg
soil: 2.312 mg/kg
oral (secondary poisoning):
No PNEC oral derived, as accumulation in organisms is not to be expected.
air:
No hazard identified.
sediment (marine water): 1.306 mg/kg

Components with DNEL

50-00-0: Formaldehyde
worker: Short-term exposure - systemic and local effects, Inhalation: 0.75 mg/m3, 0.6 ppm
worker: Long-term exposure - systemic and local effects, Inhalation: 0.375 mg/m3, 0.3 ppm
worker: Long-term exposure- systemic effects, dermal: 240 mg/kg
consumer: Long-term exposure- systemic effects, oral: 4.1 mg/kg
consumer: Long-term exposure- systemic effects, dermal: 102 mg/kg
consumer: Long-term exposure - local effects, dermal: 0.012 mg/cm2
consumer: Long-term exposure - systemic and local effects, Inhalation: 0.1 mg/m3

105-60-2: ε-caprolactam
worker: Short-term exposure - local effects, Inhalation: 5 mg/m3

100-37-8: 2-diethylaminoethanol
worker: Long-term exposure- systemic effects, Inhalation: 18.3 mg/m3
worker: Long-term exposure - local effects, Inhalation: 10.7 mg/m3
worker: Long-term exposure- systemic effects, dermal: 2.5 mg/kg

108-78-1: 1,3,5-triazine-2,4,6-triamine; melamine
worker: Short-term exposure - systemic effects, dermal: 117 mg/kg
worker: Short-term exposure - systemic effects, Inhalation: 82.3 mg/m3
worker: Long-term exposure- systemic effects, dermal: 11.8 mg/kg
worker: Long-term exposure- systemic effects, Inhalation: 8.3 mg/m3
consumer: Long-term exposure- systemic effects, dermal: 4.2 mg/kg
consumer: Long-term exposure- systemic effects, Inhalation: 1.5 mg/m3
consumer: Long-term exposure- systemic effects, oral: 0.42 mg/kg

8.2. Exposure controls

Personal protective equipment

Respiratory protection:
Breathing protection if dusts are formed. (Particle filter EN 143 P2 or FFP2)

Hand protection:
Chemical resistant protective gloves (EN ISO 374-1)

Eye protection:
Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:
Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures
Do not breathe dust. Do not breathe vapour/spray. No eating, drinking, smoking or tobacco use at the place of work. Wash contaminated clothing before reuse.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Form:	powder	
Colour:	white	
Odour:	faint specific odour	
Odour threshold:	No data available.	
pH value:	approx. 9 (660 g/l, 20 °C)	(DIN ISO 976)

Melting point:	approx. 100 °C	
:	not applicable	
Flash point:	> 200 °C	(ISO 2592)
Evaporation rate:	The product is a non-volatile solid.	
Flammability:	No data available.	
Ignition temperature:	not applicable	
Vapour pressure:	not applicable	
Density:	No data available.	
Relative density:	No data available.	
Solubility in water:	miscible	
Partitioning coefficient n-octanol/water (log Kow):	< 3.0	
	The statements are based on the properties of the individual components.	
Self ignition:	not self-igniting	
Thermal decomposition:	> 250 °C	
	No decomposition if correctly stored and handled.	
Viscosity, dynamic:	No data available.	
Viscosity, kinematic:	No data available.	
Explosion hazard:	Product is not explosive, however a dust explosion could result from an air / dust mixture.	
Fire promoting properties:	not fire-propagating	

9.2. Other information

Self heating ability:	It is not a substance capable of spontaneous heating according to UN transport regulations class 4.2.	
Bulk density:	approx. 700 kg/m3	(ISO 697)
Grain size distribution	33.53 - 77.79 µm	(D50, Volumetric Distribution, other (measured))

Other Information:
none

SECTION 10: Stability and Reactivity

10.1. Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

10.2. Chemical stability

The product is chemically stable.

10.3. Possibility of hazardous reactions
During processing with acids, water and / or heat formaldehyde will be released, which may act as a sensitizer.

10.4. Conditions to avoid
> 30 °C
Avoid heat. Avoid humidity. Avoid dust formation.

10.5. Incompatible materials

Substances to avoid:
Organic Peroxides, strong bases, strong acids, acid anhydrides

10.6. Hazardous decomposition products

Formaldehyde

SECTION 11: Toxicological Information

11.1. Information on toxicological effects

Acute toxicity

Assessment of acute toxicity:
Of low toxicity after single ingestion.

Experimental/calculated data:
LD50 rat (oral): > 2,000 mg/kg

Irritation

Assessment of irritating effects:
Skin contact causes slight irritation. Not irritating to the eyes. Prolonged contact with the product can result in skin irritation.

Experimental/calculated data:
Serious eye damage/irritation
rabbit: non-irritant

Serious eye damage/irritation
rabbit: non-irritant (Draize test)

Respiratory/Skin sensitization

Assessment of sensitization:
After continuous contact with the skin, sensitization cannot be excluded.

Germ cell mutagenicity

No data available.

Carcinogenicity

Assessment of carcinogenicity:
Indication of possible carcinogenic effect in animal tests.

Information on: 1,3,5-triazine-2,4,6-triamine; melamine
Assessment of carcinogenicity:
Indication of possible carcinogenic effect in animal tests. Based on our experience and the information available, no adverse health effects are expected if handled as recommended with suitable precautions for designated uses. IARC (International Agency for Research on Cancer) has classified this substance as group 2B (The agent is possibly carcinogenic to humans).

Reproductive toxicity

Assessment of reproduction toxicity:
The results of animal studies suggest a fertility impairing effect.

Information on: 1,3,5-triazine-2,4,6-triamine; melamine
Assessment of reproduction toxicity:
The substance may cause damage to the testes after repeated ingestion of high doses, as shown in animal studies. The potential to impair fertility cannot be excluded.

Study scientifically not justified.

Developmental toxicity

Assessment of teratogenicity:
Not a teratogen.

Specific target organ toxicity (single exposure)

Assessment of STOT single:
The available information is not sufficient for the evaluation of specific target organ toxicity.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:
The information available on the product provides no indication of toxicity on target organs after repeated exposure. The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Formaldehyde
Assessment of repeated dose toxicity:
After repeated exposure the prominent effect is local irritation.

Aspiration hazard

not applicable

SECTION 12: Ecological Information

12.1. Toxicity

Assessment of aquatic toxicity:
There is a high probability that the product is not acutely harmful to aquatic organisms. The inhibition of the degradation activity of activated sludge is not anticipated when introduced to biological treatment plants in appropriate low concentrations.

Toxicity to fish:
LC50 (96 h) > 500 mg/l, Leuciscus idus (DIN 38412 Part 15, static)
Nominal concentration.

Microorganisms/Effect on activated sludge:
Inhibition of degradation activity in activated sludge is not to be anticipated during correct introduction of low concentrations. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

12.2. Persistence and degradability

Elimination information:
No data available.

12.3. Bioaccumulative potential

Assessment bioaccumulation potential:
Based on its structural properties, the polymer is not biologically available. Accumulation in organisms is not to be expected.

12.4. Mobility in soil

Assessment transport between environmental compartments:
Volatility: The substance will not evaporate into the atmosphere from the water surface.

12.5. Results of PBT and vPvB assessment

The product does not fulfill the criteria for PBT (Persistent/bioaccumulative/toxic) and vPvB (very persistent/very bioaccumulative).

12.6. Other adverse effects

The product does not contain substances that are listed in Regulation (EC) 1005/2009 on substances that deplete the ozone layer.

12.7. Additional information

Other ecotoxicological advice:
The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

SECTION 13: Disposal Considerations

13.1. Waste treatment methods

Incinerate in suitable incineration plant, observing local authority regulations.
No disposal via sewage or waste water systems.

The UK Environmental Protection (Duty of Care) Regulations (EP) and amendments should be noted (United Kingdom).
This product and any uncleaned containers must be disposed of as hazardous waste in accordance with the 2005 Hazardous Waste Regulations and amendments (United Kingdom)

SECTION 14: Transport Information

Land transport

ADR

	Not classified as a dangerous good under transport regulations
UN number or ID number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user	None known

RID

	Not classified as a dangerous good under transport regulations
UN number or ID number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user	None known

Inland waterway transport
ADN

	Not classified as a dangerous good under transport regulations
UN number or ID number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user:	None known

Transport in inland waterway vessel
Not evaluated

Sea transport

IMDG

	Not classified as a dangerous good under transport regulations
UN number or ID number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user	None known

Air transport

IATA/ICAO

	Not classified as a dangerous good under transport regulations
UN number or ID number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user	None known

14.1. UN number or ID number
See corresponding entries for “UN number or ID number” for the respective regulations in the tables above.

14.2. UN proper shipping name
See corresponding entries for “UN proper shipping name” for the respective regulations in the tables above.

14.3. Transport hazard class(es)
See corresponding entries for “Transport hazard class(es)” for the respective regulations in the tables above.

14.4. Packing group
See corresponding entries for “Packing group” for the respective regulations in the tables above.

14.5. Environmental hazards
See corresponding entries for “Environmental hazards” for the respective regulations in the tables above.

14.6. Special precautions for user
See corresponding entries for “Special precautions for user” for the respective regulations in the tables above.

14.7. Maritime transport in bulk according to IMO instruments

Maritime transport in bulk is not intended.

SECTION 15: Regulatory Information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Directive 2012/18/EU - Control of Major Accident Hazards involving dangerous substances (EU):
Listed in above regulation: no

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

The data should be considered when making any assessment under the Control of Substances Hazardous to Health Regulations (COSHH), and related guidance, for example, 'COSHH Essentials' (United Kingdom).

15.2. Chemical Safety Assessment

Advice on product handling can be found in sections 7 and 8 of this safety data sheet.

SECTION 16: Other Information

Full text of the classifications, including the hazard classes and the hazard statements, if mentioned in section 2 or 3:

Carc.	Carcinogenicity
Repr.	Reproductive toxicity
STOT RE	Specific target organ toxicity — repeated exposure
Acute Tox.	Acute toxicity
Skin Corr./Irrit.	Skin corrosion/irritation
Eye Dam./Irrit.	Serious eye damage/eye irritation
STOT SE	Specific target organ toxicity — single exposure

Flam. Liq.	Flammable liquids
H351	Suspected of causing cancer.
H361f	Suspected of damaging fertility.
H373	May cause damage to organs (Urinary tract.) through prolonged or repeated exposure.
H319	Causes serious eye irritation.
H315	Causes skin irritation.
H335	May cause respiratory irritation.
H302 + H332	Harmful if swallowed or if inhaled.
H302	Harmful if swallowed.
H336	May cause drowsiness or dizziness.
H226	Flammable liquid and vapour.
H314	Causes severe skin burns and eye damage.
H311 + H331	Toxic in contact with skin or if inhaled.

Abbreviations

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road. ADN = The European Agreement concerning the International Carriage of Dangerous Goods by Inland waterways. ATE = Acute Toxicity Estimates. CAO = Cargo Aircraft Only. CAS = Chemical Abstract Service. CLP = Classification, Labelling and Packaging of substances and mixtures. DIN = German national organization for standardization. DNEL = Derived No Effect Level. EC50 = Effective concentration median for 50% of the population. EC = European Community. EN = European Standards. IARC = International Agency for Research on Cancer. IATA = International Air Transport Association. IBC-Code = Intermediate Bulk Container code. IMDG = International Maritime Dangerous Goods Code. ISO = International Organization for Standardization. STEL = Short-Term Exposure Limit. LC50 = Lethal concentration median for 50% of the population. LD50 = Lethal dose median for 50% of the population. TLV = Threshold Limit Value. MARPOL = The International Convention for the Prevention of Pollution from Ships. NEN = Dutch Norm. NOEC = No Observed Effect Concentration. OEL = Occupational Exposure Limit. OECD = Organization for Economic Cooperation and Development. PBT = Persistent, Bioaccumulative and Toxic. PNEC = Predicted No Effect Level. PPM = Parts per million. RID = The European Agreement concerning the International Carriage of Dangerous Goods by Rail. TWA = Time Weight Average. UN-number = UN number at transport. vPvB = very Persistent and very Bioaccumulative.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.