We create chemistry

# Safety data sheet



BASF safety data sheet. This document has been drafted following generic rules for safety data sheets. It does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 01.03.2023 Version: 4.0
Date previous version: 23.11.2022 Previous version: 3.0
Date / First version: 25.01.2018
Product: **Glufosinate-Ammonium SL 150B**

(ID no. 30692711/SDS_CPA_EU/EN)

Date of print 07.07.2025

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

# Glufosinate-Ammonium SL 150B

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: crop protection product, herbicide

### 1.3. Details of the supplier of the safety data sheet

Company:
BASF SE
67056 Ludwigshafen
GERMANY
Operating Division Crop Protection

Telephone: +49 621 60-27777
E-mail address: Produktinformation-Pflanzenschutz@basf.com

### 1.4. Emergency telephone number

International emergency number:
Telephone: +49 180 2273-112

## SECTION 2: Hazards Identification

### 2.1. Classification of the substance or mixture

For the classification of the mixture the following methods have been applied: extrapolation on the concentration levels of the hazardous substances, on basis of test results and after evaluation of experts. The methodologies used are mentioned at the respective test results.

According to Regulation (EC) No 1272/2008 [CLP]

| | |
|---|---|
| Skin Corr./Irrit. 2 | H315 Causes skin irritation. |
| Eye Dam./Irrit. 1 | H318 Causes serious eye damage. |
| Repr. 1B | H360F May damage fertility. |
| Repr. 2 | H361d Suspected of damaging the unborn child. |
| STOT SE 1 | H370 Causes damage to organs (Nervous system). |
| STOT RE 2 | H373 May cause damage to organs (Nervous system) through prolonged or repeated exposure. |
| Aquatic Chronic 2 | H411 Toxic to aquatic life with long lasting effects. |

For the classifications not written out in full in this section the full text can be found in section 16.

### 2.2. Label elements

According to Regulation (EC) No 1272/2008 [CLP]

Pictogram:

Signal Word:

Danger

Hazard Statement:

| | |
|---|---|
| H318 | Causes serious eye damage. |
| H315 | Causes skin irritation. |
| H360Fd | May damage fertility. Suspected of damaging the unborn child. |
| H370 | Causes damage to organs (Nervous system). |
| H373 | May cause damage to organs (Nervous system) through prolonged or repeated exposure. |
| H411 | Toxic to aquatic life with long lasting effects. |
| EUH401 | To avoid risks to human health and the environment, comply with the instructions for use. |

Precautionary Statement:

| | |
|---|---|
| P101 | If medical advice is needed, have product container or label at hand. |
| P102 | Keep out of reach of children. |
| P103 | Read carefully and follow all instructions. |

Precautionary Statements (Prevention):

| | |
|---|---|
| P280 | Wear protective gloves, protective clothing and eye protection or face protection. |
| P260 | Do not breathe mist or vapour. |

| | |
|---|---|
| P201 | Obtain special instructions before use. |
| P202 | Do not handle until all safety precautions have been read and understood. |
| P270 | Do not eat, drink or smoke when using this product. |
| P264 | Wash contaminated body parts thoroughly after handling. |

Precautionary Statements (Response):

| | |
|---|---|
| P305 + P351 + P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| P310 | Immediately call a POISON CENTER or physician. |
| P308 + P313 | IF exposed or concerned: Get medical attention. |
| P302 + P352 | IF ON SKIN: Wash with plenty of soap and water. |
| P391 | Collect spillage. |
| P362 + P364 | Take off contaminated clothing and wash it before reuse. |

Precautionary Statements (Storage):

| | |
|---|---|
| P405 | Store locked up. |

Precautionary Statements (Disposal):

| | |
|---|---|
| P501 | Dispose of contents and container to hazardous or special waste collection point. |

Labeling of special preparations (GHS):

Restricted to professional users.

Hazard determining component(s) for labelling: glufosinate ammonium (ISO); ammonium 2-amino-4-(hydroxymethylphosphinyl)butyrate, (OLIGOMER) Alcohols, C12-14, ethoxylated, sulfates, sodium salts (> 1 < 2.5 mol EO)

### 2.3. Other hazards

According to Regulation (EC) No 1272/2008 [CLP]

See section 12 - Results of PBT and vPvB assessment.
If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.
Product does not contain a substance above legal limits included in the list established in accordance with Article 59(1) of Regulation (EC) No 1907/2006 for having endocrine disrupting properties or is identified to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

## SECTION 3: Composition/Information on Ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Chemical nature

crop protection product, herbicide, Soluble concentrate (SL)

Regulatory relevant ingredients

glufosinate ammonium (ISO); ammonium 2-amino-4-(hydroxymethylphosphinyl)butyrate

| | |
|---|---|
| Content (W/W): 13.51 % | Acute Tox. 4 (Inhalation - dust) |
| CAS Number: 77182-82-2 | Acute Tox. 4 (oral) |
| EC-Number: 278-636-5 | Acute Tox. 4 (dermal) |
| REACH registration number: 01-2120840397-49-0000 | Repr. 1B (fertility) |
| | Repr. 2 (unborn child) |
| INDEX-Number: 015-155-00-X | STOT SE (Nervous system) 1 |
| | STOT RE (Nervous system) 2 |
| | Aquatic Acute 1 |
| | Aquatic Chronic 1 |
| | M-factor acute: 1 |
| | M-factor chronic: 1 |
| | H360Fd, H302 + H312 + H332, H370, H373, H400, H410 |

(OLIGOMER) Alcohols, C12-14, ethoxylated, sulfates, sodium salts (> 1 < 2.5 mol EO)

| | |
|---|---|
| Content (W/W): < 45 % | Skin Corr./Irrit. 2 |
| CAS Number: 68891-38-3 | Eye Dam./Irrit. 1 |
| EC-Number: 500-234-8 | Aquatic Chronic 3 |
| REACH registration number: 01-2119488639-16 | H318, H315, H412 |
| | Specific concentration limit: |
| | Eye Dam./Irrit. 2A: 5 - 10 % |
| | Eye Dam./Irrit. 1: > 10 % |

1-methoxy-2-propanol

| | |
|---|---|
| Content (W/W): < 15 % | Flam. Liq. 3 |
| CAS Number: 107-98-2 | STOT SE 3 (drowsiness and dizziness) |
| EC-Number: 203-539-1 | H226, H336 |
| REACH registration number: 01-2119457435-35 | |
| INDEX-Number: 603-064-00-3 | |

For the classifications not written out in full in this section, including the hazard classes and the hazard statements, the full text is listed in section 16.

## SECTION 4: First-Aid Measures

### 4.1. Description of first aid measures

First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing. Symptoms of poisoning may occur even after several hours, continue medical observation for at least 48 hours after the accident.

If inhaled:
Keep patient calm, remove to fresh air, seek medical attention.

On skin contact:
Immediately wash thoroughly with plenty of water, apply sterile dressings, consult a skin specialist.

On contact with eyes:
Immediately wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion:
Do not induce vomiting. Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., vomiting, diarrhea, abdominal cramps, tremors, hypotension (low blood pressure), weakness, unconsciousness, coma, convulsions, respiratory arrest, nausea, tachycardia, Symptoms may be delayed for several hours.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote. Administer activated charcoal. If necessary, give oxygen. Monitor respiratory, cardiac and central nervous system. Medical monitoring for at least 24-48 hours.

## SECTION 5: Fire-Fighting Measures

### 5.1. Extinguishing media

Suitable extinguishing media:
water spray, dry powder, foam, carbon dioxide

Unsuitable extinguishing media for safety reasons:
water jet

### 5.2. Special hazards arising from the substance or mixture

Endangering substances: carbon monoxide, Carbon dioxide, nitrogen oxides, sulfur oxides, Phosphorus compounds
Advice: The substances/groups of substances mentioned can be released in case of fire.

### 5.3. Advice for fire-fighters

Special protective equipment:
Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:
Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations. In case of fire and/or explosion do not breathe fumes. Keep containers cool by spraying with water if exposed to fire.

## SECTION 6: Accidental Release Measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Do not breathe vapour/spray. Use personal protective clothing. Avoid contact with the skin, eyes and clothing.

### 6.2. Environmental precautions

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater.

### 6.3. Methods and material for containment and cleaning up

For small amounts: Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr).
For large amounts: Dike spillage. Pump off product.
Dispose of absorbed material in accordance with regulations. Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations. Wear suitable protective equipment.

### 6.4. Reference to other sections

Information regarding exposure controls/personal protection and disposal considerations can be found in section 8 and 13.

## SECTION 7: Handling and Storage

### 7.1. Precautions for safe handling

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift.

Protection against fire and explosion:
No special precautions necessary. The substance/product is non-combustible. Product is not explosive.

### 7.2. Conditions for safe storage, including any incompatibilities

Segregate from foods and animal feeds.
Further information on storage conditions: Keep away from heat. Protect from direct sunlight.

Storage stability:
Storage duration: 36 Months

Protect from temperatures below:0 °C
Changes in the properties of the product may occur if substance/product is stored below indicated temperature for extended periods of time.
Protect from temperatures above:40 °C
Changes in the properties of the product may occur if substance/product is stored above indicated temperature for extended periods of time.

### 7.3. Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

## SECTION 8: Exposure Controls/Personal Protection

### 8.1. Control parameters

Components with occupational exposure limits

107-98-2: 1-methoxy-2-propanol
STEL value 568 mg/m3 ; 150 ppm (OEL (EU))
indicative
Skin Designation (OEL (EU))
The substance can be absorbed through the skin.
TWA value 375 mg/m3 ; 100 ppm (OEL (EU))
indicative
77182-82-2: glufosinate ammonium (ISO)
TWA value 0.33 mg/m3 (BASF recomm. occupational exposure limit)

### 8.2. Exposure controls

Personal protective equipment

Respiratory protection:
Suitable respiratory protection for lower concentrations or short-term effect: Combination filter for gases/vapours of organic, inorganic, acid inorganic, alkaline compounds and toxic particles (e. g. EN 14387 Type ABEK-P3)

Hand protection:
Suitable chemical resistant safety gloves (EN ISO 374-1) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc.

Eye protection:
Tightly fitting safety goggles (splash goggles) (e.g. EN 166)

Body protection:
Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures

The statements on personal protective equipment in the instructions for use apply when handling crop-protection agents in final-consumer packing. Wearing of closed work clothing is recommended. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

## SECTION 9: Physical and Chemical Properties

### 9.1. Information on basic physical and chemical properties

| | |
|---|---|
| State of matter: | liquid |
| Form: | liquid |
| Colour: | light blue clear |
| Odour: | pungent |
| Odour threshold: | Not determined due to potential health hazard by inhalation. |
| Melting point: | approx. 0 °C<br>Information applies to the solvent. |
| Boiling point: | approx. 101 °C |
| Flammability: | not applicable |

| | | |
|---|---|---|
| Lower explosion limit: | (54.6 °C, 1013 hPa)<br>The lower explosion point of the substance/mixture has been determined. The explosion point describes the temperature of a flammable liquid at which the concentration of the saturated vapour mixed with air equals the lower explosion limit. | (DIN EN 15794) |
| Upper explosion limit: | As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use. | |
| Flash point: | approx. 57 °C<br>UN L.2 Sustained combustibility, The product does not burn self-sustainingly. | (Directive 92/69/EEC, A.9) |
| Auto-ignition temperature: | 405 °C | (Directive 92/69/EEC, A.15) |
| Thermal decomposition: | No decomposition if stored and handled as prescribed/indicated. | |
| pH value: | approx. 6.7 - 8.7<br>(undiluted) | |
| Viscosity, dynamic: | approx. 141.2 mPa.s<br>(20 °C)<br>Information applies to the solvent. | (DIN 51562) |
| Solubility in water: | soluble | |
| Partitioning coefficient n-octanol/water (log Kow): | not applicable | |
| Vapour pressure: | approx. 23.4 hPa<br>(20 °C)<br>Information applies to the solvent. | |
| Density: | approx. 1.11 g/cm3<br>(20 °C) | |
| Relative vapour density (air): | not applicable | |

## 9.2. Other information

**Information with regard to physical hazard classes**

Explosives

| | | |
|---|---|---|
| Explosion hazard: | not explosive | (Directive 92/69/EEC, A.14) |

Oxidizing properties

| | | |
|---|---|---|
| Fire promoting properties: | not fire-propagating | (Regulation 440/2008/EC, A.21) |
| | The product has not been tested. The statement has been derived from substances/products of a similar structure or composition. | |

**Other safety characteristics**

| | |
|---|---|
| Other Information: | If necessary, information on other physical and chemical parameters is indicated in this section. |
| Evaporation rate: | not applicable |

## SECTION 10: Stability and Reactivity

### 10.1. Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

### 10.2. Chemical stability

The product is stable if stored and handled as prescribed/indicated.

### 10.3. Possibility of hazardous reactions

No hazardous reactions if stored and handled as prescribed/indicated.

### 10.4. Conditions to avoid

See SDS section 7 - Handling and storage.

### 10.5. Incompatible materials

Substances to avoid:
strong acids, strong bases, strong oxidizing agents

### 10.6. Hazardous decomposition products

Hazardous decomposition products:
ammonia, anhydrous

## SECTION 11: Toxicological Information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Assessment of acute toxicity:
Virtually nontoxic after a single ingestion. Virtually nontoxic after a single skin contact. Virtually nontoxic by inhalation.

Experimental/calculated data:

LD50 rat (oral): > 2,000 mg/kg

LD50 rat (dermal): > 2,000 mg/kg

*Information on: glufosinate ammonium (ISO); ammonium 2-amino-4-(hydroxymethylphosphinyl)butyrate*
*Experimental/calculated data:*
*LC50 rat (by inhalation): 1.26 mg/l 4 h (Conventional method)*
*Tested as dust aerosol.*
---

Irritation

Assessment of irritating effects:
May cause severe damage to the eyes. Skin contact causes irritation. The product has not been tested. The statement has been derived from the properties of the individual components.

*Information on: glufosinate ammonium (ISO); ammonium 2-amino-4-(hydroxymethylphosphinyl)butyrate*
*Experimental/calculated data:*
*Skin corrosion/irritation*
*rabbit: non-irritant*

*Information on: (OLIGOMER) Alcohols, C12-14, ethoxylated, sulfates, sodium salts (> 1 < 2.5 mol EO)*
*Experimental/calculated data:*
*Skin corrosion/irritation*
*In vitro assay: Irritant. (OECD Guideline 439)*

*Skin corrosion/irritation*
*rabbit: Irritant. (OECD Guideline 404)*
---

*Information on: glufosinate ammonium (ISO); ammonium 2-amino-4-(hydroxymethylphosphinyl)butyrate*
*Experimental/calculated data:*
*Serious eye damage/irritation*
*rabbit: non-irritant (EPA Guideline)*

*Information on: (OLIGOMER) Alcohols, C12-14, ethoxylated, sulfates, sodium salts (> 1 < 2.5 mol EO)*
*Experimental/calculated data:*
*Serious eye damage/irritation*
*In vitro assay: no irreversible damage (BCOP)*

*Serious eye damage/irritation*
*rabbit: irreversible damage (OECD Guideline 405)*
---

Respiratory/Skin sensitization

Assessment of sensitization:
There is no evidence of a skin-sensitizing potential. The product has not been tested. The statement has been derived from the properties of the individual components.

*Information on: glufosinate ammonium (ISO); ammonium 2-amino-4-(hydroxymethylphosphinyl)butyrate*
*Experimental/calculated data:*
*Buehler test guinea pig:* Non-sensitizing.
---

Germ cell mutagenicity

Assessment of mutagenicity:
The product has not been tested. The statement has been derived from the properties of the individual components. Mutagenicity tests revealed no genotoxic potential.

Carcinogenicity

Assessment of carcinogenicity:
The product has not been tested. The statement has been derived from the properties of the individual components. The results of various animal studies gave no indication of a carcinogenic effect.

Reproductive toxicity

Assessment of reproduction toxicity:
The product has not been tested. The statement has been derived from the properties of the individual components.

*Information on: glufosinate ammonium (ISO); ammonium 2-amino-4-(hydroxymethylphosphinyl)butyrate*
*Assessment of reproduction toxicity:*
*Causes impairment of fertility in laboratory animals.*
---

Developmental toxicity

Assessment of teratogenicity:
The product has not been tested. The statement has been derived from the properties of the individual components.

*Information on: glufosinate ammonium (ISO); ammonium 2-amino-4-(hydroxymethylphosphinyl)butyrate*
*Assessment of teratogenicity:*
*The substance did not cause malformations in animal studies; however, toxicity to development was observed at doses that were toxic to the parental animals.*
---

Specific target organ toxicity (single exposure)

Assessment of STOT single:
A single exposure may have relevant toxic effects on organs.

Remarks: The product has not been tested. The statement has been derived from the properties of the individual components.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:
The product has not been tested. The statement has been derived from the properties of the individual components.

*Information on: glufosinate ammonium (ISO); ammonium 2-amino-4-(hydroxymethylphosphinyl)butyrate*
*Assessment of repeated dose toxicity:*
*Prolonged or repeated exposure may cause neurological disturbances.*

*Information on: 1-methoxy-2-propanol*
*Assessment of repeated dose toxicity:*
*No adverse effects were observed after repeated dermal exposure in animal studies. The substance may cause damage to the liver after repeated inhalation of high doses. The substance may cause damage to the liver after repeated ingestion of high doses, as shown in animal studies.*
---

Aspiration hazard

No aspiration hazard expected.
The product has not been tested. The statement has been derived from the properties of the individual components.

Interactive effects

No data available.

### 11.2. Information on other hazards

Endocrine disrupting properties

Product does not contain a substance above legal limits included in the list established in accordance with Article 59(1) of Regulation (EC) No 1907/2006 for having endocrine disrupting properties or is identified to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

Other information

Other relevant toxicity information

Misuse can be harmful to health.

## SECTION 12: Ecological Information

### 12.1. Toxicity

Assessment of aquatic toxicity:
Toxic to aquatic life with long lasting effects.
The product has not been tested. The statement has been derived from the properties of the individual components.

*Information on:glufosinate ammonium (ISO); ammonium 2-amino-4-(hydroxymethylphosphinyl)butyrate*
*Toxicity to fish:*
*LC50 (96 h) 461 mg/l, Pimephales promelas*
---

*Information on:glufosinate ammonium (ISO); ammonium 2-amino-4-(hydroxymethylphosphinyl)butyrate*
*Aquatic invertebrates:*
*EC50 (48 h) > 100 mg/l, Daphnia magna*
---

*Information on:glufosinate ammonium (ISO); ammonium 2-amino-4-(hydroxymethylphosphinyl)butyrate*
*Aquatic plants:*
*EC50 (72 h) 0.132 mg/l (growth rate), Anabaena flos-aquae*

*No observed effect concentration (72 h) 0.039 mg/l, Anabaena flos-aquae*
---

## 12.2. Persistence and degradability

Assessment biodegradation and elimination (H2O):
The product has not been tested. The statement has been derived from the properties of the individual components.

*Information on:glufosinate ammonium (ISO); ammonium 2-amino-4-(hydroxymethylphosphinyl)butyrate*
*Assessment biodegradation and elimination (H2O):*
*Not readily biodegradable (by OECD criteria).*
---

## 12.3. Bioaccumulative potential

Assessment bioaccumulation potential:
The product has not been tested. The statement has been derived from the properties of the individual components.

*Information on:glufosinate ammonium (ISO); ammonium 2-amino-4-(hydroxymethylphosphinyl)butyrate*
*Bioaccumulation potential:*

*Bioconcentration factor(BCF): < 1, Lepomis macrochirus*
*Does not accumulate in organisms.*
---

## 12.4. Mobility in soil

Assessment transport between environmental compartments:
Adsorption in soil: The product has not been tested. The statement has been derived from the properties of the individual components.

*Information on:glufosinate ammonium (ISO); ammonium 2-amino-4-(hydroxymethylphosphinyl)butyrate*
*Assessment transport between environmental compartments:*
*Adsorption in soil: Following exposure to soil, the product trickles away and can - dependant on degradation - be transported to deeper soil areas with larger water loads.*
---

## 12.5. Results of PBT and vPvB assessment

The product does not contain a substance fulfilling the PBT (persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria.

### 12.6. Endocrine disrupting properties

Product does not contain a substance above legal limits included in the list established in accordance with Article 59(1) of Regulation (EC) No 1907/2006 for having endocrine disrupting properties or is identified to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

### 12.7. Other adverse effects

The product does not contain substances that are listed in Regulation (EC) 1005/2009 on substances that deplete the ozone layer.

### 12.8. Additional information

Other ecotoxicological advice:
Do not discharge product into the environment without control.

## SECTION 13: Disposal Considerations

### 13.1. Waste treatment methods

Must be sent to a suitable incineration plant, observing local regulations.

Contaminated packaging:
Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

## SECTION 14: Transport Information

**Land transport**

ADR

| | |
|---|---|
| UN number or ID number: | UN3082 |
| UN proper shipping name: | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (GLUFOSINATE AMMONIUM) |
| Transport hazard class(es): | 9, EHSM |
| Packing group: | III |
| Environmental hazards: | yes |
| Special precautions for user: | None known |

RID

| | |
|---|---|
| UN number or ID number: | UN3082 |
| UN proper shipping name: | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (GLUFOSINATE AMMONIUM) |
| Transport hazard class(es): | 9, EHSM |
| Packing group: | III |
| Environmental hazards: | yes |
| Special precautions for user: | None known |

**Inland waterway transport**

ADN

| | |
|---|---|
| UN number or ID number: | UN3082 |
| UN proper shipping name: | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (GLUFOSINATE AMMONIUM) |
| Transport hazard class(es): | 9, EHSM |
| Packing group: | III |
| Environmental hazards: | yes |
| Special precautions for user: | None known |

Transport in inland waterway vessel
Not evaluated

**Sea transport**

IMDG

| | |
|---|---|
| UN number or ID number: | UN 3082 |
| UN proper shipping name: | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (GLUFOSINATE AMMONIUM) |
| Transport hazard class(es): | 9, EHSM |
| Packing group: | III |
| Environmental hazards: | yes<br>Marine pollutant: YES |
| Special precautions for user: | EmS: F-A; S-F |

**Air transport**

IATA/ICAO

| | |
|---|---|
| UN number or ID number: | UN 3082 |
| UN proper shipping name: | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (GLUFOSINATE AMMONIUM) |
| Transport hazard class(es): | 9, EHSM |
| Packing group: | III |
| Environmental hazards: | yes |
| Special precautions for user: | None known |

### 14.1. UN number or ID number
See corresponding entries for “UN number or ID number” for the respective regulations in the tables above.

### 14.2. UN proper shipping name
See corresponding entries for “UN proper shipping name” for the respective regulations in the tables above.

### 14.3. Transport hazard class(es)
See corresponding entries for “Transport hazard class(es)” for the respective regulations in the tables above.

### 14.4. Packing group
See corresponding entries for “Packing group” for the respective regulations in the tables above.

### 14.5. Environmental hazards
See corresponding entries for “Environmental hazards” for the respective regulations in the tables above.

### 14.6. Special precautions for user
See corresponding entries for “Special precautions for user” for the respective regulations in the tables above.

### 14.7. Maritime transport in bulk according to IMO instruments

Maritime transport in bulk is not intended.

**Further information**
Product may be shipped as non-hazardous in suitable packages containing a net quantity of 5 L or less under the provisions of various regulatory agencies: ADR, RID, ADN: Special Provision 375; IMDG: 2.10.2.7; IATA: A197; TDG: Special Provision 99(2); 49CFR: §171.4 (c) (2) and also the Special Provision 375 in Appendix B which is regulated in China "Regulations Concerning Road Transportation of Dangerous Goods Part 3: Index of dangerous goods name and transportation requirements" (JT/T 617.3)

## SECTION 15: Regulatory Information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Prohibitions, Restrictions and Authorizations

Annex XVII of Regulation (EC) No 1907/2006: Number on List: 3, 30, 75

Directive 2012/18/EU - Control of Major Accident Hazards involving dangerous substances (EU):
List entry in regulation: E2
List entry in regulation: H3

To avoid risks to man and the environment, comply with the instructions for use.

### 15.2. Chemical Safety Assessment

Advice on product handling can be found in sections 7 and 8 of this safety data sheet.

## SECTION 16: Other Information

For proper and safe use of this product, please refer to the approval conditions laid down on the product label.

Full text of the classifications, including the hazard classes and the hazard statements, if mentioned in section 2 or 3:

| | |
|---|---|
| Skin Corr./Irrit. | Skin corrosion/irritation |
| Eye Dam./Irrit. | Serious eye damage/eye irritation |
| Repr. | Reproductive toxicity |
| STOT SE | Specific target organ toxicity — single exposure |
| STOT RE | Specific target organ toxicity — repeated exposure |
| Aquatic Chronic | Hazardous to the aquatic environment - chronic |
| Acute Tox. | Acute toxicity |
| Aquatic Acute | Hazardous to the aquatic environment - acute |
| Flam. Liq. | Flammable liquids |
| H318 | Causes serious eye damage. |
| H315 | Causes skin irritation. |
| H360Fd | May damage fertility. Suspected of damaging the unborn child. |
| H370 | Causes damage to organs (Nervous system). |
| H373 | May cause damage to organs (Nervous system) through prolonged or repeated exposure. |
| H411 | Toxic to aquatic life with long lasting effects. |
| EUH401 | To avoid risks to human health and the environment, comply with the instructions for use. |
| H302 + H312 + H332 | Harmful if swallowed, in contact with skin or if inhaled |
| H400 | Very toxic to aquatic life. |
| H410 | Very toxic to aquatic life with long lasting effects. |

| | |
|---|---|
| H412 | Harmful to aquatic life with long lasting effects. |
| H226 | Flammable liquid and vapour. |
| H336 | May cause drowsiness or dizziness. |

Abbreviations
ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road. ADN = The European Agreement concerning the International Carriage of Dangerous Goods by Inland waterways. ATE = Acute Toxicity Estimates. CAO = Cargo Aircraft Only. CAS = Chemical Abstract Service. CLP = Classification, Labelling and Packaging of substances and mixtures. DIN = German national organization for standardization. DNEL = Derived No Effect Level. EC50 = Effective concentration median for 50% of the population. EC = European Community. EN = European Standards. IARC = International Agency for Research on Cancer. IATA = International Air Transport Association. IBC-Code = Intermediate Bulk Container code. IMDG = International Maritime Dangerous Goods Code. ISO = International Organization for Standardization. STEL = Short-Term Exposure Limit. LC50 = Lethal concentration median for 50% of the population. LD50 = Lethal dose median for 50% of the population. TLV = Threshold Limit Value. MARPOL = The International Convention for the Prevention of Pollution from Ships. NEN = Dutch Norm. NOEC = No Observed Effect Concentration. OEL = Occupational Exposure Limit. OECD = Organization for Economic Cooperation and Development. PBT = Persistent, Bioaccumulative and Toxic. PNEC = Predicted No Effect Level. PPM = Parts per million. RID = The European Agreement concerning the International Carriage of Dangerous Goods by Rail. TWA = Time Weight Average. UN-number = UN number at transport. vPvB = very Persistent and very Bioaccumulative.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.